

Dr. Duke's Phytochemical and Ethnobotanical Databases

List of Plants for ISOFERULIC-ACID

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Actaea racemosa</i>	Plant				--
<i>Actaea dahurica</i>	Rhizome				--
<i>Arachis hypogaea</i>	Seed		0.2	-0.7101040442373806	--
<i>Astragalus membranaceus</i>	Root				Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
<i>Catalpa ovata</i>	Root Bark				--
<i>Cimicifuga racemosa</i>	Plant				--
<i>Cimicifuga dahurica</i>	Rhizome				--
<i>Glycine max</i>	Seed				--
<i>Helianthus annuus</i>	Seed	1400.0	1700.0	1.4142093214695879	Jim Duke's personal files.
<i>Hypericum perforatum</i>	Plant				--
<i>Matricaria recutita</i>	Plant				Kameoka, H. and Nakai, K. 1987. Components of essential oil from the root of <i>Glycyrrhiza-glabra</i> . Nippon Gogeikagaku Kaishi 61(9): 1119-1122.
<i>Triticum aestivum</i>	Seed	1.0	5.0	-0.7041052772322075	--
<i>Vaccinium myrtillus</i>	Leaf				--