

Dr. Duke's Phytochemical and Ethnobotanical Databases

List of Plants for OXALIC-ACID

Plant	Part	Low PPM	High PPM	StdDev	Reference
Malus domestica	Plant				--
Solanum melongena	Fruit		291.0	-0.290302603257368	--
Opuntia ficus-indica	Fruit				--
Mentha spicata	Leaf		38.0	-0.4750154161977811	Watt, J.M. and Breyer-Brandwijk, M.G. 1962. The Medicinal and Poisonous Plants of Southern and Eastern Africa. E. & S. Livingstone, Ltd. Edinburg & London. 1457 pp.
Tropaeolum majus	Shoot				--
Ficus carica	Fruit				--
Musa x paradisiaca	Leaf				Rizk, A.F.M. and Al-Nowaihi, A.S., The Phytochemistry of the Horticultural Plants of Qatar, Scientific and Applied Research Centre, University of Qatar.
Zingiber officinale	Root		5000.0	2.5415261372448525	--
Sechium edule	Fruit		340.0	-0.28760062636271105	--
Trifolium pratense	Plant				--
Tulipa gesneriana	Bulb				List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Crataegus laevigata	Bark				--
Acorus calamus	Plant				--
Fagopyrum esculentum	Leaf		111000.0	2.7765850673785675	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Acacia nilotica	Plant				--
Sinapis alba	Seed				--
Parthenocissus quinquefolia	Fruit		20000.0	0.796498674636388	--
Rheum officinale	Rhizome				--
Vanilla planifolia	Fruit				List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Terminalia arjuna	Bark				Bharadwaj, K., Chandra, V. 1983. Comparative Incidence of Calcium Oxalate as a Source of Oxalic Acid in Barks of Seven Species of Terminalia. Biol. Mem. 8 1/2: 54-62.
Avena sativa	Plant		400.0	-0.5323291024119612	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Salvia officinalis	Plant				--
Morus alba	Leaf				--
Sambucus nigra	Fruit		410.0	-0.283740659370344	--
Vitis vinifera	Fruit		34.0	-0.3044741963579158	--
Plectranthus amboinicus	Leaf				List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Rumex acetosa	Leaf		3000.0	-0.3882177680628056	--
Byrsonima crassifolia	Bark		27300.0		Morton, J.F., Major Medicinal Plants. 1977. Atlas of Medicinal Plants of Middle America. Bahamas to Yucatan. 1981.
Pisum sativum	Fruit		60.0	-0.30304049433217944	--
Anacardium occidentale	Seed		3184.0	-0.025633807973314167	--
Crataegus rhipidophylla	Bark				--
Phoenix dactylifera	Seed				ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
Phaseolus vulgaris	Fruit		312.0	-0.2891446131596579	Watt, J.M. and Breyer-Brandwijk, M.G. 1962. The Medicinal and Poisonous Plants of Southern and Eastern Africa. E. & S. Livingstone, Ltd. Edinburg & London. 1457 pp.
Agave americana	Plant				--
Prunus persica	Hh		10.0		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Terminalia bellirica	Bark				Bharadwaj, K., Chandra, V. 1983. Comparative Incidence of Calcium Oxalate as a Source of Oxalic Acid in Barks of Seven Species of Terminalia. Biol. Mem. 8 1/2: 54-62.
Capparis spinosa	Plant				--
Ribes rubrum	Fruit				--
Momordica charantia	Fruit		5.0	-0.30607332554046784	Watt, J.M. and Breyer-Brandwijk, M.G. 1962. The Medicinal and Poisonous Plants of Southern and Eastern Africa. E. & S. Livingstone, Ltd. Edinburg & London. 1457 pp.
Zingiber officinale	Rhizome		5000.0		--
Sesamum indicum	Seed				--
Rumex acetosella	Plant				--
Manihot esculenta	Root		171.0	-0.5520600286774848	--
Apium graveolens	Plant				Pakistan Encyclopedia Planta Medica. 1986.
Coriandrum sativum	Fruit		120.0	-0.29973195119586477	--
Allium cepa	Leaf				Gad, S. S., Esmat El-Zalaki, M., Hohamed, M. S., Mohasseb, S. Z. 1982. Oxalate Content of Some Leafy Vegetables and Dry Legumes Consumed Widely in Egypt. Food Chem., 8(3): 169-177. (Coll. Agric. Alexandria Univ. Ale.)
Plantago psyllium	Seed				--
Oryza sativa	Seed		46.0	-0.665731071264505	--
Terminalia chebula	Bark				Bharadwaj, K., Chandra, V. 1983. Comparative Incidence of Calcium Oxalate as a Source of Oxalic Acid in Barks of Seven Species of Terminalia. Biol. Mem. 8 1/2: 54-62.
Kalanchoe daegrिमontiana	Plant				--
Raphanus sativus	Root		92.0	-0.6026695352229113	--
Capsicum frutescens	Fruit				--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Coffea arabica	Fruit		154.0	-0.2978571100852865	Watt, J.M. and Breyer-Brandwijk, M.G. 1962. The Medicinal and Poisonous Plants of Southern and Eastern Africa. E. & S. Livingstone, Ltd. Edinburg & London. 1457 pp.
Coriandrum sativum	Leaf		50.0	-0.4746637714382876	Watt, J.M. and Breyer-Brandwijk, M.G. 1962. The Medicinal and Poisonous Plants of Southern and Eastern Africa. E. & S. Livingstone, Ltd. Edinburg & London. 1457 pp.
Hibiscus sabdariffa	Flower				List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Daucus carota	Root		56.0	-0.6257320951676627	--
Ledum palustre	Plant				--
Nicotiana tabacum	Leaf				ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
Solanum tuberosum	Tuber		150.0		--
Prunus dulcis	Seed		4073.0	0.1557066850368414	Watt, J.M. and Breyer-Brandwijk, M.G. 1962. The Medicinal and Poisonous Plants of Southern and Eastern Africa. E. & S. Livingstone, Ltd. Edinburg & London. 1457 pp.
Psidium guajava	Fruit		140.0	-0.2986291034837599	ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
Piper methysticum	Root				Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Syzygium cumini	Fruit				Morton, J.F., Major Medicinal Plants. 1977. Atlas of Medicinal Plants of Middle America. Bahamas to Yucatan. 1981.
Allium schoenoprasum	Plant				Pakistan Encyclopedia Planta Medica. 1986.
Colocasia esculenta	Root		1334.0	0.19298878287100935	--
Moringa oleifera	Fruit		1010.0	-0.25065522800719753	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Brassica juncea	Leaf		1287.0	-0.43841505748050075	Watt, J.M. and Breyer-Brandwijk, M.G. 1962. The Medicinal and Poisonous Plants of Southern and Eastern Africa. E. & S. Livingstone, Ltd. Edinburg & London. 1457 pp.
Kalanchoe pinnata	Plant				Tramil
Moringa oleifera	Leaf		1010.0	-0.4465321906788087	--
Cinnamomum verum	Bark				--
Sophora pachycarpa	Leaf				--
Capsella bursa-pastoris	Plant				--
Rumex crispus	Root				Pedersen, M. 1987. Nutritional Herbology. Pederson Publishing. Bountiful, Utah. 377 pp.
Vaccinium macrocarpon	Fruit				Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
Cicer arietinum	Seed		24.0	-0.6702186875144752	Watt, J.M. and Breyer-Brandwijk, M.G. 1962. The Medicinal and Poisonous Plants of Southern and Eastern Africa. E. & S. Livingstone, Ltd. Edinburg & London. 1457 pp.
Ipomoea batatas	Root		1000.0	-0.020980523283072386	--
Tamarindus indica	Fruit				ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
Viburnum prunifolium	Root Bark				Leung, A.Y., Encyclopedia of Common Natural Ingredients Used in Food, Drugs, and Cosmetics, John Wiley & Sons, New York, 1980.
Aframomum melegueta	Fruit				Wealth of India.
Medicago sativa	Plant				Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Juniperus communis	Leaf				--
Cucurbita pepo	Juice		400.0		List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Triticum aestivum	Fruit		111.0	-0.300228232666312	--
Arctostaphylos uva-ursi	Leaf				--
Glycyrrhiza glabra	Plant				--
Ribes uva-crispa	Fruit				--
Trigonella foenum-graecum	Leaf				--
Lactuca scariola	Latex Exudate				--
Taraxacum officinale	Leaf		1700.0	-0.42631261700793327	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Equisetum arvense	Plant				CRC Handbook of Medicinal Herbs and/or CRC Handbook of Proximate Analyses
Pastinaca sativa	Root		205.0	-0.5302787220629975	--
Rubus fruticosus	Leaf				--
Haematoxylum campechianum	Wood				ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
Punica granatum	Fruit		140.0	-0.2986291034837599	--
Brassica oleracea var. botrytis l.	Plant		68.0	-0.5351320075910592	--
Citrus reticulata	Fruit				--
Terminalia catappa	Bark				Bharadwaj, K., Chandra, V. 1983. Comparative Incidence of Calcium Oxalate as a Source of Oxalic Acid in Barks of Seven Species of Terminalia. Biol. Mem. 8 1/2: 54-62.
Lactuca virosa	Latex Exudate		10000.0		--
Papaver somniferum	Seed		16200.0	2.629403151554455	ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
Aconitum napellus	Plant				List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Benincasa hispida	Fruit		34.0	-0.3044741963579158	--
Glycine max	Root				List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Glycine max	Seed		770.0	-0.5180477001291252	--
Beta vulgaris	Root		404.0	-0.40279401570173323	Watt, J.M. and Breyer-Brandwijk, M.G. 1962. The Medicinal and Poisonous Plants of Southern and Eastern Africa. E. & S. Livingstone, Ltd. Edinburg & London. 1457 pp.
Lens culinaris	Seed		212.0	-0.6318699668329124	Watt, J.M. and Breyer-Brandwijk, M.G. 1962. The Medicinal and Poisonous Plants of Southern and Eastern Africa. E. & S. Livingstone, Ltd. Edinburg & London. 1457 pp.
Lupinus albus	Seed				--
Citrus sinensis	Fruit		87.0	-0.3015516499208378	Watt, J.M. and Breyer-Brandwijk, M.G. 1962. The Medicinal and Poisonous Plants of Southern and Eastern Africa. E. & S. Livingstone, Ltd. Edinburg & London. 1457 pp.
Vigna mungo	Seed		278.0	-0.6184071180830021	--
Ficus carica	Fruit Juice				Shiraishi, S. C., Kawakami, K., Widodo, S. E., Shiraishi, M., Kitazaki, M. 1996. Organic acid profiles in the juice of fig fruits. Journal of the Faculty of Agriculture Kyushu University, 41(1-2): 29-33.
Prunus persica	Plant		10.0	-0.5356216717488533	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Ephedra sinica	Shoot				Jim Duke's personal files.
Citrus aurantifolia	Fruit				--
Citrus paradisi	Plant				--
Terminalia bellirica	Fruit				ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Crataegus laevigata</i>	Fruit				List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
<i>Alocasia macrorrhiza</i>	Plant				--
<i>Zea mays</i>	Fruit		99.0	-0.3008899412935749	Watt, J.M. and Breyer-Brandwijk, M.G. 1962. The Medicinal and Poisonous Plants of Southern and Eastern Africa. E. & S. Livingstone, Ltd. Edinburg & London. 1457 pp.
<i>Crataegus rhipidophylla</i>	Fruit				List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
<i>Allium cepa</i>	Bulb		10.0		--
<i>Angelica archangelica</i>	Plant				Pakistan Encyclopedia Planta Medica. 1986.
<i>Vaccinium myrtillus</i>	Leaf				List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
<i>Murraya koenigii</i>	Leaf		1320.0	-0.43744803439189367	=ICMR(Indian Council of Medical Research).1976.Medicinal Plants of India.Vol.1.Indian Council of Med. Res.Cambridge Printing Works, New Delhi.487 pp;ICMR.1987.Medicinal Plants of India.Vol.2.Indian Council of Med. Res.Cambr. Printing Works,New Delhi.600pp
<i>Polygonum hydropiperoides</i>	Plant				--
<i>Allium ampeloprasum</i>	Plant				--
<i>Ribes nigrum</i>	Fruit		200.0	-0.29532056034744525	--
<i>Piper betel</i>	Leaf				--
<i>Urtica dioica</i>	Plant				--
<i>Eucalyptus citriodora</i>	Bark				--
<i>Mangifera indica</i>	Fruit		300.0	-0.28980632178692084	--
<i>Abelmoschus esculentus</i>	Fruit	8.0	103.0	-0.30066937175115394	--
<i>Trichosanthes anguina</i>	Fruit	10.0	340.0	-0.28760062636271105	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Vicia faba	Fruit	10.0	70.0	-0.302489070476127	ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
Murraya sp	Fruit	22.0	5240.0	-0.01740293689701496	--
Musa x paradisiaca	Fruit	22.0	5240.0	-0.01740293689701496	Watt, J.M. and Breyer-Brandwijk, M.G. 1962. The Medicinal and Poisonous Plants of Southern and Eastern Africa. E. & S. Livingstone, Ltd. Edinburg & London. 1457 pp.
Brassica oleracea var. capitata l.	Leaf	30.0	350.0	-0.46587265245095044	--
Lycopersicon esculentum	Fruit	36.0	263.0	-0.29184659005431485	--
Ananas comosus	Fruit	50.0	58.0	-0.3031507791033899	--
Physalis ixocarpa	Fruit	109.0	536.0	-0.27679271878408324	--
Lactuca sativa	Leaf	110.0	136.0	-0.4721436506619176	--
Capsicum annuum	Fruit	257.0	1171.0	-0.24177730392475322	Watt, J.M. and Breyer-Brandwijk, M.G. 1962. The Medicinal and Poisonous Plants of Southern and Eastern Africa. E. & S. Livingstone, Ltd. Edinburg & London. 1457 pp.
Tamarindus indica	Leaf	1000.0	1960.0	-0.4186936472189077	--
Theobroma cacao	Seed	1520.0	5000.0	0.3447985152060364	--
Portulaca oleracea	Plant	1679.0	16790.0	-0.3939567654076973	--
Camellia sinensis	Leaf	2192.0	10000.0	-0.18309165835827215	--
Stellaria media	Shoot	2950.0	4330.0		--
Rheum rhabarbarum	Leaf	3000.0	11000.0	-0.15378792840048167	--
Piper nigrum	Fruit	4000.0	34000.0	1.5684920731098055	ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
Rheum rhabarbarum	Pt	4400.0	13360.0		--
Spinacia oleracea	Leaf	5000.0	93900.0	2.2754912851003497	--
Rumex crispus	Leaf	5170.0	6970.0	-0.27188196013037735	--
Averrhoa carambola	Fruit	50000.0	95800.0	4.976291503513891	Morton, J.F., Major Medicinal Plants. 1977. Atlas of Medicinal Plants of Middle America. Bahamas to Yucatan. 1981.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Chenopodium album	Plant	140000.0	300000.0	1.9970395471595714	--