

Dr. Duke's Phytochemical and Ethnobotanical Databases

List of Plants for TRANS-PINOCARVEOL

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus globulus	Shoot		16000.0	6.8597544992151915	--
Eucalyptus globulus	Leaf Essent. Oil		9400.0		--
Artemisia salsoloides	Shoot		3000.0	1.1140075228119024	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Artemisia salsoloides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
Eucalyptus ceratocorys	Leaf		1260.0	4.638641627385795	Bignell, C.M., Dunlop, P.J., Brophy, J. J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part I. Subgenus <i>Symphomyrtus</i> , Section <i>Dumaria</i> , Series <i>Incrassatae</i> . Flavour and Fragrance J.9(3):113-7
Eucalyptus punctata	Shoot		1020.0	0.23888606025201659	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus astringens	Shoot		915.0	0.19247810390414385	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus desquamata	Leaf		620.0	1.9381781997736711	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
Eucalyptus blakelyi	Shoot		555.0	0.033365110711437364	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus incrassata	Leaf		365.0	0.862212302834466	Bignell, C.M., Dunlop, P.J., Brophy, J. J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part I. Subgenus Symphyomyrtus, Section Dumaria, Series Incrassatae. Flavour and Fragrance J.9(3):113-7
Peumus boldus	Leaf	105.0	360.0	0.8411149323062463	--
Eucalyptus stoatei	Leaf		350.0	0.798920191249807	Bignell, C.M., Dunlop, P.J., Brophy, J. J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part I. Subgenus Symphyomyrtus, Section Dumaria, Series Incrassatae. Flavour and Fragrance J.9(3):113-7
Eucalyptus dolichorhyncha	Leaf		315.0	0.651238597552269	Bignell, C.M., Dunlop, P.J., Brophy, J. J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part I. Subgenus Symphyomyrtus, Section Dumaria, Series Incrassatae. Flavour and Fragrance J.9(3):113-7
Teucrium kotschyianum	Leaf		245.0	0.35587541015719304	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some Teucrium Species from Cyprus. J. Ethnopharm. 35: 105-113.
Eucalyptus moluccana	Shoot		240.0	-0.10585875833218082	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus forrestiana	Leaf		230.0	0.2925832985725339	Bignell, C.M., Dunlop, P.J., Brophy, J. J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part I. Subgenus Symphyomyrtus, Section Dumaria, Series Incrassatae. Flavour and Fragrance J.9(3):113-7

Plant	Part	Low PPM	High PPM	StdDev	Reference
Teucrium cyprum	Leaf		220.0	0.2503885575160945	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some Teucrium Species from Cyprus. J. Ethnopharm. 35: 105-113.
Eucalyptus maideni	Shoot		185.0	-0.1301676878477332	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus melliodora	Shoot		185.0	-0.1301676878477332	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus cuprea	Leaf		155.0	-0.02387725935076171	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus leucoxydon	Leaf		155.0	-0.02387725935076171	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus tetraptera	Leaf		155.0	-0.02387725935076171	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part I. Subgenus Symphyomyrtus, Section Dumaria, Series Incrassatae. Flavour and Fragrance J. 9(3):113-7
Eucalyptus odorata	Leaf		150.0	-0.04497462987898142	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364

Plant	Part	Low PPM	High PPM	StdDev	Reference
Teucrium micropodioides	Leaf		140.0	-0.08716937093542083	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some Teucrium Species from Cyprus. J. Ethnopharm. 35: 105-113.
Eucalyptus intertexta	Leaf		125.0	-0.15046148252007996	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus siderophloia	Shoot		125.0	-0.15668652004651762	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus dealbata	Shoot		115.0	-0.16110632541298167	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus bridgesiana	Leaf		110.0	-0.2137535941047391	Singh, A. K., Gupta, K. C., & Brophy, J. J. 1991. Volatile Constituents of the Essential Oil of Eucalyptus bridgesiana Growing in India. Journal of Essential Oil Res. 3: 449-450.
Eucalyptus erythrandra	Leaf		105.0	-0.2348509646329588	Bignell, C.M., Dunlop, P.J., Brophy, J. J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part I. Subgenus Symphyomyrtus, Section Dumaria, Series Incrassatae. Flavour and Fragrance J. 9(3):113-7
Eucalyptus cladocalyx	Shoot		100.0	-0.1677360334626778	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Hyssopus officinalis	Shoot		100.0	-0.1677360334626778	Tsankova, E.T., Konatchiev, A.N. and Genova, E.M. 1993. Chemical Composition of the Essential Oils of Two Hyssopus officinalis cultivars. J. Ess. Oil Res. 5: 609-611.
Hyssopus officinalis	Shoot		100.0	-0.1677360334626778	Tsankova, E.T., Konatchiev, A.N. and Genova, E.M. 1993. Chemical Composition of the Essential Oils of Two Hyssopus officinalis cultivars. J. Ess. Oil Res. 5: 609-611.
Hyssopus officinalis	Shoot		90.0	-0.17215583882914187	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (Hyssopus officinalis L.) J. Agric. Food Chem. 42: 776-781.
Lavandula x hybrida	Shoot	55.0	90.0	-0.17215583882914187	Tucker, A.O., Maciarello, M.J., Angell, S., Espaillat, J.R., and French, E.C. 1993. The Essential Oil of Lavandula x hybrida Balb. ex Ging., a Distinct Hybrid from L. x heterophylla Poir. (Labiatae). J. Ess. Oil Res. 5: 443-445.
Thymus cilicicus	Shoot		90.0	-0.17215583882914187	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
Eucalyptus citriodora	Shoot		85.0	-0.17436574151237388	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus maculata	Shoot		85.0	-0.17436574151237388	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus populnea	Leaf		75.0	-0.36143518780227707	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Thymus mastichina	Plant		75.0	1.0	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus saligna	Shoot		70.0	-0.18099544956207	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Hyssopus officinalis	Shoot		70.0	-0.18099544956207	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (Hyssopus officinalis L.) J. Agric. Food Chem. 42: 776-781.
Hyssopus officinalis	Shoot		60.0	-0.18541525492853406	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (Hyssopus officinalis L.) J. Agric. Food Chem. 42: 776-781.
Hyssopus officinalis	Shoot		60.0	-0.18541525492853406	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (Hyssopus officinalis L.) J. Agric. Food Chem. 42: 776-781.
Hyssopus officinalis	Shoot		60.0	-0.18541525492853406	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (Hyssopus officinalis L.) J. Agric. Food Chem. 42: 776-781.
Hyssopus officinalis	Shoot		60.0	-0.18541525492853406	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (Hyssopus officinalis L.) J. Agric. Food Chem. 42: 776-781.
Eucalyptus largisparsa	Leaf		55.0	-0.4458246699151559	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Hyssopus officinalis	Shoot		50.0	-0.18983506029499814	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (Hyssopus officinalis L.) J. Agric. Food Chem. 42: 776-781.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus bosistoana	Shoot		44.0	-0.19248694351487658	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Rosmarinus officinalis	Leaf		42.0	-0.5006778332885271	Soliman, F.M., El-Kashoury, M.M., Fathy, M.M. and Gonaïd, M.H. 1994. Analysis and Biological Activity of the Essential Oil of Rosmarinus officinalis L. from Egypt. Flavour and Fragrance J. 9: 29-33.
Artemisia annua	Plant	1.0	40.0	-1.0	--
Eucalyptus paniculata	Shoot		40.0	-0.19425486566146222	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Hyssopus officinalis	Shoot		40.0	-0.19425486566146222	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (Hyssopus officinalis L.) J. Agric. Food Chem. 42: 776-781.
Hyssopus officinalis	Shoot		40.0	-0.19425486566146222	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (Hyssopus officinalis L.) J. Agric. Food Chem. 42: 776-781.
Hyssopus officinalis	Shoot		40.0	-0.19425486566146222	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (Hyssopus officinalis L.) J. Agric. Food Chem. 42: 776-781.
Teucrium gnaphalodes	Shoot		39.0	-0.19469684619810862	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian Teucrium Species. J. Ess. Oil Res. 5: 397-402.
Eucalyptus angulosa	Leaf		38.0	-0.5175557297111029	Bignell, C.M., Dunlop, P.J., Brophy, J. J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part I. Subgenus Symphyomyrtus, Section Dumaria, Series Incrassatae. Flavour and Fragrance J. 9(3):113-7

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Eucalyptus camaldulensis</i>	Shoot		36.0	-0.19602278780804783	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus botryoides</i>	Shoot		35.0	-0.19646476834469423	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Teucrium divaricatum</i>	Leaf		33.0	-0.5386531002393226	Arnold, N., Bellomaria, B., Velentini G. and Razaiani, S.M. 1991. Comparative Study on Essential Oil of Some Teucrium Species from Cyprus. J. Ethnopharm. 35: 105-113.
<i>Rosmarinus officinalis</i>	Leaf		32.0	-0.5428725743449665	Soliman, F.M., El-Kashoury, M.M., Fathy, M.M. and Gonaïd, M.H. 1994. Analysis and Biological Activity of the Essential Oil of <i>Rosmarinus officinalis</i> L. from Egypt. Flavour and Fragrance J. 9: 29-33.
<i>Rosmarinus officinalis</i>	Leaf		32.0	-0.5428725743449665	Soliman, F.M., El-Kashoury, M.M., Fathy, M.M. and Gonaïd, M.H. 1994. Analysis and Biological Activity of the Essential Oil of <i>Rosmarinus officinalis</i> L. from Egypt. Flavour and Fragrance J. 9: 29-33.
<i>Nepeta racemosa</i>	Shoot		31.0	-0.19823269049127987	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
<i>Nepeta racemosa</i>	Shoot		31.0	-0.19823269049127987	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
<i>Cuminum cyminum</i>	Seed		30.0		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Cuminum cyminum</i>	Fruit		30.0		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus sparsa	Leaf		25.0	-0.5724088930844742	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Teucrium polium	Shoot		22.0	-0.20221051532109752	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian Teucrium Species. J. Ess. Oil Res. 5: 397-402.
Eucalyptus tereticornis	Shoot		18.0	-0.20397843746768315	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus fasciculosa	Leaf		17.0	-0.6061646859296256	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus viridis	Leaf		15.0	-0.6146036341409135	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus polyanthemos	Shoot		12.0	-0.2066303206875616	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus behriana	Leaf		11.0	-0.6314815305634892	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus porosa	Leaf		10.0	-0.6357010046691332	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Elsholtzia pilosa	Shoot		10.0	-0.2075142817608544	--
Thymus saturejoides	Shoot		10.0	-0.2075142817608544	Tantaoui-Elaraki, A., Lattaoui, N., Errifi, A. and Benjilali, B. 1993. Composition and Antimicrobial Activity of the Essential Oils of Thymus broussonetii, T. zygis and T. saturejoides. J. Ess. Oil Res. 5: 45-53.
Eucalyptus ochrophloia	Leaf		9.0	-0.6399204787747771	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Micromeria varia	Shoot		6.0	-0.20928220390744004	Pedro, L.G., et al. 1995. Composition of the Essential oil of Micromeria varia Benth. ssp. thymoides (Sol. ex Lowe) Perez var. thymoides, and endemic species of the Madeira Archipelago. flav. & Fragr. J. 10(3): 199-202.
Micromeria varia	Shoot		6.0	-0.20928220390744004	--
Eucalyptus melanophloia	Leaf		5.0	-0.6567983751973528	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Thymus funkii	Shoot		5.0	-0.20972418444408644	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of Thymus funkii Cousson. Flav. & Fragr. J. 10(6): 379-383.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Eucalyptus lansdowneana</i>	Leaf		3.0	-0.6652373234086407	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Elsholtzia polystachya</i>	Leaf		0.2	-0.6770518509044439	Mathela, C.S., Melkani, A.B., Bisht, J.C., Pant, A.K., Bestmann, H.J., Erler, J., Kobold, U., Rauscher, J. and Vostrowsky, O. 1992. Chemical Varieties of Essential Oils from <i>Elsholtzia polystachya</i> from Two Different Locations in India. <i>Planta Medica</i> 58: 376-379.
<i>Elsholtzia polystachya</i>	Leaf		0.2	-0.6770518509044439	Mathela, C.S., Melkani, A.B., Bisht, J.C., Pant, A.K., Bestmann, H.J., Erler, J., Kobold, U., Rauscher, J. and Vostrowsky, O. 1992. Chemical Varieties of Essential Oils from <i>Elsholtzia polystachya</i> from Two Different Locations in India. <i>Planta Medica</i> 58: 376-379.
<i>Eucalyptus albens</i>	Shoot		0.1	-0.2118898890736539	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus diversicolor</i>	Shoot		0.1	-0.2118898890736539	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus occidentalis</i>	Shoot		0.1	-0.2118898890736539	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus oviformis</i>	Shoot		0.1	-0.2118898890736539	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus sideroxylon	Shoot		0.1	-0.2118898890736539	Zrira, S. S., Benjlali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Thymus broussonettii	Shoot		0.0	-0.21193408712731848	Tantaoui-Elaraki, A., Lattaoui, N., Errifi, A. and Benjlali, B. 1993. Composition and Antimicrobial Activity of the Essential Oils of Thymus broussonettii, T. zygis and T. saturejoides. J. Ess. Oil Res. 5: 45-53.
Thymus zygis	Shoot		0.0	-0.21193408712731848	Tantaoui-Elaraki, A., Lattaoui, N., Errifi, A. and Benjlali, B. 1993. Composition and Antimicrobial Activity of the Essential Oils of Thymus broussonettii, T. zygis and T. saturejoides. J. Ess. Oil Res. 5: 45-53.
Piper nigrum	Seed Essent. Oil				--
Laurus nobilis	Leaf Essent. Oil				--
Aralia cordata	Plant				--
Artemisia herba-alba	Plant				--
Boswellia sacra	Essential Oil				Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Eucalyptus globulus	Leaf				--
Piper nigrum	Fruit				--
Eucalyptus globulus	Fruit Essent. Oil				--
Eucalyptus globulus	Essential Oil				--
Salvia officinalis	Leaf Essent. Oil				--
Thymus funkii	Shoot				Vila, R., et al. 1995. Composition and study of the variability of the essential oil of Thymus funkii Cousson. Flav. & Fragr. J. 10(6): 379-383.