

Dr. Duke's Phytochemical and Ethnobotanical Databases

List of Plants for VIRIDIFLOROL

Plant	Part	Low PPM	High PPM	StdDev	Reference
Mentha aquatica	Leaf	36.0	1105.0	4.397695972931276	--
Mentha aquatica	Shoot		195.0	1.938075365139788	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of Mentha aquatica Containing Sesquiterpene Alcohols as Major Components. Nippon Nogeikagaku Kaishi 67(10): 1417-1419.
Eucalyptus porosa	Leaf		540.0	1.7813694591344293	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Mentha aquatica	Shoot		140.0	1.109355092388081	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of Mentha aquatica Containing Sesquiterpene Alcohols as Major Components. Nippon Nogeikagaku Kaishi 67(10): 1417-1419.
Mentha aquatica	Shoot		140.0	1.109355092388081	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of Mentha aquatica Containing Sesquiterpene Alcohols as Major Components. Nippon Nogeikagaku Kaishi 67(10): 1417-1419.
Mentha aquatica	Shoot		135.0	1.0340168857742895	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of Mentha aquatica Containing Sesquiterpene Alcohols as Major Components. Nippon Nogeikagaku Kaishi 67(10): 1417-1419.
Eucalyptus nova-anglica	Leaf	25.0	335.0	0.8320828479338034	Brophy, J. L., Lassak, E. V., & Boland, D. J. 1992. The Leaf Essential Oils of Eucalyptus nova-anglica. Deane & Maiden. Journal of Essential Oil Res. 4: 29-32.
Eucalyptus incrassata	Leaf		295.0	0.6468561920897788	Bignell, C.M., Dunlop, P.J., Brophy, J. J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part I. Subgenus Symphyomyrtus, Section Dumaria, Series Incrassatae. Flavour and Fragrance J. 9(3):113-7

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Eucalyptus stoatei</i>	Leaf		250.0	0.4384762042652512	Bignell, C.M., Dunlop, P.J., Brophy, J. J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part I. Subgenus <i>Symphyomyrtus</i> , Section <i>Dumaria</i> , Series <i>Incrassatae</i> . Flavour and Fragrance J.9(3):113-7
<i>Metrosideros sclerocarpa</i>	Leaf	56.0	224.0	0.3180788779666352	--
<i>Mentha longifolia</i>	Shoot	0.0	85.0	0.28063481963637366	Planta Medica, 57: A83, 1991.
<i>Eucalyptus tetraptera</i>	Leaf		210.0	0.2532495484212266	Bignell, C.M., Dunlop, P.J., Brophy, J. J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part I. Subgenus <i>Symphyomyrtus</i> , Section <i>Dumaria</i> , Series <i>Incrassatae</i> . Flavour and Fragrance J.9(3):113-7
<i>Eucalyptus forrestiana</i>	Leaf		210.0	0.2532495484212266	Bignell, C.M., Dunlop, P.J., Brophy, J. J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part I. Subgenus <i>Symphyomyrtus</i> , Section <i>Dumaria</i> , Series <i>Incrassatae</i> . Flavour and Fragrance J.9(3):113-7
<i>Eucalyptus leucoxylo</i>	Leaf		175.0	0.09117622455770513	Bignell, C.M., Dunlop, P.J., Brophy, J. J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus lansdowneana</i>	Leaf		160.0	0.02171622861619592	Bignell, C.M., Dunlop, P.J., Brophy, J. J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus sparsa</i>	Leaf		125.0	-0.14035709524732556	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus largisparsa	Leaf		110.0	-0.2098170911888348	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus dolichorhyncha	Leaf		110.0	-0.2098170911888348	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part I. Subgenus Symphyomyrtus, Section Dumaria, Series Incrassatae. Flavour and Fragrance J. 9(3):113-7
Eucalyptus melanophloia	Leaf		110.0	-0.2098170911888348	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Mentha aquatica	Shoot		50.0	-0.24673262666016743	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of Mentha aquatica Containing Sesquiterpene Alcohols as Major Components. Nippon Nogeikagaku Kaishi 67(10): 1417-1419.
Eucalyptus desquamata	Leaf		85.0	-0.3255837510913501	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus erythrandra	Leaf		75.0	-0.37189041505235626	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part I. Subgenus Symphyomyrtus, Section Dumaria, Series Incrassatae. Flavour and Fragrance J. 9(3):113-7

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus cuprea	Leaf		70.0	-0.3950437470328593	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus bridgesiana	Leaf		60.0	-0.4413504109938655	Singh, A. K., Gupta, K. C., & Brophy, J. J. 1991. Volatile Constituents of the Essential Oil of Eucalyptus bridgesiana Growing in India. Journal of Essential Oil Res. 3: 449-450.
Eucalyptus populnea	Leaf		60.0	-0.4413504109938655	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus behriana	Leaf		60.0	-0.4413504109938655	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus ceratocorys	Leaf		26.0	-0.5987930684612863	Bignell, C.M., Dunlop, P.J., Brophy, J. J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part I. Subgenus Symphyomyrtus, Section Dumaria, Series Ingrassatae. Flavour and Fragrance J. 9(3):113-7
Eucalyptus brassiana	Leaf		25.0	-0.603423734857387	Singh, A. K., Gupta, K. C., & Brophy, J. J. 1991. Chemical Constituents of the Leaf Essential Oil of Eucalyptus brassiana S. T. Blake. Journal of Essential Oil Res. 3: 45-7.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus odorata	Leaf		18.0	-0.6358383996300913	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Mentha x piperita	Leaf	1.0	15.0	-0.6497303988183931	Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
Eucalyptus angulosa	Leaf		15.0	-0.6497303988183931	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part I. Subgenus Symphyomyrtus, Section Dumaria, Series Incrassatae. Flavour and Fragrance J. 9(3):113-7
Eucalyptus intertexta	Leaf		14.0	-0.6543610652144938	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus viridis	Leaf		13.0	-0.6589917316105943	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus ochrophloia	Leaf		6.0	-0.6914063963832986	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus fasciculosa	Leaf		3.0	-0.7052983955716005	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Acinos alpinus	Shoot		14.0	-0.7891677142794669	Velasco-Negueruela, A., Perez-Alonso, M.J., Jimenez, S.M. and Garcia, F.M. 1993. The Volatile Constituents of Acinus alpinus (L.) Moench ssp. meridionalis (Nyman). P.W. Ball Growing in Spain. Flav. & Fragr. J. 8:127-130.
Acinos alpinus	Shoot		14.0	-0.7891677142794669	Velasco-Negueruela, A., Perez-Alonso, M.J., Jimenez, S.M. and Garcia, F.M. 1993. The Volatile Constituents of Acinus alpinus (L.) Moench ssp. meridionalis (Nyman). P.W. Ball Growing in Spain. Flav. & Fragr. J. 8:127-130.
Thymus funkii	Shoot		8.0	-0.8795735622160167	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of Thymus funkii Cousson. Flav. & Fragr. J. 10(6): 379-383.
Thymus funkii	Shoot		8.0	-0.8795735622160167	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of Thymus funkii Cousson. Flav. & Fragr. J. 10(6): 379-383.
Teucrium gnaphalodes	Shoot		4.0	-0.93984412750705	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian Teucrium Species. J. Ess. Oil Res. 5: 397-402.
Teucrium polium	Shoot		3.5	-0.9473779481684291	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian Teucrium Species. J. Ess. Oil Res. 5: 397-402.
Humulus lupulus	Fruit		16.0		--
Lycopus uniflorus	Plant		2.0		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Laurus nobilis	Leaf				Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Mentha spicata	Leaf				Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
Tagetes lucida	Shoot				Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.
Salvia officinalis	Leaf				--
Tagetes minuta	Flower Essent. Oil		500.0		--
Juniperus oxycedrus	Wood				List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Melaleuca alternifolia	Leaf				--
Melaleuca alternifolia	Essential Oil		5800.0		--
Melaleuca leucadendra	Plant				--
Eucalyptus globulus	Leaf Essent. Oil				--
Cistus ladaniferus	Resin, Exudate, Sap				--
Eucalyptus globulus	Leaf				Leung, A.Y., Encyclopedia of Common Natural Ingredients Used in Food, Drugs, and Cosmetics, John Wiley & Sons, New York, 1980.
Salvia officinalis	Essential Oil				--
Mentha spicata	Essential Oil				--