

Dr. Duke's Phytochemical and Ethnobotanical Databases

List of Plants for 3-OCTANOL

Plant	Part	Low PPM	High PPM	StdDev	Reference
Thymus zygis	Shoot		170.0	0.09341920422795477	Tantaoui-Elaraki, A., Lattaoui, N., Errifi, A. and Benjilali, B. 1993. Composition and Antimicrobial Activity of the Essential Oils of Thymus broussonettii, T. zygis and T. saturejoides. J. Ess. Oil Res. 5: 45-53.
Thymus saturejoides	Shoot		210.0	0.1873786754152362	Tantaoui-Elaraki, A., Lattaoui, N., Errifi, A. and Benjilali, B. 1993. Composition and Antimicrobial Activity of the Essential Oils of Thymus broussonettii, T. zygis and T. saturejoides. J. Ess. Oil Res. 5: 45-53.
Thymus serpyllum	Plant				Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Thymus funkii	Shoot				Vila, R., et al. 1995. Composition and study of the variability of the essential oil of Thymus funkii Cousson. Flav. & Fragr. J. 10(6): 379-383.
Thymus riatarum	Shoot		0.1	-0.30567364964002314	Iglesias, J., Vila, R., Canigueral, S., Bellakdhar, and Il Idrissi, A. 1991. Analysis of the Essential Oil of Thymus riatarum. J. Ess. Oil Res. 3: 43-4.
Thymus capitatus	Plant				Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Thymus funkii	Shoot		5.0	-0.2941636144195812	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of Thymus funkii Cousson. Flav. & Fragr. J. 10(6): 379-383.
Thymus broussonettii	Shoot		250.0	0.2813381466025176	Tantaoui-Elaraki, A., Lattaoui, N., Errifi, A. and Benjilali, B. 1993. Composition and Antimicrobial Activity of the Essential Oils of Thymus broussonettii, T. zygis and T. saturejoides. J. Ess. Oil Res. 5: 45-53.
Teucrium oxylepis	Shoot				Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Teucrium salviastrum	Shoot				Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
Teucrium asiaticum	Shoot		0.1	-0.30567364964002314	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
Teucrium scorodonia	Shoot				Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
Teucrium oxylepis	Shoot				Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
Teucrium pseudoscorodonia	Shoot				Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
Teucrium polium	Shoot		2.0	-0.30121057475862734	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian Teucrium Species. J. Ess. Oil Res. 5: 397-402.
Teucrium gnaphalodes	Shoot		1.0	-0.3035595615383094	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian Teucrium Species. J. Ess. Oil Res. 5: 397-402.
Satureja hortensis	Plant				--
Satureja grandiflora	Shoot		4.0	-0.29651260119926326	Carnat, A., Chossegros, A., and Lamaison, J. 1991. The Essential Oil of Satureja grandiflora (L.) Scheele from France. J. Ess. Oil Res., 3: 361-362
Satureja glabella	Plant		70.0	-0.5078699847580954	--
Salvia sclarea	Plant				CRC Handbook of Medicinal Herbs and/or CRC Handbook of Proximate Analyses

Plant	Part	Low PPM	High PPM	StdDev	Reference
Salvia dorisiana	Shoot	2.5	2.7	-0.2995662840128499	Tucker, A.O. & Maciarelo, M.J. 1994. The Essential Oil of Salvia dorisiana Standley. J. Ess. Oil Res. 6: 97-8.
Rosmarinus officinalis	Plant	4.0	19.0	-0.6136125750525936	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pycnanthemum setosum	Shoot	60.0	93.0	-0.08745277780756196	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pycnanthemum montanum	Shoot	35.0	50.0	-0.18845920933388963	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pycnanthemum pilosum	Leaf				Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pycnanthemum incanum	Shoot	22.0	95.0	-0.08275480424819788	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pycnanthemum tenuifolium	Shoot	2.0	20.0	-0.2589288127243507	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pycnanthemum pilosum	Flower				Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pycnanthemum clinopodioides	Shoot	126.0	132.0	0.0041577066000374275	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pimenta racemosa	Leaf	30.0	540.0	1.999518069743643	--
Origanum syriacum	Shoot		30.0	-0.2354389449275303	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of Origanum syriacum L. Essential Oil. J. Ess. Oil Res. 3: 121-123.
Origanum sipyleum	Shoot		20.0	-0.2589288127243507	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
Origanum minutiflorum	Shoot	9.0	10.0	-0.28241868052117103	Baser, K.H.C., Tumen, G., Sezik, E. 1991. The Essential Oil of Origanum minutiflorum O. Schwarz and P.H. Davis. J. Ess. Oil Res. 3: 445-446.
Origanum sipyleum	Shoot		35.0	-0.22369401102912015	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Origanum syriacum	Shoot		12.0	-0.27772070696180695	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of Origanum syriacum L. Essential Oil. J. Ess. Oil Res. 3: 121-123.
Origanum vulgare	Plant	2.0	150.0	-0.3419992548843729	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Origanum sipyleum	Shoot		20.0	-0.2589288127243507	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
Origanum syriacum	Shoot		12.0	-0.27772070696180695	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of Origanum syriacum L. Essential Oil. J. Ess. Oil Res. 3: 121-123.
Origanum sipyleum	Shoot		30.0	-0.2354389449275303	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
Monarda didyma	Plant	25.0	240.0	-0.15539468377643498	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Monarda media	Plant	28.0	292.0	-0.047578709358515325	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Monarda lindheimeri	Plant		93.0	-0.4601821499194002	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Monarda clinopodia	Plant		663.0	0.721646800430873	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Monarda russeliana	Plant		1498.0	2.452922543487852	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Monarda fistulosa	Plant	46.0	1655.0	2.7784438508650324	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Monarda punctata	Plant	25.0	801.0	1.0077738094630444	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Monarda citriodora	Plant	124.0	201.0	-0.23625666458987474	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Micromeria fruticosa	Shoot		120.0	-0.024030134756146997	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of Micromeria fruticosa (L.) Druce subsp. barbata (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. J. Ess. Oil Res 3: 477-479.
Micromeria fruticosa	Shoot		120.0	-0.024030134756146997	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of Micromeria fruticosa (L.) Druce subsp. barbata (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. J. Ess. Oil Res 3: 477-479.
Micromeria myrtifolia	Shoot		0.0	-0.3059085483179914	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of Micromeria myrtifolia Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
Micromeria congesta	Leaf	12.0	13.0	-0.45739634363717685	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of Micromeria congesta. J. Ess. Oil Res., 3: 387-393.
Micromeria fruticosa	Leaf		1.0	-0.5133412638659621	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of Micromeria congesta. J. Ess. Oil Res., 3: 387-393.
Mentha longifolia	Shoot	1.0	2395.0	5.319914789020483	--
Melissa officinalis	Shoot	0.0	8.0	-0.2871166540805351	--
Lycopus americanus	Plant		28.0	-0.5949521179417998	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Leonurus cardiaca	Plant				--
Lavandula x intermedia	Plant	25.0	45.0	-0.5597045878436337	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Lavandula latifolia	Plant				Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Hyssopus officinalis	Plant				Planta Medica, 55: 226.
Hedeoma pulegioides	Plant	18.0	90.0	-0.4664023022896648	--
Glycine max	Leaf				--
Glechoma hederacea	Plant	1.0	2.0	-0.6488601051507596	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Galeopsis tetrahit	Shoot		4.0	-0.29651260119926326	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Eruca sativa	Hs				--
Cunila origanoides	Shoot		56.0	-0.1743652886557974	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Callicarpa americana	Leaf		0.55	-0.5154391983745416	--
Calamintha nepeta	Leaf		1.0	-0.5133412638659621	Akgul, A., De Pooter, H.L., and De Buyck, L.F. 1991. The Essential Oils of Calamintha nepeta subsp. glandulosa and Ziziphora clinopodioides from Turkey. J. Ess. Oil Res., 3: 7-10.
Aloysia citrodora	Plant	1.0	7.0	-0.6384931845336519	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Agastache foeniculum	Plant	3.0	35.0	-0.580438429077849	--
Agastache urticifolia	Plant		91.0	-0.4643289181662433	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Agastache nepetoides	Plant		4.0	-0.6447133369039165	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.