

Dr. Duke's Phytochemical and Ethnobotanical Databases

List of Plants for LINALOL

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Pycnanthemum pycnanthemoides</i>	Shoot	26598.0	39556.0	6.956339176246006	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Mentha longifolia</i>	Shoot	10.0	33360.0	5.831890498983289	--
<i>Monarda didyma</i>	Leaf	5195.0	9645.0	5.270310025436921	--
<i>Cinnamomum camphora</i>	Plant	5520.0	22800.0	4.722224639390002	--
<i>Thymus vulgaris</i>	Plant	20.0	17420.0	3.5059577384095792	--
<i>Ocimum kilimandscharicum</i>	Flower	10380.0	18130.0	3.1325403203684017	Charles, D.J., and Simon, J.E. 1992. Essential Oil Constituents of <i>Ocimum kilimandscharicum</i> Guerke. J. Ess. Oil Res., 4: 125-128.
<i>Satureja montana</i>	Plant	115.0	14260.0	2.791570488019591	--
<i>Ocimum kilimandscharicum</i>	Leaf	2970.0	5075.0	2.5634156624899194	Charles, D.J., and Simon, J.E. 1992. Essential Oil Constituents of <i>Ocimum kilimandscharicum</i> Guerke. J. Ess. Oil Res., 4: 125-128.
<i>Coriandrum sativum</i>	Fruit	4060.0	16900.0	2.2611501905393587	--
<i>Peumus boldus</i>	Leaf	3400.0	4300.0	2.1043690254474847	--
<i>Zanthoxylum alatum</i>	Fruit		14745.0	1.891255247933385	ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
<i>Pycnanthemum flexuosum</i>	Shoot		10680.0	1.71592923359942	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Mentha spicata</i>	Plant	11.0	9375.0	1.6872091848059536	--
<i>Camellia sinensis</i>	Shoot	4000.0	10300.0	1.6469669196291437	--
<i>Ocimum basilicum</i>	Plant	5.0	8730.0	1.541392799837111	--
<i>Laurus nobilis</i>	Leaf	800.0	3340.0	1.5357435137562112	--
<i>Daucus carota</i>	Seed	4.0	600.0	1.4141897552663414	--
<i>Daucus carota</i>	Root		32.0	1.4136438127109305	--
<i>Mentha aquatica</i>	Leaf	1080.0	3060.0	1.3698944061795897	--
<i>Thymus mastichina</i>	Plant	850.0	7890.0	1.3514923915055952	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Citrus aurantium</i>	Leaf	1990.0	2795.0	1.2129300722231442	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Citrus sinensis	Fruit Juice	0.15	4.69	1.0000000000000002	--
Acorus calamus	Rhizome	30.0	6000.0	1.0	--
Curcuma longa	Essential Oil		1600.0	1.0	--
Vitis vinifera	Leaf Essent. Oil		273000.0	1.0	--
Monarda didyma	Plant	5.0	5900.0	0.901609281291647	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Elettaria cardamomum	Fruit	1288.0	8000.0	0.7335098243244321	--
Camellia sinensis	Leaf	6.0	1984.0	0.7325599784922869	--
Ocimum canum	Shoot	3055.0	5230.0	0.7268644674467707	--
Lavandula latifolia	Plant	1490.0	5104.0	0.7216560372060676	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Salvia triloba	Plant	700.0	5040.0	0.7071874346665236	--
Satureja obovata	Leaf		1940.0	0.7064979758731036	Arrebola, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of Satureja obovata. Phytochemistry 35(1): 83.
Thymus zygis	Shoot	100.0	4920.0	0.6706057376289136	De Cunha, A.P. and Salguiero, L.R. 1991. The Chemical Polymorphism of Thymus zygis ssp. sylvestris from Central Portugal. J. Ess. Oil Res. 3: 409-12.
Satureja obovata	Leaf		1580.0	0.4932634089888759	Arrebola, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of Satureja obovata. Phytochemistry 35(1): 83.
Satureja obovata	Leaf		1580.0	0.4932634089888759	Arrebola, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of Satureja obovata. Phytochemistry 35(1): 83.
Lavandula x intermedia	Plant	3098.0	3710.0	0.40651178814162336	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Satureja obovata	Shoot	865.0	3370.0	0.38931208853962807	Fitoterapia No.60: 277.
Salvia officinalis	Plant	0.0	3500.0	0.3590366860587444	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Pimenta racemosa</i>	Leaf	130.0	1020.0	0.16156519383563286	--
<i>Satureja obovata</i>	Leaf		945.0	0.11714132573475211	Arrebola, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of <i>Satureja obovata</i> . <i>Phytochemistry</i> 35(1): 83.
<i>Monarda didyma</i>	Flower		2385.0	0.07319469612266988	Flavour and Fragrance Journal, 6: 80.
<i>Artemisia salsoloides</i>	Shoot		1000.0	-0.04079497490656966	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsoloides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
<i>Pycnanthemum tenuifolium</i>	Shoot	46.0	700.0	-0.09523890698836686	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Thymus saturejoides</i>	Shoot		630.0	-0.1079424911407862	Tantaoui-Elaraki, A., Lattaoui, N., Errifi, A. and Benjilali, B. 1993. Composition and Antimicrobial Activity of the Essential Oils of <i>Thymus broussonetii</i> , <i>T. zygis</i> and <i>T. saturejoides</i> . <i>J. Ess. Oil Res.</i> 5: 45-53.
<i>Lavandula x hybrida</i>	Shoot	320.0	580.0	-0.11701647982108573	Tucker, A.O., Maciarelo, M.J., Angell, S., Espailat, J.R., and French, E.C. 1993. The Essential Oil of <i>Lavandula x hybrida</i> Balb. ex Ging., a Distinct Hybrid from <i>L. x heterophylla</i> Poir. (Labiatae). <i>J. Ess. Oil Res.</i> 5: 443-445.
<i>Mitracarpus scaber</i>	Shoot		336.0	-0.16129754458094747	I. Laakso, T.O.E. Ekpendu, A.A. Adesomoju, O. Eundayo, J. I. Okogun, (1993); Constituents of the volatile oil of <i>Mitracarpus scaber</i> Zucc., <i>Flavour Fragr. J.</i> , Vol 8, 269-271.
<i>Narcissus tazetta</i>	Flower	525.0	1125.0	-0.17163067615739502	--
<i>Ocimum gratissimum</i>	Shoot		275.0	-0.1723678107709129	Vostrowsky, O., Garbe, W., Bestmann, H.J. and Maia, J.G.S. 1990. Essential Oil of <i>Alfavaca</i> , <i>Ocimum gratissimum</i> , from Brazilian Amazon. <i>Zeitschr. Naturforschung</i> 45(C): 1073-6.
<i>Thymus riatarum</i>	Shoot		130.0	-0.19868237794378155	Iglesias, J., Vila, R., Canigueral, S., Bellakdhar, and I Idrissi, A. 1991. Analysis of the Essential Oil of <i>Thymus riatarum</i> . <i>J. Ess. Oil Res.</i> 3: 43-4.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Pycnanthemum setosum</i>	Shoot	80.0	124.0	-0.19977125658541747	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Pycnanthemum montanum</i>	Shoot	105.0	120.0	-0.20049717567984146	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Thymus cilicicus</i>	Shoot		120.0	-0.20049717567984146	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of <i>Thymus cilicicus</i> Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
<i>Pycnanthemum albescens</i>	Shoot	32.0	108.0	-0.20267493296311334	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Origanum sipyleum</i>	Shoot		105.0	-0.2032193722839313	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
<i>Origanum sipyleum</i>	Shoot		105.0	-0.2032193722839313	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
<i>Rosmarinus tomentosus</i>	Shoot	65.0	100.0	-0.20412677115196126	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the <i>Rosmarinus eriocalyx-tomentosus</i> Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
<i>Origanum onites</i>	Shoot		100.0	-0.20412677115196126	Biondi, D., Cianci, P., Geraci, C. and Ruberto, G. 1993. Antimicrobial Activity and Chemical Composition of Essential Oils from Sicilian Aromatic Plants. Flav. & Frag. J. 8: 331-7.
<i>Hyssopus officinalis</i>	Shoot		85.0	-0.20684896775605113	Tsankova, E.T., Konatchiev, A.N. and Genova, E.M. 1993. Chemical Composition of the Essential Oils of Two <i>Hyssopus officinalis</i> cultivars. J. Ess. Oil Res. 5: 609-611.
<i>Hyssopus officinalis</i>	Shoot		85.0	-0.20684896775605113	Tsankova, E.T., Konatchiev, A.N. and Genova, E.M. 1993. Chemical Composition of the Essential Oils of Two <i>Hyssopus officinalis</i> cultivars. J. Ess. Oil Res. 5: 609-611.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Pelargonium citrosum</i>	Shoot		85.0	-0.20684896775605113	Matsuda, B. M., et al. 1996. Essential Oil Analysis and Field Evaluation of the Citrosa Plant ' <i>Pelargonium citrosum</i> ' as a Repellent Against Populations of <i>Aedes</i> Mosquitoes. <i>J. Am. Mosq. Contr. Assoc.</i> 12(1):69-74.
<i>Pycnanthemum loomisii</i>	Shoot	33.0	84.0	-0.2070304475296571	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Ageratum conyzoides</i>	Shoot		80.0	-0.20775636662408106	R. Vera, (1993); Chemical composition of the essential oil <i>Ageratum conyzoides</i> L. (Asteraceae) from Reunion, <i>Flavour Fragr. J.</i> , Vol.8, 257-260.
<i>Hyssopus officinalis</i>	Shoot		80.0	-0.20775636662408106	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) <i>J. Agric. Food Chem.</i> 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot		70.0	-0.20957116436014098	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) <i>J. Agric. Food Chem.</i> 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot		70.0	-0.20957116436014098	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) <i>J. Agric. Food Chem.</i> 42: 776-781.
<i>Elsholtzia blanda</i>	Shoot		65.0	-0.21047856322817093	Bestman, H.J., Rauscher, J., Vostrowsky O., Pant, A.K., Dev. V., Perihar, R. and Mathela, C.S. 1992. Constituents of the Essential Oil of <i>Elsholtzia blanda</i> Benth. (Labiatae). <i>J. Ess. Oils Res.</i> 4: 121-124
<i>Rosmarinus officinalis</i>	Shoot	30.0	65.0	-0.21047856322817093	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the <i>Rosmarinus ericalyx-tomentosus</i> Complex in Southeast Spain. <i>J. Ess. Oil Res.</i> 5: 243-246.
<i>Rosmarinus officinalis</i>	Shoot		65.0	-0.21047856322817093	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the <i>Rosmarinus ericalyx-tomentosus</i> Complex in Southeast Spain. <i>J. Ess. Oil Res.</i> 5: 243-246.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Satureja cuneifolia</i>	Shoot		60.0	-0.2113859620962009	Tumen, G. 1991. The Volatile Constituents of <i>Satureja cuneifolia</i> . J. Ess. Oil Res., 3: 365-366.
<i>Cinnamomum verum</i>	Leaf	195.0	390.0	-0.21159529821176554	--
<i>Origanum syriacum</i>	Shoot		55.0	-0.21229336096423085	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of <i>Origanum syriacum</i> L. Essential Oil. J. Ess. Oil Res. 3: 121-123.
<i>Origanum syriacum</i>	Shoot		55.0	-0.21229336096423085	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of <i>Origanum syriacum</i> L. Essential Oil. J. Ess. Oil Res. 3: 121-123.
<i>Thymus broussonettii</i>	Shoot		50.0	-0.2132007598322608	Tantaoui-Elaraki, A., Lattaoui, N., Errifi, A. and Benjilali, B. 1993. Composition and Antimicrobial Activity of the Essential Oils of <i>Thymus broussonettii</i> , <i>T. zygis</i> and <i>T. saturejoides</i> . J. Ess. Oil Res. 5: 45-53.
<i>Hyssopus officinalis</i>	Shoot		50.0	-0.2132007598322608	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Elsholtzia pilosa</i>	Shoot		46.0	-0.21392667892668477	--
<i>Thymus longicaulis</i>	Shoot		40.0	-0.2150155575683207	Baser, K.H.C., Ozek, T., Kirimer, N. and Tumen, G. 1993. The Occurrence of Three Chemotypes of <i>Thymus longicaulis</i> C. Presl subsp. <i>longicaulis</i> in the same Population. J. Ess. Oil Res. 5: 291-5.
<i>Thymus longicaulis</i>	Shoot		40.0	-0.2150155575683207	Baser, K.H.C., Ozek, T., Kirimer, N. and Tumen, G. 1993. The Occurrence of Three Chemotypes of <i>Thymus longicaulis</i> C. Presl subsp. <i>longicaulis</i> in the same Population. J. Ess. Oil Res. 5: 291-5.
<i>Pycnanthemum incanum</i>	Shoot	11.0	38.0	-0.21537851711553269	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Calamintha nepeta</i>	Shoot		34.0	-0.21610443620995665	Kirimer, N., Baser, K.H.C., Ozek, T. and Kurkcuoglu, M. 1992. Composition of the Essential Oil of <i>Calamintha nepeta</i> subsp. <i>glandulosa</i> . J. Ess. Oil Res. 4:189-190

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Hyptis suaveolens</i>	Shoot		34.0	-0.21610443620995665	Mallvarapu, G.R., Ramesh, S., Kaul, P.N., Bhattacharya, A.K., and Rao, B.R.R. 1993. The Essential Oil of <i>Hyptis suaveolens</i> (L.) Poit. J. Ess. Oil Res. 5: 321.
<i>Hyptis suaveolens</i>	Shoot		34.0	-0.21610443620995665	Mallvarapu, G.R., Ramesh, S., Kaul, P.N., Bhattacharya, A.K., and Rao, B.R.R. 1993. The Essential Oil of <i>Hyptis suaveolens</i> (L.) Poit. J. Ess. Oil Res. 5: 321.
<i>Rosmarinus x mendizabalii</i>	Shoot	16.0	33.0	-0.21628591598356264	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the <i>Rosmarinus eriocalyx-tomentosus</i> Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
<i>Ephedra sinica</i>	Shoot		32.0	-0.21646739575716864	--
<i>Rosmarinus x lavandulaceus</i>	Shoot	0.1	30.0	-0.2168303553043806	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the <i>Rosmarinus eriocalyx-tomentosus</i> Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
<i>Micromeria varia</i>	Shoot		27.0	-0.21737479462519857	Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. flav. & Fragr. J. 10(3): 199-202.
<i>Micromeria varia</i>	Shoot		27.0	-0.21737479462519857	--
<i>Origanum syriacum</i>	Shoot		25.0	-0.21773775417241056	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of <i>Origanum syriacum</i> L. Essential Oil. J. Ess. Oil Res. 3: 121-123.
<i>Thymus longicaulis</i>	Shoot		24.0	-0.21791923394601656	Baser, K.H.C., Ozek, T., Kirimer, N. and Tumen, G. 1993. The Occurrence of Three Chemotypes of <i>Thymus longicaulis</i> C. Presl subsp. <i>longicaulis</i> in the same Population. J. Ess. Oil Res. 5: 291-5.
<i>Nepeta racemosa</i>	Shoot		21.0	-0.21846367326683452	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Nepeta racemosa</i>	Shoot		21.0	-0.21846367326683452	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
<i>Thymus orospedanus</i>	Plant		945.0	-0.21857705594961638	J. Nat. Prod.
<i>Ocimum suave</i>	Shoot		20.0	-0.21864515304044052	J. Nat. Prod. 44: 308.
<i>Hyssopus officinalis</i>	Shoot		20.0	-0.21864515304044052	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Litsea glaucescens</i>	Shoot	5.0	20.0	-0.21864515304044052	Tucker, et al, EB46(1):21-24.1992
<i>Hyssopus officinalis</i>	Shoot		20.0	-0.21864515304044052	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Origanum sipyleum</i>	Shoot		18.0	-0.2190081125876525	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
<i>Origanum minutiflorum</i>	Shoot	13.0	17.0	-0.21918959236125848	Baser, K.H.C., Tumen, G., Sezik, E. 1991. The Essential Oil of <i>Origanum minutiflorum</i> O. Schwarz and P.H. Davis. J. Ess. Oil Res. 3: 445-446.
<i>Melissa officinalis</i>	Shoot	1.0	16.0	-0.21937107213486448	Deutsche Apot. Ztit. 129(4):155-163. W. Schulze et al. Die Melisse.
<i>Teucrium asiaticum</i>	Shoot		15.38	-0.21948358959450018	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
<i>Thymus zygis</i>	Shoot		13.0	-0.21991551145568244	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. <i>Thymus zygis</i> Oil: Its Effects on CCl ₄ -Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Thymus zygis	Shoot		13.0	-0.21991551145568244	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Rosmarinus officinalis	Shoot	6.0	13.0	-0.21991551145568244	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Satureja cilicica	Shoot		13.0	-0.21991551145568244	Tumen, G. Baser, K.H.C. and Kirimer, N. 1993. The Essential Oil of Satureja cilicica P.H. Davis. J. Ess. Oil Res. 5: 547-548.
Teucrium oxylepis	Shoot		12.87	-0.21993910382625126	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
Teucrium polium	Shoot		12.0	-0.22009699122928844	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian Teucrium Species. J. Ess. Oil Res. 5: 397-402.
Teucrium gnaphalodes	Shoot		12.0	-0.22009699122928844	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian Teucrium Species. J. Ess. Oil Res. 5: 397-402.
Galeopsis tetrahit	Shoot		12.0	-0.22009699122928844	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Thymus capitatus	Shoot		11.0	-0.22027847100289444	Biondi, D., Cianci, P., Geraci, C. and Ruberto, G. 1993. Antimicrobial Activity and Chemical Composition of Essential Oils from Sicilian Aromatic Plants. Flav. & Frag. J. 8: 331-7.
Sideritis athoa	Shoot		10.0	-0.22045995077650044	Ozek, T., Baser, K.H.C. and Tumen, G. 1993. The Essential Oil of Sideritis athoa Papanikolaou Et Kokkini. J. Ess. Oil Res. 5: 669-670.
Hyssopus officinalis	Shoot		10.0	-0.22045995077650044	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (Hyssopus officinalis L.) J. Agric. Food Chem. 42: 776-781.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Pycnanthemum torreyi</i>	Shoot		10.0	-0.22045995077650044	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Salvia dorisiana</i>	Shoot	7.0	7.4	-0.22093179818787606	Tucker, A.O. & Maciarello, M.J. 1994. The Essential Oil of <i>Salvia dorisiana</i> Standley. J. Ess. Oil Res. 6: 97-8.
<i>Micromeria fruticosa</i>	Shoot		7.0	-0.2210043900973184	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of <i>Micromeria fruticosa</i> (L.) Druce subsp. <i>barbata</i> (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. J. Ess. Oil Res 3: 477-479.
<i>Micromeria fruticosa</i>	Shoot		7.0	-0.2210043900973184	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of <i>Micromeria fruticosa</i> (L.) Druce subsp. <i>barbata</i> (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. J. Ess. Oil Res 3: 477-479.
<i>Elsholtzia eriostachya</i>	Shoot		6.2	-0.2211495739162032	Pant, A.K., Dev, V., Parihar, R., Mathela, C.S., Rauscher, J., Vostrowsky, O. and Bestmann, H.J. 1992. The Essential Oil from <i>Elsholtzia eriostachya</i> var. <i>pusilla</i> . J. Ess. Oil Res. 4: 547-549.
<i>Dictamnus albus</i>	Shoot		4.0	-0.22154882941813636	Baser, K.H.C., Kosar, M. Malyer, H. & Ozek, T. 1994. The Essential Oil Composition of <i>Dictamnus albus</i> from Turkey. <i>Planta Med.</i> 60:481-2
<i>Dictamnus albus</i>	Shoot		4.0	-0.22154882941813636	Baser, K.H.C., Kosar, M. Malyer, H. & Ozek, T. 1994. The Essential Oil Composition of <i>Dictamnus albus</i> from Turkey. <i>Planta Med.</i> 60:481-2
<i>Sideritis pauli</i>	Shoot		3.0	-0.22173030919174236	Burzaco, A., Velasco-Negueruela, A. and Perez-Alonso, M.J. 1992. Essential Oil Analysis of <i>Sideritis pauli</i> Pau. <i>FFJ7</i> : 47-8. 1992.
<i>Micromeria myrtifolia</i>	Shoot		3.0	-0.22173030919174236	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
<i>Trichostemma dichotomum</i>	Shoot		2.7	-0.22178475312382417	Tucker, A.O. and Maciarello, M.J. 1990. The Essential Oil of <i>Trichostemma dichotomum</i> . J. Ess. Oil Res. 2: 149-150.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Teucrium oxylepis	Shoot		2.69	-0.2217865679215603	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
Teucrium arduini	Shoot		2.0	-0.22191178896534836	Blazevic, N., Kalodera, Z., Petricic, J., and Plazibat, M. 1992. Essential Oil Content and Composition of Teucrium arduini L. J. Ess. Oil Res. 4: 223-225.
Teucrium arduini	Shoot		2.0	-0.22191178896534836	Blazevic, N., Kalodera, Z., Petricic, J., and Plazibat, M. 1992. Essential Oil Content and Composition of Teucrium arduini L. J. Ess. Oil Res. 4: 223-225.
Salvia sclarea	Plant	7.0	930.0	-0.22196813466982201	Flavour and Fragrance Journal, 6: 153.
Dictamnus albus	Shoot		1.5	-0.22200252885215135	Baser, K.H.C., Kosar, M.Malyer, H. & Ozek, T. 1994. The Essential Oil Composition of Dictamnus albus from Turkey. Planta Med. 60:481-2
Acinos alpinus	Shoot		1.5	-0.22200252885215135	Velasco-Negueruela, A., Perez-Alonso, M.J., Jimenez, S.M. and Garcia, F.M. 1993. The Volatile Constituents of Acinus alpinus (L.) Moench ssp. meridionalis (Nyman). P.W. Ball Growing in Spain. Flav. & Frag. J. 8:127-130.)
Teucrium scorodonia	Shoot		1.28	-0.2220424544023447	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
Teucrium pseudoscorodonia	Shoot		1.18	-0.2220606023797052	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
Acinos alpinus	Shoot		1.0	-0.22209326873895435	Velasco-Negueruela, A., Perez-Alonso, M.J., Jimenez, S.M. and Garcia, F.M. 1993. The Volatile Constituents of Acinus alpinus (L.) Moench ssp. meridionalis (Nyman). P.W. Ball Growing in Spain. Flav. & Frag. J. 8:127-130.)

Plant	Part	Low PPM	High PPM	StdDev	Reference
Teucrium salviastrum	Shoot		0.74	-0.22214045348009193	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
Rosmarinus eriocalyx	Shoot		0.1	-0.22225660053519966	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Umbellularia californica	Plant	200.0	800.0	-0.2513574835782709	--
Cistus ladaniferus	Leaf	4.0	280.0	-0.27675030475972384	--
Foeniculum vulgare	Fruit	1.0	2050.0	-0.2877778362349853	--
Origanum vulgare	Plant	1.0	600.0	-0.2965718665143461	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Rosmarinus officinalis	Plant		585.0	-0.29996294523455175	--
Origanum majorana	Plant	99.0	568.0	-0.3038061677841181	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pelargonium graveolens	Plant	30.0	505.0	-0.3180486984089818	--
Myrtus communis	Plant	18.0	505.0	-0.3180486984089818	--
Pycnanthemum pilosum	Leaf	1.0	210.0	-0.3182125816538792	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Cymbopogon parkeri	Plant	39.0	499.0	-0.3194051298970641	Rizk, A.F.M., The Phytochemistry of the Flora of Qatar, Scientific and Applied Research Centre, University of Qatar, Kingprint, Richmond, UK, 1986.
Eucalyptus citriodora	Leaf	15.0	180.0	-0.3359821288942315	--
Eupatorium triplinerve	Plant		390.0	-0.34404696859722506	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Hyssopus officinalis	Leaf	0.2	160.0	-0.34782849372113306	--
Pycnanthemum pilosum	Flower	1.0	210.0	-0.349420529836966	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Micromeria juliana	Leaf		150.0	-0.35375167613458386	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of Micromeria congesta. J. Ess. Oil Res., 3: 387-393.
Monarda fistulosa	Plant	15.0	341.0	-0.3551244924165635	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Teucrium kotschyianum	Leaf		135.0	-0.36263644975476	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some Teucrium Species from Cyprus. J. Ethnopharm. 35: 105-113.
Ocimum gratissimum	Flower	46.0	140.0	-0.3630219394080807	Charles, D.J. and Simon, J.E. 1992. A New Geraniol Chemotype of Ocimum gratissimum L. J. Ess. Oil Res. 4: 231-234.
Ocimum basilicum	Plant	30.0	300.0	-0.36439344091845893	Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
Mentha x piperita	Leaf	12.0	120.0	-0.37152122337493615	Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
Trifolium pratense	Flower		70.0	-0.3766233489791954	Buchnauer, G., Jirovetz, L., Nikiforov, A. 1996. Comparative Investigation of Essential Clover Flower Oils from Austria Using Gas Chromatography-Flame Ionization Detection, Gas Chromatography-Mass Spectrometry, and Gas Chrom.-Olfactometry. J. Agr. Food Chem. 44: 1827-8
Monarda clinopodia	Plant		216.0	-0.3833834817516105	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Sideritis mugronensis	Flower	10.0	25.0	-0.385367112274912	Manez, S., Jimenez, A., and Villar, A. 1991. Volatiles of Sideritis mugronensis Flower and Leaf. J. Ess. Oil Res., 3: 395-397.
Rosmarinus officinalis	Leaf		90.0	-0.38929077061528844	Soliman, F.M., El-Kashoury, M.M., Fathy, M.M. and Gonaid, M.H. 1994. Analysis and Biological Activity of the Essential Oil of Rosmarinus officinalis L. from Egypt. Flavour and Fragrance J. 9: 29-33.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Rosmarinus officinalis	Leaf		90.0	-0.38929077061528844	Soliman, F.M., El-Kashoury, M.M., Fathy, M.M. and Gonaid, M.H. 1994. Analysis and Biological Activity of the Essential Oil of Rosmarinus officinalis L. from Egypt. Flavour and Fragrance J. 9: 29-33.
Lonicera japonica	Flower	0.182	3.858	-0.38947512657709066	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Syzygium aromaticum	Flower		1.0	-0.3900304526992942	--
Hyssopus officinalis	Flower	0.1	1.0	-0.3900304526992942	Flavour and Fragrance Journal, 6: 69.
Hyacinthus orientalis	Flower	0.032	0.46	-0.3901353778588428	--
Satureja douglasii	Plant	26.0	182.0	-0.39106992685074327	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Thymus capitatus	Plant	30.0	180.0	-0.39152207068010403	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Micromeria teneriffae	Leaf		80.0	-0.39521395302873924	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of Micromeria congesta. J. Ess. Oil Res., 3: 387-393.
Teucrium cyprum	Leaf		80.0	-0.39521395302873924	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some Teucrium Species from Cyprus. J. Ethnopharm. 35: 105-113.
Zanthoxylum alatum	Leaf		75.0	-0.3981755442354646	ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
Monarda russeliana	Plant		150.0	-0.3983042281205153	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Illicium verum	Fruit	250.0	1400.0	-0.39934707646416534	--
Cymbopogon nardus	Plant	36.0	144.0	-0.3996606596085976	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Thymus serpyllum	Plant	8.0	134.0	-0.40192137875540135	--
Lepechinia calycina	Plant		130.0	-0.4028256664141229	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Cymbopogon winterianus</i>	Plant	40.0	105.0	-0.40847746428113224	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
<i>Pycnanthemum clinopodioides</i>	Plant	84.0	88.0	-0.41232068683069867	--
<i>Hyptis suaveolens</i>	Plant		80.0	-0.41412926214814166	Recently became Internat. J. Crude Drug Res. 28(1,2,3,4):1990, page 74.
<i>Thymus x citriodorus</i>	Plant		80.0	-0.41412926214814166	Stahl-Biskup, E. and Holthuijzen, J. 1995. Essential oil and glycosidally bound volatiles of lemon-scented thyme, <i>Thymus x citriodorus</i> (Pers.) Schreb. Flav. & Fragr. J. 10: 225-229.
<i>Ocimum gratissimum</i>	Leaf	25.0	45.0	-0.41594509147581693	Charles, D.J. and Simon, J.E. 1992. A New Geraniol Chemotype of <i>Ocimum gratissimum</i> L. J. Ess. Oil Res. 4: 231-234.
<i>Monarda media</i>	Plant	22.0	63.0	-0.41797248469770804	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Foeniculum vulgare</i>	Plant		60.0	-0.4186507004417492	--
<i>Lycopus virginicus</i>	Plant	20.0	50.0	-0.42091141958855294	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Teucrium divaricatum</i>	Leaf		36.0	-0.4212759556479226	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some <i>Teucrium</i> Species from Cyprus. J. Ethnopharm. 35: 105-113.
<i>Monarda citriodora</i>	Plant		47.0	-0.4215896353325941	--
<i>Origanum onites</i>	Plant		39.0	-0.4233982106500371	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Satureja subspicata</i>	Plant		35.0	-0.42430249830875855	Stanic, G., Petricic, J., and Blazevic, N. 1991. Gas Chromatographic Investigations of Essential Oils of <i>Satureja montana</i> and <i>Satureja subspicata</i> from Yugoslavia. J. Ess. Oil Res., 3: 153-158.
<i>Aloysia citrodora</i>	Plant	5.0	35.0	-0.42430249830875855	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus sparsa	Leaf		30.0	-0.4248298650959931	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Dracocephalum thymiflora	Plant		32.0	-0.4249807140527997	--
Moldavica thymiflora	Plant		32.0	-0.4249807140527997	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Mentha pulegium	Plant	15.0	30.0	-0.42543285788216045	--
Origanum vulgare	Plant		30.0	-0.42543285788216045	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four Origanum vulgare Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
Origanum vulgare	Plant		30.0	-0.42543285788216045	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four Origanum vulgare Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
Scutellaria churchilliana	Plant		26.0	-0.426337145540882	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Melaleuca alternifolia	Leaf	10.0	25.0	-0.4277914563027185	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Artemisia pallens	Plant	4.0	17.0	-0.42837179277300536	--
Origanum vulgare	Plant		15.0	-0.4288239366023661	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four Origanum vulgare Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
Agastache foeniculum	Plant		15.0	-0.4288239366023661	Mazza, G. and Kiehn, F.A. 1992. Essential Oil of Agastache foeniculum, A Potential Source of Methyl Chavicol. J. Ess. Oil Res., 4: 295-299.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Eucalyptus lansdowneana</i>	Leaf		23.0	-0.4289760927854086	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus odorata</i>	Leaf		23.0	-0.4289760927854086	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Ocimum gratissimum</i>	Plant	2.0	12.0	-0.4295021523464072	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Scutellaria parvula</i>	Plant		10.0	-0.42995429617576797	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Agastache nepetoides</i>	Plant		9.0	-0.43018036809044835	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Teucrium micropodioides</i>	Leaf		20.0	-0.4307530475094438	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some <i>Teucrium</i> Species from Cyprus. J. Ethnopharm. 35: 105-113.
<i>Origanum vulgare</i>	Plant		6.0	-0.4308585838344895	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
<i>Lycopus uniflorus</i>	Plant		5.0	-0.4310846557491699	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Leonurus cardiaca</i>	Plant	1.0	4.0	-0.4313107276638502	--
<i>Glechoma hederacea</i>	Plant	1.0	4.0	-0.4313107276638502	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Sideritis germanicolpitana</i>	Plant	3.0	4.0	-0.4313107276638502	J. Essential Oil, 4: 533.
<i>Ballota nigra</i>	Plant		3.0	-0.4315367995785306	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Vitex agnus-castus	Leaf	0.5	16.0	-0.43312232047482413	Ekundayo, O., Laakso, I., Holopainen, M., Hiltunen, R., Oguntimein, B., and Kauppinen, V. 1990. The Chemical Composition and Antimicrobial Activity of the Leaf Oil of <i>Vitex agnus-castus</i> L. <i>J. Essential Oil Research</i> , 2: 115-119.
Eucalyptus desquamata	Leaf	0.0	15.0	-0.4337146387161692	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
Sideritis mugronensis	Leaf	5.0	10.0	-0.4366762299228946	Manez, S., Jimenez, A., and Villar, A. 1991. Volatiles of <i>Sideritis mugronensis</i> Flower and Leaf. <i>J. Ess. Oil Res.</i> , 3: 395-397.
Eucalyptus porosa	Leaf		10.0	-0.4366762299228946	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
Ribes nigrum	Leaf		7.0	-0.43845318464692984	--
Eucalyptus cuprea	Leaf		6.4	-0.4388085755917368	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
Eucalyptus leucoxydon	Leaf	0.0	5.5	-0.4393416620089474	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Eucalyptus intertexta</i>	Leaf		5.5	-0.4393416620089474	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Pimenta dioica</i>	Leaf		5.0	-0.43963782112961997	--
<i>Eucalyptus largisparsa</i>	Leaf		4.6	-0.4398747484261581	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Micromeria congesta</i>	Leaf	1.0	3.0	-0.44082245761231015	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of <i>Micromeria congesta</i> . J. Ess. Oil Res., 3: 387-393.
<i>Eucalyptus behriana</i>	Leaf		2.7	-0.44100015308471363	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Cleonia lusitanica</i>	Leaf	1.0	2.0	-0.44141477585365524	Perez-Alonso, M., Velasco-Negueruela, A., and Lopez-Saez, A. 1991. The Essential Oil of <i>Cleonia lusitanica</i> . J. Ess. Oil Res., 3: 441-442.
<i>Eucalyptus fasciculosa</i>	Leaf	0.0	1.3	-0.4418293986225968	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Calamintha nepeta</i>	Leaf		1.0	-0.4420070940950003	Akgul, A., De Pooter, H.L., and De Buyck, L.F. 1991. The Essential Oils of <i>Calamintha nepeta</i> subsp. <i>glandulosa</i> and <i>Ziziphora clinopodioides</i> from Turkey. J. Ess. Oil Res., 3: 7-10.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus melanophloia	Leaf	0.0	0.8	-0.44212555774326934	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus viridis	Leaf	0.0	0.5	-0.4423032532156728	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus ochrophloia	Leaf		0.5	-0.4423032532156728	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Elsholtzia polystachya	Leaf		0.2	-0.4424809486880763	Mathela, C.S., Melkani, A.B., Bisht, J.C., Pant, A.K., Bestmann, H.J., Erler, J., Kobold, U., Rauscher, J. and Vostrowsky, O. 1992. Chemical Varieties of Essential Oils from Elsholtzia polystachya from Two Different Locations in India. Planta Medica 58: 376-379.
Elsholtzia polystachya	Leaf		0.2	-0.4424809486880763	Mathela, C.S., Melkani, A.B., Bisht, J.C., Pant, A.K., Bestmann, H.J., Erler, J., Kobold, U., Rauscher, J. and Vostrowsky, O. 1992. Chemical Varieties of Essential Oils from Elsholtzia polystachya from Two Different Locations in India. Planta Medica 58: 376-379.
Petroselinum crispum	Leaf		0.12	-0.442528334147384	--
Citrus reticulata	Fruit	3.0	610.0	-0.5349466145888611	--
Citrus sinensis	Fruit	30.0	530.0	-0.5486782133862986	--
Cuminum cyminum	Fruit	30.0	318.0	-0.5850669501995082	--
Carum carvi	Fruit	48.0	96.0	-0.6231721368623974	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Pimpinella anisum	Fruit		50.0	-0.631067806170924	--
Citrus aurantiifolia	Fruit	9.0	20.0	-0.636217155719963	--
Vaccinium corymbosum	Fruit	0.01	0.05	-0.6396414731700739	--
Glycyrrhiza glabra	Root		2.0	-0.6720601732560163	--
Theobroma cacao	Seed		5.0	-0.6999883964509279	--
Apium graveolens	Seed		1.0	-0.7142013588154137	--
Angelica archangelica	Root		1.0	-0.7415836394549143	--
Citrus mitis	Fruit Juice		0.9	-0.9999999999999999	--
Zingiber officinale	Rhizome		50.0	-1.0	--
Citrus limon	Leaf Essent. Oil	17000.0	81000.0	-1.0	--
Citrus limon	Essential Oil	8.0	30.0	-1.0	--
Rosa damascena	Essential Oil				--
Helianthus annuus	Flower				--
Iris x germanica	Rhizome				--
Tilia sp.	Flower				--
Syringa vulgaris	Flower				List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Morus alba	Plant				--
Myristica fragrans	Seed				--
Leonotis leonurus	Se		1.0		Pedro, L.G., Barroso, J.G., Marques, N.T., Ascensao, L., Pais, M.S.S. and Scheffer, J.J.C. 1991. Composition of the Essential Oil from Sepals of Leonotis leonurus R. Br. J. Ess. Oil Res. 3: 451-3
Alpinia officinarum	Rhizome				--
Ammi visnaga	Essential Oil				--
Cinnamomum aromaticum	Plant				--
Piper cubeba	Fruit				--
Ligustrum japonicum	Flower				--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Monarda punctata	Plant				Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Lantana camara	Leaf				--
Conyza canadensis	Plant				--
Cinnamomum verum	Bark	230.0	956.0		--
Mentha arvensis var. piperascens	Leaf				Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
Psoralea corylifolia	Seed				--
Urtica dioica	Plant				Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.
Robinia pseudoacacia	Flower				--
Saussurea lappa	Root Essent. Oil				--
Capsicum annuum	Fruit				--
Amomum xanthioides	Seed				--
Lavandula angustifolia	Plant				List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Gentiana lutea	Essential Oil				--
Juniperus communis	Plant				--
Prunus cerasus	Fruit				--
Magnolia fargesii	Flower				--
Melaleuca viridiflora	Leaf				Guenther, E., The Essential Oils, 6 volumes, D. van Nostrand, New York, 1948-1952.
Fragaria spp	Leaf				--
Croton eluteria	Bark				--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Rosmarinus eriocalyx	Shoot				Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Acacia farnesiana	Flower				--
Lavandula sp	Shoot				Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Ferula gummosa	Gum				--
Zea mays	Plant				--
Skimmia arborescens	Lb				List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Asarum canadense	Rhizome				--
Humulus lupulus	Fruit				--
Lippia alba	Plant				Grenand, P., Moretti, C., and Jacquemin, H. 1987. Pharmacopees Traditionnelles en Guyane. l'ORSTROM, Paris. 569 pp.
Citrus paradisi	Fruit				--
Ocimum sanctum	Leaf				Guenther, E., The Essential Oils, 6 volumes, D. van Nostrand, New York, 1948-1952.
Aniba rosaeodora	Essential Oil				--
Myrica cerifera	Leaf				--
Artemisia vulgaris	Plant				--
Artemisia dracunculul	Shoot				--
Gardenia jasminoides	Flower				--
Piper nigrum	Fruit				--
Brassica oleracea	Stem		0.08		--
Plantago asiatica	Flower				--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Plantago asiatica	Leaf				--
Plantago asiatica	Root				--
Plumeria acutifolia	Flower				--
Citrus limon	Pericarp Essent. Oil	7000.0	110000.0		--
Ocimum tenuiflorum	Leaf				Guenther, E., The Essential Oils, 6 volumes, D. van Nostrand, New York, 1948-1952.
Perilla frutescens	Plant				Kang, R., Helms, R., Stout, M.J., Jaber, H., Chen, Z., and Nakatsu, T. 1992. Antimicrobial Activity of the Volatile Constituents of Perilla frutescens and Its Synergistic Effects with Polygodial. J. Agric. Food Chem., 40: 2328-2330.
Helichrysum angustifolium	Plant				--
Allium sativum var. sativum	Bulb				--
Bursera delpechiana	Wood	7500.0	84000.0		--
Aeolanthus myriantha	Flower				Wealth of India.
Prunus armeniaca	Fruit				--
Annona cherimola	Plant				--
Lycopersicon esculentum	Fruit				--
Origanum creticum	Plant				List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Vitis vinifera	Fruit				--
Hyssopus officinalis	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (Hyssopus officinalis L.) J. Agric. Food Chem. 42: 776-781.
Croton lechleri	Plant				Taylor, Leslie. 2005. The Healing Power of Rainforest Herbs. SquareOne Publisher, Garden City Park, NY. 519 pp.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Hyssopus officinalis	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (Hyssopus officinalis L.) J. Agric. Food Chem. 42: 776-781.
Citrus paradisi	Pericarp		13.0		--
Juniperus virginiana	Leaf				--
Anethum graveolens	Plant				--
Carica papaya	Fruit				--