

Dr. Duke's Phytochemical and Ethnobotanical Databases

List of Plants for ALPHA-TERPINENE

Plant	Part	Low PPM	High PPM	StdDev	Reference
Melaleuca alternifolia	Essential Oil	13000.0	99000.0	1.9993554266154203	--
Melaleuca alternifolia	Root Essent. Oil		92400.0	1.4125007138341448	--
Origanum majorana	Essential Oil		68000.0	1.1298113026643404	--
Myristica fragrans	Essential Oil	14000.0	42000.0	0.4005162309634348	--
Myristica fragrans	Seed Essent. Oil	8000.0	40000.0	1.5419966835859091	--
Pinus sylvestris	Leaf Essent. Oil		34500.0	2.2661395470708254	--
Rosmarinus officinalis	Shoot Essent. Oil		32900.0	1.5953724799280489	--
Origanum majorana	Leaf Essent. Oil		20000.0	0.9980633895203395	--
Coriandrum sativum	Seed Essent. Oil	200.0	19700.0	0.21421162836665333	--
Petroselinum crispum	Fruit Essent. Oil		18000.0	1.4059992805239898	--
Origanum vulgare	Shoot Essent. Oil	6200.0	13700.0	0.08830474981151562	--
Artemisia annua	Leaf	4.0	11715.0	5.741186992571873	--
Salvia officinalis	Essential Oil		11200.0	-0.4634179308976379	--
Elettaria cardamomum	Root Essent. Oil		7000.0	-0.6459900875555472	--
Cuminum cyminum	Seed Essent. Oil		5000.0	-0.747287894378325	--
Melaleuca alternifolia	Leaf	190.0	4375.0	1.9483528403779093	--
Coleus barbatus	Leaf Essent. Oil		4000.0	-0.40119306019054174	Jim Duke's personal files.
Coleus barbatus	Stem Essent. Oil		4000.0		Jim Duke's personal files.
Melaleuca alternifolia	Leaf Essent. Oil		4000.0	-0.40119306019054174	--
Anethum graveolens	Shoot Essent. Oil		3400.0	-0.7201742929072495	--
Myristica fragrans	Seed	400.0	3200.0	1.9998919730740246	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Monarda fistulosa	Plant	3.0	3193.0	4.310121652741106	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Rosmarinus officinalis	Leaf Essent. Oil		3000.0	-0.48864658829747176	--
Piper nigrum	Fruit Essent. Oil		3000.0	-0.5711872077128709	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Artemisia salsoloides	Shoot		2650.0	6.9451946634613355	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of Artemisia salsoloides Willd. from Ladakh, Flavour and Fragrance Journal, Vol.7, 299-305.
Anethum graveolens	Leaf	0.1	2100.0	0.7727809471570283	--
Ptychopetalum olacoides	Root Essent. Oil		2000.0	-0.7665106262785971	Uber Bucek, E., Fournier, G., Dadoun, H. 1987. Volatile Constituents of Ptychopetalum olacoides Root Oil. Planta Med. 53, 2: 231.
Salvia officinalis	Leaf Essent. Oil		2000.0	-0.5761001164044018	--
Hyssopus officinalis	Leaf	1.0	1880.0	0.6590992695708332	--
Origanum majorana	Plant	183.0	1830.0	2.256141022146814	--
Monarda punctata	Plant	550.0	1740.0	2.120515008387837	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Origanum majorana	Leaf	138.0	1620.0	0.5247481960598754	--
Achillea millefolium	Leaf	2.0	1120.0	0.2663807470003411	--
Apium graveolens	Seed Essent. Oil		1000.0	-1.0089204175742374	--
Mentha pulegium	Essential Oil		1000.0	-0.7495259974879932	--
Salvia officinalis	Et		1000.0		--
Apium graveolens	Fruit Essent. Oil		1000.0	-0.8348120728111189	--
Origanum syriacum	Shoot		990.0	2.293177771829415	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of Origanum syriacum L. Essential Oil. J. Ess. Oil Res. 3: 121-123.
Origanum syriacum	Shoot		990.0	2.293177771829415	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of Origanum syriacum L. Essential Oil. J. Ess. Oil Res. 3: 121-123.
Origanum syriacum	Shoot		990.0	2.293177771829415	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of Origanum syriacum L. Essential Oil. J. Ess. Oil Res. 3: 121-123.
Umbellularia californica	Plant	70.0	720.0	0.5834201857860928	--
Zingiber officinale	Rhizome Essent. Oil		700.0		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Cunila origanoides	Shoot		644.0	1.3235405161037257	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Juniperus communis	Fruit	16.0	640.0	3.1220141023253	--
Valeriana officinalis	Leaf Essent. Oil		600.0	-0.698535055754104	--
Ocimum basilicum	Leaf Essent. Oil		600.0	-0.698535055754104	--
Rosmarinus officinalis	Plant	4.0	555.0	0.33477249389463415	--
Rosmarinus officinalis	Shoot	185.0	555.0	1.074125152636713	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Satureja thymbra	Shoot		555.0	1.074125152636713	Lagouri, V., Blekas, G., Tsimidou, M., Kokkini, S., and Boskou, D. 1993. Composition and Antioxidant Activity of Essential Oils from Oregano Plants Grown Wild in Greece. Z. Lebensm Unters Forsch 197: 20-23.
Rosmarinus eriocalyx	Shoot	150.0	550.0	1.0601130535655325	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Rosmarinus eriocalyx	Shoot	150.0	550.0	1.0601130535655325	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Rosmarinus officinalis	Shoot	200.0	540.0	1.0320888554231715	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Origanum vulgare	Shoot		495.0	0.9059799637825472	Lagouri, V., Blekas, G., Tsimidou, M., Kokkini, S., and Boskou, D. 1993. Composition and Antioxidant Activity of Essential Oils from Oregano Plants Grown Wild in Greece. Z. Lebensm Unters Forsch 197: 20-23.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Origanum vulgare	Plant		435.0	0.15393780888266426	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four Origanum vulgare Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
Thymus broussonettii	Shoot		410.0	0.6677742795724789	Tantaoui-Elaraki, A., Lattaoui, N., Errifi, A. and Benjlali, B. 1993. Composition and Antimicrobial Activity of the Essential Oils of Thymus broussonettii, T. zygis and T. saturejoides. J. Ess. Oil Res. 5: 45-53.
Origanum sipyleum	Shoot		410.0	0.6677742795724789	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
Satureja montana	Plant	15.0	410.0	0.11626391617183719	--
Ocimum basilicum	Essential Oil		400.0	-0.766355883758014	--
Thymus zygis	Shoot		390.0	0.611725883287757	Tantaoui-Elaraki, A., Lattaoui, N., Errifi, A. and Benjlali, B. 1993. Composition and Antimicrobial Activity of the Essential Oils of Thymus broussonettii, T. zygis and T. saturejoides. J. Ess. Oil Res. 5: 45-53.
Ocimum gratissimum	Plant	60.0	370.0	0.05598568783451388	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Origanum onites	Shoot		350.0	0.49962909071831313	Biondi, D., Cianci, P., Geraci, C. and Ruberto, G. 1993. Antimicrobial Activity and Chemical Composition of Essential Oils from Sicilian Aromatic Plants. Flav. & Frag. J. 8: 331-7.
Origanum onites	Shoot		350.0	0.49962909071831313	Biondi, D., Cianci, P., Geraci, C. and Ruberto, G. 1993. Antimicrobial Activity and Chemical Composition of Essential Oils from Sicilian Aromatic Plants. Flav. & Frag. J. 8: 331-7.
Thymus serpyllum	Plant	21.0	344.0	0.016804839415253733	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Origanum sipyleum</i>	Shoot		325.0	0.4295685953624107	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
<i>Origanum sipyleum</i>	Shoot		325.0	0.4295685953624107	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
<i>Monarda citriodora</i>	Flower		320.0	1.4109835651403249	Collins, J.E., Bishop, C.D., Deans, S.G. and Svoboda, K.P. 1994. Composition of the Essential Oil from the Leaves and Flowers of <i>Monarda citriodora</i> var. <i>citriodora</i> grown in the United Kingdom. J. Ess. Oil Res. 6: 27-9.
<i>Satureja cuneifolia</i>	Shoot		315.0	0.40154439722004975	Tumen, G. 1991. The Volatile Constituents of <i>Satureja cuneifolia</i> . J. Ess. Oil Res., 3: 365-366.
<i>Ocimum basilicum</i>	Shoot Essent. Oil		300.0	-0.9635029368323148	--
<i>Laurus nobilis</i>	Leaf	14.0	300.0	-0.1573418694572951	--
<i>Pavonia odorata</i>	Root		250.0	1.726352301120801	ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
<i>Satureja obovata</i>	Leaf		235.0	-0.19092963783503455	Arrebola, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of <i>Satureja obovata</i> . Phytochemistry 35(1): 83.
<i>Satureja obovata</i>	Leaf		235.0	-0.19092963783503455	Arrebola, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of <i>Satureja obovata</i> . Phytochemistry 35(1): 83.
<i>Thymus riatarum</i>	Shoot		215.0	0.12130241579644002	Iglesias, J., Vila, R., Canigueral, S., Bellakdhar, and Il Idrissi, A. 1991. Analysis of the Essential Oil of <i>Thymus riatarum</i> . J. Ess. Oil Res. 3: 43-4.
<i>Thymus zygis</i>	Shoot	0.1	210.0	0.10729031672525954	De Cunha, A.P. and Salguiero, L.R. 1991. The Chemical Polymorphism of <i>Thymus zygis</i> ssp. <i>sylvestris</i> from Central Portugal. J. Ess. Oil Res. 3: 409-12.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Tanacetum vulgare	Plant	40.0	200.0	-0.20019678259911017	--
Cinnamomum verum	Leaf	90.0	180.0	-0.21935005723158335	--
Origanum vulgare	Plant	9.0	178.0	-0.233349808184638	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Mentha longifolia	Shoot	0.0	170.0	-0.004806475844184345	--
Satureja obovata	Shoot	60.0	170.0	-0.004806475844184345	Fitoterapia No.60: 277.
Cinnamomum verum	Plant	42.0	168.0	-0.2484193652689688	--
Pycnanthemum loomisii	Shoot	33.0	168.0	-0.010411315472656538	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Eucalyptus moluccana	Shoot		145.0	-0.07486697120008677	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Origanum minutiflorum	Shoot	125.0	145.0	-0.07486697120008677	Baser, K.H.C., Tumen, G., Sezik, E. 1991. The Essential Oil of Origanum minutiflorum O. Schwarz and P.H. Davis. J. Ess. Oil Res. 3: 445-446.
Rosmarinus x lavandulaceus	Shoot	13.0	140.0	-0.08887907027126726	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Cistus ladaniferus	Leaf	2.0	140.0	-0.24001945315634607	--
Foeniculum vulgare	Plant		135.0	-0.29814890364726054	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Coridothymus capitatus	Shoot		130.0	-0.11690326841362823	Lagouri, V., Blekas, G., Tsimidou, M., Kokkini, S., and Boskou, D. 1993. Composition and Antioxidant Activity of Essential Oils from Oregano Plants Grown Wild in Greece. Z. Lebensm Unters Forsch 197: 20-23.
Hyptis suaveolens	Plant		130.0	-0.30568368218942593	Recently became Internat. J. Crude Drug Res. 28(1,2,3,4):1990, page 74.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Teucrium cyprum	Leaf		130.0	-0.24518680213753677	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some Teucrium Species from Cyprus. J. Ethnopharm. 35: 105-113.
Satureja cilicica	Shoot		130.0	-0.11690326841362823	Tumen, G. Baser, K.H.C. and Kirimer, N. 1993. The Essential Oil of Satureja cilicica P.H. Davis. J. Ess. Oil Res. 5: 547-548.
Monarda citriodora	Leaf		120.0	-0.25035415111872744	Collins, J.E., Bishop, C.D., Deans, S.G. and Svoboda, K.P. 1994. Composition of the Essential Oil from the Leaves and Flowers of Monarda citriodora var. citriodora grown in the United Kingdom. J. Ess. Oil Res. 6: 27-9.
Thymus capitatus	Plant	10.0	120.0	-0.32075323927375676	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Satureja obovata	Leaf		120.0	-0.25035415111872744	Arrebola, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of Satureja obovata. Phytochemistry 35(1): 83.
Lepechinia calycina	Plant		115.0	-0.3282880178159222	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Rosmarinus x mendizabalii	Shoot	43.0	100.0	-0.20097586284071114	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Myrrhis odorata	Essential Oil		100.0	-0.7747708268930245	Hussain, R.A., et. al. 1990. Sweetening Agents of Plant Origin: Phenylpropanoid Constituents of Seven Sweet-Tasting Plants. Econ. Bot. 44 2: 174-182. Program Collab. Res. Pharm. Sci. Coll. Pharmacy Univ. Illinois at Chicago IL 60680, USA.
Micromeria teneriffae	Leaf		90.0	-0.2658561980622995	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of Micromeria congesta. J. Ess. Oil Res., 3: 387-393.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Porophyllum ruderale	Plant	55.0	85.0	-0.37349668906891464	Loayza, I., de Groot, W., Lorenzo, D. et al. 1999. Composition of the essential oil of Porophyllum ruderale (Jacq.) Cass. from Bolivia. Flav. & Fragr. J. 14: 393-8.
Ravensara aromatica	Leaf		80.0	-0.2710235470434902	--
Citrus aurantiifolia	Fruit		80.0	-0.0127221438562562	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Litsea glaucescens	Shoot	60.0	75.0	-0.2710363581966136	Tucker, et al, EB46(1):21-24.1992
Citrus limon	Essential Oil		70.0	-0.7756123212065256	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Illicium verum	Fruit		70.0	-0.06869957682378398	--
Murraya koenigii	Leaf		65.0	-0.2787745705152762	--
Elettaria cardamomum	Fruit	21.0	60.0	-0.12467700979131179	Duke, J. A. and duCellier, J. L. 1993. CRC Handbook of Alternative Cash Crops. CRC Press. Boca Raton, FL 33431. 536 pp. US \$312.50.
Thymus longicaulis	Shoot	7.0	60.0	-0.313072655410155	Baser, K.H.C., Ozek, T., Kirimer, N. and Tumen, G. 1993. The Occurrence of Three Chemotypes of Thymus longicaulis C. Presl subsp. longicaulis in the same Population. J. Ess. Oil Res. 5: 291-5.
Salvia officinalis	Leaf	10.0	56.0	-0.2834251845983478	--
Satureja obovata	Leaf		55.0	-0.2839419194964669	Arrebola, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of Satureja obovata. Phytochemistry 35(1): 83.
Origanum onites	Plant		47.0	-0.4307610059893718	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Eucalyptus punctata	Shoot		45.0	-0.35510895262369646	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Chrysanthemum parthenium	Shoot		45.0	-0.35510895262369646	Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of Tanacetum parthenium (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71.
Tanacetum parthenium	Shoot		45.0	-0.35510895262369646	Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of Tanacetum parthenium (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71.
Rosmarinus tomentosus	Shoot	16.0	40.0	-0.36912105169487697	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Eucalyptus saligna	Shoot		40.0	-0.36912105169487697	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Daucus carota	Seed	20.0	40.0	-0.48425057209654054	--
Monarda didyma	Plant	5.0	40.0	-0.44130969594840336	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Thymus saturejoides	Shoot		40.0	-0.36912105169487697	Tantaoui-Elaraki, A., Lattaoui, N., Errifi, A. and Benjilali, B. 1993. Composition and Antimicrobial Activity of the Essential Oils of Thymus broussonettii, T. zygis and T. saturejoides. J. Ess. Oil Res. 5: 45-53.
Thymus cilicicus	Shoot		39.0	-0.3719234715091131	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
Curcuma longa	Leaf		37.0	-0.2932431476626101	--
Zingiber officinale	Rhizome	0.5	35.0	1.0	Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
Ageratum conyzoides	Plant	4.0	30.0	-0.4563792530327342	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus oviformis	Shoot		30.0	-0.3971452498372379	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Ocimum gratissimum	Shoot		29.0	-0.39994766965147405	Vostrowsky, O., Garbe, W., Bestmann, H.J. and Maia, J.G.S. 1990. Essential Oil of Alfavaca, Ocimum gratissimum, from Brazilian Amazon. Zeitschr. Naturforschung 45(C): 1073-6.
Daucus carota	Root		28.0	-0.4450369954730677	--
Cuminum cyminum	Fruit		27.0	-0.3094025385841535	--
Cuminum cyminum	Seed		27.0	-0.49447014585831817	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Monarda didyma	Flower		25.0	-0.6227631044837592	Flavour and Fragrance Journal, 6: 80.
Cinnamomum camphora	Leaf		24.0	-0.29996070133815805	--
Chrysanthemum x morifolium	Plant	6.0	24.0	-0.4654209872833327	Wealth of India.
Curcuma longa	Rhizome		23.0	-1.0	--
Eucalyptus sideroxylon	Shoot		22.0	-0.4195646083511267	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Ephedra sinica	Shoot		21.0	-0.4223670281653628	--
Mentha x piperita	Plant		20.0	-0.471448810117065	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Mentha pulegium	Plant		20.0	-0.471448810117065	Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
Hypericum perforatum	Plant	1.0	18.0	-0.4744627215339312	--
Coriandrum sativum	Fruit	1.0	15.0	-0.37657545814518684	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Valeriana officinalis	Leaf		15.0	-0.30461131542122966	Father Nature's Farmacy: The aggregate of all these three-letter citations.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Origanum sipyleum</i>	Shoot		15.0	-0.4391815470507794	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
<i>Monarda didyma</i>	Leaf	10.0	15.0	-0.30461131542122966	--
<i>Sideritis mugronensis</i>	Leaf	10.0	15.0	-0.30461131542122966	Manez, S., Jimenez, A., and Villar, A. 1991. Volatiles of <i>Sideritis mugronensis</i> Flower and Leaf. J. Ess. Oil Res., 3: 395-397.
<i>Micromeria juliana</i>	Leaf		15.0	-0.30461131542122966	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of <i>Micromeria congesta</i> . J. Ess. Oil Res., 3: 387-393.
<i>Brassica oleracea</i> var. <i>capitata</i> l.	Shoot		14.0	-0.4419839668650155	--
<i>Satureja douglasii</i>	Plant		13.0	-0.4819975000760966	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Nepeta racemosa</i>	Shoot		13.0	-0.4447863866792516	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
<i>Nepeta racemosa</i>	Shoot		13.0	-0.4447863866792516	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
<i>Carum carvi</i>	Seed	6.0	12.0	-0.5062619617372923	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Peumus boldus</i>	Leaf	3.0	12.0	-0.30616152011558684	--
<i>Sideritis germanicolpitana</i>	Plant	2.0	12.0	-0.4835044557845297	J. Essential Oil, 4: 533.
<i>Pimenta dioica</i>	Leaf		11.0	-0.30667825501370594	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Lavandula latifolia</i>	Plant	4.0	11.0	-0.4850114114929628	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Ocimum basilicum</i>	Plant	1.0	10.0	-0.48651836720139585	Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
<i>Levisticum officinale</i>	Root	1.0	10.0	-0.621095587088787	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Elsholtzia pilosa	Shoot		10.0	-0.4531936461219599	--
Lindera benzoin	Twig	7.0	9.0		--
Lavandula x hybrida	Shoot	1.0	9.0	-0.45599606593619596	Tucker, A.O., Maciarelo, M.J., Angell, S., Espallat, J.R., and French, E.C. 1993. The Essential Oil of Lavandula x hybrida Balb. ex Ging., a Distinct Hybrid from L. x heterophylla Poir. (Labiatae). J. Ess. Oil Res. 5: 443-445.
Citrus limon	Petiole		8.0		--
Micromeria fruticosa	Shoot		7.0	-0.46160090556466815	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of Micromeria fruticosa (L.) Druce subsp. barbata (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. J. Ess. Oil Res 3: 477-479.
Micromeria fruticosa	Shoot		7.0	-0.46160090556466815	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of Micromeria fruticosa (L.) Druce subsp. barbata (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. J. Ess. Oil Res 3: 477-479.
Eucalyptus brassiana	Leaf		7.0	-0.3087451946061822	Singh, A. K., Gupta, K. C., & Brophy, J. J. 1991. Chemical Constituents of the Leaf Essential Oil of Eucalyptus brassiana S. T. Blake. Journal of Essential Oil Res. 3: 45-7.
Lindera benzoin	Fruit	4.0	6.0	-0.42695514781596183	--
Angelica archangelica	Root	0.0	6.0	-0.6602197185589468	--
Trichostemma dichotomum	Shoot		5.5	-0.46580453528602234	Tucker, A.O. and Maciarelo, M.J. 1990. The Essential Oil of Trichostemma dichotomum. J. Ess. Oil Res. 2: 149-150.
Rosmarinus officinalis	Shoot		5.0	-0.46720574519314034	Tucker, A. O. and Maciarelo, M. J. 1998. The essential oils of some rosemary cultivars. Flavor and Fragrance Journal, 1: 137-142. 1986.
Micromeria thymifolia	Leaf		5.0	-0.30977866440242036	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of Micromeria congesta. J. Ess. Oil Res., 3: 387-393.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Rosmarinus officinalis	Leaf		4.0	-0.3102953993005394	Soliman, F.M., El-Kashoury, M.M., Fathy, M.M. and Gonaïd, M.H. 1994. Analysis and Biological Activity of the Essential Oil of Rosmarinus officinalis L. from Egypt. Flavour and Fragrance J. 9: 29-33.
Rosmarinus officinalis	Leaf		4.0	-0.3102953993005394	Soliman, F.M., El-Kashoury, M.M., Fathy, M.M. and Gonaïd, M.H. 1994. Analysis and Biological Activity of the Essential Oil of Rosmarinus officinalis L. from Egypt. Flavour and Fragrance J. 9: 29-33.
Myrtus communis	Shoot	0.0	4.0	-0.47000816500737647	--
Satureja subspicata	Plant		4.0	-0.49556010145199436	Stanic, G., Petricic, J., and Blazevic, N. 1991. Gas Chromatographic Investigations of Essential Oils of Satureja montana and Satureja subspicata from Yugoslavia. J. Ess. Oil Res., 3: 153-158.
Thymus capitatus	Shoot		4.0	-0.47000816500737647	Biondi, D., Cianci, P., Geraci, C. and Ruberto, G. 1993. Antimicrobial Activity and Chemical Composition of Essential Oils from Sicilian Aromatic Plants. Flav. & Frag. J. 8: 331-7.
Salvia dorisiana	Shoot	2.7	3.7	-0.47084889095164734	Tucker, A.O. & Maciarelo, M.J. 1994. The Essential Oil of Salvia dorisiana Standley. J. Ess. Oil Res. 6: 97-8.
Sideritis pauli	Shoot		3.0	-0.47281058482161253	Burzaco, A., Velasco-Negueruela, A. and Perez-Alonso, M.J. 1992. Essential Oil Analysis of Sideritis pauli Pau. FFJ7: 47-8. 1992.
Micromeria varia	Shoot		3.0	-0.47281058482161253	Pedro, L.G., et al. 1995. Composition of the Essential oil of Micromeria varia Benth. ssp. thymoides (Sol. ex Lowe) Perez var. thymoides, and endemic species of the Madeira Archipelago. flav. & Fragr. J. 10(3): 199-202.
Micromeria varia	Shoot		3.0	-0.47281058482161253	--
Pimenta dioica	Fruit		3.0	-0.44374837770622017	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Origanum vulgare	Plant		3.0	-0.49706705716042743	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four Origanum vulgare Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
Thymus longicaulis	Shoot	0.0	2.5	-0.4742117947287306	Baser, K.H.C., Ozek, T., Kirimer, N. and Tumen, G. 1993. The Occurrence of Three Chemotypes of Thymus longicaulis C. Presl subsp. longicaulis in the same Population. J. Ess. Oil Res. 5: 291-5.
Thymus longicaulis	Shoot	0.0	2.5	-0.4742117947287306	Baser, K.H.C., Ozek, T., Kirimer, N. and Tumen, G. 1993. The Occurrence of Three Chemotypes of Thymus longicaulis C. Presl subsp. longicaulis in the same Population. J. Ess. Oil Res. 5: 291-5.
Citrus sinensis	Fruit	1.0	2.0	-0.44934612100297294	--
Origanum vulgare	Plant		2.0	-0.4985740128688605	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four Origanum vulgare Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
Micromeria congesta	Leaf		2.0	-0.31132886909677754	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of Micromeria congesta. J. Ess. Oil Res., 3: 387-393.
Teucrium polium	Shoot		2.0	-0.47561300463584866	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian Teucrium Species. J. Ess. Oil Res. 5: 397-402.
Foeniculum vulgare	Seed		1.0	-0.5149092933818734	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Citrus reticulata	Fruit	0.7	1.0	-0.4549438642997257	--
Origanum vulgare	Plant		1.0	-0.5000809685772936	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four Origanum vulgare Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
Foeniculum vulgare	Fruit		1.0	-0.4549438642997257	--
Citrus paradisi	Pericarp		1.0		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Thymus mastichina	Plant		1.0	-0.5000809685772936	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Sideritis mugronensis	Flower		1.0	-0.788220460656566	Manez, S., Jimenez, A., and Villar, A. 1991. Volatiles of Sideritis mugronensis Flower and Leaf. J. Ess. Oil Res., 3: 395-397.
Citrus aurantium	Leaf		1.0	-0.31184560399489664	--
Callicarpa americana	Leaf		0.55	-0.3120781346990502	--
Teucrium gnaphalodes	Shoot		0.5	-0.4798166343572028	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian Teucrium Species. J. Ess. Oil Res. 5: 397-402.
Acinos alpinus	Shoot		0.5	-0.4798166343572028	Velasco-Negueruela, A., Perez-Alonso, M.J., Jimenez, S.M. and Garcia, F.M. 1993. The Volatile Constituents of Acinus alpinus (L.) Moench ssp. meridionalis (Nyman). P.W. Ball Growing in Spain. Flav. & Frag. J. 8:127-130.)
Acinos alpinus	Shoot		0.5	-0.4798166343572028	Velasco-Negueruela, A., Perez-Alonso, M.J., Jimenez, S.M. and Garcia, F.M. 1993. The Volatile Constituents of Acinus alpinus (L.) Moench ssp. meridionalis (Nyman). P.W. Ball Growing in Spain. Flav. & Frag. J. 8:127-130.)
Petroselinum crispum	Leaf		0.24	-0.3122383225174671	--
Elsholtzia polystachya	Leaf		0.2	-0.31225899191339185	Mathela, C.S., Melkani, A.B., Bisht, J.C., Pant, A.K., Bestmann, H.J., Erler, J., Kobold, U., Rauscher, J. and Vostrowsky, O. 1992. Chemical Varieties of Essential Oils from Elsholtzia polystachya from Two Different Locations in India. Planta Medica 58: 376-379.
Elsholtzia polystachya	Leaf		0.2	-0.31225899191339185	Mathela, C.S., Melkani, A.B., Bisht, J.C., Pant, A.K., Bestmann, H.J., Erler, J., Kobold, U., Rauscher, J. and Vostrowsky, O. 1992. Chemical Varieties of Essential Oils from Elsholtzia polystachya from Two Different Locations in India. Planta Medica 58: 376-379.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Eucalyptus maculata</i>	Shoot		0.1	-0.48093760228289717	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus albens</i>	Shoot		0.1	-0.48093760228289717	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus camaldulensis</i>	Shoot		0.1	-0.48093760228289717	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus maideni</i>	Shoot		0.1	-0.48093760228289717	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus siderophloia</i>	Shoot		0.1	-0.48093760228289717	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus melliodora</i>	Shoot		0.1	-0.48093760228289717	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus citriodora</i>	Shoot		0.1	-0.48093760228289717	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus occidentalis</i>	Shoot		0.1	-0.48093760228289717	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus astringens</i>	Shoot		0.1	-0.48093760228289717	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus cladocalyx	Shoot		0.1	-0.48093760228289717	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus globulus	Shoot		0.1	-0.48093760228289717	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus blakelyi	Shoot		0.1	-0.48093760228289717	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus botryoides	Shoot		0.1	-0.48093760228289717	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus dealbata	Shoot		0.1	-0.48093760228289717	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus tereticornis	Shoot		0.1	-0.48093760228289717	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus bosistoana	Shoot		0.1	-0.48093760228289717	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus diversicolor	Shoot		0.1	-0.48093760228289717	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus polyanthemus	Shoot		0.1	-0.48093760228289717	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Micromeria myrtifolia	Shoot		0.0	-0.48121784426432085	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of Micromeria myrtifolia Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
Teucrium kotschyannum	Leaf		0.0	-0.3123623388930157	Arnold, N., Bellomaria, B., Velentini G. and Razaiani, S.M. 1991. Comparative Study on Essential Oil of Some Teucrium Species from Cyprus. J. Ethnopharm. 35: 105-113.
Teucrium micropodioides	Leaf		0.0	-0.3123623388930157	Arnold, N., Bellomaria, B., Velentini G. and Razaiani, S.M. 1991. Comparative Study on Essential Oil of Some Teucrium Species from Cyprus. J. Ethnopharm. 35: 105-113.
Hyptis suaveolens	Shoot		0.0	-0.48121784426432085	Mallvarapu, G.R., Ramesh, S., Kaul, P.N., Bhattacharya, A.K., and Rao, B.R.R. 1993. The Essential Oil of Hyptis suaveolens (L.) Poit. J. Ess. Oil Res. 5: 321.
Hyptis suaveolens	Shoot		0.0	-0.48121784426432085	Mallvarapu, G.R., Ramesh, S., Kaul, P.N., Bhattacharya, A.K., and Rao, B.R.R. 1993. The Essential Oil of Hyptis suaveolens (L.) Poit. J. Ess. Oil Res. 5: 321.
Sassafras albidum	Leaf		0.0	-0.3123623388930157	--
Teucrium divaricatum	Leaf		0.0	-0.3123623388930157	Arnold, N., Bellomaria, B., Velentini G. and Razaiani, S.M. 1991. Comparative Study on Essential Oil of Some Teucrium Species from Cyprus. J. Ethnopharm. 35: 105-113.
Piper cubeba	Fruit				Leung, A.Y., Encyclopedia of Common Natural Ingredients Used in Food, Drugs, and Cosmetics, John Wiley & Sons, New York, 1980.
Cinnamomum verum	Root Bark				--
Cinnamomum verum	Leaf Essent. Oil				--
Cinnamomum verum	Bark Essent. Oil				--
Cinnamomum verum	Stem Bark				--
Agathosma betulina	Leaf				--
Foeniculum vulgare	Seed Essent. Oil				Jim Duke's personal files.
Tanacetum parthenium	Plant				--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Rosmarinus officinalis	Resin, Exudate, Sap				--
Agathosma betulina	Leaf Essent. Oil				--
Apium graveolens	Leaf Essent. Oil				--
Angelica archangelica	Fruit				--
Angelica archangelica	Root Essent. Oil				--
Pinus sylvestris	Root				Guenther, E., The Essential Oils, 6 volumes, D. van Nostrand, New York, 1948-1952.
Anethum graveolens	Seed Essent. Oil				--
Aspalathus linearis	Leaf Essent. Oil				--
Anethum graveolens	Essential Oil				--
Eucalyptus globulus	Fruit Essent. Oil				--
Citrus limon	Pericarp				Jim Duke's personal files.
Piper auritum	Leaf				Tramil
Thymus vulgaris	Plant				Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
Barosma betulina	Leaf				--
Apium graveolens	Leaf				Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Piper nigrum	Fruit				--
Pastinaca sativa	Root				--
Thymus vulgaris	Essential Oil				--
Melaleuca alternifolia	Resin, Exudate, Sap				--
Boswellia serrata	Essential Oil				--
Ribes nigrum	Fruit				List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Crocus sativus	Silk Stigma Style				--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Helianthus annuus	Flower				Rizk, A.F.M. and Al-Nowaihi, A.S., The Phytochemistry of the Horticultural Plants of Qatar, Scientific and Applied Research Centre, University of Qatar.
Aloysia citrodora	Plant				Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Chamaemelum nobile	Plant				--
Carica papaya	Fruit				--
Satureja hortensis	Plant				List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Juniperus sabina	Plant				--
Piper cubeba	Fruit Essent. Oil				--
Pimpinella anisum	Essential Oil				--
Pinus sylvestris	Leaf				--
Pinus sylvestris	Essential Oil				--
Boswellia sacra	Resin Essent. Oil				Abdel Wahab, S. M., Aboutabl, E. A., El-Zalabani, S. M., Fouad, H. A., De Pooter, H. L., El-Fallaha, B. 1987. The Essential Oil of Olibanum. Plant Med. 53 (4): 382-384.
Acorus calamus	Plant				--
Petroselinum crispum	Seed Essent. Oil				--
Piper nigrum	Seed Essent. Oil				--
Magnolia denudata	Bark				--
Magnolia denudata	Bulb				--
Magnolia denudata	Leaf				--
Magnolia denudata	Twig				--
Myrciaria dubia	Fruit				--
Lavandula x intermedia	Plant				Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Cinnamomum aromaticum	Plant				--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Artemisia capillaris	Essential Oil				--
Coriandrum sativum	Essential Oil				--
Laurus nobilis	Leaf Essent. Oil				--