

Dr. Duke's Phytochemical and Ethnobotanical Databases

List of Plants for BETA-CARYOPHYLLENE-EPOXIDE

Plant	Part	Low PPM	High PPM	StdDev	Reference
Artemisia salsoloides	Shoot		750.0	1.2880819592269606	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsoloides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
Micromeria varia	Shoot		355.0	-0.13843871524401882	Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. flav. & Fragr. J. 10(3): 199-202.
Micromeria varia	Shoot		75.0	-1.1496432439829412	--
Nicotiana tabacum	Leaf				--
Thymus x citriodorus	Plant		30.0		Stahl-Biskup, E. and Holthuijzen, J. 1995. Essential oil and glycosidally bound volatiles of lemon-scented thyme, <i>Thymus x citriodorus</i> (Pers.) Schreb. Flav. & Fragr. J. 10: 225-229.