

Dr. Duke's Phytochemical and Ethnobotanical Databases

List of Plants for BETA-CYCLOCITRAL

Plant	Part	Low PPM	High PPM	StdDev	Reference
Aspalathus linearis	Leaf Essent. Oil		10200.0		--
Avena sativa	Seed				--
Camellia sinensis	Leaf				--
Camellia sinensis	Shoot	800.0	1000.0	1.414206663153348	--
Carthamus tinctorius	Leaf		0.05		--
Carthamus tinctorius	Flower		0.03		--
Ficus carica	Leaf				Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.
Mentha aquatica	Shoot				Umamoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of Mentha aquatica Containing Sesquiterpene Alcohols as Major Components. Nippon Nogeikagaku Kaishi 67(10): 1417-1419.
Mentha aquatica	Shoot				Umamoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of Mentha aquatica Containing Sesquiterpene Alcohols as Major Components. Nippon Nogeikagaku Kaishi 67(10): 1417-1419.
Mentha aquatica	Shoot				Umamoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of Mentha aquatica Containing Sesquiterpene Alcohols as Major Components. Nippon Nogeikagaku Kaishi 67(10): 1417-1419.
Mentha aquatica	Shoot		0.1	-0.7109289582578825	Umamoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of Mentha aquatica Containing Sesquiterpene Alcohols as Major Components. Nippon Nogeikagaku Kaishi 67(10): 1417-1419.
Mentha aquatica	Shoot				Umamoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of Mentha aquatica Containing Sesquiterpene Alcohols as Major Components. Nippon Nogeikagaku Kaishi 67(10): 1417-1419.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Salvia dorisiana	Shoot	3.5	3.7	-0.7032777048954659	Tucker, A.O. & Maciarello, M.J. 1994. The Essential Oil of Salvia dorisiana Standley. J. Ess. Oil Res. 6: 97-8.