

Dr. Duke's Phytochemical and Ethnobotanical Databases

List of Plants for EUGENOL

Plant	Part	Low PPM	High PPM	StdDev	Reference
Cinnamomum verum	Leaf Essent. Oil	701000.0	945000.0	1.556183816708286	--
Syzygium aromaticum	Flower	108655.0	180000.0	2.6457158873560447	--
Syzygium aromaticum	Essential Oil	61000.0	627000.0	1.0627703935425195	--
Cinnamomum verum	Bark Essent. Oil	61000.0	420000.0		--
Ocimum basilicum	Leaf Essent. Oil	51200.0	270000.0	-0.30638029986732646	--
Syzygium aromaticum	Stem	36000.0	57000.0	1.0	--
Pimenta dioica	Leaf	8348.0	12000.0	0.593677045891266	--
Syzygium aromaticum	Leaf	7920.0	26400.0	2.285513566975547	--
Ocimum basilicum	Shoot Essent. Oil	5700.0	26700.0		--
Ocimum sanctum	Leaf	4200.0	4970.0	-0.23226814461029613	Guenther, E., The Essential Oils, 6 volumes, D. van Nostrand, New York, 1948-1952.
Pimenta dioica	Fruit	3500.0	36000.0	1.4142135623730538	--
Myristica fragrans	Essential Oil	2000.0	3000.0	-0.7024628939882881	--
Cinnamomum verum	Leaf	1400.0	16800.0	1.1576225529193598	Wealth of India.
Myristica fragrans	Seed Essent. Oil	1000.0	38000.0		--
Piper betel	Leaf	535.0	17850.0	1.2809856325817552	--
Ocimum basilicum	Essential Oil	300.0	857500.0	1.714831728119204	--
Anethum graveolens	Leaf	280.0	750.0	-0.7280702362058284	--
Origanum majorana	Plant	200.0	2000.0	0.46992531158530604	--
Mentha pulegium	Plant	160.0	320.0	-0.44442307760119315	--
Viola odorata	Flower	147.0	357.0	-0.37653084625288163	--
Cinnamomum verum	Bark	140.0	16800.0	1.4140777354335337	--
Ocimum suave	Shoot	110.0	2860.0	1.8200575580062333	J. Nat. Prod. 44: 308.
Alpinia galanga	Rhizome	100.0	12000.0	1.414174489403805	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Alpinia officinarum	Rhizome	90.0	400.0	-0.6979831170877149	--
Cymbopogon winterianus	Plant	66.0	233.0	-0.4917732620412083	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Hyssopus officinalis	Flower	62.0	624.0	-0.37203893797995374	Flavour and Fragrance Journal, 6: 72.
Pycnanthemum setosum	Shoot	60.0	93.0	-0.41807062504563897	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Origanum minutiflorum	Shoot	55.0	125.0	-0.39218695975555584	Baser, K.H.C., Tumen, G., Sezik, E. 1991. The Essential Oil of Origanum minutiflorum O. Schwarz and P.H. Davis. J. Ess. Oil Res. 3: 445-446.
Ocimum tenuiflorum	Leaf	45.0	5580.0	-0.16060006975880922	--
Myristica fragrans	Seed	40.0	320.0	-0.9281295905730291	--
Acorus calamus	Rhizome	30.0	300.0	-0.7161913723160901	--
Ocimum tenuiflorum	Stem	20.0	100.0	-1.0	--
Laurus nobilis	Leaf	18.0	1335.0	-0.6593393775367795	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pimenta racemosa	Leaf	16.0	21840.0	1.749765335298858	--
Cistus ladaniferus	Leaf	15.0	1050.0	-0.6928236420165726	--
Ocimum basilicum	Leaf	14.0	8575.0	0.19127842889726174	--
Juglans regia	Leaf	10.0	30.0	-0.8126620622600426	--
Umbellularia californica	Plant	10.0	40.0	-0.5968144757989429	--
Micromeria congesta	Leaf	5.0	15.0	-0.8144243919695053	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of Micromeria congesta. J. Ess. Oil Res., 3: 387-393.
Jasminum officinale	Flower	3.0	10.0	-0.38236864464503884	--
Cinnamomum aromaticum	Leaf	2.8	400.0	-0.7691912627599603	--
Rosa gallica	Flower	2.0	4.0	-0.38246958640398104	--
Hyssopus officinalis	Leaf	2.0	443.0	-0.764139250926167	--
Cinnamomum aromaticum	Bark	1.8	375.0	-0.690064810647921	--
Myrtus communis	Shoot	1.0	15.0	-0.4811620591902165	--
Dianthus caryophyllus	Flower	0.6	870.0	-0.36790032586332355	--
Hyacinthus orientalis	Flower	0.32	4.6	-0.38245949222808684	--
Ocimum gratissimum	Plant	0.0	5340.0	2.2877369900870366	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Ocimum kilimandscharicum	Flower	0.0	35.0	-0.38194805398277965	Charles, D.J., and Simon, J.E. 1992. Essential Oil Constituents of Ocimum kilimandscharicum Guerke. J. Ess. Oil Res., 4: 125-128.
Ocimum kilimandscharicum	Shoot	0.0	3000.0	1.9332985936503468	Charles, D.J., and Simon, J.E. 1992. Essential Oil Constituents of Ocimum kilimandscharicum Guerke. J. Ess. Oil Res., 4: 125-128.
Lavandula latifolia	Plant	0.0	9.0	-0.613686380599408	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Daucus carota	Seed		7000.0	1.3881489891384902	--
Artemisia capillaris	Essential Oil				--
Pogostemon cablin	Plant				--
Cinnamomum aromaticum	Plant				--
Laurus nobilis	Essential Oil				--
Laurus nobilis	Leaf Essent. Oil		10200.0	-1.023260533180429	--
Vanilla planifolia	Fruit				Leung, A.Y., Encyclopedia of Common Natural Ingredients Used in Food, Drugs, and Cosmetics, John Wiley & Sons, New York, 1980.
Melia azedarach	Wood				--
Nicotiana tabacum	Leaf				ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
Calamintha nepeta	Shoot		8.0	-0.4868241109724222	Kirimer, N., Baser, K.H.C., Ozek, T. and Kurkcuoglu, M. 1992. Composition of the Essential Oil of Calamintha nepeta subsp. glandulosa. J. Ess. Oil Res. 4:189-190
Agathosma betulina	Leaf Essent. Oil				--
Ocimum tenuiflorum	Inflorescence		0.0		--
Hyssopus officinalis	Essential Oil				--
Ravensara aromatica	Bark		110.0	-0.7240129247856127	--
Syzygium aromaticum	Fruit				--
Polianthes tuberosa	Flower				--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Ravensara aromatica	Leaf		60.0	-0.8091374028411169	--
Lantana camara	Leaf				--
Mentha longifolia	Shoot				--
Piper auritum	Leaf				Tramil
Zea mays	Seed				--
Ligustrum japonicum	Flower				--
Panax ginseng	Root Essent. Oil				--
Capsicum annum	Fruit				--
Psidium guajava	Essential Oil				--
Aspalathus linearis	Leaf Essent. Oil		13600.0	-1.0138787287413815	--
Micromeria fruticosa	Shoot		0.0	-0.49329502729494296	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of Micromeria fruticosa (L.) Druce subsp. barbata (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. J. Ess. Oil Res 3: 477-479.
Mentha arvensis var. piperascens	Essential Oil				Jim Duke's personal files.
Micromeria fruticosa	Shoot		0.0	-0.49329502729494296	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of Micromeria fruticosa (L.) Druce subsp. barbata (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. J. Ess. Oil Res 3: 477-479.
Cuminum cyminum	Fruit				--
Camellia sinensis	Fruit				--
Pueraria montana	Fruit Essent. Oil				--
Pimpinella anisum	Plant				--
Elsholtzia blanda	Shoot		0.9	-0.4925670492086593	Bestman, H.J., Rauscher, J., Vostrowsky O., Pant, A.K., Dev. V., Perihar, R. and Mathela, C.S. 1992. Constituents of the Essential Oil of Elsholtzia blanda Benth. (Labiatae). J. Ess. Oils Res. 4: 121-124

Plant	Part	Low PPM	High PPM	StdDev	Reference
Thymus funkii	Shoot		5.0	-0.48925070459336745	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of Thymus funkii Cousson. Flav. & Fragr. J. 10(6): 379-383.
Thymus funkii	Shoot				Vila, R., et al. 1995. Composition and study of the variability of the essential oil of Thymus funkii Cousson. Flav. & Fragr. J. 10(6): 379-383.
Stevia rebaudiana	Flower				Kinghorn, A. D. (Ed.) 2002. Medicinal and Aromatic Plants - Industrial Profiles. Stevia. The genus Stevia. Taylor & Francis. New York, NY. 211 pp.
Stevia rebaudiana	Leaf				Kinghorn, A. D. (Ed.) 2002. Medicinal and Aromatic Plants - Industrial Profiles. Stevia. The genus Stevia. Taylor & Francis. New York, NY. 211 pp.
Coffea arabica	Seed				Jim Duke's personal files.
Humulus lupulus	Essential Oil				--
Prunus cerasus	Plant				--
Tanacetum parthenium	Fruit Essent. Oil		1000.0		--
Tanacetum parthenium	Essential Oil				--
Ptychopetalum olacoides	Root				Ito, Y., Hirayama, F., Aikawa, Y., Kondo, H., Sagara, K., Shoji, J. 1995. Constituents from Muira-Puama (The Roots of Ptychopetalum olacoides). Nat. Med. 49, 4: 487.
Prunus dulcis	Flower				--
Oenanthe javanica	Shoot				--
Pelargonium graveolens	Essential Oil				--
Ocimum canum	Shoot				=ICMR(Indian Council of Medical Research).1976.Medicinal Plants of India.Vol.1.Indian Council of Med. Res.Cambridge Printing Works, New Delhi.487 pp;ICMR.1987.Medicinal Plants of India.Vol.2.Indian Council of Med. Res.Cambr. Printing Works,New Delhi.600pp
Cinnamomum verum	Essential Oil				--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Ocimum gratissimum	Seed		1670.0	-0.4600193985654616	ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
Ocimum gratissimum	Shoot		4045.0	2.778562038279623	Vostrowsky, O., Garbe, W., Bestmann, H.J. and Maia, J.G.S. 1990. Essential Oil of Alfavaca, Ocimum gratissimum, from Brazilian Amazon. Zeitschr. Naturforschung 45(C): 1073-6.
Cinnamomum verum	Stem Bark				--
Cinnamomum verum	Root Bark				--
Myroxylon balsamum	Plant				--
Sassafras albidum	Root				List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Syzygium aromaticum	Bulb				--
Pimenta dioica	Leaf Essent. Oil		792400.0	1.1351063586498586	--
Pimenta dioica	Flower Essent. Oil		543000.0		--
Viola odorata	Leaf				--
Melaleuca bracteata	Leaf				Guenther, E., The Essential Oils, 6 volumes, D. van Nostrand, New York, 1948-1952.
Ageratum conyzoides	Shoot		800.0	0.15379660495713438	R. Vera, (1993); Chemical composition of the essential oil Ageratum conyzoides L. (Asteraceae) from Reunion, Flavour Fragr. J., Vol.8, 257-260.
Scutellaria baicalensis	Root Essent. Oil				--
Curcuma longa	Tuber				--
Melaleuca viridiflora	Leaf				List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Micromeria myrtifolia	Shoot		0.0	-0.49329502729494296	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of Micromeria myrtifolia Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Acacia farnesiana	Flower				CRC Handbook of Medicinal Herbs and/or CRC Handbook of Proximate Analyses
Croton eluteria	Bark				--
Commiphora myrrha	Essential Oil		2300.0	-0.7044431236377617	Guenther, E., The Essential Oils, 6 volumes, D. van Nostrand, New York, 1948-1952.
Thymus cilicicus	Shoot		0.1	-0.49321414084091153	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
Vaccinium myrtillus	Fruit Juice		0.01		--
Cananga odorata	Flower				--
Thymus vulgaris	Plant				Stitt, Paul. Why George should eat broccoli.
Vaccinium macrocarpon	Fruit				--
Cynara cardunculus	Essential Oil				Leung, A.Y., Encyclopedia of Common Natural Ingredients Used in Food, Drugs, and Cosmetics, John Wiley & Sons, New York, 1980.
Rosmarinus officinalis	Shoot		0.5	-0.4928905950247854	Tucker, A. O. and Maciarelo, M. J. 1998. The essential oils of some rosemary cultivars. Flavor and Fragrance Journal, 1: 137-142. 1986.
Origanum majorana	Leaf Essent. Oil		255000.0	-0.34777061356900674	--
Artemisia dracunculus	Essential Oil				--
Melissa officinalis	Shoot				--
Eucalyptus citriodora	Leaf				Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Aloysia citrodora	Plant				Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Agastache rugosa	Shoot				Jim Duke's personal files.
Magnolia kobus	Flower				--
Drimys winteri	Bark				--
Artemisia dracunculus	Shoot				--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Zingiber officinale	Rhizome Essent. Oil				--
Hibiscus sabdariffa	Calyx				--
Piper nigrum	Fruit				--
Origanum onites	Shoot		0.0	-0.49329502729494296	Biondi, D., Cianci, P., Geraci, C. and Ruberto, G. 1993. Antimicrobial Activity and Chemical Composition of Essential Oils from Sicilian Aromatic Plants. Flav. & Frag. J. 8: 331-7.
Thymus capitatus	Shoot		21.0	-0.47630887194832594	Biondi, D., Cianci, P., Geraci, C. and Ruberto, G. 1993. Antimicrobial Activity and Chemical Composition of Essential Oils from Sicilian Aromatic Plants. Flav. & Frag. J. 8: 331-7.
Cuminum cyminum	Seed				List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Apium graveolens	Seed Essent. Oil				--
Cinnamomum camphora	Plant				--
Curcuma longa	Essential Oil		2100.0	-0.7050089035376114	--
Piper nigrum	Leaf Essent. Oil				--
Ocimum sp	Plant				Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Lycopersicon esculentum	Fruit				--
Ocimum basilicum	Plant		14.0	-0.6109651056315911	--
Pimpinella anisum	Seed Essent. Oil				--
Pimpinella anisum	Essential Oil				--
Mentha spicata	Leaf				Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Mentha x piperita	Essential Oil				--
Origanum vulgare	Shoot				--
Ficus carica	Fruit				--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Helichrysum angustifolium	Plant				--
Curcuma longa	Rhizome Essent. Oil		2100.0		--
Commiphora myrrha	Resin, Exudate, Sap				Leung, A.Y., Encyclopedia of Common Natural Ingredients Used in Food, Drugs, and Cosmetics, John Wiley & Sons, New York, 1980.
Artemisia dracunculus	Shoot Essent. Oil				--
Ephedra sinica	Shoot		4.0	-0.49005956913368254	--
Narcissus tazetta	Flower				--
Rosa centifolia	Essential Oil				--
Camellia sinensis	Fruit Essent. Oil				--
Ficus carica	Flower				--
Helianthus annuus	Flower				--
Mentha spicata	Shoot				--
Mentha spicata	Essential Oil				--
Apium graveolens	Plant				Stitt, Paul. Why George should eat broccoli.
Morinda citrifolia	Fruit		0.01	-0.7071070758144754	--
Croton lechleri	Plant				Taylor, Leslie. 2005. The Healing Power of Rainforest Herbs. SquareOne Publisher, Garden City Park, NY. 519 pp.
Boronia megastigma	Flower				--
Trifolium pratense	Flower				--
Anethum graveolens	Plant				--
Eucalyptus brassiana	Leaf		0.0	-0.8161867216789681	Singh, A. K., Gupta, K. C., & Brophy, J. J. 1991. Chemical Constituents of the Leaf Essential Oil of Eucalyptus brassiana S. T. Blake. Journal of Essential Oil Res. 3: 45-7.
Morus alba	Plant				--
Pimpinella anisum	Seed				ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Santalum album	Wood				--
Foeniculum vulgare	Root Essent. Oil		2000.0		Jim Duke's personal files.
Peumus boldus	Leaf				List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Foeniculum vulgare	Sprout Seedling				Jim Duke's personal files.
Lonicera japonica	Flower				Schlotzhauer, W.S., S.D. Pair, and R.J. Horvat. 1996. Volatile constituents from the flowers of Japanese Honeysuckle. J. Agric. Food Chem. 44:206-209.
Eucalyptus citriodora	Essential Oil				--
Glycyrrhiza glabra	Root		1.0		--
Levisticum officinale	Root				Guenther, E., The Essential Oils, 6 volumes, D. van Nostrand, New York, 1948-1952.
Tilia sp.	Flower				--
Iris x germanica	Rhizome				--
Vaccinium corymbosum	Fruit		0.02	-0.7071064865585788	--
Anethum graveolens	Essential Oil				--
Lavandula x intermedia	Plant				Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Rosa damascena	Essential Oil				--
Mentha pulegium	Essential Oil		16000.0	-0.665687200498063	--
Achillea millefolium	Plant				Tunon, H., Thorsell, W., and Bohlin, L. 1993. Mosquito Repelling Activity of Compounds Occurring in Achillea millefolium L. (Asteraceae). Economic Botany 48(2): 111-120, 1994.
Syzygium aromaticum	Bark				--
Syzygium aromaticum	Leaf Essent. Oil				--