

Dr. Duke's Phytochemical and Ethnobotanical Databases

List of Plants for GERANIOL

Plant	Part	Low PPM	High PPM	StdDev	Reference
Acacia farnesiana	Flower				Leung, A.Y., Encyclopedia of Common Natural Ingredients Used in Food, Drugs, and Cosmetics, John Wiley & Sons, New York, 1980.
Aeolanthus myriantha	Flower				Wealth of India.
Aesculus hippocastanum	Flower Essent. Oil		4000.0		Jim Duke's personal files.
Allium sativum var. sativum	Bulb				Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Aloysia citrodora	Plant	5.0	420.0	-0.37748772897210603	--
Anethum graveolens	Fruit	24.0	154.0	0.33290806848468324	--
Anethum graveolens	Seed	24.0	154.0	-1.0	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Aniba rosaeodora	Essential Oil				--
Artemisia dracuncululus	Shoot Essent. Oil				--
Artemisia dracuncululus	Shoot				--
Artemisia annua	Plant				Wright, C.W. (Ed) 2002. Medicinal & Aromatic Plants-Industrial Profiles. Artemisia. 344pp. Maffei, M. (Ed) 2002. Vetiveria. The Genus Vetiveria. Taylor & Francis. NY, NY. 191 pp. Southwell, I., Lowe, R. (Eds) 1999. Tea Tree. The Genus Melaleuca. Harwood Acad. Pub. Amsterdam, Netherlands.
Asarum canadense	Rhizome				--
Asimina triloba	Fruit	0.0	1.305	-0.603926004906536	--
Boswellia serrata	Essential Oil		8000.0	-0.590948793183161	--
Boswellia serrata	Resin, Exudate, Sap		1280.0		Sabinsa: A series of well documented proprietary PR booklets, e.g. Sabinsa Corps. 1998. Bronchial Asthma - Its etiology and control with traditional herbal extracts. Sabinsa Corporation. Piscataway, NJ. 49 pp.
Bursera delpechiana	Wood	250.0	1200.0		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Camellia sinensis	Leaf Essent. Oil	31600.0	254600.0	1.4840612491853453	--
Camellia sinensis	Shoot	800.0	1200.0	0.24305714647507012	--
Camellia sinensis	Leaf	2.0	2546.0	0.9520713467876748	--
Cananga odorata	Flower				--
Centella asiatica	Shoot				Jim Duke's personal files.
Chenopodium ambrosioides	Plant				--
Cinnamomum verum	Bark	6.0	24.0	1.0	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Cinnamomum verum	Root Bark				--
Cinnamomum camphora	Leaf				--
Cinnamomum verum	Leaf Essent. Oil				--
Cinnamomum verum	Stem Bark				--
Cistus ladaniferus	Leaf	17.0	1190.0	0.32224662169044604	--
Citrullus lanatus	Fruit Juice				--
Citrus reticulata	Fruit	0.0	0.1	-0.611319076444153	--
Citrus limon	Essential Oil				Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Citrus aurantium	Plant				--
Citrus paradisi	Plant				--
Citrus paradisi	Pericarp		2.0		--
Citrus limon	Petiole		80.0		--
Citrus aurantium	Leaf	200.0	350.0	-0.06791028766181946	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Citrus limon	Pericarp				Jim Duke's personal files.
Citrus reticulata	Essential Oil				--
Citrus sinensis	Fruit	0.7	1.0	-0.6057972802749785	--
Citrus limon	Leaf Essent. Oil	13000.0	60200.0	-0.6318280565838599	Jim Duke's personal files.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Coriandrum sativum	Fruit	34.0	442.0	2.099882842620517	--
Coriandrum sativum	Seed Essent. Oil	6720.0	69700.0	0.1099647159636269	--
Coriandrum sativum	Essential Oil				--
Crocus sativus	Silk Stigma Style				--
Cymbopogon parkeri	Plant	2968.0	7474.0	0.8346757333906341	Rizk, A.F.M., The Phytochemistry of the Flora of Qatar, Scientific and Applied Research Centre, University of Qatar, Kingprint, Richmond, UK, 1986.
Cymbopogon flexuosus	Plant	875.0	2500.0	-0.02005931931595359	Leung, A.Y., Encyclopedia of Common Natural Ingredients Used in Food, Drugs, and Cosmetics, John Wiley & Sons, New York, 1980.
Cymbopogon nardus	Plant	600.0	4794.0	0.37414297479520686	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Cymbopogon citratus	Plant	10.0	36.0	-0.4434745122932419	ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
Cymbopogon winterianus	Plant	1064.0	3150.0	0.09163705870159405	Guenther, E., The Essential Oils, 6 volumes, D. van Nostrand, New York, 1948-1952.
Cymbopogon martinii	Plant	750.0	4750.0	0.36658198920632673	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Daucus carota	Seed	10.0	8120.0	1.0	--
Daucus carota	Root	10.0	8120.0	1.0	--
Elettaria cardamomum	Seed Essent. Oil		5000.0	-1.2760191391363693	--
Elettaria cardamomum	Plant	49.0	140.0	-0.42560309181043426	--
Elettaria cardamomum	Fruit Essent. Oil		12000.0		--
Elsholtzia polystachya	Leaf		0.2	-0.2303827720563701	Mathela, C.S., Melkani, A.B., Bisht, J.C., Pant, A.K., Bestmann, H.J., Erler, J., Kobold, U., Rauscher, J. and Vostrowsky, O. 1992. Chemical Varieties of Essential Oils from Elsholtzia polystachya from Two Different Locations in India. Planta Medica 58: 376-379.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Elsholtzia blanda	Shoot		49.0	-0.4786940303445524	Bestman, H.J., Rauscher, J., Vostrowsky O., Pant, A.K., Dev. V., Perihar, R. and Mathela, C.S. 1992. Constituents of the Essential Oil of Elsholtzia blanda Benth. (Labiatae). J. Ess. Oils Res. 4: 121-124
Elsholtzia eriostachya	Shoot		11.0	-0.5025224792751741	Pant, A.K., Dev, V., Parihar, R., Mathela, C.S., Rauscher, J., Vostrowsky, O. and Bestmann, H.J. 1992. The Essential Oil from Elsholtzia eriostachya var. pusilla. J. Ess. Oil Res. 4: 547-549.
Elsholtzia polystachya	Leaf		0.2	-0.2303827720563701	Mathela, C.S., Melkani, A.B., Bisht, J.C., Pant, A.K., Bestmann, H.J., Erler, J., Kobold, U., Rauscher, J. and Vostrowsky, O. 1992. Chemical Varieties of Essential Oils from Elsholtzia polystachya from Two Different Locations in India. Planta Medica 58: 376-379.
Elsholtzia densa	Plant				Hegnauer, R. 1962-1997. Chemotaxonomie der Pflanzen, Bde 1-11. Birkhauser Verlag Basel, Boston, Berlin.
Elsholtzia nipponica	Plant				Chemical Constituents of Oriental Herbs (3 diff. books)
Eucalyptus largisparsa	Leaf		0.0	-0.23047566655859675	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus globulus	Essential Oil				--
Eucalyptus incrassata	Leaf		14.0	-0.22397305140272566	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part I. Subgenus Symphyomyrtus, Section Dumaria, Series Incrassatae. Flavour and Fragrance J. 9(3):113-7

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus leucoxydon	Leaf		0.0	-0.23047566655859675	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus forrestiana	Leaf		17.0	-0.2225796338693247	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part I. Subgenus Symphyomyrtus, Section Dumaria, Series Incrassatae. Flavour and Fragrance J. 9(3):113-7
Eucalyptus viridis	Leaf		0.0	-0.23047566655859675	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus ceratocorys	Leaf		11.0	-0.2253664689361266	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part I. Subgenus Symphyomyrtus, Section Dumaria, Series Incrassatae. Flavour and Fragrance J. 9(3):113-7
Eucalyptus porosa	Leaf		0.0	-0.23047566655859675	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus angulosa	Leaf		1.5	-0.22977895779189628	Bignell, C.M., Dunlop, P.J., Brophy, J. J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part I. Subgenus Symphyomyrtus, Section Dumaria, Series Incrassatae. Flavour and Fragrance J. 9(3):113-7
Eucalyptus behriana	Leaf		0.0	-0.23047566655859675	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus populnea	Leaf		0.0	-0.23047566655859675	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus tetraptera	Leaf		27.0	-0.2179349087579882	Bignell, C.M., Dunlop, P.J., Brophy, J. J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part I. Subgenus Symphyomyrtus, Section Dumaria, Series Incrassatae. Flavour and Fragrance J. 9(3):113-7
Eucalyptus fasciculosa	Leaf		0.0	-0.23047566655859675	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus erythrandra	Leaf		7.0	-0.2272243589806612	Bignell, C.M., Dunlop, P.J., Brophy, J. J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part I. Subgenus Symphyomyrtus, Section Dumaria, Series Incrassatae. Flavour and Fragrance J. 9(3):113-7
Eucalyptus citriodora	Leaf	250.0	1000.0	0.23399684457505263	Guenther, E., The Essential Oils, 6 volumes, D. van Nostrand, New York, 1948-1952.
Eucalyptus desquamata	Leaf		0.0	-0.23047566655859675	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus lansdowneana	Leaf		0.0	-0.23047566655859675	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus ochrophloia	Leaf		0.0	-0.23047566655859675	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus cuprea	Leaf		0.0	-0.23047566655859675	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus sparsa	Leaf		0.0	-0.23047566655859675	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus stoatei	Leaf		13.0	-0.2244375239138593	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part I. Subgenus Symphyomyrtus, Section Dumaria, Series Incrassatae. Flavour and Fragrance J. 9(3):113-7
Eucalyptus melanophloia	Leaf		0.0	-0.23047566655859675	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus dolichorhyncha	Leaf		6.0	-0.22768883149179484	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part I. Subgenus Symphyomyrtus, Section Dumaria, Series Incrassatae. Flavour and Fragrance J. 9(3):113-7
Eucalyptus odorata	Leaf		0.0	-0.23047566655859675	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus intertexta	Leaf		0.0	-0.23047566655859675	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Foeniculum vulgare	Essential Oil		800.0	-0.668591700316715	Jim Duke's personal files.
Glycyrrhiza glabra	Rhizome Essent. Oil				--
Glycyrrhiza glabra	Root				--
Hedeoma pulegioides	Plant				--
Houttuynia cordata	Essential Oil				--
Houttuynia cordata	Shoot Essent. Oil				--
Humulus lupulus	Fruit				CRC Handbook of Medicinal Herbs and/or CRC Handbook of Proximate Analyses
Humulus lupulus	Essential Oil				--
Hyacinthus orientalis	Flower	0.048	0.69	-0.5155613303828618	--
Hypericum perforatum	Plant	4.0	72.0	-0.4372882513568854	--
Hyssopus officinalis	Leaf	0.1	2.0	-0.22954672153632943	Flavour and Fragrance Journal, 6: 72.
Hyssopus officinalis	Flower	0.5	6.0	-0.5144293278566698	Flavour and Fragrance Journal, 6: 72.
Iris x germanica	Rhizome				--
Jasminum officinale	Flower	240.0	380.0	-0.43469882977837093	--
Juglans nigra	Essential Oil		13000.0	-0.5370301076737485	--
Juniperus sabina	Plant				--
Lantana camara	Leaf				--
Laurus nobilis	Fruit				Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Laurus nobilis	Leaf Essent. Oil		13000.0	-1.1455624970792637	--
Laurus nobilis	Leaf				--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Lavandula latifolia	Plant	3.0	21.0	-0.44605212101672376	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Lavandula angustifolia	Flower				Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Lavandula x intermedia	Plant	20.0	36.0	-0.4434745122932419	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Levisticum officinale	Root				Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Lippia alba	Plant				Grenand, P., Moretti, C., and Jacquemin, H. 1987. Pharmacopees Traditionnelles en Guyane. l'ORSTROM, Paris. 569 pp.
Litsea glaucescens	Shoot	2.0	3.0	-0.5075389948395156	Tucker, et al, EB46(1):21-24.1992
Lonicera japonica	Flower				Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Malus domestica	Plant				--
Mangifera indica	Flower				--
Matricaria recutita	Plant				Kameoka, H. and Nakai, K. 1987. Components of essential oil from the root of Glycyrrhiza-glabra. Nippon Gogeikagaku Kaishi 61(9): 1119-1122.
Medicago sativa	Leaf				--
Melissa officinalis	Shoot	1.0	65.0	-0.4686609992158695	Deutsche Apot. Zitt. 129(4):155-163. W. Schulze et al. Die Melisse.
Mentha spicata	Leaf				Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Mentha longifolia	Shoot	1.0	115.0	-0.4373077769387356	Fleisher, Z. and Fleisher, A. 1991. The Essential Oils from Mentha longifolia Growing in Sinai and Israel. J. Ess. Oil Res., 3: 57.
Monarda didyma	Leaf	14.0	25.0	-0.21886385378025552	--
Monarda didyma	Flower		4.0	-0.5148556941565537	Flavour and Fragrance Journal, 6: 80.
Monarda fistulosa	Plant	1.0	29450.0	4.611044353873137	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Myristica fragrans	Seed				Leung, A.Y., Encyclopedia of Common Natural Ingredients Used in Food, Drugs, and Cosmetics, John Wiley & Sons, New York, 1980.
Myristica fragrans	Essential Oil				--
Myristica fragrans	Seed Essent. Oil	36000.0	119000.0	1.166054423172743	--
Myrtus communis	Plant	1.0	2.0	-0.44931709206646747	--
Myrtus communis	Leaf	1.0	75.0	-0.19564022822357305	--
Nepeta cataria	Leaf				--
Nepeta racemosa	Shoot		70.0	-0.4655256769881561	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.
Nepeta racemosa	Shoot		70.0	-0.4655256769881561	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.
Nepeta cataria	Plant				Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Nepeta cataria	Essential Oil		255000.0	2.072634270981816	--
Ocimum gratissimum	Flower	11010.0	14245.0	2.521085544167122	Charles, D.J. and Simon, J.E. 1992. A New Geraniol Chemotype of Ocimum gratissimum L. J. Ess. Oil Res. 4: 231-234.
Ocimum basilicum	Shoot Essent. Oil	1100.0	3900.0		--
Ocimum basilicum	Plant	1.0	1000.0	-0.27782019166414046	Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
Ocimum canum	Shoot				=ICMR(Indian Council of Medical Research).1976.Medicinal Plants of India.Vol.1.Indian Council of Med. Res.Cambridge Printing Works, New Delhi.487 pp;ICMR.1987.Medicinal Plants of India.Vol.2.Indian Council of Med. Res.Cambr. Printing Works,New Delhi.600pp
Ocimum basilicum	Essential Oil		100000.0	0.4011550201900289	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Ocimum gratissimum	Leaf	10335.0	13455.0	6.019001970744656	Charles, D.J. and Simon, J.E. 1992. A New Geraniol Chemotype of <i>Ocimum gratissimum</i> L. J. Ess. Oil Res. 4: 231-234.
Ocimum basilicum	Plant		3.0	-0.44914525148490203	Die Nahrung. Pino, J., Rosado, A., Goire, I., Roncal, E., and Garcia, I. 1993. Analysis of the Essential Oil from Cuban Basil. Die Nahrung 37:(5): 501-504.
Origanum vulgare	Plant		1.5	-0.4494030123572502	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
Origanum syriacum	Shoot		65.0	-0.4686609992158695	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of <i>Origanum syriacum</i> L. Essential Oil. J. Ess. Oil Res. 3: 121-123.
Origanum majorana	Essential Oil		0.0	-0.677218689998221	--
Origanum onites	Shoot		48.0	-0.47932109479009505	Biondi, D., Cianci, P., Geraci, C. and Ruberto, G. 1993. Antimicrobial Activity and Chemical Composition of Essential Oils from Sicilian Aromatic Plants. Flav. & Frag. J. 8: 331-7.
Origanum vulgare	Plant		2.5	-0.4492311717756847	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
Origanum syriacum	Shoot		0.0	-0.5094201881761437	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of <i>Origanum syriacum</i> L. Essential Oil. J. Ess. Oil Res. 3: 121-123.
Origanum majorana	Plant				Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Origanum vulgare	Plant		0.5	-0.44957485293881566	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
Origanum vulgare	Plant				Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Origanum syriacum	Shoot		65.0	-0.4686609992158695	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of <i>Origanum syriacum</i> L. Essential Oil. J. Ess. Oil Res. 3: 121-123.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Pelargonium roseum</i>	Shoot		3276.0	1.5448429354216695	--
<i>Pelargonium graveolens</i>	Plant	2.0	1400.0	-0.2090839590379573	--
<i>Petroselinum crispum</i>	Leaf		1.26	-0.22989043119456826	--
<i>Peumus boldus</i>	Leaf	14.0	30.0	-0.21654149122458727	--
<i>Pimenta racemosa</i>	Leaf	0.0	560.0	0.02962893967624691	--
<i>Plumeria acutifolia</i>	Flower				--
<i>Polianthes tuberosa</i>	Flower				--
<i>Prunus armeniaca</i>	Essential Oil				--
<i>Prunus dulcis</i>	Flower				--
<i>Pycnanthemum virginianum</i>	Shoot				Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Pycnanthemum pycnanthemoides</i>	Shoot	1911.0	2842.0	1.2726969660561473	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Ravensara aromatica</i>	Bark		22.0	-1.0	--
<i>Ribes nigrum</i>	Fruit				List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
<i>Ribes nigrum</i>	Leaf		12.0	-0.22490199642499295	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
<i>Rosa damascena</i>	Essential Oil				--
<i>Rosa centifolia</i>	Essential Oil				--
<i>Rosa gallica</i>	Flower	100.0	275.0	-0.4570830605222784	--
<i>Rosmarinus officinalis</i>	Resin, Exudate, Sap				--
<i>Rosmarinus officinalis</i>	Plant	50.0	370.0	-0.386079758050379	J. Ethnopharmacology, 39: 167.
<i>Rosmarinus officinalis</i>	Shoot		0.5	-0.5091066559533722	Tucker, A. O. and Maciarelo, M. J. 1998. The essential oils of some rosemary cultivars. Flavor and Fragrance Journal, 1: 137-142. 1986.
<i>Rubus idaeus</i>	Fruit				--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Salvia sclarea	Plant	22.0	735.0	-0.3233579457789868	Flavour and Fragrance Journal, 6: 154.
Salvia officinalis	Plant				Stitt, Paul. Why George should eat broccoli.
Salvia dorisiana	Shoot		0.0	-0.5094201881761437	Tucker, A.O. & Maciarello, M.J. 1994. The Essential Oil of Salvia dorisiana Standley. J. Ess. Oil Res. 6: 97-8.
Santalum album	Wood				--
Satureja obovata	Leaf				Arrebola, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of Satureja obovata. Phytochemistry 35(1): 83.
Satureja obovata	Leaf		0.01	-0.2304710218334853	Arrebola, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of Satureja obovata. Phytochemistry 35(1): 83.
Satureja montana	Plant				Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Satureja obovata	Leaf				Arrebola, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of Satureja obovata. Phytochemistry 35(1): 83.
Satureja hortensis	Plant				List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Satureja cuneifolia	Shoot		115.0	-0.4373077769387356	Tumen, G. 1991. The Volatile Constituents of Satureja cuneifolia. J. Ess. Oil Res., 3: 365-366.
Satureja obovata	Shoot	1.0	315.0	-0.3118948878302	Fitoterapia No.60: 277.
Satureja obovata	Leaf				Arrebola, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of Satureja obovata. Phytochemistry 35(1): 83.
Scutellaria parvula	Plant		1.0	-0.4494889326480329	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Sideritis scardica</i>	Shoot		245.0	-0.35578939901818746	Menkovic, N., et al. 1991. The Essential Oil of <i>Sideritis scardica</i> . <i>Pl. Med.</i> 57. Suppl. 2. pp. A137-A132.
<i>Skimmia arborescens</i>	Leaf				ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
<i>Solanum tuberosum</i>	Plant				--
<i>Stachytarpheta cayennensis</i>	Plant				--
<i>Stevia rebaudiana</i>	Leaf		9.0	-0.2262954139583939	Kinghorn, A. D. (Ed.) 2002. Medicinal and Aromatic Plants - Industrial Profiles. Stevia. The genus Stevia. Taylor & Francis. New York, NY. 211 pp.
<i>Stevia rebaudiana</i>	Plant		20.0	-0.4462239615982892	Kinghorn, A. D. (Ed.) 2002. Medicinal and Aromatic Plants - Industrial Profiles. Stevia. The genus Stevia. Taylor & Francis. New York, NY. 211 pp.
<i>Tagetes minuta</i>	Plant				List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
<i>Tamarindus indica</i>	Essential Oil				Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
<i>Telosma cordata</i>	Flower		4439.0	0.4306115758361085	K. Furukawa, T. Arai, S. Hashimoto, (1993); Volatile components of <i>Telosma cordata</i> Merrill flowers, <i>Flavour Fragr. J.</i> , Vol 8, 221-223.
<i>Thymus vulgaris</i>	Plant	0.0	10660.0	1.3821598262581827	--
<i>Thymus capitatus</i>	Shoot		0.0	-0.5094201881761437	Biondi, D., Cianci, P., Geraci, C. and Ruberto, G. 1993. Antimicrobial Activity and Chemical Composition of Essential Oils from Sicilian Aromatic Plants. <i>Flav. & Fragr. J.</i> 8: 331-7.
<i>Thymus capitatus</i>	Plant		40.0	-0.44278714996698004	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Thymus funkii	Shoot		8.0	-0.5044036726118022	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of Thymus funkii Cousson. Flav. & Fragr. J. 10(6): 379-383.
Thymus vulgaris	Essential Oil				--
Thymus zygis	Shoot	0.0	2350.0	0.96418125884915	De Cunha, A.P. and Salguiero, L.R. 1991. The Chemical Polymorphism of Thymus zygis ssp. sylvestris from Central Portugal. J. Ess. Oil Res. 3: 409-12.
Thymus longicaulis	Shoot		5500.0	2.939434262308586	Baser, K.H.C., Ozek, T., Kirimer, N. and Tumen, G. 1993. The Occurrence of Three Chemotypes of Thymus longicaulis C. Presl subsp. longicaulis in the same Population. J. Ess. Oil Res. 5: 291-5.
Thymus serpyllum	Plant				List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Thymus x citriodorus	Plant		6130.0	0.6037219917666586	Stahl-Biskup, E. and Holthuijzen, J. 1995. Essential oil and glycosidally bound volatiles of lemon-scented thyme, Thymus x citriodorus (Pers.) Schreb. Flav. & Fragr. J. 10: 225-229.
Thymus longicaulis	Shoot		5500.0	2.939434262308586	Baser, K.H.C., Ozek, T., Kirimer, N. and Tumen, G. 1993. The Occurrence of Three Chemotypes of Thymus longicaulis C. Presl subsp. longicaulis in the same Population. J. Ess. Oil Res. 5: 291-5.
Thymus mastichina	Plant		20.0	-0.4462239615982892	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Thymus funkii	Shoot		8.0	-0.5044036726118022	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of Thymus funkii Cousson. Flav. & Fragr. J. 10(6): 379-383.
Thymus zygis	Shoot		14.0	-0.5006412859385461	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Thymus longicaulis	Shoot		0.0	-0.5094201881761437	Baser, K.H.C., Ozek, T., Kirimer, N. and Tumen, G. 1993. The Occurrence of Three Chemotypes of Thymus longicaulis C. Presl subsp. longicaulis in the same Population. J. Ess. Oil Res. 5: 291-5.
Tilia sp.	Flower				--
Trifolium pratense	Flower		3.0	-0.5150688773064958	Buchnauer, G., Jirovetz, L., Nikiforov, A. 1996. Comparative Investigation of Essential Clover Flower Oils from Austria Using Gas Chromatography-Flame Ionization Detection, Gas Chromatography-Mass Spectrometry, and Gas Chrom.-Olfactometry. J. Agr. Food Chem. 44: 1827-8
Umbellularia californica	Plant	10.0	40.0	-0.44278714996698004	--
Vaccinium myrtillus	Fruit Juice				--
Vaccinium corymbosum	Fruit	0.01	0.03	-0.6117485494795332	--
Valeriana officinalis	Root	1.0	120.0	-1.0	Father Nature's Farmacy: The aggregate of all these three-letter citations.
Vitis vinifera	Fruit				ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
Vitis vinifera	Leaf Essent. Oil		145200.0	0.2933293044777782	--
Zanthoxylum alatum	Fruit				ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
Zea mays	Silk Stigma Style				--
Zingiber officinale	Rhizome	2.0	345.0		--
Zingiber officinale	Rhizome Essent. Oil		6900.0		--