

List of Plants



Chemid

KAWAIN

Dosage

LD50=69 mg/kg (ivn mus)

LD50=1,130 mg/kg (orl mus) Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.

LD50=420 mg/kg (ipr mus) Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Plant	Part	Low PPM	High PPM	StdDev	*Reference
Piper methysticum	Resin, Exudate, Sap	--	33800.0		*
Piper methysticum	Plant	--	--		*
Piper methysticum	Rhizome	9300.0	12000.0		*
Piper methysticum	Stem	--	--		*
Piper methysticum	Leaf	--	--		*
Piper methysticum	Root	--	306.0		*