

# List of Plants

## METHYL-ACETATE

### Chemid

METHYLACETATE

\*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Plant	Part	Low PPM	High PPM	StdDev	*Reference
Ananas comosus	Fruit	--	--		*
Artemisia annua	Plant	--	--		*
Carica papaya	Fruit	--	--		*
Elsholtzia cristata	Shoot	--	--	-1.0	Kobold, U., Vostrowsky, O., Bestmann, H.J., Bisht, J.C., Pant, A.K., Melkani, A.B. and Mathela, C.S. 1987. Terpenoids from Elsholtzia Species; II. Constituents of Essential Oil from a New Chemotype of Elsholtzia cristata. Planta Medica 1987: 268-271.
Ficus carica	Fruit	--	--		*
Helianthus annuus	Flower	--	--		Rizk, A.F.M. and Al-Nowaihi, A.S., The Phytochemistry of the Horticultural Plants of Qatar, Scientific and Applied Research Centre, University of Qatar.
Malus domestica	Plant	--	--		*
Mentha aquatica	Shoot	--	16.0	1.0	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of Mentha aquatica Containing Sesquiterpene Alcohols as Major Components. Nippon Nogeikagaku Kaishi 67(10): 1417-1419.
Prunus persica	Fruit	--	--		*
Vanilla planifolia	Fruit	--	84.0		*
Zingiber officinale	Essential Oil	--	--		Kameoka, H. and Nakai, K. 1987. Components of essential oil from the root of Glycyrrhiza-glabra. Nippon Gogeikagaku Kaishi 61(9): 1119-1122.
Zingiber officinale	Rhizome	--	--		*