

# List of Plants



## Chemid

PERILLENE

\*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Plant	Part	Low PPM	High PPM	StdDev	*Reference
<i>Elsholtzia polystachya</i>	Leaf	--	1225.0		Mathela, C.S., Melkani, A.B., Bisht, J.C., Pant, A.K., Bestmann, H.J., Erler, J., Kobold, U., Rauscher, J. and Vostrowsky, O. 1992. Chemical Varieties of Essential Oils from <i>Elsholtzia polystachya</i> from Two Different Locations in India. <i>Planta Medica</i> 58: 376-379.
<i>Elsholtzia polystachya</i>	Leaf	--	1225.0		Mathela, C.S., Melkani, A.B., Bisht, J.C., Pant, A.K., Bestmann, H.J., Erler, J., Kobold, U., Rauscher, J. and Vostrowsky, O. 1992. Chemical Varieties of Essential Oils from <i>Elsholtzia polystachya</i> from Two Different Locations in India. <i>Planta Medica</i> 58: 376-379.
<i>Myrtus communis</i>	Shoot	--	2.5	-0.36	*
<i>Origanum sipyleum</i>	Shoot	--	3.0	-0.23	Baser, K.H.C., Ozek, T., Kurkcuglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. <i>J. Ess. Oil Res.</i> 4: 139-142.
<i>Origanum sipyleum</i>	Shoot	--	3.0	-0.23	Baser, K.H.C., Ozek, T., Kurkcuglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. <i>J. Ess. Oil Res.</i> 4: 139-142.
<i>Origanum vulgare</i>	Plant	--	0.2	-0.59	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
<i>Origanum sipyleum</i>	Shoot	--	--		Baser, K.H.C., Ozek, T., Kurkcuglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. <i>J. Ess. Oil Res.</i> 4: 139-142.
<i>Origanum vulgare</i>	Plant	--	--	-0.82	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
<i>Origanum sipyleum</i>	Shoot	--	1.3	-0.65	Baser, K.H.C., Ozek, T., Kurkcuglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. <i>J. Ess. Oil Res.</i> 4: 139-142.
<i>Perilla frutescens</i>	Inflorescence	--	--		Mathela, C. S., Shah, G. C., Melkani, A. B., Joshi, P. 1989. 3-Substituted-Furanyl Compounds of <i>Perilla ocimoides</i> . <i>J. Indian Chem. Soc.</i> , 66(3): 183-184.
<i>Sideritis athoa</i>	Shoot	--	1.0	-0.72	Ozek, T., Baser, K.H.C. and Tumen, G. 1993. The Essential Oil of <i>Sideritis athoa</i> Papanikolaou Et Kokkini. <i>J. Ess. Oil Res.</i> 5: 669-670.
<i>Sideritis germanicolpitana</i>	Plant	1.0	2.0	1.41	<i>J. Essential Oil</i> , 4: 533.
<i>Thymus cilicicus</i>	Shoot	--	13.0	2.2	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of <i>Thymus cilicicus</i> Boiss. & Bal. <i>J. Ess. Oil Res.</i> 6: 97-8.
<i>Zingiber officinale</i>	Rhizome	1.0	95.0		Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
<i>Zingiber officinale</i>	Rhizome Essent. Oil	--	1900.0		*