

# List of Plants



## Chemid

SPATHULENOL

\*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Plant	Part	Low PPM	High PPM	StdDev	*Reference
<i>Achillea millefolium</i>	Plant	--	495.0	2.66	*
<i>Acinos alpinus</i>	Shoot	--	6.0	-0.41	Velasco-Negueruela,A., Perez-Alonso,M.J., Jiminez,S.M. and Garcia,F.M. 1993. The Volatile Constituents of <i>Acinos alpinus</i> (L.) Moench ssp. meridionalis (Nyman). P.W. Ball Growing in Spain. Flav. & Frag. J. 8:127-130.)
<i>Acinos alpinus</i>	Shoot	--	6.0	-0.41	Velasco-Negueruela,A., Perez-Alonso,M.J., Jiminez,S.M. and Garcia,F.M. 1993. The Volatile Constituents of <i>Acinos alpinus</i> (L.) Moench ssp. meridionalis (Nyman). P.W. Ball Growing in Spain. Flav. & Frag. J. 8:127-130.)
<i>Agastache rugosa</i>	Shoot	--	--		Jim Duke's personal files.
<i>Agathosma betulina</i>	Leaf Essent. Oil	--	--		*
<i>Aloysia citrodora</i>	Plant	25.0	175.0	0.53	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Angelica archangelica</i>	Root	--	--		*
<i>Artemisia vulgaris</i>	Plant	--	--		Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
<i>Artemisia salsoloides</i>	Shoot	--	800.0	4.2	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsoloides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
<i>Artemisia pallens</i>	Plant	44.0	197.0	0.67	*
<i>Artemisia annua</i>	Shoot	--	--		Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
<i>Artemisia dracunculus</i>	Shoot	--	108.0	0.18	*
<i>Artemisia dracunculus</i>	Shoot Essent. Oil	--	--		*
<i>Brassica oleracea</i> var. <i>capitata</i> l.	Shoot	--	90.0	0.08	*
<i>Eucalyptus desquamata</i>	Leaf	--	295.0	0.78	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus cuprea</i>	Leaf	--	37.0	-0.57	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus stoatei</i>	Leaf	--	220.0	0.39	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> .Part I.Subgenus <i>Symphyomyrtus</i> ,Section <i>Dumaria</i> ,Series <i>Incrassatae</i> .Flavour and Fragrance J.9(3):113-7
<i>Eucalyptus saligna</i>	Shoot	--	0.1	-0.44	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.

<i>Eucalyptus forrestiana</i>	Leaf	--	325.0	0.94	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> .Part I.Subgenus <i>Symphyomyrtus</i> ,Section <i>Dumaria</i> ,Series <i>Incrassatae</i> .Flavour and Fragrance J.9(3):113-7
<i>Eucalyptus grandis</i>	Leaf Essent. Oil	--	4000.0	-0.34	*
<i>Eucalyptus diversicolor</i>	Shoot	--	0.1	-0.44	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus paniculata</i>	Shoot	--	19.0	-0.33	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus citriodora</i>	Shoot	--	0.1	-0.44	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus moluccana</i>	Shoot	--	36.0	-0.24	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus maculata</i>	Shoot	--	60.0	-0.1	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus ochrophloia</i>	Leaf	--	23.0	-0.65	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus bridgesiana</i>	Leaf	--	27.0	-0.63	Singh, A. K., Gupta, K. C., & Brophy, J. J. 1991. Volatile Constituents of the Essential Oil of <i>Eucalyptus bridgesiana</i> Growing in India. Journal of Essential Oil Res. 3: 449-450.
<i>Eucalyptus nova-anglica</i>	Leaf	60.0	405.0	1.36	Brophy, J. L., Lassak, E. V., & Boland, D. J. 1992. The Leaf Essential Oils of <i>Eucalyptus nova-anglica</i> . Deane & Maiden. Journal of Essential Oil Res. 4: 29-32.
<i>Eucalyptus largisparsa</i>	Leaf	--	15.0	-0.69	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus astringens</i>	Shoot	--	0.1	-0.44	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus melanophloia</i>	Leaf	--	39.0	-0.56	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus porosa</i>	Leaf	--	410.0	1.39	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus tetraptera</i>	Leaf	--	520.0	1.97	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> .Part I.Subgenus <i>Symphyomyrtus</i> ,Section <i>Dumaria</i> ,Series <i>Incrassatae</i> .Flavour and Fragrance J.9(3):113-7
<i>Eucalyptus sideroxylon</i>	Shoot	--	55.0	-0.13	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus punctata</i>	Shoot	--	55.0	-0.13	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus erythrandra</i>	Leaf	--	16.0	-0.68	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> .Part I.Subgenus <i>Symphyomyrtus</i> ,Section <i>Dumaria</i> ,Series <i>Incrassatae</i> .Flavour and Fragrance J.9(3):113-7
<i>Eucalyptus citriodora</i>	Leaf Essent. Oil	--	1000.0	-1.02	*
<i>Eucalyptus dealbata</i>	Shoot	--	0.1	-0.44	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus oviformis</i>	Shoot	--	0.1	-0.44	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.

<i>Eucalyptus ceratocorys</i>	Leaf	--	11.0	-0.71	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> .Part I.Subgenus <i>Symphyomyrtus</i> ,Section <i>Dumaria</i> ,Series <i>Incrassatae</i> . <i>Flavour and Fragrance J</i> .9(3):113-7
<i>Eucalyptus melliodora</i>	Shoot	--	0.1	-0.44	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus odorata</i>	Leaf	--	65.0	-0.43	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus incrassata</i>	Leaf	--	75.0	-0.37	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> .Part I.Subgenus <i>Symphyomyrtus</i> ,Section <i>Dumaria</i> ,Series <i>Incrassatae</i> . <i>Flavour and Fragrance J</i> .9(3):113-7
<i>Eucalyptus behriana</i>	Leaf	--	90.0	-0.29	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus brassiana</i>	Leaf	--	3.0	-0.75	Singh, A. K., Gupta, K. C., & Brophy, J. J. 1991. Chemical Constituents of the Leaf Essential Oil of <i>Eucalyptus brassiana</i> S. T. Blake. <i>Journal of Essential Oil Res.</i> 3: 45-7.
<i>Eucalyptus bosistoana</i>	Shoot	--	0.1	-0.44	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus populnea</i>	Leaf	--	23.0	-0.65	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus angulosa</i>	Leaf	--	12.0	-0.7	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> .Part I.Subgenus <i>Symphyomyrtus</i> ,Section <i>Dumaria</i> ,Series <i>Incrassatae</i> . <i>Flavour and Fragrance J</i> .9(3):113-7
<i>Eucalyptus leucoxydon</i>	Leaf	--	90.0	-0.29	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus viridis</i>	Leaf	--	3.0	-0.75	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus intertexta</i>	Leaf	--	5.5	-0.74	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus tereticornis</i>	Shoot	--	55.0	-0.13	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus siderophloia</i>	Shoot	--	34.0	-0.25	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus polyanthemus</i>	Shoot	--	0.1	-0.44	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus dolichorhyncha</i>	Leaf	--	135.0	-0.06	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> .Part I.Subgenus <i>Symphyomyrtus</i> ,Section <i>Dumaria</i> ,Series <i>Incrassatae</i> . <i>Flavour and Fragrance J</i> .9(3):113-7
<i>Eucalyptus cladocalyx</i>	Shoot	--	0.1	-0.44	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus occidentalis</i>	Shoot	--	35.0	-0.24	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus camaldulensis</i>	Shoot	--	130.0	0.31	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.

<i>Eucalyptus maideni</i>	Shoot	--	0.1	-0.44	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus lansdowneana</i>	Leaf	--	385.0	1.26	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus globulus</i>	Shoot	--	0.1	-0.44	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus sparsa</i>	Leaf	--	510.0	1.92	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus botryoides</i>	Shoot	--	29.0	-0.28	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus blakelyi</i>	Shoot	--	55.0	-0.13	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus albens</i>	Shoot	--	0.1	-0.44	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus fasciculosa</i>	Leaf	--	21.0	-0.66	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
<i>Humulus lupulus</i>	Fruit	--	10.0	-1.0	*
<i>Hyssopus officinalis</i>	Shoot	--	130.0	0.31	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot	--	90.0	0.08	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot	--	100.0	0.14	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Leaf	1.0	440.0	1.55	*
<i>Hyssopus officinalis</i>	Shoot	--	110.0	0.19	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot	--	120.0	0.25	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot	--	130.0	0.31	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Flower	--	--		*
<i>Hyssopus officinalis</i>	Shoot	--	120.0	0.25	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot	--	160.0	0.48	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot	--	130.0	0.31	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Laurus nobilis</i>	Leaf Essent. Oil	--	--		*
<i>Leonotis leonurus</i>	Se	--	10.0		Pedro, L.G., Barroso, J.G., Marques, N.T., Ascensao, L., Pais, M.S.S. and Scheffer, J.J.C. 1991. Composition of the Essential Oil from Sepals of <i>Leonotis leonurus</i> R. Br. J. Ess. Oil Res. 3: 451-3
<i>Lindera benzoin</i>	Leaf	--	0.4	-0.77	*
<i>Lycopus uniflorus</i>	Plant	--	2.0	-0.63	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.

Matricaria recutita	Plant	--	--		Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Melaleuca alternifolia	Essential Oil	--	1500.0	-1.0	*
Mentha longifolia	Shoot	--	1125.0	6.08	*
Metrosideros sclerocarpa	Leaf	35.0	140.0	-0.03	*
Metrosideros nervulosa	Leaf	--	739.0	3.12	*
Micromeria congesta	Leaf	140.0	330.0	0.97	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of Micromeria congesta. J. Ess. Oil Res., 3: 387-393.
Micromeria myrtifolia	Shoot	--	0.4	-0.44	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of Micromeria myrtifolia Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
Murraya koenigii	Leaf	--	5.0	-0.74	*
Nepeta racemosa	Shoot	--	--	-0.44	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.
Nepeta racemosa	Shoot	--	170.0	0.54	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.
Ocimum basilicum	Shoot Essent. Oil	--	16700.0	1.0	*
Ocimum gratissimum	Flower	112.0	150.0		Charles, D.J. and Simon, J.E. 1992. A New Geraniol Chemotype of Ocimum gratissimum L. J. Ess. Oil Res. 4: 231-234.
Ocimum gratissimum	Leaf	15.0	105.0	-0.22	Charles, D.J. and Simon, J.E. 1992. A New Geraniol Chemotype of Ocimum gratissimum L. J. Ess. Oil Res. 4: 231-234.
Origanum vulgare	Plant	--	7.0	-0.59	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four Origanum vulgare Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
Origanum vulgare	Plant	10.0	50.0	-0.31	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Origanum vulgare	Plant	--	2.5	-0.62	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four Origanum vulgare Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
Origanum vulgare	Plant	--	2.5	-0.62	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four Origanum vulgare Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
Origanum vulgare	Plant	--	15.0	-0.54	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four Origanum vulgare Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
Origanum vulgare	Shoot Essent. Oil	--	500.0	-1.0	*
Panax ginseng	Plant	--	15.9	-0.54	*
Pimenta dioica	Fruit	--	60.0	1.0	*
Piper auritum	Leaf	--	--		Tramil
Piper nigrum	Fruit Essent. Oil	--	29600.0		*
Pycnanthemum pilosum	Flower	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pycnanthemum pilosum	Leaf	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Salvia officinalis	Leaf Essent. Oil	--	--		*
Salvia gilliesii	Shoot	--	225.0	0.86	Velasco-Negueruela, A. et al. 1993. The Essential Oil of Salvia gilliesii Benth. J. Ess. Oil Res. 5: 319-320.
Satureja parvifolia	Shoot	--	150.0	0.43	Zygadlo, J.A., Merino. E.F., Maestri, D.M., Guzman, C.A. and Espinar, L.A. 1993. The Essential Oils of Satureja odora and Satureja parvifolia from Argentina. J. Ess. Oil Res. 5: 549-51.
Satureja odora	Shoot	--	--	-0.44	Zygadlo, J.A., Merino. E.F., Maestri, D.M., Guzman, C.A. and Espinar, L.A. 1993. The Essential Oils of Satureja odora and Satureja parvifolia from Argentina. J. Ess. Oil Res. 5: 549-51.
Satureja cilicica	Shoot	--	55.0	-0.13	Tumen, G. Baser, K.H.C. and Kirimer, N. 1993. The Essential Oil of Satureja cilicica P.H. Davis. J. Ess. Oil Res. 5: 547-548.
Sideritis pauli	Shoot	--	13.0	-0.37	Burzaco, A., Velasco-Negueruela, A. and Perez-Alonso, M.J. 1992. Essential Oil Analysis of Sideritis pauli Pau. FFJ7: 47-8. 1992.

<i>Sideritis athoa</i>	Shoot	--	26.0	-0.29	Ozek, T., Baser, K.H.C. and Tumen, G. 1993. The Essential Oil of <i>Sideritis athoa</i> Papanikolaou Et Kokkini. J. Ess. Oil Res. 5: 669-670.
<i>Stevia rebaudiana</i>	Plant	--	--		Kinghorn, A. D. (Ed.) 2002. Medicinal and Aromatic Plants - Industrial Profiles. Stevia. The genus Stevia. Taylor & Francis. New York, NY. 211 pp.
<i>Tagetes minuta</i>	Flower Essent. Oil	--	100.0		*
<i>Tagetes minuta</i>	Essential Oil	--	20900.0	1.0	*
<i>Teucrium arduini</i>	Shoot	--	18.0	-0.34	Blazevic, N., Kalodera, Z., Petricic, J., and Plazibat, M. 1992. Essential Oil Content and Composition of <i>Teucrium arduini</i> L. J. Ess. Oil Res. 4: 223-225.
<i>Teucrium oxylepis</i>	Shoot	--	1.18	-0.44	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
<i>Teucrium pseudoscorodonia</i>	Shoot	--	2.48	-0.43	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
<i>Teucrium gnaphalodes</i>	Shoot	--	0.5	-0.44	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian <i>Teucrium</i> Species. J. Ess. Oil Res. 5: 397-402.
<i>Teucrium asiaticum</i>	Shoot	--	0.35	-0.44	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
<i>Teucrium oxylepis</i>	Shoot	--	2.45	-0.43	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
<i>Teucrium scorodonia</i>	Shoot	--	3.03	-0.43	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
<i>Teucrium micropodioides</i>	Leaf	--	24.0	-0.64	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some <i>Teucrium</i> Species from Cyprus. J. Ethnopharm. 35: 105-113.
<i>Teucrium divaricatum</i>	Leaf	--	--	-0.77	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some <i>Teucrium</i> Species from Cyprus. J. Ethnopharm. 35: 105-113.
<i>Teucrium arduini</i>	Shoot	--	18.0	-0.34	Blazevic, N., Kalodera, Z., Petricic, J., and Plazibat, M. 1992. Essential Oil Content and Composition of <i>Teucrium arduini</i> L. J. Ess. Oil Res. 4: 223-225.
<i>Teucrium polium</i>	Shoot	--	2.0	-0.43	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian <i>Teucrium</i> Species. J. Ess. Oil Res. 5: 397-402.
<i>Teucrium salviastrum</i>	Shoot	--	9.3	-0.39	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
<i>Teucrium kotschyannum</i>	Leaf	--	--	-0.77	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some <i>Teucrium</i> Species from Cyprus. J. Ethnopharm. 35: 105-113.
<i>Teucrium cyprium</i>	Leaf	--	--	-0.77	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some <i>Teucrium</i> Species from Cyprus. J. Ethnopharm. 35: 105-113.
<i>Thymus funkii</i>	Shoot	--	190.0	0.66	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of <i>Thymus funkii</i> Cousson. Flav. & Fragr. J. 10(6): 379-383.
<i>Thymus longicaulis</i>	Shoot	--	--	-0.44	Baser, K.H.C., Ozek, T., Kirimer, N. and Tumen, G. 1993. The Occurrence of Three Chemotypes of <i>Thymus longicaulis</i> C. Presl subsp. <i>longicaulis</i> in the same Population. J. Ess. Oil Res. 5: 291-5.
<i>Thymus longicaulis</i>	Shoot	--	--	-0.44	Baser, K.H.C., Ozek, T., Kirimer, N. and Tumen, G. 1993. The Occurrence of Three Chemotypes of <i>Thymus longicaulis</i> C. Presl subsp. <i>longicaulis</i> in the same Population. J. Ess. Oil Res. 5: 291-5.
<i>Thymus cilicicus</i>	Shoot	--	42.0	-0.2	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of <i>Thymus cilicicus</i> Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
<i>Thymus funkii</i>	Shoot	--	190.0	0.66	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of <i>Thymus funkii</i> Cousson. Flav. & Fragr. J. 10(6): 379-383.
<i>Thymus longicaulis</i>	Shoot	--	--	-0.44	Baser, K.H.C., Ozek, T., Kirimer, N. and Tumen, G. 1993. The Occurrence of Three Chemotypes of <i>Thymus longicaulis</i> C. Presl subsp. <i>longicaulis</i> in the same Population. J. Ess. Oil Res. 5: 291-5.
<i>Vitex agnus-castus</i>	Fruit	--	--		*

Vitex agnus-castus	Leaf	--	0.9	-0.76	Ekundayo, O., Laakso, I., Holopainen, M., Hiltunen, R., Oguntimein, B., and Kauppinen, V. 1990. The Chemical Composition and Antimicrobial Activity of the Leaf Oil of Vitex agnus-castus L. J. Essential Oil Research, 2: 115-119.
Vitex agnus-castus	Flower	--	--		*
Vitex agnus-castus	Leaf Essent. Oil	--	11600.0	1.36	Jim Duke's personal files.