

List of Plants

TRANS-PINOCARVEOL

Chemid

TRANSPINOCARVEOL

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Plant	Part	Low PPM	High PPM	StdDev	*Reference
<i>Aralia cordata</i>	Plant	--	--		*
<i>Artemisia annua</i>	Plant	1.0	40.0	-1.0	*
<i>Artemisia herba-alba</i>	Plant	--	--		*
<i>Artemisia salsoloides</i>	Shoot	--	3000.0	1.11	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsoloides</i> Willd. from Ladakh, <i>Flavour and Fragrance journal</i> , Vol.7, 299-305.
<i>Boswellia sacra</i>	Essential Oil	--	--		Lawrence, B.M., <i>Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.</i>
<i>Cuminum cyminum</i>	Fruit	--	30.0		*
<i>Cuminum cyminum</i>	Seed	--	30.0		Lawrence, B.M., <i>Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.</i>
<i>Elsholtzia polystachya</i>	Leaf	--	0.2	-0.68	Mathela, C.S., Melkani, A.B., Bisht, J.C., Pant, A.K., Bestmann, H.J., Erler, J., Kobold, U., Rauscher, J. and Vostrowsky, O. 1992. Chemical Varieties of Essential Oils from <i>Elsholtzia polystachya</i> from Two Different Locations in India. <i>Planta Medica</i> 58: 376-379.
<i>Elsholtzia pilosa</i>	Shoot	--	10.0	-0.21	*
<i>Elsholtzia polystachya</i>	Leaf	--	0.2	-0.68	Mathela, C.S., Melkani, A.B., Bisht, J.C., Pant, A.K., Bestmann, H.J., Erler, J., Kobold, U., Rauscher, J. and Vostrowsky, O. 1992. Chemical Varieties of Essential Oils from <i>Elsholtzia polystachya</i> from Two Different Locations in India. <i>Planta Medica</i> 58: 376-379.
<i>Eucalyptus maidenii</i>	Shoot	--	185.0	-0.13	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus globulus</i>	Shoot	--	16000.0	6.86	*
<i>Eucalyptus cladocalyx</i>	Shoot	--	100.0	-0.17	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus camaldulensis</i>	Shoot	--	36.0	-0.2	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus dolichorhyncha</i>	Leaf	--	315.0	0.65	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part I. Subgenus <i>Symphyomyrtus</i> , Section <i>Dumaria</i> , Series <i>Incrassatae</i> . <i>Flavour and Fragrance J.</i> 9(3):113-7
<i>Eucalyptus bosistoana</i>	Shoot	--	44.0	-0.19	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus angulosa</i>	Leaf	--	38.0	-0.52	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part I. Subgenus <i>Symphyomyrtus</i> , Section <i>Dumaria</i> , Series <i>Incrassatae</i> . <i>Flavour and Fragrance J.</i> 9(3):113-7
<i>Eucalyptus leucoxylon</i>	Leaf	--	155.0	-0.02	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364

<i>Eucalyptus lansdowneana</i>	Leaf	--	3.0	-0.67	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus behriana</i>	Leaf	--	11.0	-0.63	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus desquamata</i>	Leaf	--	620.0	1.94	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus globulus</i>	Essential Oil	--	--		*
<i>Eucalyptus sparsa</i>	Leaf	--	25.0	-0.57	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus saligna</i>	Shoot	--	70.0	-0.18	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus paniculata</i>	Shoot	--	40.0	-0.19	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus stoatei</i>	Leaf	--	350.0	0.8	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part I. Subgenus <i>Symphyomyrtus</i> , Section <i>Dumaria</i> , Series <i>Incrassatae</i> . Flavour and Fragrance J. 9(3):113-7
<i>Eucalyptus moluccana</i>	Shoot	--	240.0	-0.11	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus maculata</i>	Shoot	--	85.0	-0.17	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus forrestiana</i>	Leaf	--	230.0	0.29	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part I. Subgenus <i>Symphyomyrtus</i> , Section <i>Dumaria</i> , Series <i>Incrassatae</i> . Flavour and Fragrance J. 9(3):113-7
<i>Eucalyptus citriodora</i>	Shoot	--	85.0	-0.17	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus diversicolor</i>	Shoot	--	0.1	-0.21	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus bridgesiana</i>	Leaf	--	110.0	-0.21	Singh, A. K., Gupta, K. C., & Brophy, J. J. 1991. Volatile Constituents of the Essential Oil of <i>Eucalyptus bridgesiana</i> Growing in India. Journal of Essential Oil Res. 3: 449-450.
<i>Eucalyptus blakelyi</i>	Shoot	--	555.0	0.03	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus albens</i>	Shoot	--	0.1	-0.21	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus ochrophloia</i>	Leaf	--	9.0	-0.64	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus fasciculosa</i>	Leaf	--	17.0	-0.61	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus globulus</i>	Leaf	--	--		*
<i>Eucalyptus odorata</i>	Leaf	--	150.0	-0.04	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364

<i>Eucalyptus cuprea</i>	Leaf	--	155.0	-0.02	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus globulus</i>	Fruit Essent. Oil	--	--		*
<i>Eucalyptus sideroxylon</i>	Shoot	--	0.1	-0.21	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus populnea</i>	Leaf	--	75.0	-0.36	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus punctata</i>	Shoot	--	1020.0	0.24	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus tetraptera</i>	Leaf	--	155.0	-0.02	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part I. Subgenus <i>Symphomyrtus</i> , Section <i>Dumaria</i> , Series <i>Incrassatae</i> . Flavour and Fragrance J. 9(3):113-7
<i>Eucalyptus oviformis</i>	Shoot	--	0.1	-0.21	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus melliodora</i>	Shoot	--	185.0	-0.13	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus incrassata</i>	Leaf	--	365.0	0.86	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part I. Subgenus <i>Symphomyrtus</i> , Section <i>Dumaria</i> , Series <i>Incrassatae</i> . Flavour and Fragrance J. 9(3):113-7
<i>Eucalyptus dealbata</i>	Shoot	--	115.0	-0.16	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus ceratocorys</i>	Leaf	--	1260.0	4.64	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part I. Subgenus <i>Symphomyrtus</i> , Section <i>Dumaria</i> , Series <i>Incrassatae</i> . Flavour and Fragrance J. 9(3):113-7
<i>Eucalyptus erythrandra</i>	Leaf	--	105.0	-0.23	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part I. Subgenus <i>Symphomyrtus</i> , Section <i>Dumaria</i> , Series <i>Incrassatae</i> . Flavour and Fragrance J. 9(3):113-7
<i>Eucalyptus botryoides</i>	Shoot	--	35.0	-0.2	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus astringens</i>	Shoot	--	915.0	0.19	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus viridis</i>	Leaf	--	15.0	-0.61	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus porosa</i>	Leaf	--	10.0	-0.64	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus intertexta</i>	Leaf	--	125.0	-0.15	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus melanophloia</i>	Leaf	--	5.0	-0.66	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus largisparsa</i>	Leaf	--	55.0	-0.45	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus globulus</i>	Leaf Essent. Oil	--	9400.0		*

<i>Eucalyptus siderophloia</i>	Shoot	--	125.0	-0.16	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus polyanthemos</i>	Shoot	--	12.0	-0.21	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus tereticornis</i>	Shoot	--	18.0	-0.2	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus occidentalis</i>	Shoot	--	0.1	-0.21	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Hyssopus officinalis</i>	Shoot	--	70.0	-0.18	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot	--	100.0	-0.17	Tsankova, E.T., Konatchiev, A.N. and Genova, E.M. 1993. Chemical Composition of the Essential Oils of Two <i>Hyssopus officinalis</i> cultivars. J. Ess. Oil Res. 5: 609-611.
<i>Hyssopus officinalis</i>	Shoot	--	40.0	-0.19	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot	--	40.0	-0.19	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot	--	60.0	-0.19	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot	--	60.0	-0.19	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot	--	50.0	-0.19	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot	--	40.0	-0.19	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot	--	100.0	-0.17	Tsankova, E.T., Konatchiev, A.N. and Genova, E.M. 1993. Chemical Composition of the Essential Oils of Two <i>Hyssopus officinalis</i> cultivars. J. Ess. Oil Res. 5: 609-611.
<i>Hyssopus officinalis</i>	Shoot	--	90.0	-0.17	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot	--	60.0	-0.19	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot	--	60.0	-0.19	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Laurus nobilis</i>	Leaf Essent. Oil	--	--		*
<i>Lavandula x hybrida</i>	Shoot	55.0	90.0	-0.17	Tucker, A.O., Maciarelo, M.J., Angell, S., Espaillat, J.R., and French, E.C. 1993. The Essential Oil of <i>Lavandula x hybrida</i> Balb. ex Ging., a Distinct Hybrid from <i>L. x heterophylla</i> Poir. (Labiatae). J. Ess. Oil Res. 5: 443-445.
<i>Micromeria varia</i>	Shoot	--	6.0	-0.21	*
<i>Micromeria varia</i>	Shoot	--	6.0	-0.21	Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. flav. & Fragr. J. 10(3): 199-202.
<i>Nepeta racemosa</i>	Shoot	--	31.0	-0.2	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
<i>Nepeta racemosa</i>	Shoot	--	31.0	-0.2	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
<i>Peumus boldus</i>	Leaf	105.0	360.0	0.84	*
<i>Piper nigrum</i>	Seed Essent. Oil	--	--		*
<i>Piper nigrum</i>	Fruit	--	--		*

Rosmarinus officinalis	Leaf	--	42.0	-0.5	Soliman, F.M., El-Kashoury, M.M., Fathy, M.M. and Gonaid, M.H. 1994. Analysis and Biological Activity of the Essential Oil of Rosmarinus officinalis L. from Egypt. Flavour and Fragrance J. 9: 29-33.
Rosmarinus officinalis	Leaf	--	32.0	-0.54	Soliman, F.M., El-Kashoury, M.M., Fathy, M.M. and Gonaid, M.H. 1994. Analysis and Biological Activity of the Essential Oil of Rosmarinus officinalis L. from Egypt. Flavour and Fragrance J. 9: 29-33.
Rosmarinus officinalis	Leaf	--	32.0	-0.54	Soliman, F.M., El-Kashoury, M.M., Fathy, M.M. and Gonaid, M.H. 1994. Analysis and Biological Activity of the Essential Oil of Rosmarinus officinalis L. from Egypt. Flavour and Fragrance J. 9: 29-33.
Salvia officinalis	Leaf Essent. Oil	--	--		*
Teucrium kotschyannum	Leaf	--	245.0	0.36	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some Teucrium Species from Cyprus. J. Ethnopharm. 35: 105-113.
Teucrium cyprium	Leaf	--	220.0	0.25	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some Teucrium Species from Cyprus. J. Ethnopharm. 35: 105-113.
Teucrium gnaphalodes	Shoot	--	39.0	-0.19	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian Teucrium Species. J. Ess. Oil Res. 5: 397-402.
Teucrium polium	Shoot	--	22.0	-0.2	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian Teucrium Species. J. Ess. Oil Res. 5: 397-402.
Teucrium micropodioides	Leaf	--	140.0	-0.09	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some Teucrium Species from Cyprus. J. Ethnopharm. 35: 105-113.
Teucrium divaricatum	Leaf	--	33.0	-0.54	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some Teucrium Species from Cyprus. J. Ethnopharm. 35: 105-113.
Thymus funkii	Shoot	--	5.0	-0.21	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of Thymus funkii Cousson. Flav. & Fragr. J. 10(6): 379-383.
Thymus broussonettii	Shoot	--	--	-0.21	Tantaoui-Elaraki, A., Lattaoui, N., Errifi, A. and Benjlali, B. 1993. Composition and Antimicrobial Activity of the Essential Oils of Thymus broussonettii, T. zygis and T. satorejoides. J. Ess. Oil Res. 5: 45-53.
Thymus zygis	Shoot	--	--	-0.21	Tantaoui-Elaraki, A., Lattaoui, N., Errifi, A. and Benjlali, B. 1993. Composition and Antimicrobial Activity of the Essential Oils of Thymus broussonettii, T. zygis and T. satorejoides. J. Ess. Oil Res. 5: 45-53.
Thymus mastichina	Plant	--	75.0	1.0	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Thymus satorejoides	Shoot	--	10.0	-0.21	Tantaoui-Elaraki, A., Lattaoui, N., Errifi, A. and Benjlali, B. 1993. Composition and Antimicrobial Activity of the Essential Oils of Thymus broussonettii, T. zygis and T. satorejoides. J. Ess. Oil Res. 5: 45-53.
Thymus funkii	Shoot	--	--		Vila, R., et al. 1995. Composition and study of the variability of the essential oil of Thymus funkii Cousson. Flav. & Fragr. J. 10(6): 379-383.
Thymus cilicicus	Shoot	--	90.0	-0.17	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.