

List of Plants



Chemid

CISJASMONE

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Plant	Part	Low PPM	High PPM	StdDev	*Reference
<i>Achillea millefolium</i>	Leaf	2.0	125.0	1.7	*
<i>Agastache rugosa</i>	Shoot	--	--		Jim Duke's personal files.
<i>Camellia sinensis</i>	Leaf	--	20.0	-0.48	*
<i>Camellia sinensis</i>	Leaf Essent. Oil	500.0	2000.0		*
<i>Jasminum officinale</i>	Flower	72.0	114.0	1.0	*
<i>Lonicera japonica</i>	Flower	0.08	0.602	-1.0	Schlotzhauer, W.S., S.D. Pair, and R.J. Horvat. 1996. Volatile constituents from the flowers of Japanese Honeysuckle. J. Agric. Food Chem. 44:206-209.
<i>Mentha longifolia</i>	Shoot	--	85.0	1.32	*
<i>Mentha aquatica</i>	Shoot	--	--		Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of <i>Mentha aquatica</i> Containing Sesquiterpene Alcohols as Major Components. Nippon Nogeikagaku Kaishi 67(10): 1417-1419.
<i>Mentha aquatica</i>	Shoot	--	--		Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of <i>Mentha aquatica</i> Containing Sesquiterpene Alcohols as Major Components. Nippon Nogeikagaku Kaishi 67(10): 1417-1419.
<i>Mentha aquatica</i>	Shoot	--	--		Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of <i>Mentha aquatica</i> Containing Sesquiterpene Alcohols as Major Components. Nippon Nogeikagaku Kaishi 67(10): 1417-1419.
<i>Mentha spicata</i>	Essential Oil	--	--		*
<i>Mentha spicata</i>	Leaf	1.0	25.0	-0.37	*
<i>Mentha aquatica</i>	Shoot	--	--		Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of <i>Mentha aquatica</i> Containing Sesquiterpene Alcohols as Major Components. Nippon Nogeikagaku Kaishi 67(10): 1417-1419.
<i>Mentha aquatica</i>	Shoot	--	0.1	-1.5	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of <i>Mentha aquatica</i> Containing Sesquiterpene Alcohols as Major Components. Nippon Nogeikagaku Kaishi 67(10): 1417-1419.
<i>Micromeria fruticosa</i>	Shoot	--	48.0	0.09	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of <i>Micromeria fruticosa</i> (L.) Druce subsp. <i>barbata</i> (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. J. Ess. Oil Res 3: 477-479.
<i>Micromeria fruticosa</i>	Shoot	--	48.0	0.09	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of <i>Micromeria fruticosa</i> (L.) Druce subsp. <i>barbata</i> (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. J. Ess. Oil Res 3: 477-479.
<i>Murraya koenigii</i>	Leaf	--	2.0	-0.85	*