

List of Plants



Chemid

GLOBULOL

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Plant	Part	Low PPM	High PPM	StdDev	*Reference
<i>Eucalyptus bridgesiana</i>	Leaf	--	485.0	-0.1	Singh, A. K., Gupta, K. C., & Brophy, J. J. 1991. Volatile Constituents of the Essential Oil of <i>Eucalyptus bridgesiana</i> Growing in India. <i>Journal of Essential Oil Res.</i> 3: 449-450.
<i>Eucalyptus diversicolor</i>	Shoot	--	0.1	-0.22	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus nova-anglica</i>	Leaf	3500.0	7225.0	5.08	Brophy, J. L., Lassak, E. V., & Boland, D. J. 1992. The Leaf Essential Oils of <i>Eucalyptus nova-anglica</i> . Deane & Maiden. <i>Journal of Essential Oil Res.</i> 4: 29-32.
<i>Eucalyptus astringens</i>	Shoot	--	400.0	-0.06	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus leucoxylo</i>	Leaf	--	890.0	0.21	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus fasciculosa</i>	Leaf	--	3.0	-0.47	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus globulus</i>	Essential Oil	--	69000.0	1.0	*
<i>Eucalyptus punctata</i>	Shoot	--	45.0	-0.21	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus oviformis</i>	Shoot	--	0.1	-0.22	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus tereticornis</i>	Shoot	--	60.0	-0.2	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus porosa</i>	Leaf	--	385.0	-0.18	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus intertexta</i>	Leaf	--	29.0	-0.45	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus melliodora</i>	Shoot	--	0.1	-0.22	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus largisparsa</i>	Leaf	--	340.0	-0.21	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus incrassata</i>	Leaf	--	1265.0	0.5	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part I. Subgenus <i>Symphomyrtus</i> , Section <i>Dumaria</i> , Series <i>Incrassatae</i> . <i>Flavour and Fragrance J.</i> 9(3):113-7

<i>Eucalyptus erythrandra</i>	Leaf	--	295.0	-0.25	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> .Part I.Subgenus <i>Symphyomyrtus</i> ,Section <i>Dumaria</i> ,Series <i>Incrassatae</i> .Flavour and Fragrance J.9(3):113-7
<i>Eucalyptus ceratocorys</i>	Leaf	--	95.0	-0.4	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> .Part I.Subgenus <i>Symphyomyrtus</i> ,Section <i>Dumaria</i> ,Series <i>Incrassatae</i> .Flavour and Fragrance J.9(3):113-7
<i>Eucalyptus brassiana</i>	Leaf	--	200.0	-0.32	Singh, A. K., Gupta, K. C., & Brophy, J. J. 1991. Chemical Constituents of the Leaf Essential Oil of <i>Eucalyptus brassiana</i> S. T. Blake. <i>Journal of Essential Oil Res.</i> 3: 45-7.
<i>Eucalyptus dealbata</i>	Shoot	--	165.0	-0.16	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus bosistoana</i>	Shoot	--	205.0	-0.14	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus angulosa</i>	Leaf	--	60.0	-0.43	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> .Part I.Subgenus <i>Symphyomyrtus</i> ,Section <i>Dumaria</i> ,Series <i>Incrassatae</i> .Flavour and Fragrance J.9(3):113-7
<i>Eucalyptus melanophloia</i>	Leaf	--	135.0	-0.37	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus desquamata</i>	Leaf	--	205.0	-0.32	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus globulus</i>	Leaf Essent. Oil	13000.0	34400.0	1.0	*
<i>Eucalyptus siderophloia</i>	Shoot	--	20.0	-0.22	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus polyanthemus</i>	Shoot	--	65.0	-0.2	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus occidentalis</i>	Shoot	--	40.0	-0.21	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus stoatei</i>	Leaf	--	1000.0	0.3	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> .Part I.Subgenus <i>Symphyomyrtus</i> ,Section <i>Dumaria</i> ,Series <i>Incrassatae</i> .Flavour and Fragrance J.9(3):113-7
<i>Eucalyptus lansdowneana</i>	Leaf	--	105.0	-0.39	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus behriana</i>	Leaf	--	130.0	-0.37	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus maidenii</i>	Shoot	--	55.0	-0.2	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus sparsa</i>	Leaf	--	135.0	-0.37	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus globulus</i>	Shoot	--	13000.0	5.0	*
<i>Eucalyptus cladocalyx</i>	Shoot	--	55.0	-0.2	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus dolichorhyncha</i>	Leaf	--	395.0	-0.17	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> .Part I.Subgenus <i>Symphyomyrtus</i> ,Section <i>Dumaria</i> ,Series <i>Incrassatae</i> .Flavour and Fragrance J.9(3):113-7

<i>Eucalyptus camaldulensis</i>	Shoot	--	50.0	-0.2	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus botryoides</i>	Shoot	--	38.0	-0.21	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus globulus</i>	Leaf	--	--		Leung, A.Y., Encyclopedia of Common Natural Ingredients Used in Food, Drugs, and Cosmetics, John Wiley & Sons, New York, 1980.
<i>Eucalyptus blakelyi</i>	Shoot	--	0.1	-0.22	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus albens</i>	Shoot	--	18.0	-0.22	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus viridis</i>	Leaf	--	42.0	-0.44	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus globulus</i>	Fruit Essent. Oil	--	--		*
<i>Eucalyptus grandis</i>	Leaf Essent. Oil	--	2000.0	-1.0	*
<i>Eucalyptus saligna</i>	Shoot	--	23.0	-0.21	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus odorata</i>	Leaf	--	155.0	-0.35	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus paniculata</i>	Shoot	--	18.0	-0.22	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus tetraptera</i>	Leaf	--	955.0	0.26	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part I. Subgenus Symphyomyrtus, Section Dumaria, Series Incrassatae. Flavour and Fragrance J. 9(3):113-7
<i>Eucalyptus sideroxylon</i>	Shoot	--	110.0	-0.18	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus ochrophloia</i>	Leaf	--	45.0	-0.44	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus moluccana</i>	Shoot	--	48.0	-0.2	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus cuprea</i>	Leaf	--	200.0	-0.32	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus maculata</i>	Shoot	--	0.1	-0.22	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus populnea</i>	Leaf	--	145.0	-0.36	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus forrestiana</i>	Leaf	--	770.0	0.12	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part I. Subgenus Symphyomyrtus, Section Dumaria, Series Incrassatae. Flavour and Fragrance J. 9(3):113-7
<i>Eucalyptus citriodora</i>	Shoot	--	0.1	-0.22	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Humulus lupulus</i>	Fruit	--	27.0	-1.0	*
<i>Melaleuca alternifolia</i>	Essential Oil	--	8000.0	-1.0	*

Melaleuca alternifolia	Leaf	--	--		*
Metrosideros nervulosa	Leaf	--	700.0	0.07	*
Metrosideros sclerocarpa	Leaf	64.0	256.0	-0.28	*
Pimenta dioica	Fruit	--	33.0	1.0	*
Piper nigrum	Fruit Essent. Oil	--	26200.0		*
Salvia canariensis	Leaf	--	1185.0	0.44	Casnigueral,S., Iglesias,J., Vila,R., Virgili,A. and Ibanez,C.1994. The Essential Oil from Leaves of Salvia canariensis L. Flav. & Frag. J. 9:201-204. S. Canigueral, Facultat de Farmacia, Universitat de Barcelona, Ave.Diagonal 643,E-08028, Barcelone Spain
Tagetes lucida	Shoot	--	--		Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.
Tagetes minuta	Flower Essent. Oil	--	1200.0		*
Thymus funkii	Shoot	--	16.0	-0.22	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of Thymus funkii Cousson. Flav. & Fragr. J. 10(6): 379-383.
Thymus funkii	Shoot	--	16.0	-0.22	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of Thymus funkii Cousson. Flav. & Fragr. J. 10(6): 379-383.