

C (+)-CATECHIN

Chemid

+CATECHIN

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

| Plant | Part | Low PPM | High PPM | StdDev | Reference |
|--------------------------------|-----------------|------------|-------------|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>Abutilon theophrasti</i> | Root | -- | -- | | Paszkowski, W. L., Kremer, R. J. 1988. Biological Activity and Tentative Identification of Flavonoid Components in Velvetleaf (<i>Abutilon theophrasti</i> Medik.) Seed Coats. <i>J. Chem. Ecol.</i> , 14(7): 1573-1582. |
| <i>Acacia decurrens</i> | Plant | -- | -- | | -- |
| <i>Acacia nilotica</i> | Plant | -- | -- | | -- |
| <i>Aesculus hippocastanum</i> | Bark | -- | -- | | Jim Duke's personal files. |
| <i>Aesculus hippocastanum</i> | Leaf | -- | -- | | Jim Duke's personal files. |
| <i>Aesculus hippocastanum</i> | Fruit Epidermis | -- | -- | | Jim Duke's personal files. |
| <i>Arctostaphylos uva-ursi</i> | Leaf | -- | -- | | -- |
| <i>Aspalathus linearis</i> | Shoot | -- | -- | | -- |
| <i>Camellia sinensis</i> | Leaf | 85.2 | 13200 | | -- |
| <i>Camellia sinensis</i> | Tissue Culture | -- | -- | | -- |
| <i>Camellia sinensis</i> | Stem | -- | -- | | -- |

| Plant | Part | Low PPM | High PPM | StdDev | Reference |
|--------------------------------|----------------|------------|-------------|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>Camellia sinensis</i> | Anther | -- | -- | | -- |
| <i>Ceratonia siliqua</i> | Fruit | -- | -- | | Wealth of India. |
| <i>Cinnamomum aromaticum</i> | Bark | -- | -- | | Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989. |
| <i>Cinnamomum sieboldii</i> | Plant | -- | -- | | -- |
| <i>Cnicus benedictus</i> | Plant | -- | -- | | Jim Duke's personal files. |
| <i>Crataegus laevigata</i> | Flower | -- | -- | | -- |
| <i>Crataegus laevigata</i> | Leaf | -- | -- | | -- |
| <i>Crataegus laevigata</i> | Tissue Culture | -- | -- | | -- |
| <i>Crataegus laevigata</i> | Bud | -- | -- | | -- |
| <i>Crataegus laevigata</i> | Plant | -- | -- | | Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp. |
| <i>Crataegus monogyna</i> | Plant | -- | -- | | Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp. |
| <i>Crataegus rhipidophylla</i> | Flower | -- | -- | | -- |
| <i>Crataegus rhipidophylla</i> | Leaf | -- | -- | | -- |
| <i>Crataegus rhipidophylla</i> | Tissue Culture | -- | -- | | -- |
| <i>Crataegus rhipidophylla</i> | Bud | -- | -- | | -- |
| <i>Crataegus rhipidophylla</i> | Inflorescence | -- | -- | | -- |
| <i>Croton lechleri</i> | Plant | -- | -- | | -- |

| Plant | Part | Low PPM | High PPM | StdDev | Reference |
|------------------------------|----------------|------------|-------------|--------|----------------------------|
| <i>Eucalyptus globulus</i> | Leaf | -- | -- | -- | |
| <i>Fagopyrum esculentum</i> | Tissue Culture | -- | -- | -- | |
| <i>Fagopyrum esculentum</i> | Root | -- | -- | -- | |
| <i>Fallopia japonica</i> | Root | -- | 2 | -- | |
| <i>Geranium thunbergii</i> | Tissue Culture | -- | -- | -- | |
| <i>Ginkgo biloba</i> | Leaf | -- | -- | | Jim Duke's personal files. |
| <i>Ginkgo biloba</i> | Tissue Culture | -- | -- | | Jim Duke's personal files. |
| <i>Gleditsia triacanthos</i> | Fruit | -- | -- | -- | |
| <i>Glycine max</i> | Leaf | -- | -- | -- | |
| <i>Hordeum vulgare</i> | Seed | -- | -- | -- | |
| <i>Humulus lupulus</i> | Fruit | -- | -- | -- | |
| <i>Hypericum perforatum</i> | Plant | -- | -- | -- | |
| <i>Juniperus communis</i> | Fruit | -- | -- | -- | |
| <i>Juniperus communis</i> | Leaf | -- | -- | -- | |
| <i>Laurus nobilis</i> | Leaf | -- | -- | -- | |
| <i>Malus domestica</i> | Leaf | -- | -- | -- | |
| <i>Malus domestica</i> | Fruit | -- | -- | -- | |
| <i>Malus domestica</i> | Pericarp | -- | -- | -- | |
| <i>Malus domestica</i> | Pt | -- | -- | -- | |

| Plant | Part | Low PPM | High PPM | StdDev | Reference |
|-----------------------|----------|------------|-------------|---------------------|----------------------------------------------------------|
| Malus domestica | Seed | -- | -- | -- | |
| Malus domestica | Bark | -- | -- | -- | |
| Pinus sylvestris | Plant | -- | -- | -- | J.S. Glasby Dict.Pls Containing 2ndary Metabolite. 1991. |
| Pinus sylvestris | Leaf | -- | -- | -- | |
| Pinus sylvestris | Bark | -- | -- | -- | |
| Rheum officinale | Rhizome | -- | 3628.6 | -1.0000000000000002 | -- |
| Rheum officinale | Plant | -- | -- | -- | |
| Rheum palmatum | Rhizome | -- | 14275 | 1.0000000000000002 | -- |
| Rheum rhabarbarum | Root | -- | -- | -- | |
| Rhododendron ponticum | Leaf | -- | -- | -- | |
| Ribes nigrum | Fruit | 5500 | 13800 | 1 | -- |
| Ribes uva-crispa | Fruit | -- | -- | -- | |
| Rosa canina | Fruit | -- | -- | -- | |
| Rubus idaeus | Leaf | -- | -- | -- | |
| Rubus idaeus | Pericarp | -- | -- | -- | |
| Rubus idaeus | Stem | -- | -- | -- | |
| Rubus idaeus | Juice | -- | -- | -- | |
| Rumex crispus | Plant | -- | -- | -- | |
| Salix alba | Bark | -- | -- | -- | |

| Plant | Part | Low PPM | High PPM | StdDev | Reference |
|--------------------------------|----------|------------|-------------|--------|----------------------------------------------------------------------------------------------------------------------------|
| <i>Salix alba</i> | Leaf | -- | -- | | -- |
| <i>Sanguisorba officinalis</i> | Plant | -- | -- | | -- |
| <i>Terminalia catappa</i> | Bark | -- | -- | | ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes. |
| <i>Thuja occidentalis</i> | Branches | -- | -- | | -- |
| <i>Vaccinium corymbosum</i> | Plant | -- | -- | | -- |
| <i>Vaccinium myrtillus</i> | Fruit | -- | -- | | -- |
| <i>Vaccinium myrtillus</i> | Leaf | -- | -- | | -- |
| <i>Vaccinium vitis-idaea</i> | Fruit | 3500 | 3500 | -1 | -- |
| <i>Vitis vinifera</i> | Seed | -- | -- | | -- |
| <i>Vitis vinifera</i> | Leaf | -- | -- | | -- |
| <i>Vitis vinifera</i> | Pericarp | -- | -- | | -- |