

# C 3-OCTANOL

## Chemid

3OCTANOL

\*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Agastache foeniculum	Plant	3	35	-0.580438429077849	--
Agastache nepetoides	Plant	4	4	-0.6447133369039165	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Agastache urticifolia	Plant	91	91	-0.4643289181662433	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Aloysia citrodora	Plant	1	7	-0.6384931845336519	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Calamintha nepeta	Leaf	1	1	-0.5133412638659621	Akgul, A., De Pooter, H.L., and De Buyck, L.F. 1991. The Essential Oils of Calamintha nepeta subsp. glandulosa and Ziziphora clinopodioides from Turkey. J. Ess. Oil Res., 3: 7-10.
Callicarpa americana	Leaf	--	0.55	-0.5154391983745416	--
Cunila origanoides	Shoot	--	56	-0.1743652886557974	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Eruca sativa	Hs	--	--		--
Galeopsis tetrahit	Shoot	4	4	-0.29651260119926326	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.

<b>Plant</b>	<b>Part</b>	<b>Low PPM</b>	<b>High PPM</b>	<b>StdDev</b>	<b>Reference</b>
Glechoma hederacea	Plant	1	2	-0.6488601051507596	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Glycine max	Leaf	--	--		--
Hedeoma pulegioides	Plant	18	90	-0.4664023022896648	--
Hyssopus officinalis	Plant	--	--		Planta Medica, 55: 226.
Lavandula latifolia	Plant	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Lavandula x intermedia	Plant	25	45	-0.5597045878436337	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Leonurus cardiaca	Plant	--	--		--
Lycopus americanus	Plant	28	28	-0.5949521179417998	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Melissa officinalis	Shoot	0	8	-0.2871166540805351	--
Mentha longifolia	Shoot	1	2395	5.319914789020483	--
Micromeria congesta	Leaf	12	13	-0.45739634363717685	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of Micromeria congesta. J. Ess. Oil Res., 3: 387-393.
Micromeria fruticosa	Leaf	1	1	-0.5133412638659621	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of Micromeria congesta. J. Ess. Oil Res., 3: 387-393.
Micromeria fruticosa	Shoot	120	120	-0.024030134756146997	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of Micromeria fruticosa (L.) Druce subsp. barbata (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. J. Ess. Oil Res 3: 477-479.
Micromeria fruticosa	Shoot	--	120	-0.024030134756146997	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of Micromeria fruticosa (L.) Druce subsp. barbata (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. J. Ess. Oil Res 3: 477-479.

<b>Plant</b>	<b>Part</b>	<b>Low PPM</b>	<b>High PPM</b>	<b>StdDev</b>	<b>Reference</b>
Micromeria myrtifolia	Shoot	0	0	-0.3059085483179914	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of Micromeria myrtifolia Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
Monarda citriodora	Plant	124	201	-0.23625666458987474	--
Monarda clinopodia	Plant	663	663	0.721646800430873	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Monarda didyma	Plant	25	240	-0.15539468377643498	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Monarda fistulosa	Plant	46	1655	2.7784438508650324	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Monarda lindheimeri	Plant	93	93	-0.4601821499194002	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Monarda media	Plant	28	292	-0.047578709358515325	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Monarda punctata	Plant	25	801	1.0077738094630444	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Monarda russeliana	Plant	1498	1498	2.452922543487852	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Origanum minutiflorum	Shoot	9	10	-0.28241868052117103	Baser, K.H.C., Tumen, G., Sezik, E. 1991. The Essential Oil of Origanum minutiflorum O. Schwarz and P.H. Davis. J. Ess. Oil Res. 3: 445-446.
Origanum sipyleum	Shoot	20	20	-0.2589288127243507	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
Origanum sipyleum	Shoot	--	35	-0.22369401102912015	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
Origanum sipyleum	Shoot	--	20	-0.2589288127243507	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

<b>Plant</b>	<b>Part</b>	<b>Low PPM</b>	<b>High PPM</b>	<b>StdDev</b>	<b>Reference</b>
Origanum sipyleum	Shoot	--	30	-0.2354389449275303	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
Origanum syriacum	Shoot	12	12	-0.27772070696180695	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of Origanum syriacum L. Essential Oil. J. Ess. Oil Res. 3: 121-123.
Origanum syriacum	Shoot	--	30	-0.2354389449275303	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of Origanum syriacum L. Essential Oil. J. Ess. Oil Res. 3: 121-123.
Origanum syriacum	Shoot	--	12	-0.27772070696180695	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of Origanum syriacum L. Essential Oil. J. Ess. Oil Res. 3: 121-123.
Origanum vulgare	Plant	2	150	-0.3419992548843729	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pimenta racemosa	Leaf	30	170	1.999518069743643	--
Pycnanthemum clinopodioides	Shoot	126	132	0.0041577066000374275	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pycnanthemum incanum	Shoot	22	95	-0.08275480424819788	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pycnanthemum montanum	Shoot	35	50	-0.18845920933388963	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pycnanthemum pilosum	Flower	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pycnanthemum pilosum	Leaf	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pycnanthemum setosum	Shoot	60	93	-0.08745277780756196	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pycnanthemum tenuifolium	Shoot	2	20	-0.2589288127243507	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.

<b>Plant</b>	<b>Part</b>	<b>Low PPM</b>	<b>High PPM</b>	<b>StdDev</b>	<b>Reference</b>
Rosmarinus officinalis	Plant	4	19	-0.6136125750525936	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Salvia dorisiana	Shoot	2.5	2.7	-0.2995662840128499	Tucker, A.O. & Maciarelo, M.J. 1994. The Essential Oil of Salvia dorisiana Standley. J. Ess. Oil Res. 6: 97-8.
Salvia sclarea	Plant	--	--		CRC Handbook of Medicinal Herbs and/or CRC Handbook of Proximate Analyses
Satureja glabella	Plant	70	70	-0.5078699847580954	--
Satureja grandiflora	Shoot	4	4	-0.29651260119926326	Carnat, A., Chossegras, A., and Lamaison, J. 1991. The Essential Oil of Satureja grandiflora (L.) Scheele from France. J. Ess. Oil Res., 3: 361-362
Satureja hortensis	Plant	--	--		--
Teucrium asiaticum	Shoot	0.1	0.1	-0.30567364964002314	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
Teucrium gnaphalodes	Shoot	1	1	-0.3035595615383094	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian Teucrium Species. J. Ess. Oil Res. 5: 397-402.
Teucrium oxylepis	Shoot	--	--		Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
Teucrium oxylepis	Shoot	--	--		Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
Teucrium polium	Shoot	2	2	-0.30121057475862734	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian Teucrium Species. J. Ess. Oil Res. 5: 397-402.
Teucrium pseudoscorodonia	Shoot	--	--		Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Teucrium salviastrum	Shoot	--	--		Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. <i>Phytochemistry</i> 29(4): 1165-9.
Teucrium scorodonia	Shoot	--	--		Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. <i>Phytochemistry</i> 29(4): 1165-9.
Thymus broussonettii	Shoot	250	250	0.2813381466025176	Tantaoui-Elaraki, A., Lattaoui, N., Errifi, A. and Benjilali, B. 1993. Composition and Antimicrobial Activity of the Essential Oils of Thymus broussonettii, T. zygis and T. saturejoides. <i>J. Ess. Oil Res.</i> 5: 45-53.
Thymus capitatus	Plant	--	--		Lawrence, B.M., <i>Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.</i>
Thymus funkii	Shoot	5	5	-0.2941636144195812	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of Thymus funkii Cousson. <i>Flav. &amp; Fragr. J.</i> 10(6): 379-383.
Thymus funkii	Shoot	--	--		Vila, R., et al. 1995. Composition and study of the variability of the essential oil of Thymus funkii Cousson. <i>Flav. &amp; Fragr. J.</i> 10(6): 379-383.
Thymus riatarum	Shoot	0.1	0.1	-0.30567364964002314	Iglesias, J., Vila, R., Canigueral, S., Bellakdhar, and Il Idrissi, A. 1991. Analysis of the Essential Oil of Thymus riatarum. <i>J. Ess. Oil Res.</i> 3: 43-4.
Thymus saturejoides	Shoot	210	210	0.1873786754152362	Tantaoui-Elaraki, A., Lattaoui, N., Errifi, A. and Benjilali, B. 1993. Composition and Antimicrobial Activity of the Essential Oils of Thymus broussonettii, T. zygis and T. saturejoides. <i>J. Ess. Oil Res.</i> 5: 45-53.
Thymus serpyllum	Plant	--	--		Lawrence, B.M., <i>Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.</i>
Thymus zygis	Shoot	170	170	0.09341920422795477	Tantaoui-Elaraki, A., Lattaoui, N., Errifi, A. and Benjilali, B. 1993. Composition and Antimicrobial Activity of the Essential Oils of Thymus broussonettii, T. zygis and T. saturejoides. <i>J. Ess. Oil Res.</i> 5: 45-53.