

C ACETONE

Chemid

ACETONE

ubiquitous

Yes

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Plant	Part	Low PPM	High PPM	StdDev PPM	Reference
Ananas comosus	Fruit	--	--	--	
Brassica oleracea var. botrytis l.	Leaf	--	--	--	
Brassica oleracea var. botrytis l.	Flower	--	--	--	
Brassica oleracea var. capitata l.	Leaf	--	--	--	Wealth of India.
Brassica oleracea var. italicica	Root	--	800	--	
Brassica oleracea var. italicica	Leaf	--	500	--	Jim Duke's personal files.
Calamintha nepeta	Plant	0.1	0.1	--	Kirimer, N., Baser, K.H.C., Ozek, T. and Kurkcuoglu, M. 1992. Composition of the Essential Oil of Calamintha nepeta subsp. glandulosa. J. Ess. Oil Res. 4:189-190
Camellia sinensis	Leaf	--	--	--	
Cananga odorata	Flower	--	--	--	

Plant	Part	Low PPM	High PPM	StdDev PPM	Reference
Cannabis sativa	Plant	--	--		Turner, C. E., El Sohly, M. A., Boeren, E. G. 1980. Constituents of Cannabis sativa L. XVII. A Review of the Natural Constituents. <i>J Natural Products</i> , 43(2): 169-234.
Cymbopogon citratus	Plant	--	--		Guenther, E., <i>The Essential Oils</i> , 6 volumes, D. van Nostrand, New York, 1948-1952.
Datura stramonium	Leaf	--	--		--
Daucus carota	Root	--	--		--
Ephedra sinica	Shoot	--	--		--
Glycine max	Plant	--	--		--
Humulus lupulus	Flower	--	--		--
Humulus lupulus	Inflorescence	--	--		--
Humulus lupulus	Fruit	--	--		--
Laurus nobilis	Leaf	--	--		Lawrence, B.M., <i>Essential Oils 1976-1977</i> , <i>Essential Oils 1978</i> , <i>Essential Oils 1979-1980</i> .
Lavandula x intermedia	Plant	--	--		Lawrence, B.M., <i>Essential Oils 1976-1977</i> , <i>Essential Oils 1978</i> , <i>Essential Oils 1979-1980</i> .
Lycopersicon esculentum	Fruit	--	--		--
Malus domestica	Plant	--	--		--
Medicago sativa	Essential Oil	--	--		--
Mentha aquatica	Leaf	--	--		Jim Duke's personal files.
Mentha spicata	Leaf	--	--		Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.

Plant	Part		Low	High	StdDev	Reference
			PPM	PPM		
<i>Mentha spicata</i>	Essential Oil	--	--	--	--	
<i>Micromeria myrtifolia</i>	Shoot	0.1	0.1	-0.5779821433509018	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.	
<i>Morus alba</i>	Leaf	--	--	--	--	
<i>Myrtus communis</i>	Plant	--	--	--	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.	
<i>Nandina domestica</i>	Plant	--	--	--	--	
<i>Nepeta racemosa</i>	Shoot	2	2	-0.27187313363195725	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.	
<i>Nepeta racemosa</i>	Shoot	--	2	-0.27187313363195725	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.	
<i>Origanum sipyleum</i>	Shoot	0.7	0.7	-0.48131614028176134	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.	
<i>Origanum sipyleum</i>	Shoot	--	0.7	-0.48131614028176134	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.	
<i>Origanum sipyleum</i>	Shoot	1	2	-0.27187313363195725	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.	
<i>Origanum sipyleum</i>	Shoot	1	2	-0.27187313363195725	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.	
<i>Oryza sativa</i>	Plant	--	--	--	--	
<i>Pelargonium graveolens</i>	Essential Oil	--	--	--	--	

Plant	Part		Low PPM	High PPM	StdDev PPM	Reference
<i>Pimenta dioica</i>	Plant	--	--		--	--
<i>Psidium guajava</i>	Fruit	--	8000		--	--
<i>Pyrus communis</i>	Plant	--	--		--	--
<i>Ribes nigrum</i>	Fruit	--	--			List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
<i>Satureja cuneifolia</i>	Shoot	20	20	2.628106958442254		Tumen, G. 1991. The Volatile Constituents of <i>Satureja cuneifolia</i> . <i>J. Ess. Oil Res.</i> , 3: 365-366.
<i>Solanum tuberosum</i>	Plant	--	--		--	--
<i>Zingiber officinale</i>	Essential Oil	--	--			Kameoka, H. and Nakai, K. 1987. Components of essential oil from the root of <i>Glycyrrhiza-glabra</i> . <i>Nippon Gogeikagaku Kaishi</i> 61(9): 1119-1122.
<i>Zingiber officinale</i>	Rhizome	--	--		--	--