

C ALLO-AROMADENDRENE

Chemid

ALLOAROMADENDRENE

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Acinos alpinus	Shoot	4.5	4.5	-0.18121417918524635	Velasco-Negueruela,A., Perez-Alonso,M.J., Jiminez,S.M. and Garcia,F.M. 1993. The Volatile Constituents of Acinus alpinus (L.) Moench ssp. meridionalis (Nyman). P.W. Ball Growing in Spain. Flav. & Frag. J. 8:127-130.)
Acinos alpinus	Shoot	--	4.5	-0.18121417918524635	Velasco-Negueruela,A., Perez-Alonso,M.J., Jiminez,S.M. and Garcia,F.M. 1993. The Volatile Constituents of Acinus alpinus (L.) Moench ssp. meridionalis (Nyman). P.W. Ball Growing in Spain. Flav. & Frag. J. 8:127-130.)
Aloysia citrodora	Plant	4	28	-0.6103919797150709	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Artemisia annua	Leaf	60	3380	0.5792235540033643	--
Artemisia pallens	Plant	6	29	-0.5872710713925303	--
Boswellia sacra	Essential Oil	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Cannabis sativa	Leaf Essent. Oil	--	--		--
Cannabis sativa	Resin, Exudate, Sap	--	--		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Cannabis sativa	Essential Oil	--	--	--	--
Cannabis sativa	Plant	--	--	--	Turner, C. E., El Sohly, M. A., Boeren, E. G. 1980. Constituents of Cannabis sativa L. XVII. A Review of the Natural Constituents. J Natural Products, 432: 169-234.
Carthamus tinctorius	Bud	0.01	0.01	--	--
Copaifera spp	Gum	--	--	--	--
Elsholtzia polystachya	Leaf	6	6	-0.2010459625147766	Mathela,C.S., Melkani,A.B., Bisht,J.C., Pant,A.K., Bestmann,H.J., Erler,J., Kobold,U., Rauscher,J. and Vostrowsky,O. 1992. Chemical Varieties of Essential Oils from Elsholtzia polystachya from Two Different Locations in India. Planta Medica 58: 376-379.
Elsholtzia polystachya	Leaf	--	6	-0.2010459625147766	Mathela,C.S., Melkani,A.B., Bisht,J.C., Pant,A.K., Bestmann,H.J., Erler,J., Kobold,U., Rauscher,J. and Vostrowsky,O. 1992. Chemical Varieties of Essential Oils from Elsholtzia polystachya from Two Different Locations in India. Planta Medica 58: 376-379.
Eucalyptus albens	Shoot	--	0.1	-0.1869954495858901	Zrira, S. S., Benjlali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus angulosa	Leaf	--	35	-0.19433943732834327	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Symphyomyrtus,Section Dumaria,Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus astringens	Shoot	--	50	-0.12143058754222551	Zrira, S. S., Benjlali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus behriana	Leaf	10	10	-0.20012092455802719	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus blakelyi	Shoot	--	60	-0.10829133663167147	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus bosistoana	Shoot	--	250	0.1413544306688552	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus botryoides	Shoot	--	6	-0.17924329154866325	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus brassiana	Leaf	--	0	-0.20243351944990073	Singh, A. K., Gupta, K. C., & Brophy, J. J. 1991. Chemical Constituents of the Leaf Essential Oil of Eucalyptus brassiana S. T. Blake. Journal of Essential Oil Res. 3: 45-7.
Eucalyptus camaldulensis	Shoot	--	60	-0.10829133663167147	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus ceratocorys	Leaf	--	39	-0.19341439937159383	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus citriodora	Shoot	--	0.1	-0.1869954495858901	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus cladocalyx	Shoot	--	5	-0.18055721663971866	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus cuprea	Leaf	80	80	-0.1839327603149122	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus dealbata	Shoot	--	35	-0.14113946390805654	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus desquamata	Leaf	140	140	-0.17005719096367083	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus diversicolor	Shoot	--	0.1	-0.1869954495858901	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus dolichorhyncha	Leaf	--	190	-0.158494216504303	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus erythrandra	Leaf	--	135	-0.17121348840960762	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus fasiculosa	Leaf	5	5	-0.20127722200396397	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus forrestiana	Leaf	--	400	-0.10992972377495813	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus globulus	Shoot	--	6000	7.696423704237425	--
Eucalyptus globulus	Fruit Essent. Oil	--	233700	1	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus globulus	Leaf Essent. Oil	2000	8000	-0.9551259469186552	--
Eucalyptus globulus	Essential Oil	--	--	--	--
Eucalyptus incrassata	Leaf	--	470	-0.09374155953184318	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus intertexta	Leaf	31	31	-0.1952644752850927	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus lansdowneana	Leaf	75	75	-0.185089057760849	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus largisparsa	Leaf	305	305	-0.131899375247757	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus leucoxylon	Leaf	445	445	-0.0995230467615271	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus maculata	Shoot	--	20	-0.1608483402738876	Zира, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus maidenii	Shoot	--	45	-0.12800021299750253	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus melanophloia	Leaf	49	49	-0.19110180447972028	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus melliodora	Shoot	--	0.1	-0.1869954495858901	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus moluccana	Shoot	--	36	-0.13982553881700116	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus nova-anglica	Leaf	415	710	-0.03823928212687761	Brophy, J. L., Lassak, E. V., & Boland, D. J. 1992. The Leaf Essential Oils of Eucalyptus nova-anglica. Deane & Maiden. Journal of Essential Oil Res. 4: 29-32.
Eucalyptus occidentalis	Shoot	--	125	-0.02288620571307024	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus ochrophloia	Leaf	4	4	-0.20150848149315131	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus odorata	Leaf	26	26	-0.19642077273102948	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus oviformis	Shoot	--	0.1	-0.1869954495858901	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus paniculata	Shoot	--	2	-0.18449899191288488	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus polyanthemos	Shoot	--	17	-0.1647901155470538	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus populnea	Leaf	35	35	-0.19433943732834327	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus porosa	Leaf	420	420	-0.10530453399121101	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus punctata	Shoot	--	0.1	-0.1869954495858901	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus saligna	Shoot	--	0.1	-0.1869954495858901	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus siderophloia	Shoot	--	8	-0.17661544136655244	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus sideroxylon	Shoot	--	30	-0.14770908936333357	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus sparsa	Leaf	670	670	-0.047489661694371875	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus stoatei	Leaf	--	505	-0.0856474774102857	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus tereticornis	Shoot	--	135	-0.009746954802516205	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus tetraptera	Leaf	--	440	-0.10067934420746387	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus viridis	Leaf	30	30	-0.19549573477428006	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Humulus lupulus	Fruit	77	77	-0.679784818689129	--
Hyssopus officinalis	Shoot	20	20	-0.1608483402738876	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
Hyssopus officinalis	Shoot	--	20	-0.1608483402738876	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
Hyssopus officinalis	Shoot	--	30	-0.14770908936333357	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Hyssopus officinalis	Shoot	--	10	-0.17398759118444163	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) <i>J. Agric. Food Chem.</i> 42: 776-781.
Hyssopus officinalis	Shoot	--	30	-0.14770908936333357	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) <i>J. Agric. Food Chem.</i> 42: 776-781.
Hyssopus officinalis	Shoot	--	30	-0.14770908936333357	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) <i>J. Agric. Food Chem.</i> 42: 776-781.
Hyssopus officinalis	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) <i>J. Agric. Food Chem.</i> 42: 776-781.
Hyssopus officinalis	Shoot	--	40	-0.13456983845277953	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) <i>J. Agric. Food Chem.</i> 42: 776-781.
Hyssopus officinalis	Shoot	--	70	-0.09515208572111743	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) <i>J. Agric. Food Chem.</i> 42: 776-781.
Hyssopus officinalis	Shoot	--	20	-0.1608483402738876	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) <i>J. Agric. Food Chem.</i> 42: 776-781.
Illicium verum	Fruit	1050	1050	-0.39901197412390677	--
Laurus nobilis	Leaf	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Ledum palustre	Leaf	--	--		--
Leptospermum scoparium	Essential Oil	--	--		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Melaleuca alternifolia	Leaf	45	112	-0.17653245666091683	--
Melaleuca alternifolia	Root Essent. Oil	--	500	-1	--
Melaleuca alternifolia	Essential Oil	--	6900	1	--
Mentha aquatica	Shoot	1	1	-0.18581291700394026	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of Mentha aquatica Containing Sesquiterpene Alcohols as Major Components. Nippon Nogeikagaku Kaishi 67(10): 1417-1419.
Mentha aquatica	Shoot	--	16	-0.1661040406381092	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of Mentha aquatica Containing Sesquiterpene Alcohols as Major Components. Nippon Nogeikagaku Kaishi 67(10): 1417-1419.
Mentha aquatica	Shoot	--	2	-0.18449899191288488	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of Mentha aquatica Containing Sesquiterpene Alcohols as Major Components. Nippon Nogeikagaku Kaishi 67(10): 1417-1419.
Mentha aquatica	Shoot	--	3	-0.18318506682182947	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of Mentha aquatica Containing Sesquiterpene Alcohols as Major Components. Nippon Nogeikagaku Kaishi 67(10): 1417-1419.
Mentha aquatica	Shoot	--	1	-0.18581291700394026	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of Mentha aquatica Containing Sesquiterpene Alcohols as Major Components. Nippon Nogeikagaku Kaishi 67(10): 1417-1419.
Mentha longifolia	Shoot	0	380	0.3121646925060578	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Metrosideros nervulosa	Leaf	500	500	-0.08680377485622248	--
Metrosideros sclerocarpa	Leaf	7256	29024	6.509641894723935	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Myrrhis odorata</i>	Leaf Essent. Oil	--	15500	1.3807799015237083	--
<i>Ocimum gratissimum</i>	Plant	1	5	-1.1421728711335037	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Ocimum gratissimum</i>	Shoot	295	295	0.2004810597663485	Vostrowsky, O., Garbe, W., Bestmann, H.J. and Maia, J.G.S. 1990. Essential Oil of Alfavaca, <i>Ocimum gratissimum</i> , from Brazilian Amazon. Zeitschr. Naturforschung 45(C): 1073-6.
<i>Origanum majorana</i>	Plant	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Origanum majorana</i>	Essential Oil	--	--		--
<i>Origanum minutiflorum</i>	Shoot	9	22	-0.1582204900917768	Baser, K.H.C., Tumen, G., Sezik, E. 1991. The Essential Oil of <i>Origanum minutiflorum</i> O. Schwarz and P.H. Davis. J. Ess. Oil Res. 3: 445-446.
<i>Origanum vulgare</i>	Plant	18	120	1.5167315859586603	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Origanum vulgare</i>	Shoot Essent. Oil	--	800		--
<i>Panax ginseng</i>	Root Essent. Oil	--	--		--
<i>Panax ginseng</i>	Plant	--	--		--
<i>Panax ginseng</i>	Flower Essent. Oil	--	--		--
<i>Panax ginseng</i>	Shoot	--	--		--
<i>Panax ginseng</i>	Shoot Essent. Oil	--	--		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Pimenta dioica	Leaf	12	12	-0.19965840557965248	--
Pimenta dioica	Leaf Essent. Oil	--	--	--	--
Pimenta dioica	Fruit	--	204	-0.6431371812176149	--
Piper cubeba	Fruit	4200	8400	1.721933974030651	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Piper cubeba	Fruit Essent. Oil	50000	50000	-1	--
Ptychopetalum olacoides	Root Essent. Oil	--	7000	1	Uber Bucek, E., Fournier, G., Dadoun, H. 1987. Volatile Constituents of Ptychopetalum olacoides Root Oil. Planta Med. 53, 2: 231.
Pycnanthemum tenuifolium	Shoot	28	440	0.391000197969382	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pycnanthemum virginianum	Shoot	24	116	-0.034711531532568875	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Rosmarinus officinalis	Leaf	4	5	-0.20127722200396397	Soliman, F.M., El-Kashoury, M.M., Fathy, M.M. and Gonaid, M.H. 1994. Analysis and Biological Activity of the Essential Oil of Rosmarinus officinalis L. from Egypt. Flavour and Fragrance J. 9: 29-33.
Rosmarinus officinalis	Leaf	--	4	-0.20150848149315131	Soliman, F.M., El-Kashoury, M.M., Fathy, M.M. and Gonaid, M.H. 1994. Analysis and Biological Activity of the Essential Oil of Rosmarinus officinalis L. from Egypt. Flavour and Fragrance J. 9: 29-33.
Rosmarinus officinalis	Leaf	--	5	-0.20127722200396397	Soliman, F.M., El-Kashoury, M.M., Fathy, M.M. and Gonaid, M.H. 1994. Analysis and Biological Activity of the Essential Oil of Rosmarinus officinalis L. from Egypt. Flavour and Fragrance J. 9: 29-33.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Salvia canariensis</i>	Leaf	28	28	-0.19595825375265477	Casnigueral,S., Iglesias,J., Vila,R., Virgili,A. and Ibanez,C.1994. The Essential Oil from Leaves of <i>Salvia canariensis</i> L. <i>Flav. & Frag. J.</i> 9:201-204. S. Canigueral, Facultat de Farmacia, Universitat de Barcelona, Ave.Diagonal 643,E-08028, Barcelone Spain
<i>Salvia dorisiana</i>	Shoot	4	5.2	-0.18029443162150752	Tucker, A.O. & Maciarello, M.J. 1994. The Essential Oil of <i>Salvia dorisiana</i> Standley. <i>J. Ess. Oil Res.</i> 6: 97-8.
<i>Salvia gilliesii</i>	Shoot	70	70	-0.09515208572111743	Velasco-Negueruela, A. et al. 1993. The Essential Oil of <i>Salvia gilliesii</i> Benth. <i>J. Ess. Oil Res.</i> 5: 319-320.
<i>Salvia officinalis</i>	Leaf	15	84	-0.1830077223581628	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Salvia officinalis</i>	Essential Oil	--	1800	-1	--
<i>Sassafras albidum</i>	Leaf	--	0	-0.20243351944990073	--
<i>Sideritis mugronensis</i>	Flower	1	2		Manez, S., Jimenez, A., and Villar, A. 1991. Volatiles of <i>Sideritis mugronensis</i> Flower and Leaf. <i>J. Ess. Oil Res.</i> , 3: 395-397.
<i>Sideritis mugronensis</i>	Leaf	10	20	-0.1978083296661536	Manez, S., Jimenez, A., and Villar, A. 1991. Volatiles of <i>Sideritis mugronensis</i> Flower and Leaf. <i>J. Ess. Oil Res.</i> , 3: 395-397.
<i>Syzygium aromaticum</i>	Leaf	--	--		Charalambous, G. (Ed.). 1994. Spices, Herbs and Edible Fungi. Elsevier Science B. V. Amsterdam. 764 pp.
<i>Teucrium arduini</i>	Shoot	20	20	-0.1608483402738876	Blazevic, N., Kalodera, Z., Petricic, J., and Plazibat, M. 1992. Essential Oil Content and Composition of <i>Teucrium arduini</i> L. <i>J. Ess. Oil Res.</i> 4: 223-225.
<i>Teucrium arduini</i>	Shoot	--	20	-0.1608483402738876	Blazevic, N., Kalodera, Z., Petricic, J., and Plazibat, M. 1992. Essential Oil Content and Composition of <i>Teucrium arduini</i> L. <i>J. Ess. Oil Res.</i> 4: 223-225.
<i>Teucrium asiaticum</i>	Shoot	1.92	1.92	-0.18460410592016935	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. <i>Phytochemistry</i> 29(4): 1165-9.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Teucrium cyprium</i>	Leaf	0	0	-0.20243351944990073	Arnold, N., Bellomaria, B., Valentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some <i>Teucrium</i> Species from Cyprus. <i>J. Ethnopharm.</i> 35: 105-113.
<i>Teucrium divaricatum</i>	Leaf	15	15	-0.1989646271120904	Arnold, N., Bellomaria, B., Valentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some <i>Teucrium</i> Species from Cyprus. <i>J. Ethnopharm.</i> 35: 105-113.
<i>Teucrium gnaphalodes</i>	Shoot	17	17	-0.1647901155470538	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian <i>Teucrium</i> Species. <i>J. Ess. Oil Res.</i> 5: 397-402.
<i>Teucrium kotschyeanum</i>	Leaf	65	65	-0.18740165265272257	Arnold, N., Bellomaria, B., Valentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some <i>Teucrium</i> Species from Cyprus. <i>J. Ethnopharm.</i> 35: 105-113.
<i>Teucrium micropodioides</i>	Leaf	0	0	-0.20243351944990073	Arnold, N., Bellomaria, B., Valentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some <i>Teucrium</i> Species from Cyprus. <i>J. Ethnopharm.</i> 35: 105-113.
<i>Teucrium oxylepis</i>	Shoot	0.96	0.96	-0.18586547400758244	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. <i>Phytochemistry</i> 29(4): 1165-9.
<i>Teucrium oxylepis</i>	Shoot	--	--		Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. <i>Phytochemistry</i> 29(4): 1165-9.
<i>Teucrium polium</i>	Shoot	0.5	0.5	-0.18646987954946798	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian <i>Teucrium</i> Species. <i>J. Ess. Oil Res.</i> 5: 397-402.
<i>Teucrium pseudoscorodonia</i>	Shoot	1.52	1.52	-0.1851296759565915	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. <i>Phytochemistry</i> 29(4): 1165-9.
<i>Teucrium salviastrum</i>	Shoot	9.5	9.5	-0.17464455372996934	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. <i>Phytochemistry</i> 29(4): 1165-9.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Teucrium scorodonia</i>	Shoot	1.11	1.11	-0.18566838524392415	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. <i>Phytochemistry</i> 29(4): 1165-9.
<i>Thymus capitatus</i>	Plant	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Thymus funkii</i>	Shoot	32	32	-0.14508123918122276	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of <i>Thymus funkii</i> Cousson. <i>Flav. & Fragr. J.</i> 10(6): 379-383.
<i>Thymus funkii</i>	Shoot	--	32	-0.14508123918122276	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of <i>Thymus funkii</i> Cousson. <i>Flav. & Fragr. J.</i> 10(6): 379-383.
<i>Thymus mastichina</i>	Plant	90	90	0.8231043362824437	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Thymus x citriodorus</i>	Shoot	21	21	-0.1595344151828322	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of <i>Thymus funkii</i> Cousson. <i>Flav. & Fragr. J.</i> 10(6): 379-383.
<i>Thymus zygis</i>	Shoot	0.1	0.1	-0.1869954495858901	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. <i>Thymus zygis</i> Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. <i>JEO5</i> : 153-8.
<i>Trichostemma dichotomum</i>	Shoot	15	15	-0.16741796572916462	Tucker, A.O. and Maciarelllo, M.J. 1990. The Essential Oil of <i>Trichostemma dichotomum</i> . <i>J. Ess. Oil Res.</i> 2: 149-150.
<i>Valeriana officinalis</i>	Root	0	195		Father Nature's Farmacy: The aggregate of all these three-letter citations.
<i>Valeriana officinalis</i>	Leaf Essent. Oil	--	9700	-0.42565395460505273	--
<i>Valeriana officinalis</i>	Root Essent. Oil	--	--		--
<i>Vitex agnus-castus</i>	Leaf	--	0.5	-0.20231788970530706	Ekundayo, O., Laakso, I., Holopainen, M., Hiltunen, R., Oguntiemein, B., and Kauppinen, V. 1990. The Chemical Composition and Antimicrobial Activity of the Leaf Oil of <i>Vitex agnus-castus</i> L. <i>J. Essential Oil Research</i> , 2: 115-119.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Vitex agnus-castus	Flower	--	--		Jim Duke's personal files.
Vitex agnus-castus	Fruit	--	--		Jim Duke's personal files.
Zingiber officinale	Rhizome Essent. Oil	--	1400	--	