

Dr. Duke's Phytochemical and Ethnobotanical Database

List of Plants for ALPHA-CARYOPHYLLENE

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Ageratum conyzoides</i>	Shoot	--	22420	3.8723650281316564	R. Vera, (1993); Chemical composition of the essential oil <i>Ageratum conyzoides</i> L. (Asteraceae) from Reunion, Flavour Fragr. J., Vol.8, 257-260.
<i>Aloysia citrodora</i>	Plant	--	--		Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
<i>Angelica archangelica</i>	Root	--	--		--
<i>Annona squamosa</i>	Plant	--	--		--
<i>Artemisia annua</i>	Plant	--	--		Father Nature's Farmacy: The aggregate of all these three-letter citations.
<i>Coridothymus capitatus</i>	Shoot	0	0	-0.286128265719306	Lagouri, V., Blekas, G., Tsimidou, M., Kokkini, S., and Boskou, D. 1993. Composition and Antioxidant Activity of Essential Oils from Oregano Plants Grown Wild in Greece. Z. Lebensm Unters Forsch 197: 20-23.
<i>Daucus carota</i>	Root	--	--		--
<i>Humulus lupulus</i>	Essential Oil	--	--		Chemical Constituents of Oriental Herbs (3 diff. books)
<i>Hyptis suaveolens</i>	Plant	480	480		Recently became Internat. J. Crude Drug Res. 28(1,2,3,4):1990, page 74.
<i>Hyssopus officinalis</i>	Shoot	140	140	-0.26016086780944275	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot	--	180	-0.2527416112637675	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot	--	190	-0.2508867971273487	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Hyssopus officinalis	Shoot	--	160	-0.2564512395366051	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) <i>J. Agric. Food Chem.</i> 42: 776-781.
Hyssopus officinalis	Shoot	--	120	-0.26387049608228036	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) <i>J. Agric. Food Chem.</i> 42: 776-781.
Hyssopus officinalis	Shoot	--	200	-0.2490319829909299	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) <i>J. Agric. Food Chem.</i> 42: 776-781.
Hyssopus officinalis	Shoot	--	140	-0.26016086780944275	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) <i>J. Agric. Food Chem.</i> 42: 776-781.
Hyssopus officinalis	Shoot	--	260	-0.23790309817241706	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) <i>J. Agric. Food Chem.</i> 42: 776-781.
Hyssopus officinalis	Shoot	--	260	-0.23790309817241706	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) <i>J. Agric. Food Chem.</i> 42: 776-781.
Hyssopus officinalis	Shoot	--	290	-0.23233865576316065	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) <i>J. Agric. Food Chem.</i> 42: 776-781.
Laurus nobilis	Fruit Essent. Oil	--	--		--
Mentha longifolia	Shoot	45	285	-0.23326606283137005	<i>Planta Medica</i> , 57: A83, 1991.
Ocimum basilicum	Shoot Essent. Oil	--	--		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Ocimum gratissimum	Plant	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Origanum onites	Shoot	0	0	-0.286128265719306	Lagouri, V., Blekas, G., Tsimidou, M., Kokkini, S., and Boskou, D. 1993. Composition and Antioxidant Activity of Essential Oils from Oregano Plants Grown Wild in Greece. Z. Lebensm Unters Forsch 197: 20-23.
Origanum vulgare	Shoot	0	0	-0.286128265719306	Lagouri, V., Blekas, G., Tsimidou, M., Kokkini, S., and Boskou, D. 1993. Composition and Antioxidant Activity of Essential Oils from Oregano Plants Grown Wild in Greece. Z. Lebensm Unters Forsch 197: 20-23.
Perilla frutescens	Leaf Essent. Oil	--	1300		Kang, R., Helms, R., Stout, M.J., Jaber, H., Chen, Z., and Nakatsu, T. 1992. Antimicrobial Activity of the Volatile Constituents of Perilla frutescens and Its Synergistic Effects with Polygodial. J. Agric. Food Chem., 40: 2328-2330.
Piper auritum	Leaf	--	--		Tramil
Populus tacamahacca	Plant	--	--		--
Rosmarinus officinalis	Resin, Exudate, Sap	--	--		--
Satureja thymbra	Shoot	37	37	-0.27926545341455644	Lagouri, V., Blekas, G., Tsimidou, M., Kokkini, S., and Boskou, D. 1993. Composition and Antioxidant Activity of Essential Oils from Oregano Plants Grown Wild in Greece. Z. Lebensm Unters Forsch 197: 20-23.
Syzygium aromaticum	Flower	--	--		--
Syzygium aromaticum	Fruit	--	--		Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Teucrium cyprium	Leaf	375	375	1.4527928001000998	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some Teucrium Species from Cyprus. J. Ethnopharm. 35: 105-113.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Teucrium divaricatum	Leaf	210	210	0.4048766819951098	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some Teucrium Species from Cyprus. J. Ethnopharm. 35: 105-113.
Teucrium kotschyanum	Leaf	0	0	-0.928834741047605	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some Teucrium Species from Cyprus. J. Ethnopharm. 35: 105-113.
Teucrium micropodioides	Leaf	0	0	-0.928834741047605	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some Teucrium Species from Cyprus. J. Ethnopharm. 35: 105-113.