

**Dr. Duke's Phytochemical and Ethnobotanical Database**

**List of Plants for BENZALDEHYDE**

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Acacia farnesiana</i>	Flower	--	--		Pakistan Encyclopedia Planta Medica. 1986.
<i>Acacia farnesiana</i>	Plant	--	--		Pakistan Encyclopedia Planta Medica. 1986.
<i>Acinos suaveolens</i>	Shoot	200	200	0.2732930857952227	Jim Duke's personal files.
<i>Aesculus hippocastanum</i>	Flower Essent. Oil	--	11000		Jim Duke's personal files.
<i>Agastache foeniculum</i>	Plant	1	135	0.05009904351318192	Mazza, G. and Kiehn, F.A. 1992. Essential Oil of Agastache foeniculum, A Potential Source of Methyl Chavicol. J. Ess. Oil Res., 4: 295-299.
<i>Anacardium occidentale</i>	Fruit	--	--		--
<i>Aniba rosaeodora</i>	Essential Oil	300	300	-0.7224772472681619	--
<i>Arctium lappa</i>	Root	--	--		--
<i>Aspalathus linearis</i>	Leaf Essent. Oil	--	15900	0.6952232834176496	--
<i>Avena sativa</i>	Seed	--	--		--
<i>Brassica oleracea</i>	Stem	0.02	0.02		--
<i>Callicarpa americana</i>	Leaf	--	0.55	-0.4683477845420869	--
<i>Camellia sinensis</i>	Shoot	2100	2300	5.505869120167252	--
<i>Camellia sinensis</i>	Leaf	--	--		--
<i>Cananga odorata</i>	Flower	--	--		--
<i>Capsicum annuum</i>	Fruit	--	--		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Capsicum frutescens</i>	Fruit	--	--		--
<i>Carica papaya</i>	Fruit	--	300	-0.06377099858893052	--
<i>Carthamus tinctorius</i>	Bud	0.1	0.1		--
<i>Carthamus tinctorius</i>	Leaf	0.04	0.04	-0.4691395911467352	--
<i>Chrysanthemum parthenium</i>	Shoot	--	--		Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of Tanacetum parthenium (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71.
<i>Chrysanthemum x morifolium</i>	Flower	--	--		Wealth of India.
<i>Cinnamomum aromaticum</i>	Bark	--	--		--
<i>Cinnamomum verum</i>	Plant	26	104	-0.260515026268546	--
<i>Cinnamomum verum</i>	Bark	26	104		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Cinnamomum verum</i>	Bark Essent. Oil	--	--		--
<i>Cinnamomum verum</i>	Leaf Essent. Oil	--	7000	-1.4141473605881718	--
<i>Cinnamomum verum</i>	Stem Bark	--	--		--
<i>Cinnamomum verum</i>	Essential Oil	--	--		--
<i>Cinnamomum verum</i>	Leaf	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Cistus ladaniferus</i>	Leaf	28	1960	2.573819767375808	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Citrullus lanatus</i>	Fruit Juice	--	--		--
<i>Cnicus benedictus</i>	Shoot	--	--		Jim Duke's personal files.
<i>Cucumis melo</i>	Petiole	--	--		--
<i>Cymbopogon winterianus</i>	Plant	--	--		Guenther, E., The Essential Oils, 6 volumes, D. van Nostrand, New York, 1948-1952.
<i>Elsholtzia blanda</i>	Shoot	13	13	-0.192655351551239	Bestman, H.J., Rauscher, J., Vostrowsky O., Pant, A.K., Dev. V., Perihar, R. and Mathela, C.S. 1992. Constituents of the Essential Oil of <i>Elsholtsia blanda</i> Benth. (Labiatae). <i>J. Ess. Oils Res.</i> 4: 121-124
<i>Elsholtzia polystachya</i>	Leaf	0	0	-0.4692016936255311	Mathela,C.S., Melkani,A.B., Bisht,J.C., Pant,A.K., Bestmann,H.J., Erler,J., Kobold,U., Rauscher,J. and Vostrowsky,O. 1992. Chemical Varieties of Essential Oils from <i>Elsholtzia polystachya</i> from Two Different Locations in India. <i>Planta Medica</i> 58: 376-379.
<i>Elsholtzia polystachya</i>	Leaf	--	0	-0.4692016936255311	Mathela,C.S., Melkani,A.B., Bisht,J.C., Pant,A.K., Bestmann,H.J., Erler,J., Kobold,U., Rauscher,J. and Vostrowsky,O. 1992. Chemical Varieties of Essential Oils from <i>Elsholtzia polystachya</i> from Two Different Locations in India. <i>Planta Medica</i> 58: 376-379.
<i>Ephedra sinica</i>	Shoot	--	15	-0.18767194580421803	--
<i>Eriobotrya japonica</i>	Leaf	--	--		Chemical Constituents of Oriental Herbs (3 diff. books)
<i>Eruca sativa</i>	Hs	--	--		--
<i>Eucalyptus albens</i>	Shoot	--	0.1	-0.2247983186195243	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus astringens</i>	Shoot	--	0.1	-0.2247983186195243	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Eucalyptus blakelyi</i>	Shoot	--	0.1	-0.2247983186195243	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus bosistoana</i>	Shoot	--	0.1	-0.2247983186195243	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus botryoides</i>	Shoot	--	0.1	-0.2247983186195243	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus camaldulensis</i>	Shoot	--	0.1	-0.2247983186195243	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus citriodora</i>	Shoot	--	0.1	-0.2247983186195243	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus cladocalyx</i>	Shoot	--	0.1	-0.2247983186195243	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus dealbata</i>	Shoot	--	0.1	-0.2247983186195243	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus diversicolor</i>	Shoot	--	0.1	-0.2247983186195243	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus globulus</i>	Shoot	--	0.1	-0.2247983186195243	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus maculata	Shoot	--	0.1	-0.2247983186195243	Zrira, S. S., Benjlali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus maidenii	Shoot	--	0.1	-0.2247983186195243	Zrira, S. S., Benjlali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus melliodora	Shoot	--	0.1	-0.2247983186195243	Zrira, S. S., Benjlali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus moluccana	Shoot	--	0.1	-0.2247983186195243	Zrira, S. S., Benjlali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus occidentalis	Shoot	--	0.1	-0.2247983186195243	Zrira, S. S., Benjlali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus oviformis	Shoot	--	0.1	-0.2247983186195243	Zrira, S. S., Benjlali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus polyanthemos	Shoot	--	0.1	-0.2247983186195243	Zrira, S. S., Benjlali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus punctata	Shoot	--	80	-0.02571125902603615	Zrira, S. S., Benjlali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus saligna	Shoot	--	280	0.472629315676062	Zrira, S. S., Benjlali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus siderophloia	Shoot	--	0.1	-0.2247983186195243	Zrira, S. S., Benjlali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus sideroxylon	Shoot	--	0.1	-0.2247983186195243	Zrira, S. S., Benjlali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus tereticornis	Shoot	--	0.1	-0.2247983186195243	Zrira, S. S., Benjlali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Ficus carica	Fruit	--	1	-0.7971374823616315	--
Glycyrrhiza glabra	Rhizome Essent. Oil	--	--		--
Glycyrrhiza glabra	Root	75000	--		Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Glycyrrhiza glabra	Root Essent. Oil	--	--		--
Hibiscus sabdariffa	Fruit	--	--		Chemical Constituents of Oriental Herbs (3 diff. books)
Hyacinthus orientalis	Flower	0.16	2.3	-1.0000000000000002	--
Hyssopus officinalis	Shoot	--	--		Indian Perfumer, 35: 51.
Iris x germanica	Rhizome	--	--		--
Jasminum officinale	Flower	--	--		--
Juglans nigra	Fruit	--	--		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Juglans nigra	Essential Oil	28000	28000	1.4141013736565446	--
Laurus nobilis	Leaf	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Leonurus cardiaca	Plant	1	1	-1.2925553226400937	--
Ligustrum japonicum	Flower	--	--		--
Lycopersicon esculentum	Fruit	--	--		--
Melaleuca leucadendra	Essential Oil	--	--		--
Melaleuca viridiflora	Leaf	--	--		Guenther, E., The Essential Oils, 6 volumes, D. van Nostrand, New York, 1948-1952.
Melissa officinalis	Tissue Culture	--	--		Gbolade, A.A. and Lockwood, G.B. 1991. The Constituents of <i>Melissa officinalis</i> L. Cultures. <i>J. Ess. Oil Res.</i> , 3: 111-114.
Mentha spicata	Leaf	--	--		Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
Mentha spicata	Essential Oil	--	--		--
Micromeria fruticosa	Shoot	0	0	-0.2250474889068754	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of <i>Micromeria fruticosa</i> (L.) Druce subsp. <i>barbata</i> (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. <i>J. Ess. Oil Res</i> 3: 477-479.
Micromeria fruticosa	Shoot	--	0	-0.2250474889068754	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of <i>Micromeria fruticosa</i> (L.) Druce subsp. <i>barbata</i> (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. <i>J. Ess. Oil Res</i> 3: 477-479.
Morus alba	Plant	--	--		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Murraya koenigii	Leaf	--	0.1	-0.4690464374285412	--
Myroxylon balsamum	Plant	--	--		--
Narcissus tazetta	Flower	--	--		--
Ocimum basilicum	Essential Oil	--	700	-0.6916241263883828	--
Ocimum gratissimum	Shoot	0.1	0.1	-0.2247983186195243	Vostrowsky, O., Garbe, W., Bestmann, H.J. and Maia, J.G.S. 1990. Essential Oil of Alfavaca, Ocimum gratissimum, from Brazilian Amazon. Zeitschr. Naturforschung 45(C): 1073-6.
Origanum onites	Shoot	0	0	-0.2250474889068754	Biondi, D., Cianci, P., Geraci, C. and Ruberto, G. 1993. Antimicrobial Activity and Chemical Composition of Essential Oils from Sicilian Aromatic Plants. Flav. & Frag. J. 8: 331-7.
Panax ginseng	Shoot	--	--		--
Perilla frutescens	Shoot Essent. Oil	--	--		Nguyen, X. D., La, D. M., Lu'u, D. C., Leclercq, P. A. 1995. Essential Oil Constituents from the Aerial Parts of Perilla frutescens (L.) Britton. J. Essent. Oil Res., 7(4): 429-432.
Perilla frutescens	Leaf Essent. Oil	--	16000	0.718924077170524	Kang, R., Helms, R., Stout, M.J., Jaber, H., Chen, Z., and Nakatsu, T. 1992. Antimicrobial Activity of the Volatile Constituents of Perilla frutescens and Its Synergistic Effects with Polygodial. J. Agric. Food Chem., 40: 2328-2330.
Petiveria alliacea	Root	--	--		Tramil
Petroselinum crispum	Leaf	--	--		--
Peumus boldus	Leaf	1	1	-0.46764913165563243	CRC Handbook of Medicinal Herbs and/or CRC Handbook of Proximate Analyses
Phaseolus vulgaris	Stem Essent. Oil	--	--		--
Pogostemon cablin	Plant	--	--		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Prunus cerasus</i>	Fruit	3	3	-0.7922320209317137	--
<i>Prunus dulcis</i>	Seed	8200	8200		--
<i>Prunus laurocerasus</i>	Leaf	413	456	0.23876656464824977	--
<i>Prunus persica</i>	Fruit	--	--		--
<i>Prunus persica</i>	Seed	--	--		--
<i>Prunus serotina</i>	Bark	--	--		Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
<i>Psidium guajava</i>	Fruit	--	1000	1.6531405018822756	--
<i>Rheum palmatum</i>	Rhizome	--	1.5		--
<i>Ribes nigrum</i>	Fruit	--	--		List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
<i>Robinia pseudoacacia</i>	Flower	--	--		--
<i>Rosa damascena</i>	Essential Oil	--	--		--
<i>Rubus idaeus</i>	Plant	--	--		--
<i>Salvia sclarea</i>	Plant	--	--		Leung, A.Y., Encyclopedia of Common Natural Ingredients Used in Food, Drugs, and Cosmetics, John Wiley & Sons, New York, 1980.
<i>Sambucus nigra</i>	Plant	--	--		--
<i>Sambucus nigra</i>	Flower Essent. Oil	--	--		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Sambucus nigra</i>	Leaf Essent. Oil	--	--		--
<i>Styrax benzoin</i>	Plant	--	--		--
<i>Syringa vulgaris</i>	Flower	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Syzygium aromaticum</i>	Flower	--	--		--
<i>Syzygium aromaticum</i>	Fruit	--	--		--
<i>Tanacetum parthenium</i>	Shoot	--	--		Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of Tanacetum parthenium (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71.
<i>Thymus capitatus</i>	Shoot	0	0	-0.2250474889068754	Biondi, D., Cianci, P., Geraci, C. and Ruberto, G. 1993. Antimicrobial Activity and Chemical Composition of Essential Oils from Sicilian Aromatic Plants. Flav. & Frag. J. 8: 331-7.
<i>Trifolium pratense</i>	Flower	--	12	1.0000000000000004	Buchnauer,G.,Jirovetz,L.,Nikiforov,A.1996.Comparative Investigation of Essential Clover Flower Oils from Austria Using Gas Chromatography-Flame Ionization Detection, Gas Chromatography-Mass Spectrometry, and Gas Chrom.-Olfactometry.J.Agrc.Food Chem.44:1827-8
<i>Triticum aestivum</i>	Shoot	--	--		--
<i>Umbellularia californica</i>	Plant	70	280	1.5029713053954576	--
<i>Vaccinium corymbosum</i>	Fruit Juice	--	--		--
<i>Vaccinium macrocarpon</i>	Fruit	--	--		--
<i>Vaccinium myrtillus</i>	Fruit Juice	--	--		--
<i>Vanilla planifolia</i>	Fruit	--	--		--

<b>Plant</b>	<b>Part</b>	<b>Low PPM</b>	<b>High PPM</b>	<b>StdDev</b>	<b>Reference</b>
Zea mays	Silk Essent. Oil	1000	1000		--
Zea mays	Shoot	--	--		--
Zea mays	Husk Essent. Oil	--	--		--
Zingiber officinale	Rhizome	--	--		--