

C BETA-ELEMENE

Chemid

BETAELEMENE

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Achillea millefolium	Leaf	--	--	--	
Acinos alpinus	Shoot	10	10	-0.30609371712231803	Velasco-Negueruela,A., Perez-Alonso,M.J., Jiminez,S.M. and Garcia,F.M. 1993. The Volatile Constituents of Acinus alpinus (L.) Moench ssp. meridionalis (Nyman). P.W. Ball Growing in Spain. Flav. & Frag. J. 8:127-130.)
Acorus calamus	Rhizome	60	750	1.0692741796807936	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Agastache rugosa	Essential Oil	--	--	--	Jim Duke's personal files.
Agastache rugosa	Tissue Culture	--	--	--	Jim Duke's personal files.
Agathosma betulina	Leaf Essent. Oil	--	--	--	--
Ageratum conyzoides	Plant	2	16	-0.41647408954357296	--
Alpinia officinarum	Rhizome	--	--	--	Wealth of India.
Anethum graveolens	Fruit	12	77	-0.4611977234510915	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Anethum graveolens	Seed	12	77	-0.6456318401912606	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Angelica archangelica	Root	0	90	-1	--
Angelica archangelica	Root Essent. Oil	--	--	--	--
Aniba rosaeodora	Essential Oil	--	--	--	--
Apium graveolens	Fruit Essent. Oil	--	35000	1.6778472777341984	--
Apium graveolens	Leaf	--	--	--	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Apium graveolens	Seed	1	875	1.4124808434543825	--
Apium graveolens	Leaf Essent. Oil	--	--	--	--
Apium graveolens	Seed Essent. Oil	--	35000	--	--
Arctium lappa	Root	--	--	--	Jim Duke's personal files.
Artemisia annua	Plant	3	80	-0.17954660749211812	--
Artemisia capillaris	Essential Oil	--	--	--	--
Boswellia sacra	Essential Oil	--	--	--	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Carum carvi	Essential Oil	--	--	--	--
Carum carvi	Seed Essent. Oil	--	--	--	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Centella asiatica</i>	Leaf	--	--		Pedersen, M. 1987. Nutritional Herbology. Pederson Publishing. Bountiful, Utah. 377 pp.
<i>Centella asiatica</i>	Essential Oil	--	30000	-0.48593246550536906	Jim Duke's personal files.
<i>Chrysanthemum x morifolium</i>	Flower	--	--		Wealth of India.
<i>Chrysanthemum x morifolium</i>	Plant	2	6	-0.45349400861411276	Wealth of India.
<i>Cinnamomum camphora</i>	Leaf	--	--		--
<i>Cinnamomum verum</i>	Leaf	--	120	0.21030818830483441	Mallavarupu, G. R. et al. 1995. Investigation of the essential oil of cinnamon leaf grown at Bangalore and Hyderabad. Flav. & Fragr. J., 10: 239-242.
<i>Citrus aurantium</i>	Plant	--	--		--
<i>Citrus limon</i>	Essential Oil	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Citrus reticulata</i>	Fruit	0.7	1	-0.565275335737646	--
<i>Citrus sinensis</i>	Fruit	0.7	1	-0.565275335737646	--
<i>Citrus sinensis</i>	Pericarp Essent. Oil	--	--		Jim Duke's personal files.
<i>Coleus barbatus</i>	Root Essent. Oil	--	14000	-1	Jim Duke's personal files.
<i>Collinsonia canadensis</i>	Plant	16	16	-0.41647408954357296	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Copaifera spp</i>	Gum	3900	14400		--
<i>Croton eluteria</i>	Bark	--	--		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Croton lechleri	Plant	--	--		Taylor, Leslie. 2005. The Healing Power of Rainforest Herbs. SquareOne Publisher, Garden City Park, NY. 519 pp.
Cuminum cyminum	Fruit	--	30	-0.5255615099967239	--
Cuminum cyminum	Seed	30	30	-0.7668490032631218	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Cymbopogon winterianus	Plant	40	70	-0.21656652656265793	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Daucus carota	Plant	--	--		--
Dracocephalum thymiflora	Plant	148	148	0.07218884218755264	--
Eucalyptus albens	Shoot	--	0.1	-0.3396749847658091	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus angulosa	Leaf	--	22	-0.30442449979057584	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrastatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus astringens	Shoot	--	85	-0.05169017436859748	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus behriana	Leaf	2.7	2.7	-0.40579532509916183	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus blakelyi	Shoot	--	0.1	-0.3396749847658091	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus bosistoana	Shoot	--	0.1	-0.3396749847658091	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus botryoides	Shoot	--	0.1	-0.3396749847658091	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus camaldulensis	Shoot	--	0.1	-0.3396749847658091	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus ceratocorys	Leaf	--	26	-0.2834150023172938	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus citriodora	Shoot	--	0.1	-0.3396749847658091	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus cladocalyx	Shoot	--	0.1	-0.3396749847658091	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus cuprea	Leaf	10	10	-0.367452992210422	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus dealbata	Shoot	--	0.1	-0.3396749847658091	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus desquamata	Leaf	0	15	-0.34119112036881943	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus diversicolor	Shoot	--	0.1	-0.3396749847658091	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus dolichorhyncha	Leaf	--	65	-0.0785724019527937	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus erythrandra	Leaf	--	44	-0.1888722636875245	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus fasiculosa	Leaf	0	1.3	-0.4131486492148104	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus forrestiana	Leaf	--	55	-0.13109614563599886	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus globulus	Shoot	--	0.1	-0.3396749847658091	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus incrassata	Leaf	--	240	0.8405931125032962	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus intertexta	Leaf	5.5	5.5	-0.3910886768678643	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus lansdowneana	Leaf	2.4	2.4	-0.40737103740965785	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus largisparsa	Leaf	85	85	0.026475085413616428	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus leucoxylon	Leaf	0	5.5	-0.3910886768678643	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus maculata	Shoot	--	0.1	-0.3396749847658091	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus maideni	Shoot	--	0.1	-0.3396749847658091	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus melanophloia	Leaf	1	1	-0.4147243615253066	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Sympyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
Eucalyptus melliodora	Shoot	--	0.1	-0.3396749847658091	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus moluccana	Shoot	--	0.1	-0.3396749847658091	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus occidentalis	Shoot	--	0.1	-0.3396749847658091	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus ochrophloia	Leaf	0.5	0.5	-0.41735054870946686	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Sympyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
Eucalyptus odorata	Leaf	4.4	4.4	-0.3968662886730168	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Sympyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
Eucalyptus oviformis	Shoot	--	0.1	-0.3396749847658091	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus paniculata	Shoot	--	6	-0.31966190606918315	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus polyanthemos	Shoot	--	0.1	-0.3396749847658091	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus populnea	Leaf	8	8	-0.377957740947063	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus porosa	Leaf	10	10	-0.367452992210422	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus punctata	Shoot	--	0.1	-0.3396749847658091	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus saligna	Shoot	--	0.1	-0.3396749847658091	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus siderophloia	Shoot	--	0.1	-0.3396749847658091	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus sideroxylon	Shoot	--	40	-0.20433230002082983	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus sparsa	Leaf	25	25	-0.28866737668561426	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Eucalyptus stoatei</i>	Leaf	--	150	0.36787941935444984	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> .Part I.Subgenus <i>Sympyomyrtus</i> ,Section Dumaria, Series Incrastatae.Flavour and Fragrance J.9(3):113-7
<i>Eucalyptus tereticornis</i>	Shoot	--	35	-0.2212925362044112	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus tetraptera</i>	Leaf	--	120	0.21030818830483441	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> .Part I.Subgenus <i>Sympyomyrtus</i> ,Section Dumaria, Series Incrastatae.Flavour and Fragrance J.9(3):113-7
<i>Eucalyptus viridis</i>	Leaf	0	0.5	-0.41735054870946686	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subjenus <i>Sympyomyrtus</i> , Section Adnataria. Flavour and Fragrance J. 10(6):359-364
<i>Glechoma hederacea</i>	Plant	9	53	-0.2795003889825756	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Hedera helix</i>	Leaf	--	--	--	
<i>Hypericum perforatum</i>	Plant	0.25	4.5	-0.4590469964746937	--
<i>Hyssopus officinalis</i>	Shoot	42	42	-0.19754820554739727	Tsankova, E.T., Konatchiev, A.N. and Genova, E.M. 1993. Chemical Composition of the Essential Oils of Two <i>Hyssopus officinalis</i> cultivars. J. Ess. Oil Res. 5: 609-611.
<i>Hyssopus officinalis</i>	Shoot	--	42	-0.19754820554739727	Tsankova, E.T., Konatchiev, A.N. and Genova, E.M. 1993. Chemical Composition of the Essential Oils of Two <i>Hyssopus officinalis</i> cultivars. J. Ess. Oil Res. 5: 609-611.
<i>Hyssopus officinalis</i>	Plant	--	--	--	
<i>Illicium verum</i>	Fruit	1	650	0.32349269549885196	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Juniperus communis</i>	Fruit	10	100	-0.4297005513117395	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Laurus nobilis</i>	Plant	--	--	--	--
<i>Laurus nobilis</i>	Leaf Essent. Oil	--	--	--	--
<i>Levisticum officinale</i>	Root	12	125	1	Guenther, E., The Essential Oils, 6 volumes, D. van Nostrand, New York, 1948-1952.
<i>Lindera benzoin</i>	Fruit	50	105	-0.4228533399770978	--
<i>Lindera benzoin</i>	Leaf	--	0.5	-0.41735054870946686	--
<i>Lycium chinense</i>	Fruit	--	360	-0.07364556191036901	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
<i>Magnolia denudata</i>	Bark	--	--	--	--
<i>Magnolia denudata</i>	Bulb	--	--	--	--
<i>Magnolia denudata</i>	Leaf	--	--	--	--
<i>Magnolia denudata</i>	Twig	--	--	--	--
<i>Marrubium vulgare</i>	Plant	--	--	--	--
<i>Melaleuca alternifolia</i>	Leaf	0.001	0.001	-0.4199714835192588	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Melissa officinalis</i>	Shoot	4	32	-0.23146867791456002	Deutsche Apot. Zit. 129(4):155-163. W. Schulze et al. Die Melisse.
<i>Mentha aquatica</i>	Shoot	29	29	-0.24164481962470882	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of <i>Mentha aquatica</i> Containing Sesquiterpene Alcohols as Major Components. Nippon Nogeikagaku Kaishi 67(10): 1417-1419.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Mentha aquatica	Shoot	--	65	-0.11953111910292297	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of <i>Mentha aquatica</i> Containing Sesquiterpene Alcohols as Major Components. <i>Nippon Nogeikagaku Kaishi</i> 67(10): 1417-1419.
Mentha aquatica	Shoot	--	65	-0.11953111910292297	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of <i>Mentha aquatica</i> Containing Sesquiterpene Alcohols as Major Components. <i>Nippon Nogeikagaku Kaishi</i> 67(10): 1417-1419.
Mentha aquatica	Shoot	--	55	-0.1534515914700857	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of <i>Mentha aquatica</i> Containing Sesquiterpene Alcohols as Major Components. <i>Nippon Nogeikagaku Kaishi</i> 67(10): 1417-1419.
Mentha aquatica	Shoot	--	29	-0.24164481962470882	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of <i>Mentha aquatica</i> Containing Sesquiterpene Alcohols as Major Components. <i>Nippon Nogeikagaku Kaishi</i> 67(10): 1417-1419.
Mentha longifolia	Shoot	0	275	0.5927988006074945	--
Mentha spicata	Leaf	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Mentha spicata	Essential Oil	--	--		--
Metrosideros sclerocarpa	Leaf	47	188	0.5674696453506294	--
Micromeria varia	Shoot	0	0	-0.3400141894894808	Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202.
Micromeria varia	Shoot	0	--		--
Moldavica thymiflora	Plant	148	148	0.07218884218755264	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Murraya koenigii	Leaf	5	155	0.3941412911960524	--
Myroxylon balsamum	Plant	--	--		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Myrtus communis</i>	Plant	3	4	-0.4608979924282207	--
<i>Nepeta cataria</i>	Plant	4	155	0.09810278553693051	Bourrel, C., Perineau, F., Michel, G., Bessiere, J.M. 1993. Catnip (<i>Nepeta cataria</i> L.) Essential Oil: Analysis of Chemical Constituents, Bacteriostatic and Fungistatic Properties. <i>J. Ess. Oil Res.</i> , 5: 159-167.
<i>Ocimum basilicum</i>	Plant	12	12	-0.43128205717178886	Die Nahrung. Pino, J., Rosado, A., Goire, I., Roncal, E., and Garcia, I. 1993. Analysis of the Essential Oil from Cuban Basil. <i>Die Nahrung</i> 37(5): 501-504.
<i>Ocimum basilicum</i>	Shoot Essent. Oil	4900	81600	1.4135003647459183	--
<i>Ocimum basilicum</i>	Essential Oil	--	16100	-0.9072086362241611	--
<i>Ocimum gratissimum</i>	Plant	5	65	-0.23507648609792783	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Ocimum gratissimum</i>	Shoot	425	425	1.1016058861149356	Vostrowsky, O., Garbe, W., Bestmann, H.J. and Maia, J.G.S. 1990. Essential Oil of Alfavaca, <i>Ocimum gratissimum</i> , from Brazilian Amazon. <i>Zeitschr. Naturforschung</i> 45(C): 1073-6.
<i>Ocimum tenuiflorum</i>	Leaf	120	1080	5.252587581892528	--
<i>Opopanax chironium</i>	Essential Oil	--	--	--	--
<i>Origanum vulgare</i>	Plant	6	30	-0.3646462028448172	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Origanum vulgare</i>	Shoot Essent. Oil	--	1100	-0.7456415586325718	--
<i>Panax ginseng</i>	Root	--	--	--	--
<i>Panax ginseng</i>	Root Essent. Oil	--	150000	1	--
<i>Panax ginseng</i>	Shoot	--	--	--	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Panax ginseng	Flower Essent. Oil	--	29000		--
Panax quinquefolius	Plant	--	--		--
Pelargonium graveolens	Essential Oil	--	--		--
Perilla frutescens	Shoot Essent. Oil	--	4000	-0.6678588061133466	Nguyen, X. D., La, D. M., Lu'u, D. C., Leclercq, P. A. 1995. Essential Oil Constituents from the Aerial Parts of Perilla frutescens (L.) Britton. J. Essent. Oil Res., 7(4): 429-432.
Petasites hybridus	Rhizome	--	--		List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Petroselinum crispum	Leaf	5.4	5.4	-0.39161391430469633	--
Pimenta dioica	Plant	--	--		--
Pimpinella anisum	Seed Essent. Oil	--	--		--
Pinus sylvestris	Essential Oil	--	--		--
Piper cubeba	Fruit	1200	2400	2.7200166626234608	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Piper cubeba	Fruit Essent. Oil	10000	10000	-0.16391702274241896	--
Piper nigrum	Fruit	--	--		List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Piper nigrum	Fruit Essent. Oil	--	900	-0.8343192281159078	--
Pogostemon cablin	Plant	--	--		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Pycnanthemum incanum</i>	Shoot	22	190	0.30447478548661133	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Pycnanthemum pilosum</i>	Flower	28	105	-1	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Pycnanthemum pilosum</i>	Leaf	28	105	0.13152257278002671	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Pycnanthemum tenuifolium</i>	Shoot	16	1600	5.087261389256558	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Pycnanthemum virginianum</i>	Shoot	240	1160	3.5947606051013974	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Rheum palmatum</i>	Rhizome	--	0.5	-1.3361915461944083	--
<i>Rosmarinus officinalis</i>	Shoot	3	200	0.33839525785377406	Bandoni, A.L., Mizrahi, I., and Juarez, M.A. 1991. The Essential Oil of <i>Rosmarinus officinalis</i> Growing in Argentina. <i>J. Ess. Oil Res.</i> , 3: 11.
<i>Rosmarinus officinalis</i>	Resin, Exudate, Sap	--	--	--	--
<i>Salvia gilliesii</i>	Shoot	5.5	5.5	-0.3213579296875413	Velasco-Negueruela, A. et al. 1993. The Essential Oil of <i>Salvia gilliesii</i> Benth. <i>J. Ess. Oil Res.</i> 5: 319-320.
<i>Saussurea lappa</i>	Root	--	--	--	--
<i>Scutellaria baicalensis</i>	Root Essent. Oil	--	--	--	--
<i>Scutellaria lateriflora</i>	Essential Oil	--	92000	1.3931411017295305	--
<i>Stevia rebaudiana</i>	Flower	--	110	1	Kinghorn, A. D. (Ed.) 2002. Medicinal and Aromatic Plants - Industrial Profiles. <i>Stevia. The genus Stevia.</i> Taylor & Francis. New York, NY. 211 pp.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Stevia rebaudiana</i>	Leaf	--	6	-0.38846248968370406	Kinghorn, A. D. (Ed.) 2002. Medicinal and Aromatic Plants - Industrial Profiles. Stevia. The genus Stevia. Taylor & Francis. New York, NY. 211 pp.
<i>Tagetes lucida</i>	Shoot	--	18	-0.27895733922858784	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of <i>Tagetes lucida</i> Cav. ssp. <i>lucida</i> essential oil. Flavor & Fragrance, 12(1): 47-52.
<i>Tamarindus indica</i>	Fruit Essent. Oil	--	3000	-0.6796110268758718	--
<i>Tanacetum vulgare</i>	Plant	--	--	--	--
<i>Thymus funkii</i>	Shoot	0	0	-0.3400141894894808	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of <i>Thymus funkii</i> Cousson. Flav. & Fragr. J. 10(6): 379-383.
<i>Thymus funkii</i>	Shoot	--	0	-0.3400141894894808	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of <i>Thymus funkii</i> Cousson. Flav. & Fragr. J. 10(6): 379-383.
<i>Umbellularia californica</i>	Plant	280	1120	3.6705249758440224	--
<i>Valeriana officinalis</i>	Root	--	--	--	--
<i>Zingiber officinale</i>	Rhizome	2	500	0.26691736651361464	Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
<i>Zingiber officinale</i>	Rhizome Essent. Oil	--	3000	--	--