

C BORNEOL

Chemid

BORNEOL

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Abies sachalinensis</i>	Branches	3360	3780	--	
<i>Achillea millefolium</i>	Leaf	6	275	-0.1351054728581718	--
<i>Achillea moschata</i>	Plant	927	1854	1.0044840193017968	--
<i>Acinos alpinus</i>	Shoot	2	2	-0.3968576510930819	Velasco-Negueruela,A., Perez-Alonso,M.J., Jiminez,S.M. and Garcia,F.M. 1993. The Volatile Constituents of <i>Acinus alpinus</i> (L.) Moench ssp. <i>meridionalis</i> (Nyman). P.W. Ball Growing in Spain. Flav. & Frag. J. 8:127-130.)
<i>Acinos alpinus</i>	Shoot	--	2	-0.3968576510930819	Velasco-Negueruela,A., Perez-Alonso,M.J., Jiminez,S.M. and Garcia,F.M. 1993. The Volatile Constituents of <i>Acinus alpinus</i> (L.) Moench ssp. <i>meridionalis</i> (Nyman). P.W. Ball Growing in Spain. Flav. & Frag. J. 8:127-130.)
<i>Acinos suaveolens</i>	Shoot	25	25	-0.3746172724318616	Tumen, G. 1991. The Volatile Constituents of <i>Acinos suaveolens</i> (Sibt. et Smith). G. Don fil. Growing in Turkey. J. Ess. Oil Res. 3:191-2.
<i>Acorus calamus</i>	Plant	--	--	--	
<i>Aframomum melegueta</i>	Seed	--	--		Wealth of India.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Agathosma betulina</i>	Leaf Essent. Oil	--	--	--	
<i>Ageratum conyzoides</i>	Shoot	--	500	0.08469489557160183	R. Vera, (1993); Chemical composition of the essential oil <i>Ageratum conyzoides</i> L. (Asteraceae) from Reunion, Flavour Fragr. J., Vol.8, 257-260.
<i>Aloysia citrodora</i>	Plant	--	--		Guenther, E., The Essential Oils, 6 volumes, D. van Nostrand, New York, 1948-1952.
<i>Alpinia galanga</i>	Leaf	--	410	0.03200307936239706	--
<i>Alpinia galanga</i>	Leaf Essent. Oil	--	41300	-0.12057610587426763	--
<i>Alpinia galanga</i>	Rhizome	--	--		--
<i>Amomum compactum</i>	Seed	--	--		Duke, J. A. and duCellier, J. L. 1993. CRC Handbook of Alternative Cash Crops. CRC Press. Boca Raton, FL 33431. 536 pp. US \$312.50.
<i>Amomum xanthioides</i>	Seed	--	--		--
<i>Angelica archangelica</i>	Root	--	--		Pakistan Encyclopedia Planta Medica. 1986.
<i>Angelica archangelica</i>	Plant	--	--		Pakistan Encyclopedia Planta Medica. 1986.
<i>Angelica archangelica</i>	Root Essent. Oil	--	--		--
<i>Annona squamosa</i>	Leaf	--	--		--
<i>Aristolochia serpentaria</i>	Plant	--	--		--
<i>Artemisia annua</i>	Plant	6	520	-0.20102331887336136	--
<i>Artemisia herba-alba</i>	Plant	319	319	-0.3826627303975044	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Artemisia salsolooides</i>	Shoot	4500	4500	3.952586836653399	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Artemisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
<i>Artemisia vulgaris</i>	Plant	--	--		Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
<i>Aspalathus linearis</i>	Leaf Essent. Oil	--	500	-0.6785540022451703	--
<i>Bidens pilosa</i>	Leaf Essent. Oil	--	20000	-0.4118733900090771	Jim Duke's personal files.
<i>Boswellia sacra</i>	Essential Oil	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Calamintha nepeta</i>	Shoot	16	16	-0.38332002929929565	Kirimer, N., Baser, K.H.C., Ozek, T. and Kurkcuoglu, M. 1992. Composition of the Essential Oil of <i>Calamintha nepeta</i> subsp. <i>glandulosa</i> . J. Ess. Oil Res. 4:189-190
<i>Callicarpa americana</i>	Leaf	--	0.55	-0.4748309703169504	--
<i>Cannabis sativa</i>	Resin, Exudate, Sap	--	--		--
<i>Cannabis sativa</i>	Essential Oil	--	--		--
<i>Cannabis sativa</i>	Plant	--	--		Turner, C. E., El Sohly, M. A., Boeren, E. G. 1980. Constituents of <i>Cannabis sativa</i> L. XVII. A Review of the Natural Constituents. J Natural Products, 432: 169-234.
<i>Cedrus libani</i>	Plant	--	--		--
<i>Chamaemelum nobile</i>	Plant	--	--		--
<i>Chrysanthemum balsamita</i>	Plant	--	--		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Chrysanthemum parthenium</i> Shoot		--	9	-0.3900888401961888	Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of <i>Tanacetum parthenium</i> (L.) Schultz-Bip. <i>Flavor and Fragrance Journal</i> 11(6): 367-71.
<i>Chrysanthemum x morifolium</i>	Flower	--	--	--	
<i>Chrysanthemum x morifolium</i>	Plant	12	45	-0.6302706844154905	Wealth of India.
<i>Cinnamomum camphora</i>	Leaf	0	290	-0.11653785594477525	--
<i>Cinnamomum verum</i>	Bark	2	8		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Cinnamomum verum</i>	Leaf	--	9.4	-0.4638760763380464	Mallavarupu, G. R. et al. 1995. Investigation of the essential oil of cinnamon leaf grown at Bangalore and Hyderabad. <i>Flav. & Fragr. J.</i> , 10: 239-242.
<i>Cinnamomum verum</i>	Root Bark	--	--	--	
<i>Cistus ladaniferus</i>	Leaf	24	1680	1.604061311363304	--
<i>Citrus aurantiifolia</i>	Fruit	60	60	-0.7063054263490658	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Cleonia lusitanica</i>	Leaf	1	5	-0.4693225772993094	Perez-Alonso, M., Velasco-Negueruela, A., and Lopez-Saez, A. 1991. The Essential Oil of <i>Cleonia lusitanica</i> . <i>J. Ess. Oil Res.</i> , 3: 441-442.
<i>Coleus barbatus</i>	Leaf Essent. Oil	--	11900	-0.5226484135533004	Jim Duke's personal files.
<i>Coleus barbatus</i>	Stem Essent. Oil	--	11900		Jim Duke's personal files.
<i>Coriandrum sativum</i>	Fruit	2	54	-0.7079078334166587	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Coriandrum sativum</i>	Seed Essent. Oil	15500	70100	--	
<i>Coriandrum sativum</i>	Essential Oil	--	--	--	--
<i>Coridothymus capitatus</i>	Shoot	130	130	-0.2730851089784644	Lagouri, V., Blekas, G., Tsimidou, M., Kokkini, S., and Boskou, D. 1993. Composition and Antioxidant Activity of Essential Oils from Oregano Plants Grown Wild in Greece. Z. Lebensm Unters Forsch 197: 20-23.
<i>Crocus sativus</i>	Silk Stigma Style	--	--	--	--
<i>Croton eluteria</i>	Bark	--	--	--	--
<i>Croton lechleri</i>	Plant	--	--	--	Taylor, Leslie. 2005. The Healing Power of Rainforest Herbs. SquareOne Publisher, Garden City Park, NY. 519 pp.
<i>Curcuma longa</i>	Rhizome	--	--	--	--
<i>Curcuma longa</i>	Rhizome Essent. Oil	--	--	--	--
<i>Curcuma longa</i>	Root	--	--	--	--
<i>Curcuma xanthorrhiza</i>	Rhizome	--	--	--	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
<i>Cymbopogon flexuosus</i>	Leaf	750	1500	1.3812499084025456	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
<i>Daucus carota</i>	Root	--	--	--	--
<i>Diospyros virginiana</i>	Fruit	--	--	--	--
<i>Echinacea angustifolia</i>	Shoot	--	--	--	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Echinacea pallida	Shoot	--	--		Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Echinacea purpurea	Shoot	--	--		Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Echinacea spp	Plant	--	--		Economic & Medicinal Plant Research, 5: 253.
Elettaria cardamomum	Fruit	32	8000	1.414213259765724	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Elettaria cardamomum	Seed Essent. Oil	--	--		--
Elsholtzia blanda	Shoot	55	55	-0.3456080828737481	Bestman, H.J., Rauscher, J., Vostrowsky O., Pant, A.K., Dev. V., Perihar, R. and Mathela, C.S. 1992. Constituents of the Essential Oil of Elsholtsia blanda Benth. (Labiatae). J. Ess. Oils Res. 4: 121-124
Elsholtzia densa	Plant	--	--		Hegnauer, R. 1962-1997. Chemotaxonomie der Pflanzen, Bde 1-11. Birkhauser Verlag Basel, Boston, Berlin.
Eucalyptus albens	Shoot	--	0.1	-0.39869489976509587	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus astringens	Shoot	--	210	-0.19572727015682845	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus behriana	Leaf	2.7	2.7	-0.4721696118926968	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus blakelyi	Shoot	--	100	-0.3020942985365779	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus bosistoana	Shoot	--	0.1	-0.39869489976509587	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus botryoides	Shoot	--	42	-0.35817873168226394	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus brassiana	Leaf	--	20	-0.45075496038591284	Singh, A. K., Gupta, K. C., & Brophy, J. J. 1991. Chemical Constituents of the Leaf Essential Oil of Eucalyptus brassiana S. T. Blake. Journal of Essential Oil Res. 3: 45-7.
Eucalyptus camaldulensis	Shoot	--	0.1	-0.39869489976509587	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus citriodora	Shoot	--	0.1	-0.39869489976509587	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus citriodora	Leaf Essent. Oil	--	1000	-0.6717160378288602	--
Eucalyptus cladocalyx	Shoot	--	17	-0.38235305631402516	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus cuprea	Leaf	17	17	-0.4544684837685921	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus dealbata	Shoot	--	0.1	-0.39869489976509587	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus desquamata	Leaf	0	15	-0.4569441660237117	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus diversicolor	Shoot	--	0.1	-0.39869489976509587	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus fasiculosa	Leaf	8	8	-0.46560905391663004	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus globulus	Shoot	--	3000	2.502127358747725	--
Eucalyptus globulus	Leaf Essent. Oil	--	2000	-0.65804010899624	--
Eucalyptus globulus	Fruit Essent. Oil	--	--	--	--
Eucalyptus grandis	Leaf Essent. Oil	--	8000	-0.575984536000519	--
Eucalyptus intertexta	Leaf	14	14	-0.45818200715127144	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus lansdowneana	Leaf	30	30	-0.43837654911031515	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus largisparsa	Leaf	4.6	4.6	-0.46981771375033327	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus leucoxylon	Leaf	0	5.5	-0.4687036567355295	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus maculata	Shoot	--	0.1	-0.39869489976509587	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus maidenii	Shoot	--	0.1	-0.39869489976509587	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus melanophloia	Leaf	11	11	-0.46189553053395077	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus melliodora	Shoot	--	0.1	-0.39869489976509587	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus moluccana	Shoot	--	24	-0.37558424541713203	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus occidentalis	Shoot	--	0.1	-0.39869489976509587	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Eucalyptus ochrophloia</i>	Leaf	0.5	0.5	-0.47489286237332834	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Sympyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus odorata</i>	Leaf	12	12	-0.46065768940639096	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Sympyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus oviformis</i>	Shoot	--	0.1	-0.39869489976509587	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus paniculata</i>	Shoot	--	7	-0.39202278616672964	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus polyanthemos</i>	Shoot	--	6	-0.39298975915200013	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
<i>Eucalyptus populnea</i>	Leaf	1.8	1.8	-0.4732836689075007	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Sympyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus porosa</i>	Leaf	10	10	-0.46313337166151053	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Sympyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus punctata</i>	Shoot	--	140	-0.2634153791257599	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Eucalyptus saligna</i>	Shoot	--	8	-0.3910558131814592	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus siderophloia</i>	Shoot	--	75	-0.3262686231683391	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus sideroxylon</i>	Shoot	--	0.1	-0.39869489976509587	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus sparsa</i>	Leaf	25	25	-0.444565754748114	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Sympyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus tereticornis</i>	Shoot	--	9	-0.3900888401961888	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus viridis</i>	Leaf	0	0.5	-0.47489286237332834	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Sympyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eupatorium triplinerve</i>	Plant	480	480	-0.2371704654453301	List, P.H. and Horhammer, L., <i>Hager's Handbuch der Pharmazeutischen Praxis</i> , Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
<i>Ferula gummosa</i>	Plant	--	--	--	--
<i>Gardenia jasminoides</i>	Flower	--	--	--	--
<i>Glechoma hederacea</i>	Plant	1	5	-0.6664178309874592	Lawrence, B.M., <i>Essential Oils 1976-1977</i> , <i>Essential Oils 1978</i> , <i>Essential Oils 1979-1980</i> .
<i>Grindelia squarrosa</i>	Essential Oil	--	--	--	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Hedeoma drummondii</i>	Plant	1	3800	2.7630427000280773	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Hedeoma hispida</i>	Plant	214	214	-0.47754899014892244	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Hedeoma reverchonii</i>	Plant	2528	2528	1.6135634390394706	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Helianthus annuus</i>	Flower	--	--		--
<i>Houttuynia cordata</i>	Shoot Essent. Oil	--	--		--
<i>Hypericum perforatum</i>	Plant	0.15	2.7	-0.6684962919153474	--
<i>Hyptis suaveolens</i>	Shoot	2	2	-0.3968576510930819	Mallavarapu, G.R., Ramesh, S., Kaul, P.N., Bhattacharya, A.K., and Rao, B.R.R. 1993. The Essential Oil of <i>Hyptis suaveolens</i> (L.) Poit. J. Ess. Oil Res. 5: 321.
<i>Hyptis suaveolens</i>	Shoot	--	2	-0.3968576510930819	Mallavarapu, G.R., Ramesh, S., Kaul, P.N., Bhattacharya, A.K., and Rao, B.R.R. 1993. The Essential Oil of <i>Hyptis suaveolens</i> (L.) Poit. J. Ess. Oil Res. 5: 321.
<i>Hyssopus officinalis</i>	Shoot	3	4	-0.394923705122541	Indian Perfumer, 35: 52.
<i>Juniperus communis</i>	Plant	--	--		Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. <i>Herbal Medicine - A Guide for Health-care Professionals</i> . The Pharmaceutical Press, London. 296pp.
<i>Juniperus communis</i>	Essential Oil	--	--		--
<i>Kaempferia galanga</i>	Plant	--	--		--
<i>Kaempferia galanga</i>	Rhizome	--	--		--
<i>Larrea tridentata</i>	Plant	--	--		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Laurus nobilis	Leaf	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Laurus nobilis	Leaf Essent. Oil	--	4700	-0.6211151011481656	--
Lavandula angustifolia	Plant	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Lavandula latifolia	Plant	20	759	0.014955881894152036	--
Lavandula x hybrida	Shoot	55	80	-0.3214337582419869	Tucker, A.O., Maciarelllo, M.J., Angell, S., Espaillat, J.R., and French, E.C. 1993. The Essential Oil of Lavandula x hybrida Balb. ex Ging., a Distinct Hybrid from L. x heterophylla Poir. (Labiatae). J. Ess. Oil Res. 5: 443-445.
Lavandula x intermedia	Plant	200	330	-0.372722265090213	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Leonotis leonurus	Se	0.1	0.1		Pedro, L.G., Barroso, J.G., Marques, N.T., Ascensao, L., Pais, M.S.S. and Scheffer, J.J.C. 1991. Composition of the Essential Oil from Sepals of Leonotis leonurus R. Br. J. Ess. Oil Res. 3: 451-3
Levisticum officinale	Root	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Lindera benzoin	Twig	13	15		--
Liquidambar styraciflua	Leaf	--	--		--
Matricaria recutita	Plant	--	--		Kameoka, H. and Nakai, K. 1987. Components of essential oil from the root of Glycyrrhiza-glabra. Nippon Gogeikagaku Kaishi 61(9): 1119-1122.
Mentha longifolia	Shoot	1	1250	0.8099246345244387	Fleisher, Z. and Fleisher, A. 1991. The Essential Oils from Mentha longifolia Growing in Sinai and Israel. J. Ess. Oil Res., 3: 57.
Mentha spicata	Leaf	--	--		Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Mentha spicata</i>	Essential Oil	--	--	--	
<i>Micromeria croatica</i>	Leaf	2240	2240	2.297252342796775	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of <i>Micromeria congesta</i> . <i>J. Ess. Oil Res.</i> , 3: 387-393.
<i>Micromeria fruticosa</i>	Leaf	570	570	0.23005765977196016	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of <i>Micromeria congesta</i> . <i>J. Ess. Oil Res.</i> , 3: 387-393.
<i>Micromeria fruticosa</i>	Shoot	5	5	-0.39395673213727056	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of <i>Micromeria fruticosa</i> (L.) Druce subsp. <i>barbata</i> (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. <i>J. Ess. Oil Res</i> 3: 477-479.
<i>Micromeria fruticosa</i>	Shoot	--	5	-0.39395673213727056	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of <i>Micromeria fruticosa</i> (L.) Druce subsp. <i>barbata</i> (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. <i>J. Ess. Oil Res</i> 3: 477-479.
<i>Micromeria teneriffae</i>	Leaf	1490	1490	1.368871497126948	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of <i>Micromeria congesta</i> . <i>J. Ess. Oil Res.</i> , 3: 387-393.
<i>Micromeria varia</i>	Shoot	24	24	-0.37558424541713203	Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202.
<i>Micromeria varia</i>	Shoot	--	24	-0.37558424541713203	--
<i>Monarda didyma</i>	Flower	7	7		Flavour and Fragrance Journal, 6: 80.
<i>Monarda didyma</i>	Leaf	40	75	-0.3826736983701255	Flavour and Fragrance Journal, 6: 80.
<i>Myristica fragrans</i>	Essential Oil	--	--	--	
<i>Myrtus communis</i>	Plant	--	--		Guenther, E., <i>The Essential Oils</i> , 6 volumes, D. van Nostrand, New York, 1948-1952.
<i>Ocimum basilicum</i>	Plant	3	3	-0.6682251883160577	Die Nahrung. Pino, J., Rosado, A., Goire, I., Roncal, E., and Garcia, I. 1993. Analysis of the Essential Oil from Cuban Basil. <i>Die Nahrung</i> 37:(5): 501-504.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Ocimum basilicum	Plant	--	3	-0.6682251883160577	Die Nahrung. Pino, J., Rosado, A., Goire, I., Roncal, E., and Garcia, I. 1993. Analysis of the Essential Oil from Cuban Basil. Die Nahrung 37:(5): 501-504.
Ocimum basilicum	Essential Oil	--	1200	-0.9038697263749434	--
Ocimum basilicum	Shoot Essent. Oil	--	1200	-0.7871147430282157	--
Ocimum gratissimum	Plant	1	9	-0.6628031163302623	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Ocimum tenuiflorum	Leaf	240	240	-0.17842991232276373	Brophy, J.J., Goldsack, R.J., and Clarkson, J.R. 1993. The Essential Oil of Ocimum tenuiflorum L. (Lamiaceae) Growing in Northern Australia, J. Ess. Oil Res. 5: 459-461.
Origanum majorana	Plant	--	--		Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Origanum onites	Plant	315	315	-0.3862774450547013	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Origanum onites	Shoot	950	950	0.5198327389433041	Biondi, D., Cianci, P., Geraci, C. and Ruberto, G. 1993. Antimicrobial Activity and Chemical Composition of Essential Oils from Sicilian Aromatic Plants. Flav. & Frag. J. 8: 331-7.
Origanum onites	Shoot	--	950	0.5198327389433041	Biondi, D., Cianci, P., Geraci, C. and Ruberto, G. 1993. Antimicrobial Activity and Chemical Composition of Essential Oils from Sicilian Aromatic Plants. Flav. & Frag. J. 8: 331-7.
Origanum sipyleum	Shoot	140	140	-0.2634153791257599	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
Origanum sipyleum	Shoot	--	50	-0.3504429478001003	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Origanum sipyleum</i>	Shoot	--	1400	0.9549705823150062	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. <i>J. Ess. Oil Res.</i> 4: 139-142.
<i>Origanum sipyleum</i>	Shoot	--	200	-0.20539700000953295	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. <i>J. Ess. Oil Res.</i> 4: 139-142.
<i>Origanum syriacum</i>	Shoot	15	15	-0.3842870022845661	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of <i>Origanum syriacum</i> L. Essential Oil. <i>J. Ess. Oil Res.</i> 3: 121-123.
<i>Origanum syriacum</i>	Shoot	--	30	-0.36978240750550934	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of <i>Origanum syriacum</i> L. Essential Oil. <i>J. Ess. Oil Res.</i> 3: 121-123.
<i>Origanum syriacum</i>	Shoot	--	15	-0.3842870022845661	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of <i>Origanum syriacum</i> L. Essential Oil. <i>J. Ess. Oil Res.</i> 3: 121-123.
<i>Origanum vulgare</i>	Shoot	45	45	-0.3552778127264526	Lagouri, V., Blekas, G., Tsimidou, M., Kokkini, S., and Boskou, D. 1993. Composition and Antioxidant Activity of Essential Oils from Oregano Plants Grown Wild in Greece. <i>Z. Lebensm Unters Forsch</i> 197: 20-23.
<i>Origanum vulgare</i>	Plant	32	252	-0.4432092009055521	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Origanum vulgare</i>	Shoot Essent. Oil	--	14100	-0.6239581251643059	--
<i>Pelargonium graveolens</i>	Essential Oil	--	--		--
<i>Pinus elliottii</i>	Leaf	--	--		CRC Handbook of Medicinal Herbs and/or CRC Handbook of Proximate Analyses
<i>Pinus sylvestris</i>	Leaf	--	--		List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
<i>Pinus sylvestris</i>	Leaf Essent. Oil	6500	62000	0.16251562096096972	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Pinus sylvestris</i>	Essential Oil	--	--		--
<i>Pinus wallichiana</i>	Leaf	--	--		ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
<i>Piper auritum</i>	Leaf	--	--		Tramil
<i>Piper nigrum</i>	Fruit	--	--		--
<i>Piper nigrum</i>	Fruit Essent. Oil	--	--		--
<i>Plectranthus barbatus</i>	Essential Oil	30000	239000	1.4488770234667	--
<i>Plectranthus coleoides</i>	Shoot	120	120	-0.2827548388311689	Buchbauer, G., Jorovetz, L., Wasicky, M. and Nikiforov, A. 1993. Volatile Constituents of the Headspace and Essential Oil of Plectranthus coleoides Marginatus (Labiatae). <i>J. Ess. Oil Res.</i> 5: 311-313.
<i>Polygonum hydropiper</i>	Essential Oil	--	--		--
<i>Ptychopetalum olacoides</i>	Root Essent. Oil	--	5000		Uber Bucek, E., Fournier, G., Dadoun, H. 1987. Volatile Constituents of Ptychopetalum olacoides Root Oil. <i>Planta Med.</i> 53, 2: 231.
<i>Pycnanthemum beadlei</i>	Shoot	42	42	-0.35817873168226394	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Pycnanthemum incanum</i>	Shoot	33	57	-0.3436741369032072	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Pycnanthemum montanum</i>	Shoot	21	24	-0.37558424541713203	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Pycnanthemum muticum</i>	Shoot	58	1350	0.9066219330514838	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Pycnanthemum pycnanthemooides</i>	Shoot	78	116	-0.2866227307722507	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Pycnanthemum setosum	Shoot	160	248	-0.1589822967165514	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pycnanthemum tenuifolium	Shoot	6	220	-0.18605754030412397	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Rosmarinus eriocalyx	Shoot	105	245	-0.16188321567236275	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Rosmarinus eriocalyx	Shoot	105	245	-0.16188321567236275	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Rosmarinus officinalis	Leaf	24	24	-0.44580359587567375	Soliman, F.M., El-Kashoury, M.M., Fathy, M.M. and Gonaid, M.H. 1994. Analysis and Biological Activity of the Essential Oil of Rosmarinus officinalis L. from Egypt. Flavour and Fragrance J. 9: 29-33.
Rosmarinus officinalis	Leaf	--	24	-0.44580359587567375	Soliman, F.M., El-Kashoury, M.M., Fathy, M.M. and Gonaid, M.H. 1994. Analysis and Biological Activity of the Essential Oil of Rosmarinus officinalis L. from Egypt. Flavour and Fragrance J. 9: 29-33.
Rosmarinus officinalis	Plant	12	4237	3.157950276326836	--
Rosmarinus officinalis	Shoot	--	180	-0.22473645971494194	Tucker, A. O. and Maciarello, M. J. 1998. The essential oils of some rosemary cultivars. Flavor and Fragrance Journal, 1: 137-142. 1986.
Rosmarinus officinalis	Shoot	100	1020	0.5875208479122355	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Rosmarinus officinalis	Shoot	145	895	0.4666492247534293	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Rosmarinus officinalis	Essential Oil	21000	223000	1.290576148792746	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Rosmarinus officinalis	Resin, Exudate, Sap	--	--	--	--
Rosmarinus officinalis	Leaf Essent. Oil	--	47000	-0.04262331152833271	--
Rosmarinus officinalis	Shoot Essent. Oil	--	175000	1.4110728681925218	--
Rosmarinus tomentosus	Shoot	110	555	0.13787840976147653	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Rosmarinus x lavandulaceus	Shoot	75	345	-0.06518591714531781	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Rosmarinus x mendizabalii	Shoot	23	165	-0.23924105449399868	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Salvia canariensis	Leaf	160	160	-0.27745720252754513	Casnigueral,S., Iglesias,J., Vila,R., Virgili,A. and Ibanez,C.1994. The Essential Oil from Leaves of Salvia canariensis L. Flav. & Frag. J. 9:201-204. S. Canigueral, Facultat de Farmacia, Universitat de Barcelona, Ave.Diagonal 643,E-08028, Barcelone Spain
Salvia officinalis	Shoot	7000	7000	6.370019299829522	--
Salvia officinalis	Leaf Essent. Oil	16000	250000	2.73359024149356	--
Salvia officinalis	Essential Oil	19700	156000	0.627691236095563	--
Salvia officinalis	Et	--	79000		--
Santalum album	Wood	--	--		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Satureja cuneifolia</i>	Shoot	430	430	0.017006786602670382	Tumen, G. 1991. The Volatile Constituents of <i>Satureja cuneifolia</i> . <i>J. Ess. Oil Res.</i> , 3: 365-366.
<i>Satureja douglasii</i>	Plant	1	910	0.15141136020333412	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Satureja hortensis</i>	Plant	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Satureja montana</i>	Plant	15	545	-0.17843135226588086	--
<i>Satureja montana</i>	Essential Oil	--	12200	-0.7950378750366	--
<i>Satureja subspicata</i>	Plant	25	25	-0.6483442577014749	Stanic, G., Petricic, J., and Blazevic, N. 1991. Gas Chromatographic Investigations of Essential Oils of <i>Satureja montana</i> and <i>Satureja subspicata</i> from Yugoslavia. <i>J. Ess. Oil Res.</i> , 3: 153-158.
<i>Satureja thymbra</i>	Shoot	185	185	-0.2199015947885897	Lagouri, V., Blekas, G., Tsimidou, M., Kokkini, S., and Boskou, D. 1993. Composition and Antioxidant Activity of Essential Oils from Oregano Plants Grown Wild in Greece. <i>Z. Lebensm Unters Forsch</i> 197: 20-23.
<i>Stevia rebaudiana</i>	Flower	--	--		Kinghorn, A. D. (Ed.) 2002. Medicinal and Aromatic Plants - Industrial Profiles. Stevia. The genus Stevia. Taylor & Francis. New York, NY. 211 pp.
<i>Stevia rebaudiana</i>	Plant	--	--		Kinghorn, A. D. (Ed.) 2002. Medicinal and Aromatic Plants - Industrial Profiles. Stevia. The genus Stevia. Taylor & Francis. New York, NY. 211 pp.
<i>Tagetes minuta</i>	Essential Oil	--	6500	-0.8514325616391961	--
<i>Tanacetum parthenium</i>	Shoot	--	9	-0.3900888401961888	Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of <i>Tanacetum parthenium</i> (L.) Schultz-Bip. <i>Flavor and Fragrance Journal</i> 11(6): 367-71.
<i>Tanacetum parthenium</i>	Fruit Essent. Oil	--	1300		--
<i>Tanacetum parthenium</i>	Essential Oil	--	10000	-0.8168042453042687	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Tanacetum vulgare	Plant	--	--		--
Teucrium asiaticum	Shoot	0.1	0.1	-0.39869489976509587	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
Teucrium cyprium	Leaf	65	65	-0.3950521096457232	Arnold, N., Bellomaria, B., Valentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some Teucrium Species from Cyprus. J. Ethnopharm. 35: 105-113.
Teucrium divaricatum	Leaf	0	0	-0.4755117829371082	Arnold, N., Bellomaria, B., Valentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some Teucrium Species from Cyprus. J. Ethnopharm. 35: 105-113.
Teucrium kotschyanum	Leaf	0	0	-0.4755117829371082	Arnold, N., Bellomaria, B., Valentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some Teucrium Species from Cyprus. J. Ethnopharm. 35: 105-113.
Teucrium micropodioides	Leaf	0	0	-0.4755117829371082	Arnold, N., Bellomaria, B., Valentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some Teucrium Species from Cyprus. J. Ethnopharm. 35: 105-113.
Teucrium oxylepis	Shoot	--	--		Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
Teucrium oxylepis	Shoot	--	--		Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
Teucrium polium	Plant	--	--		Rizk, A.F.M., The Phytochemistry of the Flora of Qatar, Scientific and Applied Research Centre, University of Qatar, Kingprint, Richmond, UK, 1986.
Teucrium pseudoscorodonia	Shoot	--	--		Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Teucrium salviastrum</i>	Shoot	--	--		Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. <i>Phytochemistry</i> 29(4): 1165-9.
<i>Teucrium scorodonia</i>	Shoot	--	--		Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. <i>Phytochemistry</i> 29(4): 1165-9.
<i>Thuja occidentalis</i>	Branches	--	--		--
<i>Thymus broussonettii</i>	Shoot	70	70	-0.33110348809469137	Tantaoui-Elaraki, A., Lattaoui, N., Errifi, A. and Benjilali, B. 1993. Composition and Antimicrobial Activity of the Essential Oils of <i>Thymus broussonettii</i> , <i>T. zygis</i> and <i>T. saturejoides</i> . <i>J. Ess. Oil Res.</i> 5: 45-53.
<i>Thymus capitatus</i>	Plant	20	330	-0.372722265090213	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Thymus capitatus</i>	Shoot	60	60	-0.34077321794739585	Biondi, D., Cianci, P., Geraci, C. and Ruberto, G. 1993. Antimicrobial Activity and Chemical Composition of Essential Oils from Sicilian Aromatic Plants. <i>Flav. & Fragr. J.</i> 8: 331-7.
<i>Thymus funkii</i>	Shoot	550	550	0.1330435448351243	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of <i>Thymus funkii</i> Cousson. <i>Flav. & Fragr. J.</i> 10(6): 379-383.
<i>Thymus funkii</i>	Shoot	--	550	0.1330435448351243	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of <i>Thymus funkii</i> Cousson. <i>Flav. & Fragr. J.</i> 10(6): 379-383.
<i>Thymus mastichina</i>	Plant	1	350	-0.3546486918042286	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Thymus orospedanus</i>	Plant	875	875	0.11978260695286146	<i>J. Nat. Prod.</i>
<i>Thymus riatarum</i>	Shoot	1115	1115	0.6793832815129281	Iglesias, J., Vila, R., Canigueral, S., Bellakdhar, and II Idrissi, A. 1991. Analysis of the Essential Oil of <i>Thymus riatarum</i> . <i>J. Ess. Oil Res.</i> 3: 43-4.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Thymus saturejoides	Shoot	3120	3120	2.618164116980179	Tantaoui-Elaraki, A., Lattaoui, N., Errifi, A. and Benjlali, B. 1993. Composition and Antimicrobial Activity of the Essential Oils of Thymus broussonettii, T. zygis and T. saturejoides. J. Ess. Oil Res. 5: 45-53.
Thymus serpyllum	Plant	4	573	-0.15312834966550273	--
Thymus vulgaris	Leaf	15	1462	1.3342119455552743	--
Thymus vulgaris	Essential Oil	--	--		--
Thymus x citriodorus	Plant	20	20	-0.6528626510229709	Stahl-Biskup, E. and Holthuijen, J. 1995. Essential oil and glycosidally bound volatiles of lemon-scented thyme, Thymus x citriodorus (Pers.) Schreb. Flav. & Fragr. J. 10: 225-229.
Thymus zygis	Shoot	0.1	420	0.007337056749965889	De Cunha, A.P. and Salguiero, L.R. 1991. The Chemical Polymorphism of Thymus zygis ssp. sylvestris from Central Portugal. J. Ess. Oil Res. 3: 409-12.
Thymus zygis	Shoot	0.1	0.1	-0.39869489976509587	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Thymus zygis	Shoot	--	--		Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Valeriana officinalis	Root	5	460		--
Valeriana officinalis	Essential Oil	--	--		--
Valeriana officinalis	Leaf Essent. Oil	18200	153000	1.4070251447294047	--
Valeriana officinalis	Root Essent. Oil	--	--		--
Valeriana officinalis	Leaf	5	3900	4.352068614545992	Father Nature's Farmacy: The aggregate of all these three-letter citations.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Zingiber officinale	Rhizome Essent. Oil	--	18000		--
Zingiber officinale	Rhizome	--	180		--