

# C CALAMENENE

## Chemid

### CALAMENENE

\*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Acorus calamus	Rhizome	10	2535	1	--
Agathosma betulina	Leaf Essent. Oil	--	--	--	--
Anethum graveolens	Leaf	1	3	-0.584716751803048	--
Artemisia herba-alba	Plant	--	--	--	--
Boswellia sacra	Essential Oil	--	--	--	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Cannabis sativa	Leaf Essent. Oil	--	--	--	--
Cannabis sativa	Plant	--	--	--	Turner, C. E., El Sohly, M. A., Boeren, E. G. 1980. Constituents of Cannabis sativa L. XVII. A Review of the Natural Constituents. J Natural Products, 432: 169-234.
Copaifera spp	Gum	--	--	--	--
Croton eluteria	Bark	--	--	--	--
Croton lechleri	Plant	--	--	--	Taylor, Leslie. 2005. The Healing Power of Rainforest Herbs. SquareOne Publisher, Garden City Park, NY. 519 pp.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Cymbopogon winterianus</i> Plant		--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Ephedra sinica</i>	Shoot	--	5	-0.45758835460299646	--
<i>Eucalyptus angulosa</i>	Leaf	--	1.5	-0.6169938050797129	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria,Series Incrassatae.Flavour and Fragrance J.9(3):113-7
<i>Eucalyptus behriana</i>	Leaf	2.7	2.7	-0.591172162458381	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus ceratocorys</i>	Leaf	--	1.5	-0.6169938050797129	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria,Series Incrassatae.Flavour and Fragrance J.9(3):113-7
<i>Eucalyptus cuprea</i>	Leaf	6.4	6.4	-0.5115554310426078	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus desquamata</i>	Leaf	110	110	1.7177130485990428	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
<i>Eucalyptus dolichorhyncha</i>	Leaf	--	26	-0.08980193489418745	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria,Series Incrassatae.Flavour and Fragrance J.9(3):113-7

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus erythrandra	Leaf	--	7	-0.4986446097319419	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria,Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus fasiculosa	Leaf	0	1.3	-0.6212974121832683	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus forrestiana	Leaf	--	105	1.61012287101016	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria,Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus incrassata	Leaf	--	14	-0.34801836110750606	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria,Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus intertexta	Leaf	5.5	5.5	-0.5309216630086067	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus lansdowneana	Leaf	2.4	2.4	-0.5976275731137141	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus largisparsa	Leaf	4.6	4.6	-0.5502878949746056	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus leucoxylon	Leaf	8	8	-0.4771265742141653	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus melanophloia	Leaf	5	5	-0.541680680767495	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus nova-anglica	Leaf	65	110	1.7177130485990428	Brophy, J. L., Lassak, E. V., & Boland, D. J. 1992. The Leaf Essential Oils of Eucalyptus nova-anglica. Deane & Maiden. Journal of Essential Oil Res. 4: 29-32.
Eucalyptus ochrophloia	Leaf	5	5	-0.541680680767495	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus odorata	Leaf	70	70	0.8569916278879808	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus populnea	Leaf	1.8	1.8	-0.61053839442438	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus porosa	Leaf	25	25	-0.111319970411964	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus sparsa	Leaf	25	25	-0.111319970411964	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus stoatei	Leaf	--	55	0.5342210951213325	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus tetraptera	Leaf	--	10	-0.43409050317861225	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus viridis	Leaf	0	0.5	-0.6385118405974894	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Humulus lupulus	Fruit	2	2	-0.6174844953736063	--
Juniperus communis	Fruit	71	71	-0.5933257121003137	--
Larrea tridentata	Plant	--	--		--
Leonotis leonurus	Se	4	4		Pedro, L.G., Barroso, J.G., Marques, N.T., Ascensao, L., Pais, M.S.S. and Scheffer, J.J.C. 1991. Composition of the Essential Oil from Sepals of Leonotis leonurus R. Br. J. Ess. Oil Res. 3: 451-3
Levisticum officinale	Root	0	5		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Magnolia denudata	Bulb	--	--		--
Magnolia denudata	Leaf	--	--		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Melaleuca alternifolia	Leaf	10	25	-0.111319970411964	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Melaleuca alternifolia	Essential Oil	--	2700	-1	--
Myroxylon balsamum	Plant	--	--	--	
Myrtus communis	Plant	1	2	-0.7588347614195404	--
Nepeta racemosa	Shoot	85	85	2.1895030609973447	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.
Nepeta racemosa	Shoot	--	85	2.1895030609973447	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.
Ocimum basilicum	Shoot Essent. Oil	--	600	--	
Origanum vulgare	Plant	24	96	1.7008365342162117	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pelargonium graveolens	Essential Oil	--	--	--	
Pimenta dioica	Fruit	90	90	-0.5866732935178128	--
Pimenta racemosa	Leaf	0	36	0.12537842028357807	--
Pinus sylvestris	Essential Oil	--	--	--	
Pinus sylvestris	Leaf Essent. Oil	--	--	--	
Piper cubeba	Fruit	3700	7400	1.9727572242759401	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Piper nigrum	Fruit	--	--		--
Piper nigrum	Fruit Essent. Oil	--	--		--
Psidium guajava	Pericarp Essent. Oil	--	--		--
Rheum palmatum	Rhizome	--	9	-1	--
Rosmarinus officinalis	Plant	1	5	-0.6803346136864845	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Satureja hortensis	Plant	--	--		--
Scutellaria lateriflora	Essential Oil	--	152000	1	--
Sideritis athoa	Shoot	11	11	-0.25905649843297085	Ozek, T., Baser, K.H.C. and Tumen, G. 1993. The Essential Oil of Sideritis athoa Papanikolaou Et Kokkini. J. Ess. Oil Res. 5: 669-670.
Sideritis germanicolpitana	Plant	20	21	-0.26166715911018623	J. Essential Oil, 4: 533.
Sideritis mugronensis	Flower	1	90	1	Manez, S., Jimenez, A., and Villar, A. 1991. Volatiles of Sideritis mugronensis Flower and Leaf. J. Ess. Oil Res., 3: 395-397.
Sideritis mugronensis	Leaf	1	10	-0.43409050317861225	Manez, S., Jimenez, A., and Villar, A. 1991. Volatiles of Sideritis mugronensis Flower and Leaf. J. Ess. Oil Res., 3: 395-397.
Stevia rebaudiana	Flower	--	4	-1	Kinghorn, A. D. (Ed.) 2002. Medicinal and Aromatic Plants - Industrial Profiles. Stevia. The genus Stevia. Taylor & Francis. New York, NY. 211 pp.
Stevia rebaudiana	Leaf	--	18	-0.26194621903639986	Kinghorn, A. D. (Ed.) 2002. Medicinal and Aromatic Plants - Industrial Profiles. Stevia. The genus Stevia. Taylor & Francis. New York, NY. 211 pp.
Syzygium aromaticum	Flower	--	--		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Syzygium aromaticum	Leaf	--	210	3.8695166003766976	Charalambous, G. (Ed.). 1994. Spices, Herbs and Edible Fungi. Elsevier Science B.V. Amsterdam. 764 pp.
Syzygium aromaticum	Fruit	--	1265	-0.17527372328420673	--
Teucrium asiaticum	Shoot	23.11	23.11	0.14164696460353077	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
Teucrium gnaphalodes	Shoot	0	0	-0.623031568078018	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian Teucrium Species. J. Ess. Oil Res. 5: 397-402.
Teucrium oxylepis	Shoot	7.86	7.86	-0.3629548364952843	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
Teucrium oxylepis	Shoot	3.66	3.66	-0.5019271358143023	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
Teucrium polium	Shoot	0.5	0.5	-0.6064872467305158	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian Teucrium Species. J. Ess. Oil Res. 5: 397-402.
Teucrium pseudoscorodonia	Shoot	1.42	1.42	-0.576045695451112	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
Teucrium salviastrum	Shoot	0.84	0.84	-0.5952371082142144	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
Teucrium scorodonia	Shoot	2.56	2.56	-0.5383246427788071	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.
Turnera diffusa	Leaf	--	--		List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Zingiber officinale	Rhizome Essent. Oil	--	--	--	