

**Dr. Duke's Phytochemical and Ethnobotanical Database**

**Chemicals Found in Chrysanthemum parthenium**

| Activity Count | Chemical        | Plant Part | Low PPM | High PPM | StdDev               | Reference Citation   |
|----------------|-----------------|------------|---------|----------|----------------------|--|
| 67             | 1,8-CINEOLE     | Shoot      | --      | --       |                      | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of Tanacetum parthenium (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |
| 2              | ALPHA-HUMULENE  | Shoot      | --      | --       |                      | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of Tanacetum parthenium (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |
| 28             | ALPHA-PINENE    | Shoot      | --      | 15       | -0.14595252753743698 | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of Tanacetum parthenium (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |
| 13             | ALPHA-TERPINENE | Shoot      | --      | 45       | -0.35510895262369646 | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of Tanacetum parthenium (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |
| 23             | ALPHA-TERPINEOL | Shoot      | --      | 2.5      | -0.2832600201311504  | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of Tanacetum parthenium (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |
| 5              | ALUMINUM        | Plant      | --      | 6        | -0.7451443685154636  |  |
| 5              | ALUMINUM        | Leaf       | 1.1     | 6.2      | -0.7739201621517691  |  |
| 112            | ASCORBIC-ACID   | Leaf       | 59      | 330      | -0.4133003020377577  |  |
| 112            | ASCORBIC-ACID   | Plant      | --      | 330      | -0.5162152379862993  |  |
| 24             | BENZALDEHYDE    | Shoot      | --      | --       |                      | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of Tanacetum parthenium (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |

| Activity Count | Chemical           | Plant Part | Low PPM | High PPM | StdDev               | Reference Citation  |
|----------------|--------------------|------------|---------|----------|----------------------|---|
| 1              | BENZYL-ISOBUTYRATE | Shoot      | --      | --       |                      | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of <i>Tanacetum parthenium</i> (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |
| 1              | BENZYL-ISOVALERATE | Shoot      | --      | --       |                      | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of <i>Tanacetum parthenium</i> (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |
| 2              | BENZYL-PROPIONATE  | Shoot      | --      | --       |                      | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of <i>Tanacetum parthenium</i> (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |
| 53             | BETA-CAROTENE      | Leaf       | 2.5     | 14       | -1.0769698969992798  |   |
| 53             | BETA-CAROTENE      | Plant      | --      | 14       | -0.6513567486971203  |   |
| 13             | BETA-PINENE        | Shoot      | --      | 4        | -0.12082019397820601 | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of <i>Tanacetum parthenium</i> (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |
| 35             | BORNEOL            | Shoot      | --      | 9        | -0.3900888401961888  | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of <i>Tanacetum parthenium</i> (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |
| 12             | BORNYL-ACETATE     | Shoot      | --      | 28       | -0.36126712188937815 | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of <i>Tanacetum parthenium</i> (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |
| 28             | CALCIUM            | Leaf       | 1046    | 5810     | -0.8627855213639186  |   |
| 28             | CALCIUM            | Plant      | --      | 5810     | -0.8321353407836742  |   |
| 9              | CAMPHENENE         | Shoot      | --      | 95       | -0.1255113105525119  | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of <i>Tanacetum parthenium</i> (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |

| Activity Count | Chemical              | Plant Part | Low PPM | High PPM | StdDev               | Reference Citation  |
|----------------|-----------------------|------------|---------|----------|----------------------|---|
| 41             | CAMPHOR               | Shoot      | --      | 640      | -0.13323257181495227 | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of <i>Tanacetum parthenium</i> (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |
| 37             | CARVACROL             | Shoot      | --      | --       |                      | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of <i>Tanacetum parthenium</i> (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |
| 6              | CARYOPHYLLENE-EPOXIDE | Shoot      | --      | 31       | 1.6391694335729892   | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of <i>Tanacetum parthenium</i> (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |
| 24             | CHROMIUM              | Plant      | --      | 17       | 0.7215583160252136   |   |
| 24             | CHROMIUM              | Leaf       | 0.3     | 1.7      | -0.5014979759508905  |   |
| 2              | CHRYSANTHENYL-ACETATE | Shoot      | --      | 360      |                      | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of <i>Tanacetum parthenium</i> (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |
| 2              | COBALT                | Leaf       | --      | --       |                      |   |
| 2              | COBALT                | Plant      | --      | --       |                      |   |
| 4              | COSMOIN               | Flower     | --      | --       |                      |   |
| 10             | CUMINALDEHYDE         | Shoot      | --      | --       | -0.32576507180696485 | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of <i>Tanacetum parthenium</i> (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |
| 9              | DELTA-CADINENE        | Shoot      | --      | --       |                      | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of <i>Tanacetum parthenium</i> (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |
| 15             | FIBER                 | Plant      | --      | 143000   | -0.5900378792839802  |   |

| Activity Count | Chemical        | Plant Part | Low PPM | High PPM | StdDev                | Reference Citation   |
|----------------|-----------------|------------|---------|----------|-----------------------|--|
| 11             | GAMMA-TERPINENE | Shoot      | --      | 28       | -0.3749884139681809   | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of Tanacetum parthenium (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |
| 2              | GERMACRENE-D    | Shoot      | --      | 45       | -0.3452637958418838   | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of Tanacetum parthenium (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |
| 6              | IRON            | Plant      | --      | --       |                       |  |
| 6              | IRON            | Leaf       | --      | --       |                       |  |
| 60             | LIMONENE        | Shoot      | --      | --       |                       | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of Tanacetum parthenium (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |
| 65             | MAGNESIUM       | Plant      | --      | 2400     | -0.5172740870337147   |  |
| 65             | MAGNESIUM       | Leaf       | 432     | 2400     | -0.6663684293483372   |  |
| 14             | MANGANESE       | Plant      | --      | 81       | -0.11436285896481094  |  |
| 14             | MANGANESE       | Leaf       | 1.5     | 8.1      | -0.4464199708972928   |  |
| 39             | NIACIN          | Leaf       | 69      | 385      | 3.4970225601256777    |  |
| 39             | NIACIN          | Plant      | --      | --       |                       |  |
| 16             | P-CYMENE        | Shoot      | --      | 9        | -0.49426810257944204  | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of Tanacetum parthenium (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |
| 27             | PARTHENOLIDE    | Flower     | --      | --       |                       |  |
| 4              | PHOSPHORUS      | Plant      | --      | 5010     | 0.683008160317236     |  |
| 4              | PHOSPHORUS      | Leaf       | 902     | 5010     | 0.0070918616587032435 |  |

| Activity Count | Chemical      | Plant Part | Low PPM | High PPM | StdDev               | Reference Citation  |
|----------------|---------------|------------|---------|----------|----------------------|---|
| 1              | PINOCARVONE   | Shoot      | --      | 2        | -0.6307569440575539  | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of <i>Tanacetum parthenium</i> (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |
| 14             | POTASSIUM     | Plant      | --      | 22500    | 0.04901058337072094  |   |
| 14             | POTASSIUM     | Leaf       | 4050    | 22500    | -0.34637690026129236 |   |
| 1              | REYNOSIN      | Plant      | --      | --       |                      |   |
| 15             | RIBOFLAVIN    | Plant      | --      | 2.5      | -0.6210248948087893  |   |
| 15             | RIBOFLAVIN    | Leaf       | 0.5     | 2.5      | -0.16614280918315402 |   |
| 5              | SABINENE      | Shoot      | --      | 5        | -0.29059831881924897 | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of <i>Tanacetum parthenium</i> (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |
| 5              | SANTAMARIN    | Flower     | --      | --       |                      |   |
| 5              | SANTAMARIN    | Leaf       | --      | --       |                      |   |
| 60             | SELENIUM      | Leaf       | 0.3     | 1.7      | -0.251928089645715   |   |
| 60             | SELENIUM      | Plant      | --      | --       |                      |   |
| 4              | SILICON       | Leaf       | 0.8     | 4.6      | -0.3995099669647397  |   |
| 4              | SILICON       | Plant      | --      | 46       | -0.2687912012116913  |   |
| 1              | SODIUM        | Plant      | --      | 48       | -0.3014209590315537  |   |
| 1              | SODIUM        | Leaf       | 9       | 48       | -0.6387597714851067  |   |
| 23             | TERPINEN-4-OL | Shoot      | --      | 4        | -0.16552235945768073 | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of <i>Tanacetum parthenium</i> (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |

| Activity Count | Chemical    | Plant Part | Low PPM | High PPM | StdDev              | Reference Citation  |
|----------------|-------------|------------|---------|----------|---------------------|---|
| 9              | TERPINOLENE | Shoot      | --      | --       |                     | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of <i>Tanacetum parthenium</i> (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |
| 31             | THIAMIN     | Plant      | --      | 4.1      | -0.2974931626940486 |   |
| 2              | THUJOPSENE  | Shoot      | --      | 1.5      | -0.7071067811865476 | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of <i>Tanacetum parthenium</i> (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |
| 71             | THYMOL      | Shoot      | --      | --       |                     | Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of <i>Tanacetum parthenium</i> (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71. |
| 4              | TIN         | Plant      | --      | 21       | 0.00964806037643002 |   |
| 4              | TIN         | Leaf       | 4       | 21       | 0.6450694378363876  |   |
| 77             | ZINC        | Plant      | --      | --       |                     |   |
| 77             | ZINC        | Leaf       | --      | --       |                     |   |