

C FATTY-ACIDS

Chemid

FATTYACIDS

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Carica papaya	Seed Oil	--	--		Jim Duke's personal files.
Citrullus lanatus	Seed	--	--		--
Duboisia myoporoides	Leaf	--	--		--
Linum usitatissimum	Seed Oil	--	--		Upadhyia, G. S., Narayanaswamy, G., Kartha, A. R. S. 1974. Note on the Comparative Development of Fatty Acids in Ripening Seeds of 6 Dicot Species Producing C16-C18 Acid Fats. Indian J. Agr. Sci. 44: 620.
Oenothera biennis	Seed	--	--		--
Prunus africana	Bark	--	--		--
Quercus suber	Cork	200000	380000		--
Sambucus nigra	Flower	--	2000		Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Serenoa repens	Fruit	30000	92000		--
Sesamum indicum	Seed Oil	--	--		--

Plant	Part	Low PPM	High PPM	StdDev Reference
Terminalia catappa	Seed Oil	--	--	Upadhy, G. S., Narayanaswamy, G., Kartha, A. R. S. 1974. Note on the Comparative Development of Fatty Acids in Ripening Seeds of 6 Dicot Species Producing C16-C18 Acid Fats. Indian J. Agr. Sci. 44: 620.