

**Dr. Duke's Phytochemical and Ethnobotanical Database**

**List of Plants for GAMMA-EUDESOL**

<b>Plant</b>	<b>Part</b>	<b>Low PPM</b>	<b>High PPM</b>	<b>StdDev</b>	<b>Reference</b>
Ananas comosus	Fruit	--	--		Wealth of India.
Eucalyptus angulosa	Leaf	--	9	-0.5689441194392867	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Symphyomyrtus,Section Dumaria,Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus behriana	Leaf	2.7	2.7	-0.7206946678079362	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus brassiana	Leaf	--	0	-0.7857306171087862	Singh, A. K., Gupta, K. C., & Brophy, J. J. 1991. Chemical Constituents of the Leaf Essential Oil of Eucalyptus brassiana S. T. Blake. Journal of Essential Oil Res. 3: 45-7.
Eucalyptus ceratocorys	Leaf	--	6	-0.6412062853291198	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Symphyomyrtus,Section Dumaria,Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus cuprea	Leaf	90	90	1.382134359586209	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus desquamata	Leaf	14	14	-0.44850717628956466	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus dolichorhyncha	Leaf	--	34	0.03324059630932315	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Symphyomyrtus,Section Dumaria,Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus erythrandra	Leaf	--	16	-0.4003323990296759	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Symphyomyrtus,Section Dumaria,Series Incrassatae.Flavour and Fragrance J.9(3):113-7

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus fasciculosa	Leaf	19	19	-0.32807023313984274	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus forrestiana	Leaf	--	80	1.1412604732867653	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part I. Subgenus Symphyomyrtus, Section Dumaria, Series Incrassatae. Flavour and Fragrance J. 9(3):113-7
Eucalyptus globulus	Leaf Essent. Oil	--	6000		--
Eucalyptus incrassata	Leaf	--	95	1.502571302735931	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part I. Subgenus Symphyomyrtus, Section Dumaria, Series Incrassatae. Flavour and Fragrance J. 9(3):113-7
Eucalyptus intertexta	Leaf	5.5	5.5	-0.653249979644092	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus lansdowneana	Leaf	5	5	-0.6652936739590642	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus largisparsa	Leaf	10	10	-0.5448567308093423	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus leucoxylon	Leaf	150	150	2.8273776773828727	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus melanophloia	Leaf	2	2	-0.7375558398488974	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Eucalyptus nova-anglica</i>	Leaf	50	80	1.1412604732867653	Brophy, J. L., Lassak, E. V., & Boland, D. J. 1992. The Leaf Essential Oils of <i>Eucalyptus nova-anglica</i> . Deane & Maiden. <i>Journal of Essential Oil Res.</i> 4: 29-32.
<i>Eucalyptus ochrophloia</i>	Leaf	0.5	0.5	-0.773686922793814	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus odorata</i>	Leaf	14	14	-0.44850717628956466	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus populnea</i>	Leaf	1.8	1.8	-0.7423733175748863	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus porosa</i>	Leaf	11	11	-0.5207693421793979	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus sparsa</i>	Leaf	25	25	-0.18354590136017637	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus stoatei</i>	Leaf	--	115	1.984319075334819	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part I. Subgenus <i>Symphyomyrtus</i> , Section <i>Dumaria</i> , Series <i>Incrassatae</i> . <i>Flavour and Fragrance J.</i> 9(3):113-7
<i>Eucalyptus tetraptera</i>	Leaf	--	29	-0.08719634684039881	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part I. Subgenus <i>Symphyomyrtus</i> , Section <i>Dumaria</i> , Series <i>Incrassatae</i> . <i>Flavour and Fragrance J.</i> 9(3):113-7
<i>Eucalyptus viridis</i>	Leaf	1	1	-0.7616432284788418	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Ferula gummosa</i>	Plant	--	--		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Ginkgo biloba	Wood	--	--		Kameoka, H. and Nakai, K. 1987. Components of essential oil from the root of Glycyrrhiza-glabra. Nippon Gogeikagaku Kaishi 61(9): 1119-1122.
Ginkgo biloba	Heart Wood	--	--		Jim Duke's personal files.
Humulus lupulus	Fruit	18	18		--
Hypericum perforatum	Plant	1.5	27	-1	--
Juniperus virginiana	Leaf	--	--		--
Larrea tridentata	Plant	--	--		--
Rhododendron dauricum	Plant	--	--		--
Rosmarinus officinalis	Plant	7	32	1	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Thuja occidentalis	Wood	--	--		--
Thymus funkii	Shoot	0	0		Vila, R., et al. 1995. Composition and study of the variability of the essential oil of Thymus funkii Cousson. Flav. & Fragr. J. 10(6): 379-383.
Thymus funkii	Shoot	--	0		Vila, R., et al. 1995. Composition and study of the variability of the essential oil of Thymus funkii Cousson. Flav. & Fragr. J. 10(6): 379-383.
Zingiber officinale	Rhizome	2	115		Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
Zingiber officinale	Rhizome Essent. Oil	--	2300		--