

Dr. Duke's Phytochemical and Ethnobotanical Database

Chemicals Found in Eucalyptus largisparsa

| Activity Count | Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference Citation |
|----------------|----------------------------|------------|---------|----------|-----------------------|---|
| 67 | 1,8-CINEOLE | Leaf | 4030 | 4030 | -0.011863069257525474 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | A-MUUROLENE | Leaf | 35 | 35 | 2.072158574390709 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | ALLO-AROMADENDRENE | Leaf | 305 | 305 | -0.131899375247757 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | ALPHA-BULNESENE | Leaf | 75 | 75 | 1.113957017243694 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | ALPHA-CAMPHOLENIC-ALDEHYDE | Leaf | 4.6 | 4.6 | -0.4790506686642409 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activity Count | Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference Citation |
|----------------|--------------------------|------------|---------|----------|----------------------|---|
| 0 | ALPHA-COPAENE | Leaf | 20 | 20 | -0.23731921323893723 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | ALPHA-CUBEBENE | Leaf | 4.6 | 4.6 | -0.38251819408556736 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | ALPHA-EUDESOL | Leaf | 15 | 15 | -0.6020590684566249 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | ALPHA-FENCHENE | Leaf | -- | -- | -0.4609977705185447 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | ALPHA-GURJUNENE | Leaf | 225 | 225 | 1.2138363345953984 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | ALPHA-P-DIMETHYL-STYRENE | Leaf | 4.6 | 4.6 | -0.40782062266063757 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activity Count | Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference Citation |
|----------------|--------------------|------------|---------|----------|----------------------|---|
| 11 | ALPHA-PHELLANDRENE | Leaf | 4.6 | 4.6 | -0.31105917259482935 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 28 | ALPHA-PINENE | Leaf | 2495 | 2495 | -0.06255777726948819 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 3 | ALPHA-SELINENE | Leaf | 35 | 35 | -0.09215801659167852 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 23 | ALPHA-TERPINEOL | Leaf | 13 | 13 | -0.5674287238571262 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 3 | AROMADENDRENE | Leaf | 1690 | 1690 | 0.40342274077096435 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | BETA-CARYOPHYLLENE | Leaf | 4.6 | 4.6 | -0.3325771950090151 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activity Count | Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference Citation |
|----------------|-----------------------------|------------|---------|----------|----------------------|---|
| 0 | BETA-CIS-OCIMENE | Leaf | 4.6 | 4.6 | -0.3427465949553687 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | BETA-CUBEBENE | Leaf | 50 | 50 | -0.1683136890063777 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 5 | BETA-ELEMENE | Leaf | 85 | 85 | 0.026475085413616428 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 13 | BETA-EUDESOL | Leaf | 25 | 25 | -0.5465035584056581 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 3 | BETA-PHELLANDRENE | Leaf | 4.6 | 4.6 | -0.4533427699922941 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | BETA-PHENYLETHYL-PROPIONATE | Leaf | 4.6 | 4.6 | -0.2544361917351851 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activity Count | Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference Citation |
|----------------|--------------------|------------|---------|----------|------------------------|---|
| 13 | BETA-PINENE | Leaf | 4.6 | 4.6 | -0.42234470066309865 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 3 | BETA-SELINENE | Leaf | 52 | 52 | -0.0039728072766764665 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | BETA-TRANS-OCIMENE | Leaf | -- | -- | -0.6714561647172038 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | BICYCLOELEMENE | Leaf | 9 | 9 | 0.2674531428097268 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | BICYCLOGERMACRENE | Leaf | 4.6 | 4.6 | -0.2776902203568448 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 35 | BORNEOL | Leaf | 4.6 | 4.6 | -0.46981771375033327 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activity Count | Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference Citation |
|----------------|-----------------------|------------|---------|----------|-----------------------|---|
| 0 | CADINA-1,4-DIENE | Leaf | 31 | 31 | 0.4138468205226958 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | CALACORENE | Leaf | 18 | 18 | -0.006559784188010881 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | CALAMENENE | Leaf | 4.6 | 4.6 | -0.5502878949746056 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 19 | CARVONE | Leaf | 4.6 | 4.6 | -0.28191578738283346 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 8 | CARYOPHYLLENE-OXIDE | Leaf | 4.6 | 4.6 | -0.4365230252834394 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | CIS-P-MENTH-2-EN-1-OL | Leaf | 4.6 | 4.6 | -0.2698622042433145 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activity Count | Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference Citation |
|----------------|-------------------------------|------------|---------|----------|----------------------|---|
| 0 | CIS-P-MENTHA-1(7),8-DIEN-2-OL | Leaf | 9 | 9 | -0.08932071417197211 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | CIS-P-MENTHA-1,8-DIEN-6-OL | Leaf | 4.6 | 4.6 | -0.4624772365438518 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | CIS-PIPERITOL | Leaf | 4.6 | 4.6 | -0.34114761758857254 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | CRYPTONE | Leaf | 4.6 | 4.6 | -0.2695404818675845 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | CUMINAL | Leaf | 4.6 | 4.6 | -0.28874071577580396 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 9 | DELTA-CADINENE | Leaf | 50 | 50 | -0.24641334861755498 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activity Count | Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference Citation |
|----------------|-----------------|------------|---------|----------|----------------------|---|
| 1 | DELTA-CADINOL | Leaf | 6 | 6 | -0.4501312625345181 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | DELTA-ELEMENE | Leaf | 4.6 | 4.6 | -0.4271120422339548 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | DELTA-TERPINEOL | Leaf | 8 | 8 | -0.3399466554934129 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | EO | Leaf | 9200 | 9200 | -0.20538886846416335 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | FENCHOL | Leaf | 4.6 | 4.6 | -0.6275640549214798 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | GAMMA-EUDESOL | Leaf | 10 | 10 | -0.5448567308093423 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activity Count | Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference Citation |
|----------------|----------------------|------------|---------|----------|----------------------|---|
| 11 | GAMMA-TERPINENE | Leaf | 17 | 17 | -0.33914517533266125 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 35 | GERANIOL | Leaf | -- | -- | -0.23047566655859675 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | GLOBULOL | Leaf | 340 | 340 | -0.21124195247689098 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | ISOAMYL-ISOVALERATE | Leaf | -- | -- | -0.501945328806811 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | ISOBUTYL-ISOVALERATE | Leaf | 4.6 | 4.6 | -0.5555884271021133 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 60 | LIMONENE | Leaf | 135 | 135 | -0.30576412618413923 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activity Count | Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference Citation |
|----------------|--------------|------------|---------|----------|----------------------|---|
| 0 | LINALOL | Leaf | 4.6 | 4.6 | -0.4398747484261581 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 22 | MYRCENE | Leaf | 4.6 | 4.6 | -0.17101562374666995 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 5 | MYRTENAL | Leaf | 4.6 | 4.6 | -0.5620277938283225 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 2 | MYRTENOL | Leaf | 4.6 | 4.6 | -0.41465094154810295 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 10 | NEROL | Leaf | 4.6 | 4.6 | -0.2833456265927445 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | P-CYMEN-8-OL | Leaf | 32 | 32 | 0.5643126655863213 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activity Count | Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference Citation |
|----------------|-------------|------------|---------|----------|----------------------|---|
| 16 | P-CYMENE | Leaf | 39 | 39 | -0.36771241262031 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | PALUSTROL | Leaf | 8 | 8 | -0.3346696350325099 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 1 | PINOCARVONE | Leaf | 42 | 42 | -0.12054968845149848 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 7 | PIPERITONE | Leaf | 4.6 | 4.6 | -0.35456127605915305 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 5 | SABINENE | Leaf | 4.6 | 4.6 | -0.2582780222587392 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | SPATHULENOL | Leaf | 15 | 15 | -0.6887640768428146 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activity Count | Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference Citation |
|----------------|---------------------------------|------------|---------|----------|----------------------|---|
| 23 | TERPINEN-4-OL | Leaf | 300 | 300 | -0.16902528608533154 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 9 | TERPINOLENE | Leaf | 4.6 | 4.6 | -0.2262347620530028 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | TORQUATONE | Leaf | 40 | 40 | -0.1360918950272022 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | TRANS-P-MENTH-2-EN-1-OL | Leaf | 15 | 15 | 0.3048430484691121 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | TRANS-P-MENTHA-1(7),8-DIEN-2-OL | Leaf | 4.6 | 4.6 | -0.7171949543062192 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | TRANS-P-MENTHA-1,8-DIEN-6-OL | Leaf | 6 | 6 | -0.22636625022575882 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activity Count | Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference Citation |
|----------------|-------------------|------------|---------|----------|----------------------|---|
| 2 | TRANS-PINOCARVEOL | Leaf | 55 | 55 | -0.4458246699151559 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | TRANS-PIPERITOL | Leaf | 4.6 | 4.6 | -0.5841962687024438 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 5 | VERBENONE | Leaf | 4.6 | 4.6 | -0.34743263666199714 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0 | VIRIDIFLORENE | Leaf | 85 | 85 | -0.1739663931368892 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 1 | VIRIDIFLOROL | Leaf | 110 | 110 | -0.2098170911888348 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |