

Dr. Duke's Phytochemical and Ethnobotanical Database

List of Plants for MALIC-ACID

| Plant | Part | Low PPM | High PPM | StdDev | Reference |
|------------------------------|-------|---------|----------|---------------------|--|
| <i>Acacia nilotica</i> | Plant | -- | -- | | -- |
| <i>Aconitum napellus</i> | Plant | -- | -- | | List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979. |
| <i>Allium cepa</i> | Bulb | -- | -- | | Soldatenkov, S. V., Mazurova, T. A., Rantleev, A. N. 1960. Organic Acids of Onion and Spinach. Trudy Petergof Biol. Inst., Leningrad Gosudarst Univ Im AA Zhdanova, 18: 55-61. |
| <i>Allium cepa</i> | Leaf | -- | -- | | Soldatenkov, S. V., Mazurova, T. A., Rantleev, A. N. 1960. Organic Acids of Onion and Spinach. Trudy Petergof Biol. Inst., Leningrad Gosudarst Univ Im AA Zhdanova, 18: 55-61. |
| <i>Allium schoenoprasum</i> | Leaf | -- | -- | | -- |
| <i>Alocasia macrorrhiza</i> | Plant | -- | -- | | -- |
| <i>Ananas comosus</i> | Fruit | 1000 | 4700 | -0.6457922708636072 | -- |
| <i>Angelica archangelica</i> | Plant | -- | -- | | -- |
| <i>Angelica archangelica</i> | Root | -- | -- | | -- |
| <i>Annona muricata</i> | Plant | -- | -- | | -- |
| <i>Annona squamosa</i> | Plant | -- | -- | | -- |
| <i>Apium graveolens</i> | Pt | -- | -- | | -- |
| <i>Apium graveolens</i> | Root | -- | -- | | -- |
| <i>Apium graveolens</i> | Shoot | -- | -- | | -- |

| Plant | Part | Low PPM | High PPM | StdDev | Reference |
|---|-----------|---------|----------|----------------------|--|
| <i>Arctostaphylos uva-ursi</i> | Leaf | -- | -- | | List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979. |
| <i>Arnica montana</i> | Flower | -- | -- | | -- |
| <i>Avena sativa</i> | Petiole | -- | -- | | -- |
| <i>Avena sativa</i> | Hull Husk | -- | -- | | -- |
| <i>Averrhoa carambola</i> | Fruit | 12100 | 12100 | -0.16400723769458544 | Morton, J.F., Major Medicinal Plants. 1977. Atlas of Medicinal Plants of Middle America. Bahamas to Yucatan. 1981. |
| <i>Berberis vulgaris</i> | Plant | -- | -- | | -- |
| <i>Berberis vulgaris</i> | Fruit | -- | -- | | Jim Duke's personal files. |
| <i>Borago officinalis</i> | Plant | -- | -- | | -- |
| <i>Borago officinalis</i> | Leaf | -- | -- | | Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp. |
| <i>Brassica oleracea</i> | Stem | -- | -- | | -- |
| <i>Brassica oleracea</i> var. <i>botrytis</i> l. | Plant | -- | -- | | -- |
| <i>Brassica oleracea</i> var. <i>botrytis</i> l. | Flower | -- | -- | | -- |
| <i>Brassica oleracea</i> var. <i>capitata</i> l. | Leaf | -- | -- | | Jim Duke's personal files. |
| <i>Brassica oleracea</i> var. <i>gemmifera</i> | Leaf | -- | -- | | -- |
| <i>Brassica oleracea</i> var. <i>italica</i> | Plant | -- | -- | | Jim Duke's personal files. |
| <i>Brassica oleracea</i> var. <i>sabellica</i> l. | Leaf | -- | -- | | -- |
| <i>Calendula officinalis</i> | Flower | 6400 | 6400 | -1 | -- |

| Plant | Part | Low PPM | High PPM | StdDev | Reference |
|---------------------------------|---------------|---------|----------|---------------------|--|
| <i>Camellia sinensis</i> | Leaf | -- | -- | | -- |
| <i>Capsella bursa-pastoris</i> | Plant | -- | -- | | -- |
| <i>Carica papaya</i> | Fruit | 3150 | 23333 | 0.567329421438877 | -- |
| <i>Carica papaya</i> | Latex Exudate | 4400 | 4400 | | ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes. |
| <i>Cephaelis ipecacuanha</i> | Plant | -- | -- | | -- |
| <i>Chaenomeles lagenaria</i> | Fruit | -- | -- | | -- |
| <i>Chelidonium majus</i> | Plant | -- | -- | | -- |
| <i>Chenopodium ambrosioides</i> | Fruit | -- | -- | | -- |
| <i>Cichorium intybus</i> | Plant | -- | -- | | -- |
| <i>Citrus aurantiifolia</i> | Fruit | 2000 | 2000 | -0.8215787018847368 | -- |
| <i>Citrus aurantium</i> | Plant | -- | -- | | -- |
| <i>Citrus mitis</i> | Fruit Juice | 2000 | 2000 | | -- |
| <i>Citrus paradisi</i> | Fruit | 400 | 600 | -0.9127272216734706 | -- |
| <i>Citrus reticulata</i> | Fruit | 1800 | 2100 | -0.8150680933283987 | -- |
| <i>Citrus sinensis</i> | Fruit | 600 | 2000 | -0.8215787018847368 | -- |
| <i>Cocos nucifera</i> | Seed | -- | -- | | List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979. |
| <i>Convallaria majalis</i> | Plant | -- | -- | | -- |
| <i>Cornus officinalis</i> | Fruit | -- | -- | | -- |

| Plant | Part | Low PPM | High PPM | StdDev | Reference |
|---------------------------------|---------------|---------|----------|---------------------|---|
| <i>Cryptostegia grandifolia</i> | Latex Exudate | -- | -- | | -- |
| <i>Cydonia oblonga</i> | Seed | -- | -- | | -- |
| <i>Daphne mezereum</i> | Bark | -- | -- | | -- |
| <i>Datura stramonium</i> | Plant | 2120 | 2120 | -0.6235911066661377 | -- |
| <i>Daucus carota</i> | Root | -- | -- | | -- |
| <i>Elytrigia repens</i> | Rhizome | -- | -- | | List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979. |
| <i>Equisetum arvense</i> | Plant | -- | -- | | -- |
| <i>Eriobotrya japonica</i> | Leaf | -- | -- | | Chemical Constituents of Oriental Herbs (3 diff. books) |
| <i>Euonymus atropurpureus</i> | Plant | -- | -- | | -- |
| <i>Euphorbia tirucalli</i> | Plant | -- | -- | | -- |
| <i>Fagopyrum esculentum</i> | Leaf | 15100 | 15100 | 0.6105708397676417 | List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979. |
| <i>Ficus carica</i> | Fruit | 30200 | 30200 | 1.0144129110026165 | -- |
| <i>Ficus carica</i> | Leaf | 23400 | 23400 | 1.658552103888763 | Rizk, A.F.M. and Al-Nowaihi, A.S., The Phytochemistry of the Horticultural Plants of Qatar, Scientific and Applied Research Centre, University of Qatar. |
| <i>Ficus carica</i> | Fruit Juice | -- | -- | | Shiraishi, S. C., Kawakami, K., Widodo, S. E., Shiraishi, M., Kitazaki, M. 1996. Organic acid profiles in the juice of fig fruits. Journal of the Faculty of Agriculture Kyushu University, 41(1-2): 29-33. |
| <i>Foeniculum vulgare</i> | Fruit | -- | -- | | -- |

| Plant | Part | Low PPM | High PPM | StdDev | Reference |
|----------------------------|-----------------|---------|----------|---------------------|---|
| <i>Foeniculum vulgare</i> | Seed | -- | -- | | Rizk, A.F.M., The Phytochemistry of the Flora of Qatar, Scientific and Applied Research Centre, University of Qatar, Kingprint, Richmond, UK, 1986. |
| <i>Fragaria spp</i> | Fruit | 3500 | 8000 | -0.4309421885044489 | ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes. |
| <i>Frangula purshiana</i> | Plant | -- | -- | | -- |
| <i>Galium odoratum</i> | Plant | -- | -- | | -- |
| <i>Genipa americana</i> | Fruit | 6300 | 6300 | -0.5416225339621972 | -- |
| <i>Ginkgo biloba</i> | Pollen Or Spore | -- | -- | | Jim Duke's personal files. |
| <i>Glycine max</i> | Seed | 700 | 1000 | | List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979. |
| <i>Glycyrrhiza glabra</i> | Root | -- | -- | | =ICMR(Indian Council of Medical Research).1976.Medicinal Plants of India.Vol.1.Indian Council of Med. Res.Cambridge Printing Works, New Delhi.487 pp;ICMR.1987.Medicinal Plants of India.Vol.2.Indian Council of Med. Res.Cambr. Printing Works,New Delhi.600pp |
| <i>Hedera helix</i> | Plant | -- | -- | | -- |
| <i>Helianthus annuus</i> | Leaf | -- | -- | | Rizk, A.F.M. and Al-Nowaihi, A.S., The Phytochemistry of the Horticultural Plants of Qatar, Scientific and Applied Research Centre, University of Qatar. |
| <i>Hibiscus sabdariffa</i> | Flower | 6233 | 56667 | 1 | -- |
| <i>Hibiscus sabdariffa</i> | Leaf | -- | 12500 | 0.2822875522116279 | ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes. |

| Plant | Part | Low PPM | High PPM | StdDev | Reference |
|---------------------------------|---------------|---------|----------|---------------------|--|
| <i>Hibiscus sabdariffa</i> | Stem | -- | 6000 | | ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes. |
| <i>Hippophae rhamnoides</i> | Fruit | 15000 | 29000 | 0.9362856083265589 | -- |
| <i>Juglans regia</i> | Fruit | -- | -- | | List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979. |
| <i>Kalanchoe daegrimontiana</i> | Plant | -- | -- | | -- |
| <i>Kalanchoe pinnata</i> | Leaf | -- | -- | | -- |
| <i>Lactuca sativa</i> | Leaf | 600 | 600 | -1.2202398023716667 | -- |
| <i>Lactuca scariola</i> | Latex Exudate | -- | -- | | -- |
| <i>Lactuca virosa</i> | Plant | -- | -- | | -- |
| <i>Ledum palustre</i> | Plant | -- | -- | | -- |
| <i>Leonurus cardiaca</i> | Plant | -- | -- | | -- |
| <i>Lepidium meyenii</i> | Root | -- | -- | | -- |
| <i>Linum usitatissimum</i> | Seed | -- | -- | | ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes. |
| <i>Lupinus albus</i> | Seed | -- | -- | | -- |
| <i>Lycopersicon esculentum</i> | Fruit | -- | -- | | -- |
| <i>Mangifera indica</i> | Fruit | 6700 | 36600 | 1.431091858608257 | -- |
| <i>Matricaria recutita</i> | Plant | -- | -- | | Kameoka, H. and Nakai, K. 1987. Components of essential oil from the root of <i>Glycyrrhiza-glabra</i> . Nippon Gogeikagaku Kaishi 61(9): 1119-1122. |

| Plant | Part | Low PPM | High PPM | StdDev | Reference |
|-----------------------------|---------------|---------|----------|---------------------|--|
| <i>Medicago sativa</i> | Plant | -- | -- | | Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp. |
| <i>Morus alba</i> | Leaf | -- | -- | | -- |
| <i>Musa x paradisiaca</i> | Fruit | 530 | 3730 | -0.7089451738600872 | Rizk, A.F.M. and Al-Nowaihi, A.S., The Phytochemistry of the Horticultural Plants of Qatar, Scientific and Applied Research Centre, University of Qatar. |
| <i>Myrciaria dubia</i> | Fruit | -- | -- | | Jim Duke's personal files. |
| <i>Myrtus communis</i> | Fruit | -- | -- | | -- |
| <i>Nicotiana tabacum</i> | Leaf | -- | -- | | ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes. |
| <i>Opuntia ficus-indica</i> | Fruit | 180 | 1700 | -0.8411105275537513 | -- |
| <i>Opuntia ficus-indica</i> | Plant | -- | -- | | -- |
| <i>Opuntia ficus-indica</i> | Leaf | -- | 950 | -1.176047821354511 | -- |
| <i>Panax ginseng</i> | Root | -- | -- | | -- |
| <i>Panax quinquefolius</i> | Plant | -- | -- | | -- |
| <i>Papaver somniferum</i> | Latex Exudate | -- | -- | | ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes. |
| <i>Passiflora edulis</i> | Fruit | 1200 | 3800 | -0.7043877478706504 | ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes. |
| <i>Petroselinum crispum</i> | Root | -- | -- | | -- |
| <i>Physalis ixocarpa</i> | Fruit | 116 | 1500 | -0.8541317446664275 | -- |
| <i>Physalis peruviana</i> | Plant | -- | -- | | -- |

| Plant | Part | Low PPM | High PPM | StdDev | Reference |
|----------------------------------|-------------|---------|----------|----------------------|--|
| <i>Pimenta dioica</i> | Fruit | -- | -- | | List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979. |
| <i>Piscidia piscipula</i> | Plant | -- | -- | | -- |
| <i>Pisum sativum</i> | Seed | -- | -- | | -- |
| <i>Polygonum hydropiper</i> | Plant | -- | -- | | -- |
| <i>Polygonum hydropiperoides</i> | Plant | -- | -- | | -- |
| <i>Polypodium vulgare</i> | Root | -- | -- | | -- |
| <i>Populus nigra</i> | Plant | -- | -- | | -- |
| <i>Portulaca oleracea</i> | Plant | 5100 | 5100 | 1.4110455698284867 | List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979. |
| <i>Prunus armeniaca</i> | Fruit | 7000 | 22000 | 0.4805430093828897 | -- |
| <i>Prunus cerasus</i> | Fruit Juice | -- | -- | | -- |
| <i>Prunus domestica</i> | Fruit | 15000 | 15000 | 0.024800410439220405 | List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979. |
| <i>Punica granatum</i> | Fruit | -- | -- | | -- |
| <i>Punica granatum</i> | Fruit Juice | -- | -- | | -- |
| <i>Pyrus communis</i> | Fruit | -- | -- | | -- |
| <i>Quassia amara</i> | Root | -- | -- | | -- |
| <i>Quisqualis indica</i> | Fruit | -- | -- | | -- |

| Plant | Part | Low PPM | High PPM | StdDev | Reference |
|------------------------|--------|---------|----------|---------------------|--|
| Rheum rhabarbarum | Pt | -- | -- | | -- |
| Ribes rubrum | Fruit | 2600 | 2600 | -0.782515050546708 | -- |
| Ribes uva-crispa | Fruit | 7300 | 7300 | -0.4765164483988158 | -- |
| Rosa canina | Fruit | 15000 | 62200 | 3.0978076490308193 | -- |
| Rosa centifolia | Flower | -- | -- | | -- |
| Rosa gallica | Flower | -- | -- | | -- |
| Rosa laevigata | Fruit | -- | -- | | -- |
| Rosa spp | Fruit | -- | -- | | -- |
| Rubus chingii | Fruit | -- | -- | | -- |
| Rubus fruticosus | Leaf | -- | -- | | -- |
| Rubus idaeus | Fruit | -- | -- | | List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979. |
| Ruta graveolens | Leaf | -- | -- | | -- |
| Salvia officinalis | Plant | -- | -- | | -- |
| Sambucus nigra | Fruit | 1200 | 19000 | 0.2852247526927457 | -- |
| Sanguinaria canadensis | Plant | -- | -- | | -- |
| Sarcostemma acidum | Plant | -- | -- | | -- |
| Schisandra chinensis | Plant | -- | -- | | -- |
| Schisandra chinensis | Fruit | 5000 | 33333 | 1.2183902770726902 | -- |

| Plant | Part | Low PPM | High PPM | StdDev | Reference |
|------------------------------|--------|---------|----------|----------------------|--|
| <i>Sclerocarya caffra</i> | Fruit | -- | -- | | -- |
| <i>Solanum tuberosum</i> | Tuber | 1120 | 1120 | | -- |
| <i>Sophora pachycarpa</i> | Leaf | -- | -- | | -- |
| <i>Sorbus aucubaria</i> | Fruit | 19000 | 39000 | 1.5873464639603723 | -- |
| <i>Spinacia oleracea</i> | Leaf | -- | 4300 | -0.7530674316188777 | Soldatenkov, S. V., Mazurova, T. A., Rantleev, A. N. 1960. Organic Acids of Onion and Spinach. Trudy Petergof Biol. Inst., Leningrad Gosudarst Univ Im AA Zhdanova, 18: 55-61. |
| <i>Stevia rebaudiana</i> | Plant | -- | 1880 | -0.787454463162349 | Kinghorn, A. D. (Ed.) 2002. Medicinal and Aromatic Plants - Industrial Profiles. Stevia. The genus Stevia. Taylor & Francis. New York, NY. 211 pp. |
| <i>Tamarindus indica</i> | Fruit | 10000 | 10000 | -0.30073001737768623 | ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes. |
| <i>Tamarindus indica</i> | Leaf | 15000 | 15000 | 0.5979445594770258 | ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes. |
| <i>Tussilago farfara</i> | Flower | -- | -- | | -- |
| <i>Urtica dioica</i> | Plant | -- | -- | | -- |
| <i>Vaccinium macrocarpon</i> | Fruit | -- | -- | | Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705. |
| <i>Vaccinium myrtillus</i> | Leaf | -- | -- | | List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979. |
| <i>Vaccinium vitis-idaea</i> | Fruit | -- | -- | | -- |

| Plant | Part | Low PPM | High PPM | StdDev | Reference |
|------------------------------|-------------------|---------|----------|---------------------|--|
| <i>Valeriana jatamansi</i> | Root | -- | -- | | List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979. |
| <i>Valeriana officinalis</i> | Root | -- | -- | | -- |
| <i>Vanilla planifolia</i> | Fruit | -- | -- | | List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979. |
| <i>Viburnum opulus</i> | Bark | -- | -- | | List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979. |
| <i>Viburnum prunifolium</i> | Root Bark | -- | -- | | Leung, A.Y., Encyclopedia of Common Natural Ingredients Used in Food, Drugs, and Cosmetics, John Wiley & Sons, New York, 1980. |
| <i>Vicia faba</i> | Fruit | -- | -- | | ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes. |
| <i>Viola odorata</i> | Flower | -- | -- | | -- |
| <i>Vitis vinifera</i> | Fruit | 1500 | 2000 | -0.8215787018847368 | List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979. |
| <i>Vitis vinifera</i> | Plant | -- | -- | | -- |
| <i>Zea mays</i> | Plant | -- | -- | | -- |
| <i>Zea mays</i> | Silk Stigma Style | -- | -- | | Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp. |