

Dr. Duke's Phytochemical and Ethnobotanical Database

List of Plants for NEROLIDOL

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Acacia farnesiana</i>	Flower	--	--		Leung, A.Y., Encyclopedia of Common Natural Ingredients Used in Food, Drugs, and Cosmetics, John Wiley & Sons, New York, 1980.
<i>Aloysia citrodora</i>	Plant	13	140	1.8771192057127104	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Amomum xanthioides</i>	Seed	--	--		--
<i>Aralia cordata</i>	Root	0.75	0.75		--
<i>Artemisia dracunculus</i>	Shoot	--	238	0.31301240869615476	--
<i>Camellia sinensis</i>	Shoot	800	1200	3.236724073060916	--
<i>Camellia sinensis</i>	Leaf	--	--		--
<i>Centella asiatica</i>	Shoot	--	--		Jim Duke's personal files.
<i>Chamaemelum nobile</i>	Plant	--	--		--
<i>Chrysanthemum x morifolium</i>	Plant	10	42	-0.18982104327431903	Wealth of India.
<i>Cinnamomum camphora</i>	Essential Oil	--	--		--
<i>Citrus aurantium</i>	Plant	--	--		--
<i>Citrus sinensis</i>	Flower	--	--		Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
<i>Coriandrum sativum</i>	Fruit	14	17	-0.7181710539929176	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Cymbopogon nardus</i>	Plant	9	36	-0.31636840545719835	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Elettaria cardamomum</i>	Fruit	448	1280	-0.27992970059610406	Duke, J. A. and duCellier, J. L. 1993. CRC Handbook of Alternative Cash Crops. CRC Press. Boca Raton, FL 33431. 536 pp. US \$312.50.
<i>Elettaria cardamomum</i>	Seed Essent. Oil	--	12000		--
<i>Eucalyptus nova-anglica</i>	Leaf	--	0	-0.7220798297713206	Brophy, J. L., Lassak, E. V., & Boland, D. J. 1992. The Leaf Essential Oils of <i>Eucalyptus nova-anglica</i> . Deane & Maiden. Journal of Essential Oil Res. 4: 29-32.
<i>Humulus lupulus</i>	Fruit	--	--		CRC Handbook of Medicinal Herbs and/or CRC Handbook of Proximate Analyses
<i>Illicium verum</i>	Fruit	50	50	-0.7067205673245923	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
<i>Jasminum officinale</i>	Flower	--	--		--
<i>Juniperus communis</i>	Leaf	--	--		--
<i>Lonicera japonica</i>	Flower	0.001	0.476	-1.2499229513165802	Schlotzhauer, W.S., S.D. Pair, and R.J. Horvat. 1996. Volatile constituents from the flowers of Japanese Honeysuckle. J. Agric. Food Chem. 44:206-209.
<i>Melaleuca leucadendra</i>	Essential Oil	--	--		--
<i>Melaleuca viridiflora</i>	Leaf	--	--		Guenther, E., The Essential Oils, 6 volumes, D. van Nostrand, New York, 1948-1952.
<i>Mentha aquatica</i>	Shoot	0.1	0.1	-0.4100135839778336	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of <i>Mentha aquatica</i> Containing Sesquiterpene Alcohols as Major Components. Nippon Nogeikagaku Kaishi 67(10): 1417-1419.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Mentha aquatica	Shoot	--	4	-0.3981606988520306	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of <i>Mentha aquatica</i> Containing Sesquiterpene Alcohols as Major Components. <i>Nippon Nogeikagaku Kaishi</i> 67(10): 1417-1419.
Mentha aquatica	Shoot	--	2	-0.40423910148064757	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of <i>Mentha aquatica</i> Containing Sesquiterpene Alcohols as Major Components. <i>Nippon Nogeikagaku Kaishi</i> 67(10): 1417-1419.
Mentha aquatica	Shoot	--	3	-0.40119990016633905	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of <i>Mentha aquatica</i> Containing Sesquiterpene Alcohols as Major Components. <i>Nippon Nogeikagaku Kaishi</i> 67(10): 1417-1419.
Mentha aquatica	Shoot	--	--		Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of <i>Mentha aquatica</i> Containing Sesquiterpene Alcohols as Major Components. <i>Nippon Nogeikagaku Kaishi</i> 67(10): 1417-1419.
Mentha x piperita	Leaf	0.05	0.5	-0.720791838993579	Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
Micromeria juliana	Leaf	740	740	1.1841465212860787	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of <i>Micromeria congesta</i> . <i>J. Ess. Oil Res.</i> , 3: 387-393.
Micromeria myrtifolia	Shoot	8	8	-0.38600389359479664	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. <i>J. Ess. Oil Res.</i> , 4: 79-80.
Micromeria teneriffae	Leaf	1090	1090	2.0857400657051186	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of <i>Micromeria congesta</i> . <i>J. Ess. Oil Res.</i> , 3: 387-393.
Momordica charantia	Seed Essent. Oil	--	--		Jim Duke's personal files.
Murraya koenigii	Leaf	--	2	-0.7169278666603546	--
Myroxylon balsamum	Gum	--	--		--
Myroxylon balsamum	Plant	--	--		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Myrtus communis</i>	Shoot	0	5	-0.3951214975377221	--
<i>Ocimum basilicum</i>	Essential Oil	--	--		Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
<i>Ocimum basilicum</i>	Plant	5	5	-0.9701964434020749	Die Nahrung. Pino, J., Rosado, A., Goire, I., Roncal, E., and Garcia, I. 1993. Analysis of the Essential Oil from Cuban Basil. Die Nahrung 37:(5): 501-504.
<i>Ocimum basilicum</i>	Shoot Essent. Oil	--	4700		--
<i>Origanum vulgare</i>	Plant	3	3	-1.0123788974630346	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
<i>Panax ginseng</i>	Shoot	--	--		--
<i>Piper cubeba</i>	Fruit	3500	7000	1.7048213219136141	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Piper cubeba</i>	Fruit Essent. Oil	36000	36000		--
<i>Piper nigrum</i>	Fruit	--	--		--
<i>Piper nigrum</i>	Fruit Essent. Oil	--	--		--
<i>Ravensara aromatica</i>	Leaf	--	20	-0.670560198661661	--
<i>Salvia sclarea</i>	Plant	--	--		Leung, A.Y., Encyclopedia of Common Natural Ingredients Used in Food, Drugs, and Cosmetics, John Wiley & Sons, New York, 1980.
<i>Santalum acuminatum</i>	Wood	--	--		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Sideritis athoa</i>	Shoot	1	1	-0.407278302794956	Ozek, T., Baser, K.H.C. and Tumen, G. 1993. The Essential Oil of <i>Sideritis athoa</i> Papanikolaou Et Kokkini. J. Ess. Oil Res. 5: 669-670.
<i>Sideritis mugronensis</i>	Flower	10	205	0.39784228266157035	Manez, S., Jimenez, A., and Villar, A. 1991. Volatiles of <i>Sideritis mugronensis</i> Flower and Leaf. J. Ess. Oil Res., 3: 395-397.
<i>Sideritis mugronensis</i>	Leaf	15	90	-0.49024148977785303	Manez, S., Jimenez, A., and Villar, A. 1991. Volatiles of <i>Sideritis mugronensis</i> Flower and Leaf. J. Ess. Oil Res., 3: 395-397.
<i>Sideritis scardica</i>	Shoot	145	145	0.03036668646546562	Menkovic, N., et al. 1991. The Essential Oil of <i>Sideritis scardica</i> . Pl. Med. 57. Suppl. 2. pp. A137-A132.
<i>Stevia rebaudiana</i>	Leaf	85	300	0.05071463687357101	--
<i>Stevia rebaudiana</i>	Flower	--	330	1.404915556444935	Kinghorn, A. D. (Ed.) 2002. Medicinal and Aromatic Plants - Industrial Profiles. <i>Stevia. The genus Stevia</i> . Taylor & Francis. New York, NY. 211 pp.
<i>Telosma cordata</i>	Flower	87	87	-0.5528348877899255	K. Furukawa, T. Arai, S. Hashimoto, (1993); Volatile components of <i>Telosma cordata</i> Merrill flowers, Flavour Fragr. J., Vol 8, 221-223.
<i>Teucrium arduini</i>	Shoot	7	7	-0.3890430949091051	Blazevic, N., Kalodera, Z., Petricic, J., and Plazibat, M. 1992. Essential Oil Content and Composition of <i>Teucrium arduini</i> L. J. Ess. Oil Res. 4: 223-225.
<i>Teucrium arduini</i>	Shoot	--	7	-0.3890430949091051	Blazevic, N., Kalodera, Z., Petricic, J., and Plazibat, M. 1992. Essential Oil Content and Composition of <i>Teucrium arduini</i> L. J. Ess. Oil Res. 4: 223-225.
<i>Thymus serpyllum</i>	Plant	--	--		List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
<i>Thymus vulgaris</i>	Plant	80	80	0.6116455838839169	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Tilia</i> sp.	Flower	--	--		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Zea mays	Leaf	--	--		Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
Zingiber officinale	Essential Oil	--	--		Kameoka, H. and Nakai, K. 1987. Components of essential oil from the root of <i>Glycyrrhiza-glabra</i> . <i>Nippon Gogeikagaku Kaishi</i> 61(9): 1119-1122.
Zingiber officinale	Rhizome	--	60		--
Zingiber officinale	Rhizome Essent. Oil	--	--		--