

C N-HEXANOL

Chemid

NHEXANOL

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

| Plant | Part | Low PPM | High PPM | StdDev | Reference |
|-------------------------|--------|---------|----------|---------------------|--|
| Callicarpa americana | Leaf | -- | 3 | 1.0000000000000002 | -- |
| Camellia sinensis | Leaf | -- | -- | | -- |
| Cinnamomum camphora | Plant | -- | -- | | -- |
| Lycopersicon esculentum | Fruit | -- | -- | | -- |
| Magnolia denudata | Leaf | -- | -- | | -- |
| Malus domestica | Plant | -- | -- | | -- |
| Melia azedarach | Wood | -- | -- | | -- |
| Petroselinum crispum | Leaf | 0.2 | 0.2 | -1.0000000000000002 | -- |
| Telosma cordata | Flower | 47 | 47 | | K. Furukawa, T. Arai, S. Hashimoto, (1993); Volatile components of Telosma cordata Merrill flowers, Flavour Fragr. J., Vol 8, 221-223. |
| Viola odorata | Flower | -- | -- | | -- |
| Viola odorata | Leaf | -- | -- | | -- |