

P Micromeria varia

Common Name(s)

Madeiran 'Hyssop'

How Used

M

| Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference | Citation |
|----------|-------------------|----------|----------|----------------------|--|----------|
| 0 | ALPHA-CAMPHOLENAL | Shoot -- | 15 | 0.9834089870607293 | | |
| 0 | ALPHA-CAMPHOLENAL | Shoot 15 | 15 | 0.9834089870607293 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. | |
| 0 | ALPHA-COPAENE | Shoot 45 | 45 | 0.16847933811712973 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. | |
| 0 | ALPHA-COPAENE | Shoot -- | 45 | 0.16847933811712973 | | |
| 0 | ALPHA-CUBEBENE | Shoot 9 | 9 | -0.34723561332494784 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. | |
| 0 | ALPHA-CUBEBENE | Shoot -- | 9 | -0.34723561332494784 | | |

| Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference Citation |
|----------|--------------------|-----------|----------|----------------------|--|
| 2 | ALPHA-HUMULENE | Shoot 18 | 18 | -0.24934269602752668 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 2 | ALPHA-HUMULENE | Shoot -- | 18 | -0.24934269602752668 | |
| 11 | ALPHA-PHELLANDRENE | Shoot -- | -- | -0.30934809317985607 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 11 | ALPHA-PHELLANDRENE | Shoot -- | -- | | |
| 28 | ALPHA-PINENE | Shoot 585 | 585 | -0.08910532023894602 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 28 | ALPHA-PINENE | Shoot -- | 585 | -0.08910532023894602 | |
| 13 | ALPHA-TERPINENE | Shoot 3 | 3 | -0.47281058482161253 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 13 | ALPHA-TERPINENE | Shoot -- | 3 | -0.47281058482161253 | |
| 23 | ALPHA-TERPINEOL | Shoot -- | 30 | -0.25490547911879124 | |
| 23 | ALPHA-TERPINEOL | Shoot 30 | 30 | -0.25490547911879124 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 0 | ALPHA-THUJENE | Shoot -- | 15 | -0.2864465102156434 | |

| Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference | Citation |
|----------|----------------------------|---------|----------|--------|----------------------|--|
| 0 | ALPHA-THUJENE | Shoot | 15 | 15 | -0.2864465102156434 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 0 | BETA-BOURBONENE | Shoot | -- | -- | -0.43796638910394087 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 0 | BETA-BOURBONENE | Shoot | -- | -- | | |
| 0 | BETA-CARYOPHYLLENE | Shoot | 155 | 155 | -0.09573312292766925 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 0 | BETA-CARYOPHYLLENE | Shoot | -- | 155 | -0.09573312292766925 | |
| 0 | BETA-CARYOPHYLLENE-EPOXIDE | Shoot | 355 | 355 | -0.13843871524401882 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 0 | BETA-CARYOPHYLLENE-EPOXIDE | Shoot | -- | 75 | -1.1496432439829412 | |
| 5 | BETA-ELEMENE | Shoot | -- | -- | -0.3400141894894808 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 5 | BETA-ELEMENE | Shoot | -- | -- | | |
| 2 | BETA-MYRCENE | Shoot | -- | 60 | -0.23802625570973215 | |

| Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference Citation |
|----------|-------------------|-----------|----------|----------------------|--|
| 2 | BETA-MYRCENE | Shoot 60 | 60 | -0.23802625570973215 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 3 | BETA-PHELLANDRENE | Shoot 15 | 15 | -0.5638234039665844 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 3 | BETA-PHELLANDRENE | Shoot -- | 15 | -0.5638234039665844 | |
| 13 | BETA-PINENE | Shoot -- | 170 | -0.10919222427121285 | |
| 13 | BETA-PINENE | Shoot 170 | 170 | -0.10919222427121285 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 35 | BORNEOL | Shoot 24 | 24 | -0.37558424541713203 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 35 | BORNEOL | Shoot -- | 24 | -0.37558424541713203 | |
| 0 | CADINA-1,4-DIENE | Shoot -- | -- | -0.9258200997725514 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 0 | CADINA-1,4-DIENE | Shoot -- | -- | | |
| 9 | CAMPHENE | Shoot -- | 6 | -0.133722740597587 | |

| Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference Citation |
|----------|----------------------|----------|----------|---------------------|--|
| 9 | CAMPHENE | Shoot 6 | 6 | -0.133722740597587 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 0 | CIS-BETA-OCIMENE | Shoot -- | -- | -0.5560646987797035 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 0 | CIS-BETA-OCIMENE | Shoot -- | -- | -0.5560646987797035 | |
| 0 | CIS-LINALOL-OXIDE | Shoot -- | -- | -0.400940192878851 | |
| 0 | CIS-LINALOL-OXIDE | Shoot -- | -- | -0.400940192878851 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 0 | CIS-SABINENE-HYDRATE | Shoot 15 | 15 | -0.2069980653782561 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 0 | CIS-SABINENE-HYDRATE | Shoot -- | 15 | -0.2069980653782561 | |
| 0 | CIS-VERBENOL | Shoot -- | -- | -0.4568839104613092 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 0 | CIS-VERBENOL | Shoot -- | -- | | |
| 9 | DELTA-CADINENE | Shoot 21 | 21 | -0.2483906841648142 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |

| Chemical Plant Part | | Low PPM | High PPM | StdDev | Reference Citation |
|---------------------|-----------------|------------|----------|----------------------|--|
| 9 | DELTA-CADINENE | Shoot -- | 21 | -0.2483906841648142 | |
| 0 | EO | Shoot 3000 | 3000 | -0.675357019223463 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 0 | EO | Shoot -- | 3000 | -0.675357019223463 | |
| 0 | GAMMA-CADINENE | Shoot 24 | 24 | -0.1797859924103986 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 0 | GAMMA-CADINENE | Shoot -- | 15 | -0.19982430782846677 | |
| 11 | GAMMA-TERPINENE | Shoot 15 | 15 | -0.38397056484220854 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 11 | GAMMA-TERPINENE | Shoot -- | 15 | -0.38397056484220854 | |
| 13 | GERANIAL | Shoot 475 | 475 | 0.6210581561316935 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 13 | GERANIAL | Shoot -- | 475 | 0.6210581561316935 | |
| 5 | GERANYL-ACETATE | Shoot -- | 24 | -0.47406028623396546 | |
| 5 | GERANYL-ACETATE | Shoot -- | -- | -0.525581111429658 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |

| Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference Citation |
|----------|--------------|----------|----------|----------------------|--|
| 2 | GERMACRENE-D | Shoot 36 | 36 | -0.350309409543111 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 2 | GERMACRENE-D | Shoot -- | 36 | -0.350309409543111 | |
| 60 | LIMONENE | Shoot 80 | 80 | -0.28771498042117827 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 60 | LIMONENE | Shoot -- | 80 | -0.28771498042117827 | |
| 0 | LINALOL | Shoot -- | 27 | -0.21737479462519857 | |
| 0 | LINALOL | Shoot 27 | 27 | -0.21737479462519857 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 5 | MYRTENAL | Shoot -- | -- | -0.33059726732282063 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 5 | MYRTENAL | Shoot -- | -- | -0.33059726732282063 | |
| 2 | MYRTENOL | Shoot -- | -- | -0.2515467769782438 | |
| 2 | MYRTENOL | Shoot -- | -- | -0.2515467769782438 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |

| Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference | Citation |
|----------|---------------|-----------|----------|---------------------|--|----------|
| 4 | NERAL | Shoot 190 | 190 | 0.031318472939093 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. | |
| 4 | NERAL | Shoot -- | 190 | 0.031318472939093 | | |
| 16 | P-CYMENE | Shoot 3 | 3 | -0.4990244697176778 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. | |
| 16 | P-CYMENE | Shoot -- | 3 | -0.4990244697176778 | | |
| 1 | PINOCARVONE | Shoot -- | 12 | -0.6199589528411126 | | |
| 1 | PINOCARVONE | Shoot 12 | 12 | -0.6199589528411126 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. | |
| 5 | SABINENE | Shoot 205 | 205 | -0.077648491044948 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. | |
| 5 | SABINENE | Shoot -- | 205 | -0.077648491044948 | | |
| 23 | TERPINEN-4-OL | Shoot 21 | 21 | -0.1584755804541947 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. | |
| 23 | TERPINEN-4-OL | Shoot -- | 21 | -0.1584755804541947 | | |

| Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference Citation |
|----------|---------------------|-----------|----------|---------------------|--|
| 9 | TERPINOLENE | Shoot 3 | 3 | -0.7191953751694788 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 9 | TERPINOLENE | Shoot -- | 3 | -0.7191953751694788 | |
| 1 | TRANS-CARVEOL | Shoot -- | -- | -0.4185213534857977 | |
| 1 | TRANS-CARVEOL | Shoot -- | -- | -0.4185213534857977 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 0 | TRANS-HEX-2-ENAL | Shoot 6 | 6 | | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 0 | TRANS-HEX-2-ENAL | Shoot -- | 6 | | |
| 0 | TRANS-LINALOL-OXIDE | Shoot -- | -- | -0.3806780226624112 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 0 | TRANS-LINALOL-OXIDE | Shoot -- | -- | -0.3806780226624112 | |
| 0 | TRANS-NEROLIDOL | Shoot 440 | 440 | 0.7071067811865475 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 0 | TRANS-NEROLIDOL | Shoot -- | 440 | 0.7071067811865475 | |

| Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference Citation |
|----------|------------------------|----------|----------|----------------------|--|
| 2 | TRANS-PINOCARVEOL | Shoot 6 | 6 | -0.20928220390744004 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 2 | TRANS-PINOCARVEOL | Shoot -- | 6 | -0.20928220390744004 | |
| 0 | TRANS-SABINENE-HYDRATE | Shoot 60 | 60 | -0.16573318971839784 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 0 | TRANS-SABINENE-HYDRATE | Shoot -- | 60 | -0.16573318971839784 | |
| 0 | TRANS-VERBENOL | Shoot -- | -- | | |
| 0 | TRANS-VERBENOL | Shoot -- | -- | -0.7667775966576987 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 5 | VERBENONE | Shoot -- | -- | -0.25729665676775704 | Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202. |
| 5 | VERBENONE | Shoot -- | -- | -0.25729665676775704 | |