

**Dr. Duke's Phytochemical and Ethnobotanical Database**

**List of Plants for THYMOL**

Plant	Part	Low PPM	High PPM	StdDev	Reference
Achillea millefolium	Leaf	1	15	-0.41187649807173515	--
Acinos suaveolens	Shoot	5	5	-0.33185702146293355	Tumen, G. 1991. The Volatile Constituents of Acinos suaveolens (Sibt. et Smith). G. Don fil. Growing in Turkey. J. Ess. Oil Res. 3:191-2.
Anethum graveolens	Shoot Essent. Oil	--	1600	-0.6613738654809941	--
Apium graveolens	Plant	--	--		--
Apium graveolens	Seed	--	--		Charalambous, G. (Ed.). 1994. Spices, Herbs and Edible Fungi. Elsevier Science B. V. Amsterdam. 764 pp.
Apium graveolens	Seed Essent. Oil	--	1700	-0.683300111818577	--
Arnica montana	Flower	--	--		--
Artemisia annua	Plant	--	--		Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Artemisia herba-alba	Plant	--	--		--
Aspalathus linearis	Leaf Essent. Oil	--	2200	-1	--
Calamintha nepeta	Shoot	14	14	-0.3294613819990514	Kirimer, N., Baser, K.H.C., Ozek, T. and Kurkcuoglu, M. 1992. Composition of the Essential Oil of Calamintha nepeta subsp. glandulosa. J. Ess. Oil Res. 4:189-190

Plant	Part	Low PPM	High PPM	StdDev	Reference
Camellia sinensis	Leaf	--	--		--
Chrysanthemum parthenium	Shoot	--	--		Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of Tanacetum parthenium (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71.
Chrysanthemum x morifolium	Flower	--	--		Wealth of India.
Citrus aurantium	Leaf	1	1	-0.41949505884088445	--
Citrus limon	Pericarp Essent. Oil	53000	111000		Jim Duke's personal files.
Citrus limon	Leaf Essent. Oil	--	11000	1	Jim Duke's personal files.
Citrus reticulata	Fruit	--	0.1	-0.7071067811865474	--
Citrus sinensis	Fruit	0	0.1	-0.7071067811865474	--
Coriandrum sativum	Seed Essent. Oil	--	68140	1.4139493228546411	--
Coridothymus capitatus	Shoot	65	65	-0.31588609170371884	Lagouri, V., Blekas, G., Tsimidou, M., Kokkini, S., and Boskou, D. 1993. Composition and Antioxidant Activity of Essential Oils from Oregano Plants Grown Wild in Greece. Z. Lebensm Unters Forsch 197: 20-23.
Cuminum cyminum	Seed Essent. Oil	--	200	-0.730649211036064	--
Cunila origanoides	Shoot	10600	10640	2.498990278357877	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Cunila origanoides	Essential Oil	--	--		Blaque, G. 1923. Thymol Plants. Bull. Sci. Pharmacol., 30: 201-211.
Elsholtzia pilosa	Shoot	85	85	-0.3105624484506473	--
Elsholtzia polystachya	Essential Oil	--	500000	0.8605172376756699	Hegnauer, R. 1962-1997. Chemotaxonomie der Pflanzen, Bde 1-11. Birkhauser Verlag Basel, Boston, Berlin.
Elsholtzia polystachya	Leaf	6.6	6.6	-0.41644763453322475	Mathela,C.S., Melkani,A.B., Bisht,J.C., Pant,A.K., Bestmann,H.J., Erler,J., Kobold,U., Rauscher,J. and Vostrowsky,O. 1992. Chemical Varieties of Essential Oils from Elsholtzia polystachya from Two Different Locations in India. Planta Medica 58: 376-379.
Elsholtzia polystachya	Leaf	--	6.6	-0.41644763453322475	Mathela,C.S., Melkani,A.B., Bisht,J.C., Pant,A.K., Bestmann,H.J., Erler,J., Kobold,U., Rauscher,J. and Vostrowsky,O. 1992. Chemical Varieties of Essential Oils from Elsholtzia polystachya from Two Different Locations in India. Planta Medica 58: 376-379.
Elytrigia repens	Plant	--	20	-0.5729487441651974	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Elytrigia repens	Rhizome	--	22		Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Eucalyptus bridgesiana	Leaf	--	48	-0.393918461973026	Singh, A. K., Gupta, K. C., & Brophy, J. J. 1991. Volatile Constituents of the Essential Oil of Eucalyptus bridgesiana Growing in India. Journal of Essential Oil Res. 3: 449-450.
Eucalyptus globulus	Fruit Essent. Oil	--	--		--
Ginkgo biloba	Wood	--	--		Kameoka, H. and Nakai, K. 1987. Components of essential oil from the root of Glycyrrhiza-glabra. Nippon Gogeikagaku Kaishi 61(9): 1119-1122.
Glycyrrhiza glabra	Root	--	--		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Houttuynia cordata	Plant	--	--		--
Houttuynia cordata	Shoot Essent. Oil	--	--		--
Houttuynia cordata	Essential Oil	--	--		--
Hyptis suaveolens	Shoot	4	4	-0.33212320362558717	Mallavarapu, G.R., Ramesh, S., Kaul, P.N., Bhattacharya, A.K., and Rao, B.R.R. 1993. The Essential Oil of <i>Hyptis suaveolens</i> (L.) Poit. J. Ess. Oil Res. 5: 321.
Hyptis suaveolens	Shoot	--	4	-0.33212320362558717	Mallavarapu, G.R., Ramesh, S., Kaul, P.N., Bhattacharya, A.K., and Rao, B.R.R. 1993. The Essential Oil of <i>Hyptis suaveolens</i> (L.) Poit. J. Ess. Oil Res. 5: 321.
Hyssopus officinalis	Shoot	2	3	-0.33238938578824073	Indian Perfumer, 35: 52.
Jateorhiza palmata	Essential Oil	--	--		--
Juglans nigra	Essential Oil	14000	14000	-1.0321274033427736	--
Laurus nobilis	Leaf Essent. Oil	--	--		--
Lippia graveolens	Leaf	--	--		--
Melissa officinalis	Plant	--	--		--
Melissa officinalis	Shoot	--	--		--
Mentha longifolia	Shoot	1	15	-0.3291951998363978	Fleisher, Z. and Fleisher, A. 1991. The Essential Oils from <i>Mentha longifolia</i> Growing in Sinai and Israel. J. Ess. Oil Res., 3: 57.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Mentha pulegium	Plant	--	--		Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
Mentha pulegium	Essential Oil	--	--		--
Mentha spicata	Leaf	--	--		Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
Mentha spicata	Essential Oil	--	--		--
Mentha x piperita	Essential Oil	--	--		--
Micromeria congesta	Leaf	35	40	-0.39827192526968275	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of Micromeria congesta. J. Ess. Oil Res., 3: 387-393.
Micromeria fruticosa	Shoot	19	19	-0.3281304711857835	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of Micromeria fruticosa (L.) Druce subsp. barbata (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. J. Ess. Oil Res 3: 477-479.
Micromeria fruticosa	Shoot	--	19	-0.3281304711857835	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of Micromeria fruticosa (L.) Druce subsp. barbata (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. J. Ess. Oil Res 3: 477-479.
Micromeria juliana	Leaf	180	180	-0.3220863175781895	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of Micromeria congesta. J. Ess. Oil Res., 3: 387-393.
Micromeria myrtifolia	Shoot	0	0	-0.33318793227620147	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of Micromeria myrtifolia Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
Monarda citriodora	Flower	6175	6175		Collins, J.E., Bishop, C.D., Deans, S.G. and Svoboda, K.P. 1994. Composition of the Essential Oil from the Leaves and Flowers of Monarda citriodora var. citriodora grown in the United Kingdom. J. Ess. Oil Res. 6: 27-9.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Monarda citriodora	Leaf	3550	3550	1.5118100961384702	Collins, J.E., Bishop, C.D., Deans, S.G. and Svoboda, K.P. 1994. Composition of the Essential Oil from the Leaves and Flowers of <i>Monarda citriodora</i> var. <i>citriodora</i> grown in the United Kingdom. <i>J. Ess. Oil Res.</i> 6: 27-9.
Monarda citriodora	Plant	6269	8337	0.4552467167786814	--
Monarda didyma	Plant	5	50	-0.5692399713110052	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Monarda fistulosa	Plant	1	20850	2.0021758742622398	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Monarda media	Plant	1292	1292	-0.41569677514744896	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Monarda punctata	Plant	2000	27633	2.840729416595092	--
Monarda russeliana	Plant	1752	1752	-0.3588289247165022	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Nepeta cataria	Plant	--	--		Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Nepeta racemosa	Shoot	305	305	-0.25200237266685993	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. <i>J. Ess. Oil Res.</i> 5: 215-7.
Nepeta racemosa	Shoot	--	305	-0.25200237266685993	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. <i>J. Ess. Oil Res.</i> 5: 215-7.
Nigella sativa	Seed Oil	--	--		--
Ocimum basilicum	Leaf	1415	1415	0.34997957884319775	--
Ocimum basilicum	Essential Oil	--	--		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Ocimum basilicum	Shoot Essent. Oil	--	1000	-0.6751908682417391	--
Ocimum gratissimum	Leaf	0	0	-0.42003924175296653	Charles, D.J. and Simon, J.E. 1992. A New Geraniol Chemotype of Ocimum gratissimum L. J. Ess. Oil Res. 4: 231-234.
Ocimum gratissimum	Plant	300	2850	-0.22308783825306838	--
Origanum majorana	Essential Oil	15000	40000	-0.930874809378824	--
Origanum majorana	Shoot Essent. Oil	--	115500	1.9615538252670992	--
Origanum minutiflorum	Shoot	49	70	-0.314555180890451	Baser, K.H.C., Tumen, G., Sezik, E. 1991. The Essential Oil of Origanum minutiflorum O. Schwarz and P.H. Davis. J. Ess. Oil Res. 3: 445-446.
Origanum onites	Plant	86	86	-0.5647894438859746	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Origanum onites	Shoot	85	85	-0.3105624484506473	Biondi, D., Cianci, P., Geraci, C. and Ruberto, G. 1993. Antimicrobial Activity and Chemical Composition of Essential Oils from Sicilian Aromatic Plants. Flav. & Frag. J. 8: 331-7.
Origanum onites	Shoot	--	85	-0.3105624484506473	Biondi, D., Cianci, P., Geraci, C. and Ruberto, G. 1993. Antimicrobial Activity and Chemical Composition of Essential Oils from Sicilian Aromatic Plants. Flav. & Frag. J. 8: 331-7.
Origanum sipyleum	Shoot	1240	1240	-0.0031220505857638974	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
Origanum sipyleum	Shoot	--	5	-0.33185702146293355	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Origanum sipyleum	Shoot	--	1240	-0.0031220505857638974	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
Origanum sipyleum	Shoot	--	140	-0.29592242950470043	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
Origanum syriacum	Shoot	385	385	-0.23070779965457378	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of <i>Origanum syriacum</i> L. Essential Oil. J. Ess. Oil Res. 3: 121-123.
Origanum syriacum	Shoot	--	280	-0.2586569267331994	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of <i>Origanum syriacum</i> L. Essential Oil. J. Ess. Oil Res. 3: 121-123.
Origanum syriacum	Shoot	--	385	-0.23070779965457378	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of <i>Origanum syriacum</i> L. Essential Oil. J. Ess. Oil Res. 3: 121-123.
Origanum vulgare	Shoot	6165	6165	1.3078251004831116	Lagouri, V., Blekas, G., Tsimidou, M., Kokkini, S., and Boskou, D. 1993. Composition and Antioxidant Activity of Essential Oils from Oregano Plants Grown Wild in Greece. Z. Lebensm Unters Forsch 197: 20-23.
Origanum vulgare	Plant	120	120	-0.5605861679845568	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
Origanum vulgare	Plant	0	0	-0.5754212594013255	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
Origanum vulgare	Plant	0	0	-0.5754212594013255	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
Origanum vulgare	Plant	2	5000	0.04270754963070453	--
Origanum vulgare	Essential Oil	121200	500000	0.8605172376756699	--

<b>Plant</b>	<b>Part</b>	<b>Low PPM</b>	<b>High PPM</b>	<b>StdDev</b>	<b>Reference</b>
Origanum vulgare	Shoot Essent. Oil	11100	24500	-0.1340249267792265	--
Origanum vulgare	Flower Essent. Oil	--	--		--
Origanum vulgare	Shoot	--	--		--
Petroselinum crispum	Leaf	--	32	-0.4026253885663395	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Peumus boldus	Leaf	5	18	-0.41024394933548886	--
Pimpinella anisum	Essential Oil	--	--		--
Pycnanthemum nudum	Shoot	18525	23348	5.8816332013595565	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pycnanthemum virginianum	Shoot	66	377	-0.2328372569558024	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Rosmarinus officinalis	Plant	--	--		--
Rosmarinus officinalis	Shoot Essent. Oil	--	9000	-0.49096416476513904	--
Salvia canariensis	Leaf	0.1	0.1	-0.4199848234617584	Casigueral,S., Iglesias,J., Vila,R., Virgili,A. and Ibanez,C.1994. The Essential Oil from Leaves of Salvia canariensis L. Flav. & Frag. J. 9:201-204. S. Canigueral, Facultat de Farmacia, Universitat de Barcelona, Ave.Diagonal 643,E-08028, Barcelone Spain

Plant	Part	Low PPM	High PPM	StdDev	Reference
Salvia officinalis	Essential Oil	--	--		--
Salvia officinalis	Leaf	--	--		--
Satureja cilicica	Shoot	595	595	-0.17480954549732222	Tumen, G. Baser, K.H.C. and Kirimer, N. 1993. The Essential Oil of Satureja cilicica P.H. Davis. J. Ess. Oil Res. 5: 547-548.
Satureja cuneifolia	Shoot	45	45	-0.32120973495679045	Tumen, G. 1991. The Volatile Constituents of Satureja cuneifolia. J. Ess. Oil Res., 3: 365-366.
Satureja douglasii	Plant	39	39	-0.5705998546908757	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Satureja hortensis	Plant	3	1600	-0.3776200405110759	--
Satureja montana	Plant	5	14030	1.1590481787425508	--
Satureja montana	Essential Oil	--	19700	-1.0099297192814463	--
Satureja obovata	Leaf	95	95	-0.36834186510516753	Arrebola, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of Satureja obovata. Phytochemistry 35(1): 83.
Satureja obovata	Leaf	--	2910	1.1635330324059294	Arrebola, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of Satureja obovata. Phytochemistry 35(1): 83.
Satureja obovata	Leaf	--	7765	3.8055410705645	Arrebola, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of Satureja obovata. Phytochemistry 35(1): 83.
Satureja obovata	Leaf	--	95	-0.36834186510516753	Arrebola, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of Satureja obovata. Phytochemistry 35(1): 83.
Satureja obovata	Shoot	50	850	-0.10693309402065962	Fitoterapia No.60: 277.

<b>Plant</b>	<b>Part</b>	<b>Low PPM</b>	<b>High PPM</b>	<b>StdDev</b>	<b>Reference</b>
<i>Satureja subspicata</i>	Plant	75	75	-0.5661493272658451	Stanic, G., Petricic, J., and Blazevic, N. 1991. Gas Chromatographic Investigations of Essential Oils of <i>Satureja montana</i> and <i>Satureja subspicata</i> from Yugoslavia. <i>J. Ess. Oil Res.</i> , 3: 153-158.
<i>Satureja thymbra</i>	Shoot	37	37	-0.32333919225801905	Lagouri, V., Blekas, G., Tsimidou, M., Kokkini, S., and Boskou, D. 1993. Composition and Antioxidant Activity of Essential Oils from Oregano Plants Grown Wild in Greece. <i>Z. Lebensm Unters Forsch</i> 197: 20-23.
<i>Sideritis athoa</i>	Shoot	3.5	3.5	-0.3322562947069139	Ozek, T., Baser, K.H.C. and Tumen, G. 1993. The Essential Oil of <i>Sideritis athoa</i> Papanikolaou Et Kokkini. <i>J. Ess. Oil Res.</i> 5: 669-670.
<i>Sideritis scardica</i>	Shoot	21	21	-0.3275981068604763	Menkovic, N., et al. 1991. The Essential Oil of <i>Sideritis scardica</i> . <i>Pl. Med.</i> 57. Suppl. 2. pp. A137-A132.
<i>Tagetes minuta</i>	Fruit Essent. Oil	--	3600		--
<i>Tanacetum parthenium</i>	Shoot	--	--		Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of <i>Tanacetum parthenium</i> (L.) Schultz-Bip. <i>Flavor and Fragrance Journal</i> 11(6): 367-71.
<i>Teucrium asiaticum</i>	Shoot	0.1	0.1	-0.33316131405993615	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. <i>Phytochemistry</i> 29(4): 1165-9.
<i>Teucrium cyprium</i>	Leaf	0	0	-0.42003924175296653	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some <i>Teucrium</i> Species from Cyprus. <i>J. Ethnopharm.</i> 35: 105-113.
<i>Teucrium divaricatum</i>	Leaf	0	0	-0.42003924175296653	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some <i>Teucrium</i> Species from Cyprus. <i>J. Ethnopharm.</i> 35: 105-113.
<i>Teucrium gnaphalodes</i>	Shoot	0.5	0.5	-0.33305484119487466	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian <i>Teucrium</i> Species. <i>J. Ess. Oil Res.</i> 5: 397-402.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Teucrium kotschyanum</i>	Leaf	0	0	-0.42003924175296653	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some <i>Teucrium</i> Species from Cyprus. <i>J. Ethnopharm.</i> 35: 105-113.
<i>Teucrium micropodioides</i>	Leaf	32	32	-0.4026253885663395	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some <i>Teucrium</i> Species from Cyprus. <i>J. Ethnopharm.</i> 35: 105-113.
<i>Teucrium oxylepis</i>	Shoot	0.27	0.27	-0.33311606309228503	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. <i>Phytochemistry</i> 29(4): 1165-9.
<i>Teucrium oxylepis</i>	Shoot	0.74	0.74	-0.3329909574758379	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. <i>Phytochemistry</i> 29(4): 1165-9.
<i>Teucrium polium</i>	Shoot	2	2	-0.3326555679508943	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian <i>Teucrium</i> Species. <i>J. Ess. Oil Res.</i> 5: 397-402.
<i>Teucrium pseudoscorodonia</i>	Shoot	0.34	0.34	-0.3330974303408992	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. <i>Phytochemistry</i> 29(4): 1165-9.
<i>Teucrium salviastrum</i>	Shoot	--	--		Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. <i>Phytochemistry</i> 29(4): 1165-9.
<i>Teucrium scorodonia</i>	Shoot	--	--		Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. <i>Phytochemistry</i> 29(4): 1165-9.
<i>Thymus broussonettii</i>	Shoot	20	20	-0.3278642890231299	Tantaoui-Elaraki, A., Lattaoui, N., Errifi, A. and Benjilali, B. 1993. Composition and Antimicrobial Activity of the Essential Oils of <i>Thymus broussonettii</i> , <i>T. zygis</i> and <i>T. saturejoides</i> . <i>J. Ess. Oil Res.</i> 5: 45-53.
<i>Thymus capitatus</i>	Plant	10	980	-0.4542680128310476	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Thymus capitatus</i>	Shoot	9	9	-0.33079229281231926	Biondi, D., Cianci, P., Geraci, C. and Roberto, G. 1993. Antimicrobial Activity and Chemical Composition of Essential Oils from Sicilian Aromatic Plants. <i>Flav. &amp; Fragr.</i> J. 8: 331-7.
<i>Thymus funkii</i>	Shoot	5	5	-0.33185702146293355	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of <i>Thymus funkii</i> Cousson. <i>Flav. &amp; Fragr.</i> J. 10(6): 379-383.
<i>Thymus funkii</i>	Shoot	--	--		Vila, R., et al. 1995. Composition and study of the variability of the essential oil of <i>Thymus funkii</i> Cousson. <i>Flav. &amp; Fragr.</i> J. 10(6): 379-383.
<i>Thymus longicaulis</i>	Shoot	16	16	-0.3289290176737442	Baser, K.H.C., Ozek, T., Kirimer, N. and Tumen, G. 1993. The Occurrence of Three Chemotypes of <i>Thymus longicaulis</i> C. Presl subsp. <i>longicaulis</i> in the same Population. <i>J. Ess. Oil Res.</i> 5: 291-5.
<i>Thymus longicaulis</i>	Shoot	--	12	-0.3299937463243585	Baser, K.H.C., Ozek, T., Kirimer, N. and Tumen, G. 1993. The Occurrence of Three Chemotypes of <i>Thymus longicaulis</i> C. Presl subsp. <i>longicaulis</i> in the same Population. <i>J. Ess. Oil Res.</i> 5: 291-5.
<i>Thymus longicaulis</i>	Shoot	--	16	-0.3289290176737442	Baser, K.H.C., Ozek, T., Kirimer, N. and Tumen, G. 1993. The Occurrence of Three Chemotypes of <i>Thymus longicaulis</i> C. Presl subsp. <i>longicaulis</i> in the same Population. <i>J. Ess. Oil Res.</i> 5: 291-5.
<i>Thymus mastichina</i>	Plant	190	190	-0.5519323646581084	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Thymus orospedanus</i>	Plant	1278	1278	-0.41742753581273867	<i>J. Nat. Prod.</i>
<i>Thymus riatarum</i>	Shoot	275	275	-0.2599878375464673	Iglesias, J., Vila, R., Canigueral, S., Bellakdhar, and Il Idrissi, A. 1991. Analysis of the Essential Oil of <i>Thymus riatarum</i> . <i>J. Ess. Oil Res.</i> 3: 43-4.
<i>Thymus saturejoides</i>	Shoot	0	0	-0.33318793227620147	Tantaoui-Elaraki, A., Lattaoui, N., Errifi, A. and Benjlali, B. 1993. Composition and Antimicrobial Activity of the Essential Oils of <i>Thymus broussonettii</i> , <i>T. zygis</i> and <i>T. saturejoides</i> . <i>J. Ess. Oil Res.</i> 5: 45-53.
<i>Thymus serpyllum</i>	Plant	3	57	-0.5683745909783604	--

<b>Plant</b>	<b>Part</b>	<b>Low PPM</b>	<b>High PPM</b>	<b>StdDev</b>	<b>Reference</b>
Thymus vulgaris	Plant	15	24100	2.403959600133059	--
Thymus vulgaris	Essential Oil	231000	600500	1.251897456651706	--
Thymus vulgaris	Shoot	--	--		--
Thymus x citriodorus	Plant	50	50	-0.5692399713110052	Stahl-Biskup, E. and Holthuijzen, J. 1995. Essential oil and glycosidally bound volatiles of lemon-scented thyme, <i>Thymus x citriodorus</i> (Pers.) Schreb. Flav. & Fragr. J. 10: 225-229.
Thymus zygis	Shoot	350	3550	0.6117587451440031	De Cunha, A.P. and Salguiero, L.R. 1991. The Chemical Polymorphism of <i>Thymus zygis</i> ssp. <i>sylvestris</i> from Central Portugal. J. Ess. Oil Res. 3: 409-12.
Thymus zygis	Shoot	5920	5920	1.2426104706329848	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Thymus zygis	Shoot	--	5920	1.2426104706329848	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Trachyspermum ammi	Fruit	13560	19400	1.4142135623730956	--
Turnera diffusa	Leaf	--	--		List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Umbellularia californica	Plant	330	1320	-0.4122352538168696	--
Vaccinium corymbosum	Fruit	--	--		--
Valeriana officinalis	Root	3	860		--
Zea mays	Seed	--	--		--

<b>Plant</b>	<b>Part</b>	<b>Low PPM</b>	<b>High PPM</b>	<b>StdDev</b>	<b>Reference</b>
Zea mays	Silk Stigma Style	--	--		Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
Zea mays	Seed Essent. Oil	--	--		--