

C LINALOL

Chemid

LINALOL

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Acacia farnesiana	Flower	--	--	--	
Acinos alpinus	Shoot	1	1	-0.22209326873895435	Velasco-Negueruela,A., Perez-Alonso,M.J., Jiminez,S.M. and Garcia,F.M. 1993. The Volatile Constituents of Acinus alpinus (L.) Moench ssp. meridionalis (Nyman). P.W. Ball Growing in Spain. Flav. & Frag. J. 8:127-130.)
Acinos alpinus	Shoot	--	1.5	-0.22200252885215135	Velasco-Negueruela,A., Perez-Alonso,M.J., Jiminez,S.M. and Garcia,F.M. 1993. The Volatile Constituents of Acinus alpinus (L.) Moench ssp. meridionalis (Nyman). P.W. Ball Growing in Spain. Flav. & Frag. J. 8:127-130.)
Acorus calamus	Rhizome	30	6000	1	--
Aeolanthus myriantha	Flower	--	--		Wealth of India.
Agastache foeniculum	Plant	--	15	-0.4288239366023661	Mazza, G. and Kiehn, F.A. 1992. Essential Oil of Agastache foeniculum, A Potential Source of Methyl Chavicol. J. Ess. Oil Res., 4: 295-299.
Agastache nepetoides	Plant	9	9	-0.43018036809044835	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Ageratum conyzoides	Shoot	--	80	-0.20775636662408106	R. Vera, (1993); Chemical composition of the essential oil Ageratum conyzoides L. (Asteraceae) from Reunion, Flavour Fragr. J., Vol.8, 257-260.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Allium sativum var. sativum	Bulb	--	--	--	--
Aloysia citrodora	Plant	5	35	-0.42430249830875855	--
Alpinia officinarum	Rhizome	--	--	--	--
Ammi visnaga	Essential Oil	--	--	--	--
Amomum xanthioides	Seed	--	--	--	--
Anethum graveolens	Plant	--	--	--	--
Angelica archangelica	Root	--	1	-0.7415836394549143	--
Aniba rosaeodora	Essential Oil	--	--	--	--
Annona cherimola	Plant	--	--	--	--
Apium graveolens	Seed	--	1	-0.7142013588154137	--
Artemisia dracunculus	Shoot	--	--	--	--
Artemisia pallens	Plant	4	17	-0.42837179277300536	--
Artemisia salsolooides	Shoot	1000	1000	-0.04079497490656966	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of Artemisia salsolooides Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
Artemisia vulgaris	Plant	--	--	--	--
Asarum canadense	Rhizome	--	--	--	--
Ballota nigra	Plant	--	3	-0.4315367995785306	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Brassica oleracea	Stem	0.08	0.08	--	
Bursera delpechiana	Wood	7500	84000	--	
Calamintha nepeta	Leaf	1	1	-0.4420070940950003	Akgul, A., De Pooter, H.L., and De Buyck, L.F. 1991. The Essential Oils of Calamintha nepeta subsp. glandulosa and Ziziphora clinopodioides from Turkey. J. Ess. Oil Res., 3: 7-10.
Calamintha nepeta	Shoot	34	34	-0.21610443620995665	Kirimer, N., Baser, K.H.C., Ozek, T. and Kurkcuoglu, M. 1992. Composition of the Essential Oil of Calamintha nepeta subsp. glandulosa. J. Ess. Oil Res. 4:189-190
Camellia sinensis	Leaf	6	1984	0.7325599784922869	--
Camellia sinensis	Shoot	4000	10300	1.6469669196291437	--
Capsicum annuum	Fruit	--	--	--	
Carica papaya	Fruit	--	--	--	
Carum carvi	Fruit	48	96	-0.6231721368623974	--
Cinnamomum aromaticum	Plant	--	--	--	
Cinnamomum camphora	Plant	5520	22800	4.722224639390002	--
Cinnamomum verum	Bark	230	956	--	
Cinnamomum verum	Leaf	195	390	-0.21159529821176554	--
Cistus ladaniferus	Leaf	4	280	-0.27675030475972384	--
Citrus aurantiifolia	Fruit	9	20	-0.636217155719963	--
Citrus aurantium	Leaf	1990	2795	1.2129300722231442	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Citrus limon	Pericarp Essent. Oil	7000	110000	--	
Citrus limon	Leaf Essent. Oil	17000	81000	-1	--
Citrus limon	Essential Oil	8	30	-1	--
Citrus mitis	Fruit Juice	0.9	0.9	-0.999999999999999	--
Citrus paradisi	Fruit	--	--	--	--
Citrus paradisi	Pericarp	--	13	--	--
Citrus reticulata	Fruit	3	610	-0.5349466145888611	--
Citrus sinensis	Fruit Juice	0.15	4.69	1.0000000000000002	--
Citrus sinensis	Fruit	30	530	-0.5486782133862986	--
Cleonia lusitanica	Leaf	1	2	-0.44141477585365524	Perez-Alonso, M., Velasco-Negueruela, A., and Lopez-Saez, A. 1991. The Essential Oil of Cleonia lusitanica. J. Ess. Oil Res., 3: 441-442.
Conyza canadensis	Plant	--	--	--	--
Coriandrum sativum	Fruit	4060	16900	2.2611501905393587	--
Croton eluteria	Bark	--	--	--	--
Croton lechleri	Plant	--	--		Taylor, Leslie. 2005. The Healing Power of Rainforest Herbs. SquareOne Publisher, Garden City Park, NY. 519 pp.
Cuminum cyminum	Fruit	30	318	-0.5850669501995082	--
Curcuma longa	Essential Oil	--	1600	1	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Cymbopogon nardus</i>	Plant	36	144	-0.3996606596085976	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Cymbopogon parkeri</i>	Plant	39	499	-0.3194051298970641	Rizk, A.F.M., The Phytochemistry of the Flora of Qatar, Scientific and Applied Research Centre, University of Qatar, Kingprint, Richmond, UK, 1986.
<i>Cymbopogon winterianus</i>	Plant	40	105	-0.40847746428113224	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
<i>Daucus carota</i>	Root	32	32	1.4136438127109305	--
<i>Daucus carota</i>	Seed	4	600	1.4141897552663414	--
<i>Dictamnus albus</i>	Shoot	4	4	-0.22154882941813636	Baser, K.H.C., Kosar, M.Malyer, H. & Ozek, T. 1994. The Essential Oil Composition of <i>Dictamnus albus</i> from Turkey. <i>Planta Med.</i> 60:481-2
<i>Dictamnus albus</i>	Shoot	--	1.5	-0.22200252885215135	Baser, K.H.C., Kosar, M.Malyer, H. & Ozek, T. 1994. The Essential Oil Composition of <i>Dictamnus albus</i> from Turkey. <i>Planta Med.</i> 60:481-2
<i>Dictamnus albus</i>	Shoot	--	4	-0.22154882941813636	Baser, K.H.C., Kosar, M.Malyer, H. & Ozek, T. 1994. The Essential Oil Composition of <i>Dictamnus albus</i> from Turkey. <i>Planta Med.</i> 60:481-2
<i>Dracocephalum thymiflora</i>	Plant	32	32	-0.4249807140527997	--
<i>Elettaria cardamomum</i>	Fruit	1288	8000	0.7335098243244321	--
<i>Elsholtzia blanda</i>	Shoot	65	65	-0.21047856322817093	Bestman, H.J., Rauscher, J., Vostrowsky O., Pant, A.K., Dev. V., Perihar, R. and Mathela, C.S. 1992. Constituents of the Essential Oil of <i>Elsholtsia blanda</i> Benth. (Labiatae). <i>J. Ess. Oils Res.</i> 4: 121-124
<i>Elsholtzia eriostachya</i>	Shoot	6.2	6.2	-0.2211495739162032	Pant, A.K., Dev, V., Parihar, R., Mathela,C.S., Rauscher, J., Vostrowsky, O. and Bestmann, H.J. 1992. The Essential Oil from <i>Elsholtzia eriostachya</i> var. <i>pusilla</i> . <i>J. Ess. Oil Res.</i> 4: 547-549.
<i>Elsholtzia pilosa</i>	Shoot	46	46	-0.21392667892668477	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Elsholtzia polystachya	Leaf	0.2	0.2	-0.4424809486880763	Mathela,C.S., Melkani,A.B., Bisht,J.C., Pant,A.K., Bestmann,H.J., Erler,J., Kobold,U., Rauscher,J. and Vostrowsky,O. 1992. Chemical Varieties of Essential Oils from Elsholtzia polystachya from Two Different Locations in India. <i>Planta Medica</i> 58: 376-379.
Elsholtzia polystachya	Leaf	--	0.2	-0.4424809486880763	Mathela,C.S., Melkani,A.B., Bisht,J.C., Pant,A.K., Bestmann,H.J., Erler,J., Kobold,U., Rauscher,J. and Vostrowsky,O. 1992. Chemical Varieties of Essential Oils from Elsholtzia polystachya from Two Different Locations in India. <i>Planta Medica</i> 58: 376-379.
Ephedra sinica	Shoot	--	32	-0.21646739575716864	--
Eucalyptus behriana	Leaf	2.7	2.7	-0.44100015308471363	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
Eucalyptus citriodora	Leaf	15	180	-0.3359821288942315	--
Eucalyptus cuprea	Leaf	6.4	6.4	-0.4388085755917368	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
Eucalyptus desquamata	Leaf	0	15	-0.4337146387161692	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
Eucalyptus fasiculosa	Leaf	0	1.3	-0.4418293986225968	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus intertexta	Leaf	5.5	5.5	-0.4393416620089474	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus lansdowneana	Leaf	23	23	-0.4289760927854086	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus largisparsa	Leaf	4.6	4.6	-0.4398747484261581	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus leucoxylon	Leaf	0	5.5	-0.4393416620089474	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus melanophloia	Leaf	0	0.8	-0.44212555774326934	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus ochrophloia	Leaf	0.5	0.5	-0.4423032532156728	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus odorata	Leaf	23	23	-0.4289760927854086	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364

Plant	Part	Low PPM	High PPM	StdDev	Reference
Eucalyptus porosa	Leaf	10	10	-0.4366762299228946	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
Eucalyptus sparsa	Leaf	30	30	-0.4248298650959931	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
Eucalyptus viridis	Leaf	0	0.5	-0.4423032532156728	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
Eupatorium triplinerve	Plant	390	390	-0.34404696859722506	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Ferula gummosa	Gum	--	--	--	--
Foeniculum vulgare	Fruit	1	2050	-0.2877778362349853	--
Foeniculum vulgare	Plant	--	60	-0.4186507004417492	--
Fragaria spp	Leaf	--	--	--	--
Galeopsis tetrahit	Shoot	12	12	-0.22009699122928844	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Gardenia jasminoides	Flower	--	--	--	--
Gentiana lutea	Essential Oil	--	--	--	--
Glechoma hederacea	Plant	1	4	-0.4313107276638502	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Glycyrrhiza glabra	Root	--	2	-0.6720601732560163	--
Helianthus annuus	Flower	--	--		--
Helichrysum angustifolium	Plant	--	--		--
Humulus lupulus	Fruit	--	--		--
Hyacinthus orientalis	Flower	0.032	0.46	-0.3901353778588428	--
Hyptis suaveolens	Plant	80	80	-0.41412926214814166	Recently became Internat. J. Crude Drug Res. 28(1,2,3,4):1990, page 74.
Hyptis suaveolens	Shoot	34	34	-0.21610443620995665	Mallvarapu, G.R., Ramesh, S., Kaul, P.N., Bhattacharya, A.K., and Rao, B.R.R. 1993. The Essential Oil of Hyptis suaveolens (L.) Poit. J. Ess. Oil Res. 5: 321.
Hyptis suaveolens	Shoot	--	34	-0.21610443620995665	Mallvarapu, G.R., Ramesh, S., Kaul, P.N., Bhattacharya, A.K., and Rao, B.R.R. 1993. The Essential Oil of Hyptis suaveolens (L.) Poit. J. Ess. Oil Res. 5: 321.
Hyssopus officinalis	Flower	0.1	1	-0.3900304526992942	Flavour and Fragrance Journal, 6: 69.
Hyssopus officinalis	Leaf	0.2	160	-0.34782849372113306	--
Hyssopus officinalis	Shoot	10	10	-0.22045995077650044	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
Hyssopus officinalis	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
Hyssopus officinalis	Shoot	--	20	-0.21864515304044052	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Hyssopus officinalis	Shoot	--	20	-0.21864515304044052	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) <i>J. Agric. Food Chem.</i> 42: 776-781.
Hyssopus officinalis	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) <i>J. Agric. Food Chem.</i> 42: 776-781.
Hyssopus officinalis	Shoot	--	80	-0.20775636662408106	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) <i>J. Agric. Food Chem.</i> 42: 776-781.
Hyssopus officinalis	Shoot	--	70	-0.20957116436014098	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) <i>J. Agric. Food Chem.</i> 42: 776-781.
Hyssopus officinalis	Shoot	--	50	-0.2132007598322608	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) <i>J. Agric. Food Chem.</i> 42: 776-781.
Hyssopus officinalis	Shoot	--	70	-0.20957116436014098	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) <i>J. Agric. Food Chem.</i> 42: 776-781.
Hyssopus officinalis	Shoot	85	85	-0.20684896775605113	Tsankova, E.T., Konatchiev, A.N. and Genova, E.M. 1993. Chemical Composition of the Essential Oils of Two <i>Hyssopus officinalis</i> cultivars. <i>J. Ess. Oil Res.</i> 5: 609-611.
Hyssopus officinalis	Shoot	--	85	-0.20684896775605113	Tsankova, E.T., Konatchiev, A.N. and Genova, E.M. 1993. Chemical Composition of the Essential Oils of Two <i>Hyssopus officinalis</i> cultivars. <i>J. Ess. Oil Res.</i> 5: 609-611.
Illicium verum	Fruit	250	1400	-0.39934707646416534	--
Iris x germanica	Rhizome	--	--		--
Juniperus communis	Plant	--	--		--
Juniperus virginiana	Leaf	--	--		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Lantana camara	Leaf	--	--		--
Laurus nobilis	Leaf	800	3340	1.5357435137562112	--
Lavandula angustifolia	Plant	--	--		List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Lavandula latifolia	Plant	1490	5104	0.7216560372060676	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Lavandula sp	Shoot	--	--		Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Lavandula x hybrida	Shoot	320	580	-0.11701647982108573	Tucker, A.O., Maciarello, M.J., Angell, S., Espaillat, J.R., and French, E.C. 1993. The Essential Oil of Lavandula x hybrida Balb. ex Ging., a Distinct Hybrid from L. x heterophylla Poir. (Labiatae). J. Ess. Oil Res. 5: 443-445.
Lavandula x intermedia	Plant	3098	3710	0.40651178814162336	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Leonotis leonurus	Se	1	1		Pedro, L.G., Barroso, J.G., Marques, N.T., Ascensao, L., Pais, M.S.S. and Scheffer, J.J.C. 1991. Composition of the Essential Oil from Sepals of Leonotis leonurus R. Br. J. Ess. Oil Res. 3: 451-3
Leonurus cardiaca	Plant	1	4	-0.4313107276638502	--
Lepechinia calycina	Plant	130	130	-0.4028256664141229	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Ligustrum japonicum	Flower	--	--		--
Lippia alba	Plant	--	--		Grenand, P., Moretti, C., and Jacquemin, H. 1987. Pharmacopees Traditionnelles en Guyane. l'ORSTROM, Paris. 569 pp.
Litsea glaucescens	Shoot	5	20	-0.21864515304044052	Tucker, et al, EB46(1):21-24.1992

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Lonicera japonica</i>	Flower	0.182	3.858	-0.38947512657709066	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
<i>Lycopersicon esculentum</i>	Fruit	--	--	--	
<i>Lycopus uniflorus</i>	Plant	5	5	-0.4310846557491699	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Lycopus virginicus</i>	Plant	20	50	-0.42091141958855294	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Magnolia fargesii</i>	Flower	--	--	--	
<i>Melaleuca alternifolia</i>	Leaf	10	25	-0.4277914563027185	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Melaleuca viridiflora</i>	Leaf	--	--		Guenther, E., The Essential Oils, 6 volumes, D. van Nostrand, New York, 1948-1952.
<i>Melissa officinalis</i>	Shoot	1	16	-0.21937107213486448	Deutsche Apot. Zit. 129(4):155-163. W. Schulze et al. Die Melisse.
<i>Mentha aquatica</i>	Leaf	1080	3060	1.3698944061795897	--
<i>Mentha arvensis</i> var. <i>piperascens</i>	Leaf	--	--		Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
<i>Mentha longifolia</i>	Shoot	10	33360	5.831890498983289	--
<i>Mentha pulegium</i>	Plant	15	30	-0.42543285788216045	--
<i>Mentha spicata</i>	Plant	11	9375	1.6872091848059536	--
<i>Mentha x piperita</i>	Leaf	12	120	-0.37152122337493615	Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Micromeria congesta	Leaf	1	3	-0.44082245761231015	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of <i>Micromeria congesta</i> . <i>J. Ess. Oil Res.</i> , 3: 387-393.
Micromeria fruticosa	Shoot	7	7	-0.2210043900973184	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of <i>Micromeria fruticosa</i> (L.) Druce subsp. <i>barbata</i> (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. <i>J. Ess. Oil Res</i> 3: 477-479.
Micromeria fruticosa	Shoot	--	7	-0.2210043900973184	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of <i>Micromeria fruticosa</i> (L.) Druce subsp. <i>barbata</i> (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. <i>J. Ess. Oil Res</i> 3: 477-479.
Micromeria juliana	Leaf	150	150	-0.35375167613458386	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of <i>Micromeria congesta</i> . <i>J. Ess. Oil Res.</i> , 3: 387-393.
Micromeria myrtifolia	Shoot	3	3	-0.22173030919174236	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. <i>J. Ess. Oil Res.</i> , 4: 79-80.
Micromeria teneriffae	Leaf	80	80	-0.39521395302873924	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of <i>Micromeria congesta</i> . <i>J. Ess. Oil Res.</i> , 3: 387-393.
Micromeria varia	Shoot	27	27	-0.21737479462519857	Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. & Fragr. J.</i> 10(3): 199-202.
Micromeria varia	Shoot	--	27	-0.21737479462519857	--
Mitracarpus scaber	Shoot	336	336	-0.16129754458094747	I. Laakso, T.O.E. Ekpendu, A.A. Adesomoju, O. Eundayo, J. I. Okogun, (1993); Constituents of the volatile oil of <i>Mitracarpus scaber</i> Zucc., <i>Flavour Fragr. J.</i> , Vol 8, 269-271.
Moldavica thymiflora	Plant	32	32	-0.4249807140527997	Lawrence, B.M., <i>Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980</i> .
Monarda citriodora	Plant	47	47	-0.4215896353325941	--
Monarda clinopodia	Plant	216	216	-0.3833834817516105	Lawrence, B.M., <i>Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980</i> .

Plant	Part	Low PPM	High PPM	StdDev	Reference
Monarda didyma	Flower	2385	2385	0.07319469612266988	Flavour and Fragrance Journal, 6: 80.
Monarda didyma	Leaf	5195	9645	5.270310025436921	--
Monarda didyma	Plant	5	5900	0.901609281291647	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Monarda fistulosa	Plant	15	341	-0.3551244924165635	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Monarda media	Plant	22	63	-0.41797248469770804	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Monarda punctata	Plant	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Monarda russeliana	Plant	150	150	-0.3983042281205153	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Morus alba	Plant	--	--		--
Myrica cerifera	Leaf	--	--		--
Myristica fragrans	Seed	--	--		--
Myrtus communis	Plant	18	505	-0.3180486984089818	--
Narcissus tazetta	Flower	525	1125	-0.17163067615739502	--
Nepeta racemosa	Shoot	21	21	-0.21846367326683452	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.
Nepeta racemosa	Shoot	--	21	-0.21846367326683452	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.
Ocimum basilicum	Plant	5	8730	1.541392799837111	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Ocimum basilicum	Plant	30	300	-0.36439344091845893	Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
Ocimum canum	Shoot	3055	5230	0.7268644674467707	--
Ocimum gratissimum	Flower	46	140	-0.3630219394080807	Charles, D.J. and Simon, J.E. 1992. A New Geraniol Chemotype of Ocimum gratissimum L. J. Ess. Oil Res. 4: 231-234.
Ocimum gratissimum	Leaf	25	45	-0.41594509147581693	Charles, D.J. and Simon, J.E. 1992. A New Geraniol Chemotype of Ocimum gratissimum L. J. Ess. Oil Res. 4: 231-234.
Ocimum gratissimum	Plant	2	12	-0.4295021523464072	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Ocimum gratissimum	Shoot	275	275	-0.1723678107709129	Vostrowsky, O., Garbe, W., Bestmann, H.J. and Maia, J.G.S. 1990. Essential Oil of Alfavaca, Ocimum gratissimum, from Brazilian Amazon. Zeitschr. Naturforschung 45(C): 1073-6.
Ocimum kilimandscharicum	Flower	10380	18130	3.1325403203684017	Charles, D.J., and Simon, J.E. 1992. Essential Oil Constituents of Ocimum killimandscharicum Guerke. J. Ess. Oil Res., 4: 125-128.
Ocimum kilimandscharicum	Leaf	2970	5075	2.5634156624899194	Charles, D.J., and Simon, J.E. 1992. Essential Oil Constituents of Ocimum killimandscharicum Guerke. J. Ess. Oil Res., 4: 125-128.
Ocimum sanctum	Leaf	--	--		Guenther, E., The Essential Oils, 6 volumes, D. van Nostrand, New York, 1948-1952.
Ocimum suave	Shoot	20	20	-0.21864515304044052	J. Nat. Prod. 44: 308.
Ocimum tenuiflorum	Leaf	--	--		Guenther, E., The Essential Oils, 6 volumes, D. van Nostrand, New York, 1948-1952.
Origanum creticum	Plant	--	--		List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Origanum majorana	Plant	99	568	-0.3038061677841181	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Origanum minutiflorum	Shoot	13	17	-0.21918959236125848	Baser, K.H.C., Tumen, G., Sezik, E. 1991. The Essential Oil of <i>Origanum minutiflorum</i> O. Schwarz and P.H. Davis. <i>J. Ess. Oil Res.</i> 3: 445-446.
Origanum onites	Plant	39	39	-0.4233982106500371	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Origanum onites	Shoot	100	100	-0.20412677115196126	Biondi, D., Cianci, P., Geraci, C. and Ruberto, G. 1993. Antimicrobial Activity and Chemical Composition of Essential Oils from Sicilian Aromatic Plants. <i>Flav. & Frag. J.</i> 8: 331-7.
Origanum sipyleum	Shoot	105	105	-0.2032193722839313	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. <i>J. Ess. Oil Res.</i> 4: 139-142.
Origanum sipyleum	Shoot	--	18	-0.2190081125876525	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. <i>J. Ess. Oil Res.</i> 4: 139-142.
Origanum sipyleum	Shoot	--	105	-0.2032193722839313	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. <i>J. Ess. Oil Res.</i> 4: 139-142.
Origanum syriacum	Shoot	55	55	-0.21229336096423085	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of <i>Origanum syriacum</i> L. Essential Oil. <i>J. Ess. Oil Res.</i> 3: 121-123.
Origanum syriacum	Shoot	--	25	-0.21773775417241056	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of <i>Origanum syriacum</i> L. Essential Oil. <i>J. Ess. Oil Res.</i> 3: 121-123.
Origanum syriacum	Shoot	--	55	-0.21229336096423085	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of <i>Origanum syriacum</i> L. Essential Oil. <i>J. Ess. Oil Res.</i> 3: 121-123.
Origanum vulgare	Plant	6	6	-0.4308585838344895	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
Origanum vulgare	Plant	30	30	-0.42543285788216045	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Origanum vulgare	Plant	30	30	-0.42543285788216045	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
Origanum vulgare	Plant	15	15	-0.4288239366023661	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
Origanum vulgare	Plant	1	600	-0.2965718665143461	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pelargonium citrosum	Shoot	--	85	-0.20684896775605113	Matsuda, B. M., et al. 1996. Essential Oil Analysis and Field Evaluation of the Citrosa Plant ' <i>Pelargonium citrosum</i> ' as a Repellent Against Populations of Aedes Mosquitoes. <i>J. Am. Mosq. Contr. Assoc.</i> 12(1):69-74.
Pelargonium graveolens	Plant	30	505	-0.3180486984089818	--
Perilla frutescens	Plant	--	--		Kang, R., Helms, R., Stout, M.J., Jaber, H., Chen, Z., and Nakatsu, T. 1992. Antimicrobial Activity of the Volatile Constituents of <i>Perilla frutescens</i> and Its Synergistic Effects with Polygodial. <i>J. Agric. Food Chem.</i> , 40: 2328-2330.
Petroselinum crispum	Leaf	--	0.12	-0.442528334147384	--
Peumus boldus	Leaf	3400	4300	2.1043690254474847	--
Pimenta dioica	Leaf	--	5	-0.43963782112961997	--
Pimenta racemosa	Leaf	130	1020	0.16156519383563286	--
Pimpinella anisum	Fruit	--	50	-0.631067806170924	--
Piper cubeba	Fruit	--	--		--
Piper nigrum	Fruit	--	--		--
Plantago asiatica	Flower	--	--		--

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Plantago asiatica</i>	Leaf	--	--		--
<i>Plantago asiatica</i>	Root	--	--		--
<i>Plumeria acutifolia</i>	Flower	--	--		--
<i>Prunus armeniaca</i>	Fruit	--	--		--
<i>Prunus cerasus</i>	Fruit	--	--		--
<i>Psoralea corylifolia</i>	Seed	--	--		--
<i>Pycnanthemum albescens</i>	Shoot	32	108	-0.20267493296311334	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Pycnanthemum clinopodioides</i>	Plant	84	88	-0.41232068683069867	--
<i>Pycnanthemum flexuosum</i>	Shoot	10680	10680	1.71592923359942	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Pycnanthemum incanum</i>	Shoot	11	38	-0.21537851711553269	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Pycnanthemum loomisii</i>	Shoot	33	84	-0.2070304475296571	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Pycnanthemum montanum</i>	Shoot	105	120	-0.20049717567984146	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Pycnanthemum pilosum</i>	Flower	1	210	-0.349420529836966	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Pycnanthemum pilosum</i>	Leaf	1	210	-0.3182125816538792	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Pycnanthemum pycnanthemooides	Shoot	26598	39556	6.956339176246006	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pycnanthemum setosum	Shoot	80	124	-0.19977125658541747	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pycnanthemum tenuifolium	Shoot	46	700	-0.09523890698836686	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pycnanthemum torreyi	Shoot	10	10	-0.22045995077650044	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Ribes nigrum	Leaf	--	7	-0.43845318464692984	--
Robinia pseudoacacia	Flower	--	--		--
Rosa damascena	Essential Oil	--	--		--
Rosmarinus eriocalyx	Shoot	0.1	0.1	-0.22225660053519966	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Rosmarinus eriocalyx	Shoot	--	--		Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Rosmarinus officinalis	Leaf	90	90	-0.38929077061528844	Soliman, F.M., El-Kashoury, M.M., Fathy, M.M. and Gonaid, M.H. 1994. Analysis and Biological Activity of the Essential Oil of Rosmarinus officinalis L. from Egypt. Flavour and Fragrance J. 9: 29-33.
Rosmarinus officinalis	Leaf	--	90	-0.38929077061528844	Soliman, F.M., El-Kashoury, M.M., Fathy, M.M. and Gonaid, M.H. 1994. Analysis and Biological Activity of the Essential Oil of Rosmarinus officinalis L. from Egypt. Flavour and Fragrance J. 9: 29-33.
Rosmarinus officinalis	Plant	--	585	-0.29996294523455175	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Rosmarinus officinalis	Shoot	30	65	-0.21047856322817093	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Rosmarinus officinalis	Shoot	--	65	-0.21047856322817093	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Rosmarinus officinalis	Shoot	6	13	-0.21991551145568244	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Rosmarinus tomentosus	Shoot	65	100	-0.20412677115196126	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Rosmarinus x lavandulaceus	Shoot	0.1	30	-0.2168303553043806	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Rosmarinus x mendizabalii	Shoot	16	33	-0.21628591598356264	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Salvia dorisiana	Shoot	7	7.4	-0.22093179818787606	Tucker, A.O. & Maciarello, M.J. 1994. The Essential Oil of Salvia dorisiana Standley. J. Ess. Oil Res. 6: 97-8.
Salvia officinalis	Plant	0	3500	0.3590366860587444	--
Salvia sclarea	Plant	7	930	-0.22196813466982201	Flavour and Fragrance Journal, 6: 153.
Salvia triloba	Plant	700	5040	0.7071874346665236	--
Satureja cilicica	Shoot	13	13	-0.21991551145568244	Tumen, G. Baser, K.H.C. and Kirimer, N. 1993. The Essential Oil of Satureja cilicica P.H. Davis. J. Ess. Oil Res. 5: 547-548.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Satureja cuneifolia</i>	Shoot	60	60	-0.2113859620962009	Tumen, G. 1991. The Volatile Constituents of <i>Satureja cuneifolia</i> . <i>J. Ess. Oil Res.</i> , 3: 365-366.
<i>Satureja douglasii</i>	Plant	26	182	-0.39106992685074327	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Satureja montana</i>	Plant	115	14260	2.791570488019591	--
<i>Satureja obovata</i>	Leaf	1580	1580	0.4932634089888759	Arrebola, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of <i>Satureja obovata</i> . <i>Phytochemistry</i> 35(1): 83.
<i>Satureja obovata</i>	Leaf	--	1940	0.7064979758731036	Arrebola, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of <i>Satureja obovata</i> . <i>Phytochemistry</i> 35(1): 83.
<i>Satureja obovata</i>	Leaf	--	945	0.11714132573475211	Arrebola, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of <i>Satureja obovata</i> . <i>Phytochemistry</i> 35(1): 83.
<i>Satureja obovata</i>	Leaf	--	1580	0.4932634089888759	Arrebola, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of <i>Satureja obovata</i> . <i>Phytochemistry</i> 35(1): 83.
<i>Satureja obovata</i>	Shoot	865	3370	0.38931208853962807	Fitoterapia No.60: 277.
<i>Satureja subspicata</i>	Plant	35	35	-0.42430249830875855	Stanic, G., Petricic, J., and Blazevic, N. 1991. Gas Chromatographic Investigations of Essential Oils of <i>Satureja montana</i> and <i>Satureja subspicata</i> from Yugoslavia. <i>J. Ess. Oil Res.</i> , 3: 153-158.
<i>Saussurea lappa</i>	Root Essent. Oil	--	--	--	--
<i>Scutellaria churchilliana</i>	Plant	26	26	-0.426337145540882	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Scutellaria parvula</i>	Plant	10	10	-0.42995429617576797	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Sideritis athoa</i>	Shoot	10	10	-0.22045995077650044	Ozek, T., Baser, K.H.C. and Tumen, G. 1993. The Essential Oil of <i>Sideritis athoa</i> Papanikolaou Et Kokkini. J. Ess. Oil Res. 5: 669-670.
<i>Sideritis germanicolpitana</i>	Plant	3	4	-0.4313107276638502	J. Essential Oil, 4: 533.
<i>Sideritis mugronensis</i>	Flower	10	25	-0.385367112274912	Manez, S., Jimenez, A., and Villar, A. 1991. Volatiles of <i>Sideritis mugronensis</i> Flower and Leaf. J. Ess. Oil Res., 3: 395-397.
<i>Sideritis mugronensis</i>	Leaf	5	10	-0.4366762299228946	Manez, S., Jimenez, A., and Villar, A. 1991. Volatiles of <i>Sideritis mugronensis</i> Flower and Leaf. J. Ess. Oil Res., 3: 395-397.
<i>Sideritis pauli</i>	Shoot	3	3	-0.22173030919174236	Burzaco, A., Velasco-Negueruela, A. and Perez-Alonso, M.J. 1992. Essential Oil Analysis of <i>Sideritis pauli</i> Pau. FFJ7: 47-8. 1992.
<i>Skimmia arborescens</i>	Lb	--	--		List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
<i>Syringa vulgaris</i>	Flower	--	--		List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
<i>Syzygium aromaticum</i>	Flower	--	1	-0.3900304526992942	--
<i>Teucrium arduini</i>	Shoot	2	2	-0.22191178896534836	Blazevic, N., Kalodera, Z., Petricic, J., and Plazibat, M. 1992. Essential Oil Content and Composition of <i>Teucrium arduini</i> L. J. Ess. Oil Res. 4: 223-225.
<i>Teucrium arduini</i>	Shoot	--	2	-0.22191178896534836	Blazevic, N., Kalodera, Z., Petricic, J., and Plazibat, M. 1992. Essential Oil Content and Composition of <i>Teucrium arduini</i> L. J. Ess. Oil Res. 4: 223-225.
<i>Teucrium asiaticum</i>	Shoot	15.38	15.38	-0.21948358959450018	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. Phytochemistry 29(4): 1165-9.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Teucrium cyprium</i>	Leaf	80	80	-0.39521395302873924	Arnold, N., Bellomaria, B., Valentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some <i>Teucrium</i> Species from Cyprus. <i>J. Ethnopharm.</i> 35: 105-113.
<i>Teucrium divaricatum</i>	Leaf	36	36	-0.4212759556479226	Arnold, N., Bellomaria, B., Valentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some <i>Teucrium</i> Species from Cyprus. <i>J. Ethnopharm.</i> 35: 105-113.
<i>Teucrium gnaphalodes</i>	Shoot	12	12	-0.22009699122928844	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian <i>Teucrium</i> Species. <i>J. Ess. Oil Res.</i> 5: 397-402.
<i>Teucrium kotschyanum</i>	Leaf	135	135	-0.36263644975476	Arnold, N., Bellomaria, B., Valentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some <i>Teucrium</i> Species from Cyprus. <i>J. Ethnopharm.</i> 35: 105-113.
<i>Teucrium micropodioides</i>	Leaf	20	20	-0.4307530475094438	Arnold, N., Bellomaria, B., Valentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some <i>Teucrium</i> Species from Cyprus. <i>J. Ethnopharm.</i> 35: 105-113.
<i>Teucrium oxylepis</i>	Shoot	12.87	12.87	-0.21993910382625126	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. <i>Phytochemistry</i> 29(4): 1165-9.
<i>Teucrium oxylepis</i>	Shoot	2.69	2.69	-0.2217865679215603	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. <i>Phytochemistry</i> 29(4): 1165-9.
<i>Teucrium polium</i>	Shoot	12	12	-0.22009699122928844	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian <i>Teucrium</i> Species. <i>J. Ess. Oil Res.</i> 5: 397-402.
<i>Teucrium pseudoscorodonia</i>	Shoot	1.18	1.18	-0.2220606023797052	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. <i>Phytochemistry</i> 29(4): 1165-9.
<i>Teucrium salviastrum</i>	Shoot	0.74	0.74	-0.22214045348009193	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. <i>Phytochemistry</i> 29(4): 1165-9.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Teucrium scorodonia</i>	Shoot	1.28	1.28	-0.2220424544023447	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. <i>Phytochemistry</i> 29(4): 1165-9.
<i>Theobroma cacao</i>	Seed	--	5	-0.6999883964509279	--
<i>Thymus broussonettii</i>	Shoot	50	50	-0.2132007598322608	Tantaoui-Elaraki, A., Lattaoui, N., Errifi, A. and Benjilali, B. 1993. Composition and Antimicrobial Activity of the Essential Oils of <i>Thymus broussonettii</i> , <i>T. zygis</i> and <i>T. saturejoides</i> . <i>J. Ess. Oil Res.</i> 5: 45-53.
<i>Thymus capitatus</i>	Plant	30	180	-0.39152207068010403	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Thymus capitatus</i>	Shoot	11	11	-0.22027847100289444	Biondi, D., Cianci, P., Geraci, C. and Ruberto, G. 1993. Antimicrobial Activity and Chemical Composition of Essential Oils from Sicilian Aromatic Plants. <i>Flav. & Frag. J.</i> 8: 331-7.
<i>Thymus cilicus</i>	Shoot	120	120	-0.20049717567984146	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of <i>Thymus cilicus</i> Boiss. & Bal. <i>J. Ess. Oil Res.</i> 6: 97-8.
<i>Thymus longicaulis</i>	Shoot	40	40	-0.2150155575683207	Baser, K.H.C., Ozek, T., Kirimer, N. and Tumen, G. 1993. The Occurrence of Three Chemotypes of <i>Thymus longicaulis</i> C. Presl subsp. <i>longicaulis</i> in the same Population. <i>J. Ess. Oil Res.</i> 5: 291-5.
<i>Thymus longicaulis</i>	Shoot	--	24	-0.21791923394601656	Baser, K.H.C., Ozek, T., Kirimer, N. and Tumen, G. 1993. The Occurrence of Three Chemotypes of <i>Thymus longicaulis</i> C. Presl subsp. <i>longicaulis</i> in the same Population. <i>J. Ess. Oil Res.</i> 5: 291-5.
<i>Thymus longicaulis</i>	Shoot	--	40	-0.2150155575683207	Baser, K.H.C., Ozek, T., Kirimer, N. and Tumen, G. 1993. The Occurrence of Three Chemotypes of <i>Thymus longicaulis</i> C. Presl subsp. <i>longicaulis</i> in the same Population. <i>J. Ess. Oil Res.</i> 5: 291-5.
<i>Thymus mastichina</i>	Plant	850	7890	1.3514923915055952	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Thymus orospedanus</i>	Plant	945	945	-0.21857705594961638	<i>J. Nat. Prod.</i>

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Thymus riatarum</i>	Shoot	130	130	-0.19868237794378155	Iglesias, J., Vila, R., Canigueral, S., Bellakdhar, and II Idrissi, A. 1991. Analysis of the Essential Oil of <i>Thymus riatarum</i> . <i>J. Ess. Oil Res.</i> 3: 43-4.
<i>Thymus saturejoides</i>	Shoot	630	630	-0.1079424911407862	Tantaoui-Elaraki, A., Lattaoui, N., Errifi, A. and Benjlali, B. 1993. Composition and Antimicrobial Activity of the Essential Oils of <i>Thymus broussonettii</i> , <i>T. zygis</i> and <i>T. saturejoides</i> . <i>J. Ess. Oil Res.</i> 5: 45-53.
<i>Thymus serpyllum</i>	Plant	8	134	-0.40192137875540135	--
<i>Thymus vulgaris</i>	Plant	20	17420	3.5059577384095792	--
<i>Thymus x citriodorus</i>	Plant	80	80	-0.41412926214814166	Stahl-Biskup, E. and Holthuijzen, J. 1995. Essential oil and glycosidally bound volatiles of lemon-scented thyme, <i>Thymus x citriodorus</i> (Pers.) Schreb. <i>Flav. & Fragr. J.</i> 10: 225-229.
<i>Thymus zygis</i>	Shoot	100	4920	0.6706057376289136	De Cunha, A.P. and Salguero, L.R. 1991. The Chemical Polymorphism of <i>Thymus zygis</i> ssp. <i>sylvestris</i> from Central Portugal. <i>J. Ess. Oil Res.</i> 3: 409-12.
<i>Thymus zygis</i>	Shoot	13	13	-0.21991551145568244	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. <i>JE05:</i> 153-8.
<i>Thymus zygis</i>	Shoot	--	13	-0.21991551145568244	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. <i>JE05:</i> 153-8.
<i>Tilia sp.</i>	Flower	--	--	--	--
<i>Trichostemma dichotomum</i>	Shoot	2.7	2.7	-0.22178475312382417	Tucker, A.O. and Maciarello, M.J. 1990. The Essential Oil of <i>Trichostemma dichotomum</i> . <i>J. Ess. Oil Res.</i> 2: 149-150.
<i>Trifolium pratense</i>	Flower	--	70	-0.3766233489791954	Buchnauer,G.,Jirovetz,L.,Nikiforov,A.1996.Comparative Investigation of Essential Clover Flower Oils from Austria Using Gas Chromatography-Flame Ionization Detection, Gas Chromatography-Mass Spectrometry, and Gas Chrom.-Olfactometry. <i>J.Agrc.Food Chem.</i> 44:1827-8
<i>Umbellularia californica</i>	Plant	200	800	-0.2513574835782709	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Urtica dioica</i>	Plant	--	--		Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.
<i>Vaccinium corymbosum</i>	Fruit	0.01	0.05	-0.6396414731700739	--
<i>Vitex agnus-castus</i>	Leaf	0.5	16	-0.43312232047482413	Ekundayo, O., Laakso, I., Holopainen, M., Hiltunen, R., Oguntimein, B., and Kauppinen, V. 1990. The Chemical Composition and Antimicrobial Activity of the Leaf Oil of <i>Vitex agnus-castus</i> L. J. Essential Oil Research, 2: 115-119.
<i>Vitis vinifera</i>	Leaf Essent. Oil	--	273000	1	--
<i>Vitis vinifera</i>	Fruit	--	--		--
<i>Zanthoxylum alatum</i>	Fruit	14745	14745	1.891255247933385	ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
<i>Zanthoxylum alatum</i>	Leaf	75	75	-0.3981755442354646	ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
<i>Zea mays</i>	Plant	--	--		--
<i>Zingiber officinale</i>	Rhizome	--	50	-1	--