

Dr. Duke's Phytochemical and Ethnobotanical Databases
Ethnobotanical Plants for Ache(Head)

| Ethnobotanical Plant | Common Names |
|-----------------------------|---|
| Abrus precatorius | Rakat; Weesboontje; Paratella; Reglisse; Ma Liao Tou; Peonia De St Tomas; Hung Tou; Rosary Pea; Graines Reglisse; Peonia; To-Azuki; Pois Rouge; Hint Meyankoku; Paternoster; Liane Reglisse; Jequerit; Cain Ghe; Gunchi |
| Acacia farnesiana | Tusca; Esponjeira; Kembang nagasiri; Kembang bandira; Cuji; Kembang japun |
| Acacia pennata | Rigot; Willd.; Rembete |
| Acacia pseudointsia | Akar koepah; Kelichi |
| Acalypha cardiophylla | |
| Acalypha wilkesiana | |
| Achillea millefolium | Schafgarbe; Milefolio; Millefoglio; Civanpercemi; Duizendblad; Cickafarkkoro; Rollike; Tlalquequetzal; Yarrow; Millefolium; Millefeuille; Rolleka; Biranjasif; Rojmar; Milenrama |
| Achillea ptarmica | Aksirikotu; Bottone D'Argento; Pyrethre Sauvage; Hierba Estornutatoria; Wiesen Bertram; Sneezewort; Nieskruid |
| Achyranthes bidentata | Niu Hsi; Niu Hsi Chiu; Too-Inkozuti; Soei in soei in taloen |
| Achyranthes nodiflora | Kremri; Sajoer oedang |
| Acorus calamus | Ganoeak; Djerango; Acorus; Seki-Sho; Bach; Calamus; Calomo Aromatico; Calmus; Azakegeri; Ch'Ang P'U Chiu; Kalmoes; Jerangau; Jeringau; Agri Turki; Sarango; Vacha; Sweet Flag; Acore Vrai; Kalmos; Vaj; Kalmus; Jariangau; Calamo Aromatico; Shui Ch'Ang Pu; Doringo; Sho-Bu; Acoro Aromatico; Kaliraga |
| Adenia heterophylla | Akar saut |
| Adenostemma lavenia | Daun tempel daging |
| Agastache rugosa | |
| Agrimonia pilosa | Kin-Mizu-Hiki |
| Alchemilla woodii | |
| Alchornea cordifolia | |
| Aleurites moluccana | Kemiri; Avellano; Pidekan; Derekan; Noyer Des Indes; Miri; Shih Li; Cila Agaci; Buah keras; Kembiri |
| Allium ascalonium | Hsieh Pai; Astloke; Hsieh; Brambang bali; Zechalotte; Bawang merah; Yabani Sarimsak; Echalotte; Brambang abang |
| Allium fistulosum | Negi; Ts'Ung Shih Chiu |
| Allomorphia alata | Kedudok gajah batu; Puding hutan |
| Allophylus africanus | |
| Allophylus subcoriaceus | |
| Aloe vera | Lu Hui; Nu Hui; Jadam; Hsiang Tan; Zabila; Aloe; Djadam arab; Lidah buaya; Alwat; No Hui |
| Alphitonia zizyphoides | |

| Ehnbobotanical Plant | Common Names |
|----------------------------------|--|
| <i>Alstonia scholaris</i> | Pulai; Pule; Pha Ya Sat Ta Ban; Dita; Saptachada; Poele; Pulai bukit |
| <i>Anemone multifida</i> | |
| <i>Angelica anomala</i> | Pai Chih; Fang Hsiang; Tse Fen; Fu Li; Pai Ch'lh; Pai Chih Hsiang |
| <i>Angelica dahurica</i> | Yoroi-Gusa |
| <i>Angelica pubescens</i> | |
| <i>Angelica sylvestris</i> | Angelique De Bois; Angelika |
| <i>Antidesma montanum</i> | Konyam pasir; Gunchiak; Ande-ande; Wunen |
| <i>Aphania</i> sp | |
| <i>Apocynum androsaemifolium</i> | Spreading Dogbane; Chanvre Du Canada; Canadian Hemp; Vliegenwurger; Amerikanischer; Dogbane |
| <i>Aquilegia canadensis</i> | |
| <i>Aralia chinensis</i> | |
| <i>Ardisia pyramidalis</i> | |
| <i>Ardisia</i> sp. | Semban ayer; Nerum; Sireh nyireh; Asam kumbang; Sireh puyuh; Kacham; Sireh padang |
| <i>Argemone mexicana</i> | Lao Shu Le; Chadron Beni; Ne; Deruju; Chardon A Fleurs Jaunes; Bherband; Prickly Poppy; Poppy, Prickly; Thistle, Yellow; Chicallotl; Chandron A Fleurs Jaunes; Cardosanto; Chardon; Poppy, Thistle; Thistle, Gamboge; Poppy, Mexican; Chardon Fleurs Jaunes; Argemone Du Mexique; Argemone; Cardo Santo; Chokh; Chardon Beni |
| <i>Argyreia rubicunda</i> | Akar saga molek |
| <i>Arisaema triphyllum</i> | Indian Turnip; Aronknolle; Arum; Indian Onion |
| <i>Artemisia capillaris</i> | Yin Ch'En Chiu; In Chen; Yin Ch'En Hao; Yin Ch'En; Shih Yin Ch'En; Kawara-Yomogi |
| <i>Artemisia gnaphalodes</i> | |
| <i>Artemisia tridentata</i> | |
| <i>Artocarpus communis</i> | Sukun; Kulur; Kelur; Kaloewih |
| <i>Asarum canadense</i> | Kanada Azarumu; Wild Ginger |
| <i>Asarum heterotropoides</i> | |
| <i>Asarum sieboldi</i> | Japon Azarumu; Hsi Hsin |
| <i>Ascarina irvingbaileyana</i> | |
| <i>Asclepias albicans</i> | |

| Ehnbobotanical Plant | Common Names |
|------------------------------|---|
| <i>Asclepias curassavica</i> | Mata Cavaille; Ipecacuanha; Marjan; Viborrana; Algodon De Seda; Herbe Madame Bouvin; Malcasada; Qan Chichegi; Brujidera; Bunga mas (Golden flower); Herbe Mme Bouvin; Zahrat Ad Damm; Ipeca D' Haiti; Kakanasa; Cancerillo; Kan Cicegi; To-Wata |
| <i>Asclepias linaria</i> | |
| <i>Asclepias subulata</i> | |
| <i>Asparagus stipularis</i> | |
| <i>Aspilia africana</i> | |
| <i>Aster bakerianus</i> | |
| <i>Aster muricatus</i> | |
| <i>Astronidium victoriae</i> | |
| <i>Averrhoa carambola</i> | L.; Belimbing manis; Belimbing batu; Gorensi; Belimbing sagi; Yang T'Ao; Blimbing alas; Wu Leng Tzu; Kembola; Wu Han Tzu |
| <i>Baccharis glutinosa</i> | Axixtlcotl |
| <i>Bactris gasipaes</i> | |
| <i>Bauhinia sp</i> | |
| <i>Berula thumbergii</i> | |
| <i>Bhesa paniculata</i> | Arn. |
| <i>Bidens chinensis</i> | |
| <i>Bixa orellana</i> | Urucu; Beni-No-Ki; Orleanstrauch; Roucoyer; Roucou; Achiotl; Roucouyer; Onoto; Bija; Achote |
| <i>Blumea balsamifera</i> | Sembang; Kecape; Telinga kerbau (Buffalo ear); Sembong; Sembung; Capa; Sembo; Sembing; Chapa |
| <i>Borassus flabellifer</i> | Pei Shu; Palmira Hurma Agaci |
| <i>Borreria articularis</i> | Rumput setawar; Gempur watu; Rumput susur; Rumput sumpu |
| <i>Bouea macrophylla</i> | Kundangan; Gandaria |
| <i>Brassica juncea</i> | Karasi-Na; Sesawi; Sawi-sawi |
| <i>Breynia reclinata</i> | Ambin buah; Pokok hujan panas; Chechermean; Janggi padang; Saga |
| <i>Bridelia ferruginea</i> | |
| <i>Bridelia micrantha</i> | |
| <i>Bryonopsis laciniosa</i> | |
| <i>Bryophyllum pinnatum</i> | L'Ane Blanc; Yerba Bruja; Sanglou; Tope-Tope; Seringin; Loup-Garou; Bruja; Loup Garou; Ganti batang; Kerenchong; Feuilles Sorcier; Bunitiris; Daun sejuk; Sedingin; Feuilles Loup-Garou; Febrivier; Higuey; Suru bebek; Z'Herbe Mal Tete |

| Ehnbobotanical Plant | Common Names |
|----------------------------------|--|
| <i>Buchanania lucida</i> | Kelumpang keras |
| <i>Buchnera lithospermifolia</i> | |
| <i>Buddleja americana</i> | Zayolizcan |
| <i>Bupleurum chinense</i> | |
| <i>Bursera jorullense</i> | |
| <i>Bursera jorullensis</i> | |
| <i>Bursera microphylla</i> | |
| <i>Calliandra portoricensis</i> | |
| <i>Callicarpa cana</i> | Meniran besar; Tampang besi; Puchuk ring-ring; Meniran kasar |
| <i>Callicarpa elegans</i> | |
| <i>Calotropis procera</i> | Al Dibaj; Giant Milkweed |
| <i>Calycopteris floribunda</i> | Pelawas |
| <i>Camellia sinensis</i> | Green Tea; Hsueh Ch'A; P'U T'O Ch'A; Tea; Ch'A; Wu I Ch'A; Ming; Shui Sha Lien Ch'A; Cay; P'U Erh Ch'A; Lo Chieh Ch'A; An Hua Ch'A |
| <i>Canella winterana</i> | Canille; Beyaz Tarcin; Canela |
| <i>Canna orientalis</i> | Sigi-sigi; Buah tasbef |
| <i>Capparis arthrocarpos</i> | |
| <i>Capsicum frutescens</i> | Piment De Cayenne; Sili Biberi; Chile; Filfil Darah; Pepper,Red |
| <i>Carica papaya</i> | Papailler; Pepol; Kates; Wan Shou Kuo; Betik petik; Lechoso; Fan Kua; Pawpaw Tree; Lohong Si Phle; Chich Put; Gandul; Papaw; Papaya; Kepaya; Kuntaia; Mapaza; Tinti; Pawpaw; Papayer; Mu Kua; Papaye; Katela gantung; Kavunagaci |
| <i>Carum carvi</i> | Kexbenz; Alcaravea; Hime-Uikyo; Karamankimyonu; Krawyah; Caraway |
| <i>Cassia occidentalis</i> | Pois Piante; Senting; Tlalhoaxin; Khiyar Shember; Menting; Sinamekki; Wang Chiang Nan; Kachang kota; Shih Chueh Ming; Kasiah |
| <i>Cassia sophera</i> | Kasamardda; Ma Ti Chueh Ming; Chueh Ming; Entjing-entjing |
| <i>Cassia tora</i> | Gelenggang kechil; Gelenggang padang; Penitora; Cassia, Foetid; Brusca Cimarrona; Ts'Ao Chueh Ming; Pistache Marron |
| <i>Castanea philippensis</i> | |
| <i>Casuarina equisetifolia</i> | Pino Australiano; Filuwah; Chemara; Chemara laut; Roe; Kajoe anjing; Tjemara; Ru; Eru; Sunober Ustraly; Aru; Kazwarinah |
| <i>Ceanothus griffithii</i> | Setawar hutan; Setawar gajah |
| <i>Cedrus deodara</i> | |

| Ehnbobotanical Plant | Common Names |
|---------------------------------|--|
| <i>Ceiba pentandra</i> | Randu; Kabu kapes; Mengkapas; Kabu-kabu; Kapok; Fromager; Fromagier; Kapokku-No-Ki; Ceiba; Mapou Coton; Mapou; Kekabu |
| <i>Celosia argentea</i> | L.; No-Geito; Bayam merah (Red spinach); Ch'Ing Hsiang; Yeh Chi Kuan; K'Un Lun Ts' Ao; Ts' Ao Chueh Ming; Ts' Ing Hsiang Tsu |
| <i>Celtis cinnamomea</i> | |
| <i>Celtis cinnamonea</i> | |
| <i>Centella asiatica</i> | Asya Sutasi; Pennywort, Marsh; Brahmi; Pegaga |
| <i>Cercis siliquastrum</i> | Erguvan |
| <i>Chamaelirium luteum</i> | |
| <i>Champereia manillana</i> | |
| <i>Chartoloma chartacea</i> | |
| <i>Chasallia chartacea</i> | Biring sigalak; Kayu tulang (Bone wood); Jarum-jarum; Gading galoh; Buah beras (Rice fruit) |
| <i>Chrysanthemum morifolium</i> | Kan Chu Hua; Kiku |
| <i>Chrysanthemum sinense</i> | Chu Hua; Chii Hua; Chu Hua Chiu |
| <i>Cicca acida</i> | Kemangor; Cherme; Cheremai |
| <i>Cimicifuga foetida</i> | |
| <i>Cinnamomum cassia</i> | Cassia; Cin Tarcini; Kayu manis china; Malabathron; Cinnamon |
| <i>Cinnamomum iners</i> | Medang kemangi; Teja lawang (Clove cinnamon); Kayu manis hutan (Wild cinnamo; Teja badak (Tapir cinnamon) |
| <i>Cinnamomum solomense</i> | |
| <i>Cissampelos mucronata</i> | |
| <i>Cissus assamica</i> | |
| <i>Cissus modeccoides</i> | |
| <i>Cissus sicyoides</i> | Liane Minguet; Herbe A Ulceres; Liane Molle; Bejuco De Parra; Tripa De Zopilote; Caro; Feuille Cotaire; Bejuco Caro |
| <i>Citrus aurantifolia</i> | Citronnier Verjus; Lima; Limau nipis; Lima Bobo; Limau masam; Citron; Citronnier; Limau amkian; Limau asam; Citron Vert |
| <i>Citrus aurantiifolia</i> | Laimun; Vijapura; Agac Kavunu Agaci; Lime; Ben Zuhair; Numi Basra; Basra Limisi |
| <i>Citrus aurantium</i> | Oranger; Ch'Eng; Bergamot; Chin Ch'lu; Orange Sure; Naranja Agria; Naranja De Babor; Turunc; Orange; Kuang Chu; Naranjo Amargo; Coolie Orange; Z'Orange Sure; Hua Chu Hung |
| <i>Citrus grandis</i> | Hind Limon Agaci; Pamplemousse; Chadiquier; Toronja; T'lao; Yu; Chadeque; Hu Kan; Ch'Ou Ch'Eng; Pummelo; Chu Luan |
| <i>Citrus hystrix</i> | Limau suwangi; Limau puru; Limau purut; Limau hantu |

| Ehnbobotanical Plant | Common Names |
|---------------------------------|--|
| <i>Citrus medica</i> | Trunj; Limau susu (Nipple lime); Kabat; Limi; Numi Hilu; Limo; Limau kerbau (Buffalo lime); Citron; Kou Yuan; Jeruk kates; Limau mata kerbau; Cidro; Limau hantu; Matulunga |
| <i>Claoxylon sp</i> | |
| <i>Clausena anisata</i> | |
| <i>Clausena excavata</i> | Bagal tikus; Pokok kemantu; Secherek; Cherek hitem; Pokok cherek (Diarrhea tree); Kemantu hitam; Tikusan |
| <i>Cleome chelidonii</i> | Bhoebhoewan; Maman puteh; Maman jerok; Maman pantai; Mamang kebo |
| <i>Cleome viscosa</i> | L. |
| <i>Clerodendrum bungei</i> | |
| <i>Clerodendrum fragrans</i> | Setumpok; Melor jawa (Java jasmine); Pokok rabu kembang |
| <i>Clerodendrum inerme</i> | Bunga pawang (Shaman flower); Yasamin Zafer; Tulang tulang; Qesmat Aghaji |
| <i>Clerodendrum intermedium</i> | |
| <i>Clerodendrum serratum</i> | Tinjal tasek (Pl. w/ft in ocea; Timba tasek (Ocean hand-bucket; Tinjal tasek; Sunga tasek; Senggugor (Miscarriage plant); Mata kesang |
| <i>Clusia flava</i> | |
| <i>Clutia pulchella</i> | |
| <i>Coffea arabica</i> | Cafeto; Kia Fey; Cafeier; Cafe De Moka; Coffee; Cafe; Cafe D'Haiti; Kahve |
| <i>Coix lacryma-jobi</i> | Zyuzu-Dama; Larmes De Job; T'U I Mi; Hatomugi; I Chu Tzu; Chieh Li; Yi Yi Ren; Kan Mi; Lagrimas De San Pedro; Gurlu; Yokuinin; Graines Chapelet; I I Jen Chiu; Chi Shih; Hui Hui Mi; Hato-Mugi; I I Jen; Tranengras; Job'S Tear; Gavedhu |
| <i>Coleus amboinicus</i> | Bangun-bangun; Hati-hati; Membangun; Daun kuching; Nilam; Oreille |
| <i>Coleus sp</i> | |
| <i>Collinsonia canadensis</i> | Kolinsonia |
| <i>Colubrina asiatica</i> | Peria laut |
| <i>Combretum sondaicum</i> | Butter Tree; Pugar tanah; Gambir-gambir |
| <i>Commelina cayennensis</i> | |
| <i>Conioselinum univittatum</i> | Hsi Hsiung; Chiao Nao Hsiung; Ma Hsien Hsiung Ch'lung; Ch'Uan Hsiung; Mi Wu; Fu Hsiung; T'AI Hsiung; Ching Hsiung; Hsiang Kuo |
| <i>Coriandrum sativum</i> | Katumber; Culantrico; Hu Sui; Koendoro; Dhanya; Yuan Sui; Coriandrum; Ketumbar; Cilantro; Kisnis; Kuzbarah; Culantro; Kozahla; Misima-Saiko; Hsiang Sui; Cilantrico; Coriander; Penjilang |
| <i>Corydalis ambigua</i> | Yen Hu So; Ezo-Engosaku; Hsuan Hu So |
| <i>Crassula transvaalensis</i> | |

| Ehnbobotanical Plant | Common Names |
|-----------------------------------|--|
| <i>Crescentia cujete</i> | Calebasse Marron; Calebasse; Higuera; Tabu kayu; Calebasse Marronne; Guiro; Petite Calebasse Des Bois; Berenuk; Camasa; Higuero; Calebassier; Jiguero; Higuero Galion; Calabash Tree |
| <i>Crinum asiaticum</i> | Bakung; Bawang tembaga; Bawang tanah; Tapeusa; Melong; Bakoh; Landap; Lelie; Bawang hoetan; Bunga tembaga suasa; Selendep; Bakong; Cay Chuoi Moc; Sookh Durson |
| <i>Crotalaria verrucosa</i> | Gegiring jantan; Rattlebox |
| <i>Croton oblongifolius</i> | |
| <i>Cucumis sativus</i> | Cucumber; Huang Kua; Arou; Hiyar; Khiyar Mai; Hu Kua; Katimun; Khiyar |
| <i>Curanga fel-terrae</i> | Gelumak susu; Rumput labang; Hempedu tanah; Kunta chau; Beremi; Lempedu tanu; Rumput kerak nasi; Mempedu tanu |
| <i>Cyathula prostrata</i> | Femina; Nyarang puteh; Nyarang; Senjarang; Jarang-jarang; Penjarang |
| <i>Cydonia oblonga</i> | Mala Citonia; Sfarjal; Membrillo; Ayva Agaci; Quince; Haiwah; Haiwa; Marumero; Wen Po |
| <i>Cymbopogon citratus</i> | Citronelle; Serai; Limonotu; Sere mangat bi; Citronela; Tapisa-pisa; Hoe moeke; Limoncillo; Laoe wasiro; Sere; Eri makoe; Salimbata; Sereh makan (Edible sereh) |
| <i>Cymbopogon nardus</i> | Hint Zumbulu; Seriwang; Citronnelle; Sereh wangi (Fragrant sereh) |
| <i>Cynodon dactylon</i> | Couchgrass; Italian Ayrigi; Bermudagrass; Grama |
| <i>Cyperus rotundus</i> | Mutha; Hama-Suge; Hsiang Fu; Souchet; Tage-tage; Woeta; Boeai; Roekoet teki; Mota; Hsiang Fu Tzu; Topalak; So Ts'Ao; Mustaka; Teki; Musta; So Ken Chiu; Muskezamin |
| <i>Cypripedium calceolus</i> | Zuhrecarigi |
| <i>Damnacanthus indicus</i> | Fu Niu Hua |
| <i>Datura metel</i> | Kachubang; Dhatoora; Gawz Mathil; Kidi Ganian; Kechubong; Kechubong hitam; Kuchubong; Metel; Ke-Tyosen-Asagao; Tatula; L.; Kechubong puteh |
| <i>Deeringia amarantoides</i> | Pantjar luhur; Bajem besar; Pantja loeoe; Bayam besar; Bayam pohon; Tangtang angin |
| <i>Dendrobium subulatum</i> | Anggerek |
| <i>Desmodium gangeticum</i> | Kemani bali; Akar katuh; Lepantan; Vidarigandha; Serengan; Meringan |
| <i>Dissotis rotundifolia</i> | |
| <i>Drosera peltata</i> | |
| <i>Drymoglossum heterophyllum</i> | Pitjisan; Sisek naga (Dragon scales); Pichisan; Sakat ribu-ribu (Thousands...); Pakis duwitan |
| <i>Dryobalanops aromatica</i> | Dryobalanops; Pokok kapur burus (Baru campho; Ts'Ang Lung Nao; Bing Pian; Ping P'len; Chin Chiao Nao; Mei Hua P'len; Ni Ping P'len; Camphora; Mi Nao; Su Nao; Kapurun; P'O Lu Hsiang; Ch'Ing Ping P'len; Kapur |
| <i>Drypetes vitiensis</i> | |
| <i>Dysophylla auriculata</i> | Ketumpang; Ekor kucing (Cat tail); Ekor kucing (Cat tail); Awi tanah |
| <i>Dysoxylum forsteri</i> | |

| Ehnbobotanical Plant | Common Names |
|-----------------------------------|--|
| <i>Echinocystis lobata</i> | |
| <i>Eclipta prostrata</i> | Takasaburo |
| <i>Elaeis guineensis</i> | Oilpalm; Zos Cro-Cro; Yaghurmasi |
| <i>Elaeocarpus mastersii</i> | Medang asam (Sour-relish laure |
| <i>Elaeocarpus sphaericus</i> | |
| <i>Elaeodendron glaucum</i> | |
| <i>Elephantopus tomentosus</i> | |
| <i>Elytranthe cochinchinensis</i> | Dedalu api jantan; Api-api jantan |
| <i>Enallagma latifolia</i> | Guira Cimarrona; Calebasse Zombi; Bache Marron; Calebasse Marron |
| <i>Ephedra nevadensis</i> | |
| <i>Eriocaulon buergerianum</i> | |
| <i>Eriocaulon sp</i> | Ku Ching Ts'Ao |
| <i>Eriogonum fasciculatum</i> | |
| <i>Ervatamia sp</i> | |
| <i>Erycibe malaccensis</i> | Akar serawan jantan (Big sprue; Akar sekijan |
| <i>Erythrina subumbrans</i> | Dadap lisa; Dadap lenga; Dedap; Dedap batik; Chengkering |
| <i>Erythrophleum suaveolens</i> | Ordealbean |
| <i>Erythroxyllum coca</i> | Koka; Cocaine |
| <i>Eugenia aromatica</i> | Polong; Chengkeh; Chengkeh lalaki |
| <i>Euodia cuculata</i> | |
| <i>Euodia solomonensis</i> | |
| <i>Euonymus alata</i> | |
| <i>Eupatorium aromatisans</i> | Trebol; Arnica |
| <i>Eupatorium fortunei</i> | Huzi-Bakama |
| <i>Euphorbia atoto</i> | |
| <i>Euphorbia hirta</i> | Gelang susu; Pempe; Ara tamah; Ngonderamango; Kukon-kukon; Asthma Herb; Gendong anak; Kelusan; Patikan; Milkweed |

| Ehnbobotanical Plant | Common Names |
|------------------------------|---|
| <i>Eurycoma longifolia</i> | Penawar pahit (Bitter antidote; Bedara puteh (White jujube); Tongkat ali (Ali's staff); Payong ali (Ali's umbrella); Bedara merah (Red jujube); Jack; Bedara pahit (Bitter jujube); Lempedu pahit (Bitter gall); Babi kurus |
| <i>Euryops evansii</i> | |
| <i>Evodia hortensis</i> | |
| <i>Fagraea blumei</i> | Akar tembusu; Akar tengkok biwak |
| <i>Fagraea obovata</i> | |
| <i>Ferocactus</i> sp | |
| <i>Fibraurea chloroleuca</i> | Akar kenching kerbau (Buffalo-; O-To; Areuj; Akar kuning (Yellow climber); Peron; Akar kunyit (Turmeric climber); Merkunyit; Ki koneng |
| <i>Ficus asperifolia</i> | Epin; Sandpaper Tree |
| <i>Ficus capensis</i> | |
| <i>Forsythia suspensa</i> | Lan Hua; Rengyo; San Lien; Han Lien Tzu; I Ch'lao; Lien Yao; Li Ch'Ang; Lien Ch'lao; Lien Ts'AO; Chu Ken; Lien |
| <i>Garcinia cowa</i> | |
| <i>Garcinia kola</i> | |
| <i>Gardenia augusta</i> | Bunga china (China flower); Kachapiring; Cheplokpering; Bunga susu (Milk flower); Buah patah; Pechiring |
| <i>Gardenia jasminoides</i> | Zhi Zi; Kuti-Nasi; Ko-Kuti-Nasi |
| <i>Gardenia taitensis</i> | |
| <i>Gardenia turgida</i> | |
| <i>Gastrodia elata</i> | Onino-Yagara; Ch'lh Chien; Huan T'Ung Tzu; T'len Ma |
| <i>Gendarussa vulgaris</i> | Urat sugi; Urat sugi (Muscle rub); Kisi-kisi; Gandarusa; Temenggong melela |
| <i>Gentiana rigescens</i> | |
| <i>Gentiana scabra</i> | Lung Tan; Ling Yu; Rindo |
| <i>Girardinia zeylanica</i> | |
| <i>Glechoma hederacea</i> | Kakidosi; Hiedra Terrestre; Groundivy; Kaki-Doosi; Yer Sarmasigi |
| <i>Gliricidia sepium</i> | |
| <i>Glycine max</i> | Chiang Yu; Soya Fasulyasi; Huang Tou; Ta Tou Huang Chuen; Shu; Hei Tou; Tou Huang; Jen Shu; Shih Yu; Ta Tou Shih; Chiang; Tou Fu; Soybean; Jung Shu; Shih Tou; Tou Yu; Ta Tou |
| <i>Gmelina arborea</i> | Gambhari |
| <i>Gmelina elliptica</i> | |

| Ehnbobotanical Plant | Common Names |
|----------------------------------|---|
| <i>Gmelina villosa</i> | Belongeh; Wareng; Bulan hutan; Bulan gajah; Bulan; Bulan kechil; Wareng ketan; Pukang mata hari |
| <i>Gnetum campestre</i> | Selempah |
| <i>Gnidia gymnostachya</i> | |
| <i>Gonocaryum longeracemosum</i> | Toyoh |
| <i>Gossypium arboreum</i> | Cotonnier Des Indes; Algodon; Cotonnier |
| <i>Gossypium barbadense</i> | Algodoiero; Cotonnier; Palo De Algodon; Cotonnier Violet; Sea-Island Cotton; Coton Rouge; Algodon; Coton Noir |
| <i>Gossypium brasiliense</i> | |
| <i>Gossypium herbaceum</i> | Cotonnier Blanc; Algodoeiro; Ku Pei; Loka; Pamu; Algodonero; Ku Chung; Ts'Ao Mien; Qoten; Cotton Herbace; Pamuk; Mu Mieng |
| <i>Gossypium sp</i> | Cotton; Mien Hua Tzu |
| <i>Grewia polygama</i> | |
| <i>Gynandropsis gynandra</i> | Maman hantu; Maman; Mahmah; Bobowan; Bhoebhoewan; Mamang |
| <i>Gynochthodes coriacea</i> | Akar lempedu (Gall climber) |
| <i>Gynura crepidioides</i> | |
| <i>Hamelia patens</i> | |
| <i>Hedeoma pulegioides</i> | Amerikanische Poleiminze; Amerikaans Polekruid; Pennyroyal; American Pennyroyal; Menthe Pouliot Americain |
| <i>Hedyotis glabra</i> | Rumput sebueh (Frothy rumput); Sepitam (For vertigo); Rumput chengkering (Abscess.); Rumput seri galoh (Princess fl |
| <i>Hedyotis hispida</i> | |
| <i>Hedyotis verticillata</i> | Rumput sebueh (Froth grass); Lidah tiang (Bulbul's tongue); Rumput chengkering (Absc. gras |
| <i>Hedyotis vestita</i> | |
| <i>Heliotropium tuberosum</i> | |
| <i>Heliotropium undulatum</i> | Romram; Zerraij |
| <i>Henslowia buxifolia</i> | Setong jundor |
| <i>Heracleum lanatum</i> | Parsnip, Cow |
| <i>Hermidium alipes</i> | |
| <i>Hibiscus abelmoschus</i> | Kapasan; Kapas hutan (Woodland cotton); Kapas hantu; Kostuli; Kapas hantu (Ghost's cotton) |
| <i>Hibiscus malacospermus</i> | |

| Ehnbobotanical Plant | Common Names |
|--------------------------------|---|
| <i>Hibiscus syriacus</i> | Mukuge; Mu Chin; Jih Chi |
| <i>Hillieria latifolia</i> | Anafranaku |
| <i>Hydnophytum formicarium</i> | Kepala berok (Baboon's head) |
| <i>Hygrophila phlomoides</i> | Chukal |
| <i>Hygrophila salicifolia</i> | |
| <i>Hymenaea courbaril</i> | Gomme Animee; Courbaril; Algarroba; Pois Confiture |
| <i>Hypericum ascyron</i> | |
| <i>Hypoxis rooperi</i> | |
| <i>Hypserpa monilifera</i> | |
| <i>Hyptis brevipes</i> | Sawi enggang; Godong puser |
| <i>Hyptis suaveolens</i> | Mastranto; Malbar hutan; Ajonjoli Cimarron; Melisse; Mamajuana; Basinan; Sepulut; Oregano; Lerkuing; Selaseh hutan (Woodland basil) |
| <i>Hyptis verticillata</i> | Mastuerzo; Maman-Houanne; Mamanhouane; Malcasada Grande; Herbe Bourrique; Herbe Au Diable |
| <i>Ichnocarpus frutescens</i> | Sariva; Syama Lata |
| <i>Ilex macrophylla</i> | Menserah |
| <i>Indigofera fastigiata</i> | |
| <i>Indigofera suffruticosa</i> | Anil; Digot Sauvage; Azulejo; Digot; Azul De Hoja |
| <i>Inga edulis</i> | |
| <i>Inula cappa</i> | |
| <i>Ipomoea eriocarpa</i> | |
| <i>Ipomoea gracilis</i> | |
| <i>Ipomoea hederifolia</i> | Bejuco De Tabaco; Cambustera |
| <i>Ipomoea reptans</i> | Kangkong; Kangkung; Kalayan |
| <i>Ipomoea sagittifolia</i> | |
| <i>Ipomoea triloba</i> | Kangkong bulu |
| <i>Iris spuria</i> | |
| <i>Ischaemum muticum</i> | Rumput kemarau (Drought grass); Karetket pante |
| <i>Ixora coccinea</i> | |

| Ehnbobotanical Plant | Common Names |
|----------------------------------|---|
| <i>Ixora lobbii</i> | Pecha periok; Bunga selang (Cross-wise flowe |
| <i>Ixora macrophylla</i> | |
| <i>Ixora sp</i> | |
| <i>Jacquinia aurantiaca</i> | |
| <i>Jasminum bifarium</i> | Pekan hutan (Woodland jasmine); Sampu akar (Decline root); Melor hutan (Woodland sambac); Pekan jantan (Big jasmine); Jarum ali (Ali's needle); Pekan betina (Female jasmine) |
| <i>Jasminum didymum</i> | |
| <i>Jasminum lanceolarium</i> | |
| <i>Jasminum officinale</i> | Yasemin; Yeh Hsi Mi; Yasamin; So Hsing; Jessamine; Yeh Hsi Ming |
| <i>Jasminum sambac</i> | Rasqi; Sambac; Full; Melati; Melor; Mo Li |
| <i>Jasminum simplicifolium</i> | |
| <i>Jussiaea suffruticosa</i> | Lakom ayer (Water Vitis); Salah nyowo; Bujang samalam (Grown-up o'rni; Kalamenya |
| <i>Justicia uber</i> | Daun puding; Puding hutan jantan |
| <i>Kaempferia galanga</i> | Shan Nai; San Nai; Chandra Mulika; Kenchur; Chekor; Chekur; Chekur jawa; Tekoer; Chengkur; Shan Lai; Katjiwer; Kumula |
| <i>Kalanchoe laciniata</i> | Tapak itek (Duck footprint); Chakar itek (Duck foot); Setawar kampong (Summoning...) |
| <i>Kalanchoe pinnata</i> | Seringin; Sedingin |
| <i>Lagenaria siceraria</i> | Kara Qabagh; Calebasse Franc; Hu Lu; Qari; Calabazo; Asmakabagi; Gourd; Callebasse Courante; P'Iao; Guiro; Hu; Congourde; Hu Tzu; Banganya; Callebassier; P'Ao; Camasa; Qare Sibbahi; Gourde Des Pelerins |
| <i>Larrea divaricata</i> | |
| <i>Lasiosiphon capitatus</i> | |
| <i>Lavandula stoechas</i> | Karabas; Stoechados; Cantueso |
| <i>Lawsonia inermis</i> | Pachar kuku; Reseda; Henna; Hinai; Khana; Inai; Hai Na; Jan Chih Chia Ts' Ao; Kina Agaci; Cyprus; Hinna |
| <i>Ledebouriella seseloides</i> | |
| <i>Ledebouriella sesseroides</i> | Bohu |
| <i>Leea indica</i> | Gurula; Girang; Burulla; Tumboh daun bukit |
| <i>Leonurus sibiricus</i> | Yeh T'len Ma; T'Ui; Mehaziki; Ch'Ung Wei; Ginjean; I Mu; Tebing agu |
| <i>Lepionurus sylvestris</i> | |
| <i>Leucas cephalotes</i> | |

| Ehnbobotanical Plant | Common Names |
|-----------------------------------|--|
| <i>Leucas zeylanica</i> | Ketumbit; Ketumbak; Lenglangan; Daun luka-luka (Wound leaf); Brobos; Pache-pache |
| <i>Leucosyke capitellata</i> | |
| <i>Ligusticum wallichii</i> | |
| <i>Ligustrum lucidum</i> | Nu Chen; To-Nezumi-Moti; Nu Chen P'I Chiu |
| <i>Limnanthemum nymphaeoides</i> | |
| <i>Lippia pringlei</i> | |
| <i>Liquidambar styraciflua</i> | Xochiocotzoquahuitl; Amerikaanse Styra; Amerikanischer Styra; Sweetgum Tree; American Styra; Amberboom |
| <i>Liriodendron tulipifera</i> | |
| <i>Litanthus pusillus</i> | |
| <i>Litsea cubeba</i> | |
| <i>Litsea quercoides</i> | |
| <i>Litsea tomentosa</i> | |
| <i>Lomatium nudicaule</i> | |
| <i>Lomatium utriculatum</i> | |
| <i>Lonicera japonica</i> | Sui-Kazura; Chin Yin Hua; Jen Tung; Chin Yin T'Eng; Yin Hua; Jen Tung Chiu; Jen Tung Kao |
| <i>Lophophora williamsii</i> | Peyote; Ubatama; Peytote |
| <i>Lycium kraussii</i> | |
| <i>Lycopodium clavatum</i> | Hikage-No-Kazura; Lycopode; Licopodio; Musco Clavato; Kurtpencesi |
| <i>Macrosolen cochinchinensis</i> | |
| <i>Madhuca longifolia</i> | Mowra Butter |
| <i>Maesa doraena</i> | Tu Ken Shan |
| <i>Magnolia conspicua</i> | Ying Ch'Un; Hsin I; Mu Pi; P'Ao; Hou T'Ao |
| <i>Magnolia liliflora</i> | Mokuren(Si-Mokuren); Xin Yi |
| <i>Magnolia stellata</i> | Side-Kobusi |
| <i>Mallotus oppositifolius</i> | |
| <i>Mallotus paniculatus</i> | Balek angin gajah; Mesepat hitam; Balek angin; Balik angin; Balek angin bukit |
| <i>Malva parviflora</i> | |

| Ehnbobotanical Plant | Common Names |
|-------------------------------|--|
| <i>Mammillaria heyderi</i> | |
| <i>Manfreda variegata</i> | |
| <i>Manulea paniculata</i> | |
| <i>Matthaea ellipsoidea</i> | |
| <i>Matthaea sancta</i> | Cherum; Pisang-pisang |
| <i>Medinilla hasseltii</i> | Akar nebal |
| <i>Melaleuca leucadendron</i> | Kayu puteh (White wood); Gelam; Cayeput; Kajeput; Cajeput Tree; Cajeput |
| <i>Melia azedarach</i> | Gemeiner Zedarachbaum; Arbol Enano; Faux Sycomore; Zanzalakht; Lilas; Violeta; K'U Lien; Pazienza; Sendan; To-Sendan; Alilaila; Paraiso; Lila; Tasbih Aghaji; Lien; Piment D'Eau; Chinaberry; Tak; Lilayo; Sibahbah; Sen Shu; Chin Ling Tzu; Amargoseira; Fleurs Lilas |
| <i>Melissa officinalis</i> | Lemonbalm; Common Balm; Kovanutu; Seiyo-Yama-Hakka; Hashishat Al Nahil; Ogulotu; Cytria; Tronjan; Toronjil |
| <i>Mentha arvensis</i> | Bo He; Hakka; Fan Ho; Po Ho; Betch Di Coq |
| <i>Mentha longifolia</i> | Na'Na'; Horsemint; Yabani Nane |
| <i>Mentha piperita</i> | Menthe; Menta; Mentha Montana; Peppermint; Nane |
| <i>Microdesmis puberula</i> | Esunsun; Ofeabiri |
| <i>Microglossa afzelii</i> | |
| <i>Microglossa pyrifolia</i> | |
| <i>Mimosa pudica</i> | Feuilles Honte; Puteri malu (Modest princess); Mori Vivi; Memalu (Modesty); Adormidera; Honte; Quitem Tranquille |
| <i>Mimusops elengi</i> | Bunga tanjong (Headland flower; Kuhbaum Von Para; Tanjung; Brazilian Milktree; Kekula; Pokok tanjong; Pekola batu; Mimuscope; Elengi; Pomme D'Adami; Kun |
| <i>Momordica charantia</i> | Gule Khandan; Chin Li Chih; Pare; Peria; Kerela; Balsam Apple; Balsampear; Lai P'U T'Ao; Periok; Melao De Sao Caetano; A'Jayib Al Maasi; Sorossies; Ejinrin; Peria laut; Sorci; K'U Kua; Assorossie; Salsamino; Sorossie; Sorossi |
| <i>Momordica dioica</i> | |
| <i>Monarda fistulosa</i> | Yaguruma-Kakko; Horsemint |
| <i>Montia siberica</i> | |
| <i>Morinda citrifolia</i> | Mengkudu; Fromagier; Kudu; Pache; Pina De Puerco; Kemudu; Douleur; Bengkudu; Bois Douleur; Mekudu; Mengkudu besar |
| <i>Morinda elliptica</i> | Mengkudu hutan; Mengkudu kecil; Mengkudu |
| <i>Morinda sp</i> | |
| <i>Moringa oleifera</i> | Palo De Aceite; Maroengga; Benzolivier; Horseradish Tree; Moroengei; Kelor; Ben Aile; Benboom; Merunggai; Ramunggai; Ben Ghianda; Moringa Tree; Sigru; Olivier; Cigru; Ben; Sajina; Ubat bedat; Graines Ben; Benz Olive; Remunggai; Sahinjan; Babano Del Arbol; Ban Sajna; Pois Coolie |

| Ehnbobotanical Plant | Common Names |
|--------------------------------|---|
| <i>Morus alba</i> | Mures; Ma-Guwa; Chin Sang; Sang Shen Tzu; Ching Sang; Nu Sang; Chi Sang; Dut Agaci; Tut; Shen; Lampoeng; Tukki; Sang Shen Chiu; Ti Sang; Lu Sang; Sang; Tuth; Hsun; Sang Ken Pai P'I; T'An; Mora; Tu; Sang Pi; Besarani; Pai Sang; I Sang; Shan Sang; Morera; Sang Shen Kao; Kitaoe |
| <i>Moschosma polystachyum</i> | Sangketan; Sanget |
| <i>Muntingia calabura</i> | |
| <i>Musa paradisiaca</i> | Niu Ju Chiao; Moz; Tan P'Ing Chiao; Chi Tzu Chiao; Platano; Kan Chiao; Pan Chiao; Bananier; Horse Banana; Banana; Mei Jen Chiao; Figue; Banane Grosse Botte; Ya Chiao; Chiao Yu; Bananeira De S Tome; Banane Corne; Plantain; Shui Chiao; Fo Shou Chiao; Cambur; Rulo |
| <i>Mussaenda philippica</i> | |
| <i>Myrianthus arborea</i> | |
| <i>Myrica esculenta</i> | |
| <i>Myristica argentea</i> | Pala laki-laki |
| <i>Myristica fatua</i> | Mountain Nutmeg; Pala laki-laki; Pala foeker; Palala |
| <i>Myroxylon balsamum</i> | Tolu Balsemboom; Baume De Tolu; Tolu Balsam; Balsamo De Tolu; Tolu Balsambaum; Balsamo De Peru; Balsam Of Tolu; Tolubalsam; Balsamo Peruano; Pau De Balsamo |
| <i>Myxopyrum serratum</i> | |
| <i>Naravelia zeylanica</i> | |
| <i>Narcissus sp</i> | Daffodil; Axochitl; Nisrin |
| <i>Nauclea orientalis</i> | Bangkal |
| <i>Nepeta cataria</i> | Nebeda; Catnip; Nepeta; Yalanci Kediotu; Inu-Hakka(Tikuma-Hakka) |
| <i>Nephelium lappaceum</i> | Shao Tzu; Rambutan; Tanggun |
| <i>Neptunia triquetra</i> | |
| <i>Newbouldia laevis</i> | Osensenama |
| <i>Nicotiana glauca</i> | Tree Tobacco |
| <i>Nicotiana tabacum</i> | Yu Ts'ao; Tutun; Tanigh; Herbe A La Reine; Tabac Mannoque; Tan Pa Ku; Tobacco; Tabaco; Jen Ts'ao; Tabac; Yen Ken; Yen Ts'ao; Nicoziana; Toubac; Tabigh |
| <i>Nigella sativum</i> | Jintan hitam; Tarate |
| <i>Nolletia ciliaris</i> | |
| <i>Nopalea cochenillifera</i> | Raquette Espagnole; Tuna De Espana; Nopal; Raquette Pangnol |
| <i>Nothosmyrniun japonicum</i> | Kasamoti; Kao Pen |
| <i>Notopterygium incisum</i> | |
| <i>Ochroma lagopus</i> | Coton Fleur; Bois Madame; Mahaudeme; Coton Soie; Palo De Lana |

| Ehnbobotanical Plant | Common Names |
|---------------------------------|---|
| <i>Ocimum basilicum</i> | Me-Boki; Feslegen; Basil; Selaseh hitam; Basilic; Rainan; Raihana; I Tzu Ts' Ao; Selasih; Chiu Ts' Eng T'A; Selaseh; Lo Le; Hsiang Ts' Ai; Ai K' Ang; Albahaca; Basilicon; Selaseh jantan; Raihan Al Malik; Chahchabram |
| <i>Ocimum canum</i> | Ruku-ruku; Kemangi |
| <i>Ocimum gratissimum</i> | Basilic A Petites Fleurs; Grand Fombasin; Basilic Grandes Feuilles; Vriadhatulasi; Folle Basin; Selaseh jambi; Fombasin; Atiayo; Ramtulsi |
| <i>Ocimum micranthum</i> | Atiayo; Albahaca |
| <i>Olea africana</i> | |
| <i>Oplopanax horridum</i> | |
| <i>Opuntia</i> sp | Firavuninciri; Tuna; Kaynanadili |
| <i>Oroxylum indicum</i> | Kayu lanang; Bolai kayu; Merulai; Bungli; Kulai; Kajeng jaler; Boli; Kapoung-kapung; Bolo; Syonaka; Bonglai; Bonglai kulai; Merkulai |
| <i>Pachycarpus vexillaris</i> | |
| <i>Paeonia lactiflora</i> | Bai Shao |
| <i>Paeonia moutan</i> | Botan; Mou Tan; Tan Hsu; Tan Ken; Dang Pi; Pai Liang Chin; Hua Wang |
| <i>Pajanelia longifolia</i> | |
| <i>Panax schinseng</i> | Schin Seng; Jen Shen; Mandragore Coreenne; Shin Seng; Ginseng |
| <i>Pandanus odoratissimus</i> | Kadhi; Screw Pine; Baquois; Kavondi |
| <i>Papaver somniferum</i> | Hashas; Poppy; Kheshkhash Abu Al Noum; Madat; Ya P' len; O P' len; O Fang; Chandu; Tengkoh; Adormidera; Adormidero; O Fu Jung; Gelinjik; Yu Mi; Opium Poppy; Poppy; Opium; Opium |
| <i>Paris quadrifolia</i> | Uva De Raposa; Herb Paris; Tilki Uzumu; Oneberry; Einbeere; Wang Sun |
| <i>Parthenium hysterophorus</i> | Yerba Amarga; Parthene Multifide; Escoba De Puerco; Absinthe Marron; Friega Platos; Escobita Amarga; Feuilles Bouton; Balai Amer; Absynthe Batarde; Baille Lame; Escoba Amarga |
| <i>Passiflora rubra</i> | Bois Couleuvre; Liane Couleuvre; Ti Calecon |
| <i>Pavetta indica</i> | Gading-gading (Like ivory); Kem pa; Jarum-jarum |
| <i>Pectis</i> sp | |
| <i>Pentaspadon velutina</i> | Pelong |
| <i>Peperomia maculosa</i> | |
| <i>Peperomia pellucida</i> | Sladanan; Suruhan; Renren; Ketumpangan ayer; Rangu-rangu |
| <i>Pericampylus glaucus</i> | Jekasing; Lemponang; Ketutu; Seloroe; Jo-jo; Gasing-gasing; Kelesari; Luru |
| <i>Persea americana</i> | Avocatier; Zaboca; Paltas; Avocat; Abokado; Aguacate; Avocado; Perse Agaci |

| Ehnbobotanical Plant | Common Names |
|------------------------------------|--|
| <i>Petiveria alliacea</i> | Petivere A Odeur Ail; Anamu; Gully Root; Aveterinaryte; Mal Pouri; Verocine Puante; Payche; Feuilles Ave; Guineahen Weed; Huevo De Gato; Apazote De Zorro; Ave; Hierba De Las Gallinitas; Herbe Aux Poules; Verveine Puante; Chasser Vermine; Zorrillo |
| <i>Peucedanum decursivum</i> | Tu Yao Ts'Ao; Ch'len Hu; Tu Huo; Ch'lang Huo |
| <i>Peucedanum pracruptorum</i> | |
| <i>Phaseolus vulgaris</i> | Haricots Verts; Pois Rouge; Fasulye; Great Bean; Bean; Judia |
| <i>Phyllanthus maderaspatensis</i> | |
| <i>Phyllanthus officinalis</i> | Melaka; Kemlaka; Kayu Iaka; Malaka |
| <i>Physalis minima</i> | Cheplukan; Letup-letup; Chiplukan; Letup; Ubat pekong; Chichiplukan; Chipluan; Leletup |
| <i>Picea sitchnsis</i> | |
| <i>Pimenta racemosa</i> | Bois Bay Rhum; Cinnamon, Wild; Bayrumtree |
| <i>Piper auritum</i> | |
| <i>Piper bantamense</i> | Bodeh; Bleng; Lada oetan; Oetan bebae; Ojod tepel |
| <i>Piper elongatum</i> | |
| <i>Piper longum</i> | Long Pepper; Pi Po; Uzun Biber; Pepper, Long; Pi P'O Mu |
| <i>Piper marginatum</i> | |
| <i>Piper methystichum</i> | Kava |
| <i>Piper nigrum</i> | Kosho; Wei Fu Chic; Lada puteh (White pepper); Pepper; Black Pepper; Hu Chiao; Pfeffer; White Peppercorn; Lada hitam (Black pepper); Maricha; Lada sula (Decorticated pepper; Karabiber; Pepper, Black |
| <i>Piper sarmentosum</i> | Akar bugu; Sireh dudok; Chabean; Mengkadak; Kudak; Vahl; Kadok; Kadok batu |
| <i>Piper sp</i> | Phlu Kae |
| <i>Piper tricuspe</i> | |
| <i>Piptadeniastrum africanum</i> | |
| <i>Piscidia piscipula</i> | Bois Ivrant |
| <i>Pistia stratiotes</i> | Sarme-sarme; Kiambang; Tajapoe; Gadjambang; Kambang; Kapu-kapu |
| <i>Pithecellobium saman</i> | |
| <i>Pithecoctenium echinatum</i> | |
| <i>Planchonia papuana</i> | |
| <i>Plantago asiatica</i> | Oba-Ko |

| Ehnbobotanical Plant | Common Names |
|--------------------------------|--|
| <i>Plantago erosa</i> | |
| <i>Plantago major</i> | Gechi Qulaghi; Sangka buah; Llanten Mayor; Buyuk Sinirliot; Daum sejumbok; Ch'E Ch'len; Suri pandak; Sangkubah; Oba-Ko; Sangkuwah; Meloh kiloh; Wegerlich; Plantain; Bazir Dam Bil; Lisan Al Hamal; Llanten; Arnoglossa; Ekur anjing (Dog tail); Otot ototan; Sembung otot; Tarkuz; Sei Ohr Re |
| <i>Pluchea carolinensis</i> | Feuilles La Chose; Grand Sauge; Conyse Odorante; Tabac Sauvage |
| <i>Pluchea odorata</i> | Canelon; Chache; Sauge |
| <i>Plumbago auriculata</i> | |
| <i>Plumbago indica</i> | Binasa; Tjeraka Merah; Chitraka; Setaka; Sitaka; Cheraka merah |
| <i>Plumbago zeylanica</i> | Godong enchok; Poksor; Daun Entjok; Bama; Chempaka; Cheraka; Inobiri; Chitraka; Chita; Leadwort, White-Flowered; Ohyeegya; Seiron-Maturi; Jarak |
| <i>Pogostemon cablin</i> | Patchouly; Dilem singapur |
| <i>Pogostemon heyneanus</i> | Nilam bukit; Boon kalif; Dilem; Dilem kembang; Nilam menchi; Rumput kuku; Nilam baras |
| <i>Polanisia viscosa</i> | |
| <i>Polygala arillata</i> | |
| <i>Polygala crotalarioides</i> | |
| <i>Polygala paniculata</i> | Sasapooan; Ti Branda; Pistache Marron; Herbe A Rhumatismes |
| <i>Polypodium scolopendria</i> | |
| <i>Polyscias balfouriana</i> | Parsesseux |
| <i>Porophyllum pausodinum</i> | |
| <i>Pothomorphe peltata</i> | Collet A Dame; Yagrumo; Fait Collet; Broquelejo; Feuilles A Coeur |
| <i>Pothos sp</i> | |
| <i>Premna divaricata</i> | Akar perindu; Buas-buas |
| <i>Premna integrifolia</i> | Singkil; Bebuas; Ganikarika |
| <i>Premna taitensis</i> | |
| <i>Primula auricula</i> | Ayikulagi; Auricula; Garden Auricula |
| <i>Protium heptaphyllum</i> | Charpachi |
| <i>Protium sp</i> | |
| <i>Prunella vulgaris</i> | Adi Erikotu; Healall; Consuelda Menor; Consolida Minor; Xia Ku Cao; Hsia Ku Ts'ao; Selfheal; Sicklewort |
| <i>Prunus persica</i> | Seftali Agaci; Pesco; Pecher; Melocotonero; Sheftali; T'ao P'I Chiu; Tao Ren; Peach; Khokh; Momo |

| Ethnobotanical Plant | Common Names |
|-------------------------------|--|
| <i>Prunus virginiana</i> | |
| <i>Pseudolmedia spuria</i> | |
| <i>Ptaeroxylon obliquum</i> | Cape Mahogany; Sneezewood |
| <i>Pterocarpus indicus</i> | Sena; Sana; Tonala; Asana; Angsana; Chandana; Sana kembang; Sana kapur |
| <i>Pterocarpus santalinus</i> | Kirmizi Santal; T'An; Red Saunders; Tzu T'An; Niu Shou Chan T'An; Chendana janggi; Sandalwood Paduak; Tjendana djenggi |
| <i>Pterospermum canescens</i> | |
| <i>Pueraria lobata</i> | Kuzu; Kung Pu; Ko Fen; Ko Pu; Geh Gen |
| <i>Quisqualis indica</i> | Wedani; Shih Chun Tzu; Rangoon Creeper; Dani (Speckled); Pokok setendai; Urdani |
| <i>Ranunculus multifidus</i> | |
| <i>Ranunculus zuccarinii</i> | |
| <i>Raphanus sativus</i> | Karaturp; Radish; Mulaka; Rabano; Radis Marron; Daikon; Kirmiziturp; Radis; Lai Fu; Lo Po |
| <i>Rhododendron arboreum</i> | |
| <i>Rhynchosia caribaea</i> | |
| <i>Rhynchosia precatorea</i> | |
| <i>Ricinus communis</i> | Huile Ricin; Castorbean; Palma Christi; Pi Ma; Castor; To-Goma; Bean, Castor; Sittamoonaka; Hintyagi Agaci; Pei Ma; Eranda; Khirwe; Higuierilla; Tartago; Jarak; Ricino; Castor Bean; Gana Garchak |
| <i>Rosmarinus officinalis</i> | Romarin; Romero Comun; Biberiye; Romero; Anthos; Mannen-Ro; Rosemary |
| <i>Roucheria griffithiana</i> | Ipoh akar putih (White Strychn; Akar serawan (Sprue vine); Akar mata ketam (Crab eye vine; Akar Bidji; Kait-kait |
| <i>Ruellia californica</i> | |
| <i>Rumex sagittatus</i> | |
| <i>Ruscus alexandrinus</i> | |
| <i>Ruta graveolens</i> | Aruda; Sadal; Henruda; Ruda; Ubat atal; Yun Hsiang Ts' Ao; Bahce Sedefotu; Godong mungu; Rue; Ruta; Rue Fetide |
| <i>Salacca wallichiana</i> | Buah kumbak; Kumbak; Salak kumbar |
| <i>Salvia neurepia</i> | |
| <i>Salvia pichinchensis</i> | |
| <i>Sambucus canadensis</i> | American Elder; Amerikan Murveri; Elderberry; Elder |
| <i>Sambucus mexicana</i> | |

| Ehnbobotanical Plant | Common Names |
|------------------------------------|---|
| <i>Sansevieria trifasciata</i> | Lidah buaya (Crocodile tongue) |
| <i>Santalum album</i> | Chandani; Laki-laki; Sandelhout; Haeo meni; Chen T'An; White Sandal; Ai nitoe; Chan T'An; Beyaz Santal; Chandana; Chendana; Pai Chai T'An; White Santal; T'An Hsiang; White Sandalwood |
| <i>Saurauia glabrifolia</i> | |
| <i>Scaevola frutescens</i> | Ambong-ambong (Knapsacks); Dudulan; Akar-pahit (Bitter vine); Embun-embun; Wudulan |
| <i>Scoparia dulcis</i> | Teh makao (Macao tea); Balai Doux; Pokok kelambu (Gray plant); Mastuerzo; Ginje menir; Ginje jepun; Pokok delis; Cancharagua; Bunyiga; Cha padang (Opening tea) |
| <i>Securidaca longipedunculata</i> | |
| <i>Selaginella cafferorum</i> | |
| <i>Semecarpus anacardium</i> | Baladur; Baglader; Biladur; Marking Nut; Malabar Bean; Bhela; Arushkara; Mel Anacardi; Bhallataka; Nuez De Marcar; Bael; Beladur |
| <i>Serissa foetida</i> | Liu Yueh Ling; Ch'U Chieh Ts'AO |
| <i>Sesbania grandiflora</i> | Toeri bang (Red flowered); Toeri; Toeri poetih (White flowered); Geti; Agati; Turi |
| <i>Sida acuta</i> | Petit Lalo; Seleguri; Guimaue A Petites Fleurs; Escobita |
| <i>Sida cordifolia</i> | Bala; Pokok kelulut puteh |
| <i>Sida rhombifolia</i> | Sedeguri; Sidoguir; Broomjue Sida; Senanguri; Sendaguri; Atibala; Senduri; Seleguri padang; Seleguri; Lemak ketam (CRab's fat); Otok-otak; Tsindahoro; Chinaguri; Padang belulang; Getanguri; Bunga padang; Sidaguri; Cheleguri |
| <i>Siler divaricatum</i> | Fang Feng |
| <i>Siparuna guianensis</i> | |
| <i>Siparuna nicaraguensis</i> | |
| <i>Sloanea amygdalina</i> | Chapeau Carre; Bois Coq; Chicharron |
| <i>Smithia sensitiva</i> | Pokok tangki bukit |
| <i>Solandra nitida</i> | |
| <i>Solanum verbascifolium</i> | Terong raya (Big eggplant); Trompillo; Daun sangsara (Anguish leaf); Terong rimba (Virg. for. eggpl); Teter; Daun bunga china (China fl lea; Sekasap |
| <i>Solidago virgoaurea</i> | Yahudiotu |
| <i>Sophora griffithii</i> | |
| <i>Stachytarpheta jamaicensis</i> | Gewongan; Selaseh dandi (Spotted basil); Verbena Azul; Verveine Violette; Verveine Bleue; Rumput tahi babi (Pig dung gra; Brazilian Tea; Verbena; Verveine A Queue De Rat; Bastard Vervain; Verveine |
| <i>Stegnosperma halimifolium</i> | |
| <i>Stemodia maritima</i> | |
| <i>Stephania glabra</i> | |

| Ehnbobotanical Plant | Common Names |
|----------------------------------|---|
| <i>Stephania rotunda</i> | Cu Mot; Daun nasi-nasi betina |
| <i>Striga hermonthica</i> | |
| <i>Styphelia tameiameia</i> | |
| <i>Symphonia globulifera</i> | Hogplum |
| <i>Symplocarpus foetidus</i> | Draconte Fetide; Skunk Cabbage; Zehrwurz; Skunkcabbage; Drakenkruid; Dragonzio |
| <i>Synedrella nodiflora</i> | Feuilles Depot; Rumput babi (Pig's grass); Salamani; Bruwan; Krasuk; Gletan warak |
| <i>Syzygium jambos</i> | Pomarrosa; Pomo |
| <i>Talinum paniculatum</i> | Onze Heures; Herbe Onze Heures; Horloge Des Jardins; Feafa |
| <i>Tamarindus indica</i> | Tomaring; Tomarin; Wit asem; Mandarin; Asam jawa; Demirhindi; Tamarinde; Asem; Tamarin; Tamarindier; Tamarindo; Tama-Rindo; Tomale; Asam jara; Asam kawak; Tamarind |
| <i>Tarhonanthus camphoratus</i> | Hottentot Tobacco |
| <i>Taxus baccata</i> | Tejo; Porsuk Agaci; Seiyo-Itii; Talisa; English Yew; Taxo |
| <i>Tenerium stoloniferum</i> | Chia Su |
| <i>Terminalia catappa</i> | Badannier; Amandier Des Indes; Almendra; Ketapang; Almendro; Lingtak; Almendro De Las Indias; Amandier Tropical; Almendro De Playa; Amandier; Indian Almond; L. |
| <i>Thalictrum fendleri</i> | |
| <i>Thespesia populnea</i> | Mahot; Duartiana; Grand Mahaut; Waru lot; Alamo Blanco; Feuilles D'Haiti; Baru |
| <i>Thuja orientalis</i> | Po; Po Tzu; Po Tzu Jen; Pien Po; Nioi-Hiba; Po Shih; Po Yeh Chiu; Po Hsiang Sui |
| <i>Thunbergia alata</i> | Akar ulan |
| <i>Tidestromia lanuginosa</i> | |
| <i>Tournefortia argentea</i> | Velveterinaryleaf |
| <i>Tragia involucrata</i> | |
| <i>Tragia muelleriana</i> | |
| <i>Trianthema decandra</i> | |
| <i>Tribulus terrestris</i> | Ji Li; Tu Chi Li; Gokshura; Hasach; Pai Chi Li; Abrojo; Tzu; Kon Jarah; Sha Yuan Chi Li; Chih Hsing; Chi Li; Gotub |
| <i>Trichilia pallida</i> | Trois Paroles |
| <i>Trichomanes javanicum</i> | |
| <i>Trichosanthes cucumerina</i> | Yilankabagi |
| <i>Trichosanthes wallichiana</i> | Akar labu ayer (Pumpkin climbe; Akar kimung gagak (Crow cucumb |

| Ehnbobotanical Plant | Common Names |
|---------------------------------|--|
| <i>Trichosporum radicans</i> | Akar setebal |
| <i>Turnera diffusa</i> | Damiana; Damiane; The Bourrique; Oreganillo |
| <i>Typhonium giganteum</i> | |
| <i>Umbellularia californica</i> | |
| <i>Uncaria rhynchophylla</i> | |
| <i>Uncaria rhynchophylla</i> | Kagi-Kazura; Hai Erh Ch'A; Kou T'Eng; Tiao T'Eng; Wu Tieh Ni |
| <i>Urena lobata</i> | Petit Cousin; Pepulut; Cadillo De Perro; Cadillo; Kelutut; Pulutan; Pulut-pulut; Cousin; Pulut lembu; Escoba; Legetan; Pulut |
| <i>Urera sp</i> | |
| <i>Veratrum eschscholtzii</i> | |
| <i>Veratrum viride</i> | White Hellebore; Indian Poke; American Hellebore; False Hellebore; Hellebore,American; Hellebore,Green; Yesil Copleme |
| <i>Vernonia biafrae</i> | |
| <i>Vernonia cinerea</i> | Rumput bujong samalan; Sembong hutan; Pokok tambak bukit; Seson daun; Chongchong hari; Rumput tahi babi (Pig dung gra; Ekur juda (Horse tail); Rumput sepagi |
| <i>Vigna lutea</i> | |
| <i>Vigna marina</i> | |
| <i>Vitex cannabifolia</i> | Ninzin-Boku; Ch'U; Mu Ching |
| <i>Vitex leucoxydon</i> | |
| <i>Vitex negundo</i> | Gattilier Incise; Chaste Tree; Nirgundi; Indrani; Lenggundi; Ban Muichi; Sambhalu; Nirgandi; Pajan Kusut; Taiwan-Ninzin-Boku(Kusa-Ninzin; Katri; Ch'U; Man Ching; Nisinda; Huang Ching |
| <i>Vitex trifolia</i> | Man Ching; Legundi; Lenggundi; Ching T'lao; Nichinda; Sindhula; King Tsse; Indian Wild Pepper; Lenggudi; Panj Angushte Abi; Surasa; Ching Tzu; Gatillier Trifolie; Hamago |
| <i>Vitis diffusa</i> | Charek merah |
| <i>Vitis japonica</i> | Charek merah; Pokok riang hutan; Lakum |
| <i>Willughbeia firma</i> | Akar garu; Akar sampat; Akar gerit-gerit besi |
| <i>Xanthium strumarium</i> | Chuan Erh; Cadillo; Buah anjang; Gatico; Erh Tang; Lizzaij; Ts'Ang Erh; Cang Er Zi; Hsi Erh; Ona-Momi; Kucuk Siracaotu; Yang Fu Lai |
| <i>Ximenia americana</i> | Bedara laut |
| <i>Xylopiya aethiopia</i> | Negro Pepper |
| <i>Yucca filamentosa</i> | Virjinya Avizesi; Adam' Needle |
| <i>Zingiber cassumunar</i> | Cassumunar Ginger; Oenin makei; Bulai; Koenjit bolai; Bungelai; Panini; Bengele; Bongelai; Bunglai; Boleh; Bangle; Kunyit bolai; Bolai |

| Ehno botanical Plant | Common Names |
|----------------------|--|
| Zingiber officinale | Haliya hudang; Chiang P'I; Zencefil; Shoga; Jahi; Haliya padi; Haliya bara; Gan Jiang; T'Ang Chiang; Haiti; Kan Chiang; Sunthi; Sonth; Kunyit terus; Gengibre Dulce; Atuja; Ginger; Chiang; Djæ; Chiang Chiu; Gengibre; Jæ; Haliya; Lahja; Gingembre; Sheng Chiang |
| Zingiber zerumbet | Lampuyang kebo; Lampuyang; Lampuyang kapoer; Lampuyang gajah; Zerumbet Ginger; Lampuyang paek |
| Ziziphus jujuba | Sanebuto-Natume; Pomme Malcadi; Unnap Agaci; Natume; Unnab; Jujube; Widara; Suan Tsao; Dara; Kola; Hong Zao; Azufaifo; Bedara china; Nabug |