

Dr. Duke's Phytochemical and Ethnobotanical Databases
Ethnobotanical Plants for Ache(Stomach)

| Ethnobotanical Plant | Common Names |
|--------------------------------|--|
| <i>Abelmoschus moschatus</i> | Mushk Dana; Ambercicegi; Moschus; Zatakasturika; Moskus; Abelmosco; Ambrette; Muskus; Kasturi Dana; Bisam Eibisch; Musk Mallow; Kapas Hantu |
| <i>Abutilon molle</i> | |
| <i>Aconitum carmichaeli</i> | Sinatori-Kabuto |
| <i>Acorus calamus</i> | Bach; Kaliraga; Agri Turki; Jariangau; Jerangau; Azakegeri; Seki-Sho; Calomo Aromatico; Acorus; Jeringau; Djerango; Kalmos; Doringo; Ganoek; Ch'Ang P'U Chiu; Acoro Aromatico; Sho-Bu; Vaj; Kalmoes; Shui Ch'Ang Pu; Acore Vrai; Kalmus; Calmus; Vacha; Sweet Flag; Sarango; Calamus; Calamo Aromatico |
| <i>Aegle marmelos</i> | Bael Tree; Kawista; Maja ingus; Baelbaum; Marmelo; Vilwa; Shul; Maja pait; Hint Ayva Agaci; Maja lumut; Maja batu; Maja; Maja galepung; Maja gedang |
| <i>Agelaea trinervis</i> | Akar pinang kutai; Basam; Akar pinang |
| <i>Alangium salvifolium</i> | |
| <i>Alchemilla alpina</i> | Dag Aslanpencesi; Alquimila Alpina |
| <i>Aletris farinosa</i> | Star Grass; Unicorne; Blazing Star; Sterwortel; Sternwurz; True Unicorn |
| <i>Aleurites moluccana</i> | Noyer Des Indes; Buah keras; Miri; Pidekan; Cila Agaci; Kemiri; Shih Li; Avellano; Kembiri; Derekan |
| <i>Allium ascalonium</i> | Echalotte; Bawang merah; Brambang bali; Hsieh; Astloke; Brambang abang; Yabani Sarimsak; Hsieh Pai; Zechalotte |
| <i>Allium cepa</i> | Bawang; Z'Oignon; Onion; Cebola; Onion,Red; Cabolla; Bawang putih; Oignon; Bawang merah; Cebolla Macho; Cebolla; Pyaz; Basal; Hu Ts'Ung; Sogan; Soghan; Zwibel; Tama-Negi |
| <i>Allium sativum</i> | Hsiao Suan; Sir; Garlic; Lasan; Lai; Rosina; Ail De Cuisine; Suan; Sarimsak; Ajo; Bawang putih; Bawang Poetih; Ail; Cropleek; Samersaq; Thum |
| <i>Allomorpha alata</i> | Kedudok gajah batu; Puding hutan |
| <i>Allophylus cominia</i> | Cafe Marron; Rompe Caldero; Parida; Palo De Caja; Trois Paroles; Trois Feuilles; Tres Palabras |
| <i>Allophylus fulvinervis</i> | Tumbit kayu |
| <i>Allophylus occidentalis</i> | Petit Cafe; Trois Paroles; Trois Feuilles; Cafe Jaune |
| <i>Aloysia triphylla</i> | Yerba Luisa; Diapalma |
| <i>Ambrosia hispida</i> | |
| <i>Amomum melegueta</i> | Poivre Maniguet; Cardamone |
| <i>Anacardium occidentale</i> | Cajou; Caju; Pomme; Jambu mete; Anacarde; Acaju; Maranon; Jambu; Jambu monyet; Jambu golok; Jambu terong; Gajus; Cajueiro; Anacardo; Cacajuil; Pomme Acajou; Merey; Noix D'Acajou; Amerikan Elmasi; Acajoiba; Cajuil; Jocote Maranon; Alcayoiba; Acajou; Cashew; Anacardier; Acajou A Pomme; Pomme Cajou |
| <i>Andrographis paniculata</i> | Kariyat; Bidara; Sambilata; Sadilata; Takila; Carmantina; Nain Chanvandi; Vizra Ufar |
| <i>Anethum graveolens</i> | Dereotu; Habbat Helwah; Catahva; Eneldo; Hinojo; Datli Boyana; Inojo; Sadhab Al Barr; Inondo; Baston Do Diale |
| <i>Annona chrysophylla</i> | |

| Ethnobotanical Plant | Common Names |
|----------------------------------|--|
| <i>Annona glabra</i> | Corossol Marron; Anon De Rio; Baga |
| <i>Antidesma phanerophlebium</i> | |
| <i>Archytaea vahlii</i> | Riang-riang |
| <i>Arctium minus</i> | Kleine Klette; Lamparo; Bardana; Burdock; Lampazo Menor; Small Burdock; Burdock Blood |
| <i>Arctostaphylos uva-ursi</i> | Ayuzumu; Gayuba |
| <i>Ardisia odontophylla</i> | Pasal; Sumpuh lumpok |
| <i>Ardisia sp.</i> | Semban ayer; Nerum; Sireh padang; Sireh puyuh; Asam kumbang; Sireh nyireh; Kacham |
| <i>Areca catechu</i> | Ta Fu Tzu; Wohan; Poesa; Kramuka; Bing Lang; Pinang; Ping Lang; Fufal Agaci; Batang majang; Chohang; Jambe; Bluk |
| <i>Aristolochia anguicida</i> | |
| <i>Aristolochia rumphii</i> | |
| <i>Artemisia ludoviciana</i> | |
| <i>Artemisia tridentata</i> | |
| <i>Artocarpus communis</i> | Kaloewih; Sukun; Kelur; Kulur |
| <i>Artocarpus vrieseanus</i> | |
| <i>Asclepias speciosa</i> | Common Milkweed |
| <i>Ateramnus lucidus</i> | |
| <i>Bactris gasipaes</i> | |
| <i>Baliospermum montanum</i> | Akar kari nasi |
| <i>Barringtonia macrostachya</i> | Putat gajah; Putat hutan |
| <i>Bauhinia vahlii</i> | |
| <i>Begonia guaduensis</i> | |
| <i>Begonia sp.</i> | |
| <i>Beilschmiedia pahangensis</i> | Medang salah (false laurel); Tampu rengat; Medang tandok (horn laurel) |
| <i>Berberis vulgaris</i> | Epine Vinette; Amberparis; Agracejo |
| <i>Biophytum sensitivum</i> | Daun kutjingga; Sirhirput; Inja payung; Sikerpud; Makahia; Damon huya |
| <i>Bletilla striata</i> | Si-Ran; Pai Chi; Siran |
| <i>Blumea balsamifera</i> | Telinga kerbau (Buffalo ear); Kecape; Sembing; Capa; Sembo; Chapa; Sembang; Sembung; Sembong |

| Ehnbobotanical Plant | Common Names |
|---------------------------------|---|
| <i>Borreria articularis</i> | Gempur watu; Rumput sumpu; Rumput susur; Rumput setawar |
| <i>Borreria verticillata</i> | |
| <i>Breynia rhamnoides</i> | Pavala Poola; Hujan panas |
| <i>Bridelia micrantha</i> | |
| <i>Bridelia monoica</i> | Kerenan; Kenidai; Kanyere |
| <i>Bursera simaruba</i> | Gommier Rouge; Jobo; Almacigo Colorado; Indio Desnudo; Bois D'Encens; Chique; Almacigo Blanco; Fragon Caranne; Gommier Blanc; Almacigo |
| <i>Calea urticifolia</i> | |
| <i>Calendula officinalis</i> | Oqhuwan; China; Qaraqus; Atunjaq; Aklelmulk; Tibbi Nergis; To-Kinsen-Ka; Calendula; Kamisha Bahar; Mercadela; Virreina; Chin Chan Hua; Maravilla |
| <i>Callicarpa tomentosa</i> | Kata kerau; Ambong-ambong bukit |
| <i>Canthium aciculatum</i> | Melor hutan; Akar serumat |
| <i>Capparis acuminata</i> | Balongan; Gedangen |
| <i>Capparis pyrifolia</i> | Lam. |
| <i>Carum carvi</i> | Krawyah; Caraway; Hime-Uikyō; Alcaravea; Karamankimyonu; Kexbenz |
| <i>Cassia alata</i> | Guajava; Fleur Palmiste; Fleur St Christophe; Daoen koepang; Ketepeng tijna; Dates Jaunes; Fleur A Dartres; Fleur Dartre; Ketepeng; Fleurs Saint Christophe; Dartres; Herbe A Dattes; Ketepeng kebo; Ketepeng badak; Ki manila; Date; Ludanggan; Gelenggang |
| <i>Cassia obtusifolia</i> | Gelenggang kecil; Gelenggang sayor; Ketepeng; Gelenggang nasi |
| <i>Cassia occidentalis</i> | Senting; Sinamekki; Menting; Pois Piante; Kasiah; Shih Chueh Ming; Wang Chiang Nan; Khiyar Shember; Tlalhoaxin; Kachang kota |
| <i>Cassia reticulata</i> | |
| <i>Casuarina equisetifolia</i> | Chemara; Roe; Sunober Ustraly; Tjemara; Kajoe anjing; Chemara laut; Ru; Filuwah; Eru; Aru; Kazwarinah; Pino Australiano |
| <i>Celastrus richii</i> | |
| <i>Centrosema plumieri</i> | |
| <i>Champereia manillana</i> | |
| <i>Chenopodium album</i> | America-Arita-So; Akaza; Kulf; Hui T'lao; Chenopode Blanc; White Goosefoot; Hui Hsien; Farinacco; Fisa Al Kilab; Mel Ganzevoet; Gemeiner Gansefuss; Vastuk; Cenizo |
| <i>Chenopodium ambrosioides</i> | L.; Pazote; Apasote; Simon Contegras; Chenopode; Semen Contra; Meksika Cayi; Paico; Semen Contra; Feuilles A Vers; Herbe A Vers |
| <i>Cinnamomum camphora</i> | Camphora; Chang; Kafur; Kusu-No-Ki |
| <i>Cinnamomum cassia</i> | Cin Tarcini; Kayu manis china; Cinnamon; Malabathron; Cassia |

| Ehnbobotanical Plant | Common Names |
|--------------------------------|--|
| <i>Cipadessa baccifera</i> | |
| <i>Cissampelos pareira</i> | Feuille Coeur; Bejuco De Raton; Liane Patte Cheval; Aristoloche Lobee; Gasing-gasing |
| <i>Citrus aurantifolia</i> | Limau nipis; Lima; Citronnier; Citron Vert; Limau asam; Lima Bobo; Citronnier Verjus; Limau amkian; Limau masam; Citron |
| <i>Citrus aurantiifolia</i> | Laimun; Numi Basra; Vijapura; Agac Kavunu Agaci; Lime; Basra Limisi; Ben Zuhair |
| <i>Citrus aurantium</i> | Orange; Hua Chu Hung; Coolie Orange; Kuang Chu; Orange Sure; Naranja De Babor; Turunc; Z'Orange Sure; Bergamot; Chin Ch'lu; Naranja Agria; Ch'Eng; Naranjo Amargo; Oranger |
| <i>Citrus hystrix</i> | Limau suwangi; Limau purut; Limau puru; Limau hantu |
| <i>Citrus medica</i> | Limau mata kerbau; Limau susu (Nipple lime); Limau kerbau (Buffalo lime); Limau hantu; Matulunga; Kou Yuan; Jeruk kates; Trunj; Numi Hilu; Kabat; Limo; Citron; Cidro; Limi |
| <i>Citrus sinensis</i> | Oranger Doux; Portakal; Z'Orange Douce; Naranjo Dulce; Naranja De China; Orange |
| <i>Citrus sp</i> | Lemon |
| <i>Clematis chinensis</i> | |
| <i>Clerodendrum inerme</i> | Qesmat Aghaji; Bunga pawang (Shaman flower); Tulang tulang; Yasamin Zafer |
| <i>Clerodendrum phlomoidis</i> | |
| <i>Cnestis palala</i> | Akar padang; Karang-karang; Sembelit merah; Garing-garing; Merr.; Rumput kachat |
| <i>Coccoloba diversifolia</i> | |
| <i>Cocos nucifera</i> | Cocotero; Palma De Coco; Yeh Chung Chiu; Jeho; Kerambil; Cocoye; Kechambil; Coco; Niyu; Ipai; Nyor; Hsu Yu; Kelambir; Drakht I Badinja; Coqueiro; Kelapa; Nyiur; Mata De Coco; Cocotier; Yeh Tzu; Kalapa; Yueh Wang T'Ou; Kerambir; Cocoyeur; Noix De Coco |
| <i>Codiaeum luzonicum</i> | |
| <i>Codiaeum sp</i> | |
| <i>Coldenia palmeri</i> | |
| <i>Coleus amboinicus</i> | Membangun; Daun kucing; Hati-hati; Nilam; Oreille; Bangun-bangun |
| <i>Coleus aromaticus</i> | |
| <i>Connarus monocarpus</i> | L. |
| <i>Connarus oligophyllus</i> | Akar tulang daeng; Lelemak |
| <i>Coprosma australis</i> | |
| <i>Coptosapelta griffithii</i> | Pokok lidah kijang; Setulang (Bone wood); Akar sebusok |
| <i>Cordia alba</i> | Bois Chique; Muneco Blanco |
| <i>Cordia cylindrostachya</i> | Yerba Golondrina |

| Ehnbobotanical Plant | Common Names |
|----------------------------------|---|
| <i>Cordia foliosa</i> | |
| <i>Coriandrum sativum</i> | Kisnis; Misima-Saiko; Katumber; Dhanya; Culantrico; Coriandrum; Ketumbar; Hsiang Sui; Yuan Sui; Kozahla; Penjilang; Hu Sui; Kuzbarah; Cilantrico; Koendoro; Cilantro; Culantro; Coriander |
| <i>Corokia buddleoides</i> | |
| <i>Corydalis ternata</i> | |
| <i>Crataegus cuneata</i> | |
| <i>Crataegus pinnatifida</i> | |
| <i>Cratoxylon cochinchinense</i> | Mempat; Sampat; Mempat hitam |
| <i>Crinum sp</i> | |
| <i>Croton flavens</i> | |
| <i>Croton morifolius</i> | Palillo |
| <i>Cuminum cyminum</i> | Kimyon; Jinten putih; Kammun; Jintan putih; Ajaji; Cummin; Comino; Cumin |
| <i>Cupania pleuropteris</i> | Pokok serawan burong (Sprue.); Kelentit nyamok |
| <i>Curanga fel-terrae</i> | Beremi; Lempedu tanu; Rumput kerak nasi; Kunta chau; Hempedu tanah; Gelumak susu; Mempedu tanu; Rumput labang |
| <i>Curcuma domestica</i> | Safran Du Pays; Turmeric; Haridra; Yu Chin; Safran De St Domingue; Safran Du Pays; Safran Des Indes; Olena; Kurkuma Uzum; Ukon |
| <i>Cuscuta reflexa</i> | |
| <i>Cymbopogon citratus</i> | Sereh makan (Edible sereh); Salimbata; Lae wasiro; Limonotu; Tapisa-pisa; Serai; Eri makoe; Sere mangat bi; Limoncillo; Sere; Hoe moeke; Citronelle; Citronela |
| <i>Cyperus ligularis</i> | |
| <i>Cyperus rotundus</i> | Woeta; Mustaka; So Ken Chiu; Mutha; Topalak; So Ts'ao; Hama-Suge; Musta; Teki; Hsiang Fu Tzu; Muskezamin; Boeai; Hsiang Fu; Tage-tage; Mota; Souchet; Roekoet teki |
| <i>Dactyloctenium aegyptium</i> | |
| <i>Daemonorops sp.</i> | Rotan jernang (Dragonblood.); Hadlud |
| <i>Dalbergia latifolia</i> | |
| <i>Daphniphyllum luzonense</i> | |
| <i>Decaspermum fruticosum</i> | Ipis kulit; Tembagan; Tapis kulit |
| <i>Deeringia amarantoides</i> | Tangtang angin; Bayam pohon; Pantjar luhur; Bajem besar; Bayam besar; Pantja loeoe |
| <i>Desmodium cephalotes</i> | |
| <i>Desmodium heterophyllum</i> | Peparu bidang; Rumput sisek betok; Ubat kayap; Rumput tilenga tikus; Rumput sisek nagi |

| Ehnbobotanical Plant | Common Names |
|------------------------------------|---|
| <i>Desmodium triflorum</i> | Sisek tenggiling (Anteater...); Sisek betok; Sisik Betok; Semanggen; Rumput barek sisek puteh |
| <i>Dialyanthera otoba</i> | |
| <i>Dillenia indica</i> | |
| <i>Dipteryx odorata</i> | Tonka |
| <i>Dorstenia contrajerva</i> | Contrayerba |
| <i>Dysophylla auriculata</i> | Ekur kucing (Cat tail); Ekor kucing (Cat tail); Awi tanah; Ketumpang |
| <i>Dysoxylum hamiltonii</i> | |
| <i>Dyssodia papposa</i> | |
| <i>Dyssodia pentachaeta</i> | |
| <i>Eleocharis interstincta</i> | Junquillo |
| <i>Elephantopus scaber</i> | Elefantenfuss; Gobhi; Urat tutup bumi; Tapak Liman; Tutup bumi (Bung of the earth); Lengua De Vaca; Tapak leman; Ti Tan T'Ou; Tupak sulaiman (SDolomon's sea; Go Jihva; Tabac Marron |
| <i>Elyonurus argenteus</i> | |
| <i>Elytraria imbricata</i> | |
| <i>Eranthemum hypocrateriforme</i> | |
| <i>Eriobotrya japonica</i> | P'I P'A; Biwa; Loquat |
| <i>Erysimum repandum</i> | Erisimum |
| <i>Erythrina mildbraedii</i> | |
| <i>Erythrina variegata</i> | Chengkering; Le Maurepas; Petaqueros; Chengkering (Abscess); Dedap; Baton De Sorcier; Arbor Maurepasia |
| <i>Erythroxylum coca</i> | Koka; Cocaine |
| <i>Eupatorium bahamense</i> | |
| <i>Euphorbia atoto</i> | |
| <i>Euphorbia hirta</i> | Gelang susu; Asthma Herb; Ngonderamango; Gendong anak; Kelusan; Kukon-kukon; Ara tamah; Patikan; Milkweed; Pempe |
| <i>Euphorbia misera</i> | |
| <i>Euphorbia thymifolia</i> | Sedang padang; Sisi merah; Gelang susu; Jarak blanda; Rumput jangot |
| <i>Eurycoma longifolia</i> | Bedara puteh (White jujube); Penawar pahit (Bitter antidote; Bedara merah (Red jujube); Lempedu pahit (Bitter gall); Jack; Tongkat ali (Ali's staff); Payong ali (Ali's umbrella); Bedara pahit (Bitter jujube); Babi kurus |
| <i>Evodia sp</i> | |

| Ethnobotanical Plant | Common Names |
|---------------------------------|--|
| <i>Eysenhardtia polystachya</i> | |
| <i>Fagraea elliptica</i> | Roxb. |
| <i>Ficus hispida</i> | Bisoro; Ara lempong (Soft fig); Ara senigai; Ara sungai (River fig); Leluwing; Luwing; Ara bombong (Conical top fig); Fig |
| <i>Ficus involuta</i> | |
| <i>Ficus parietalis</i> | Ara kesinai |
| <i>Ficus recurva</i> | Daun susoh; Ara dahara |
| <i>Fimbristylis monostachya</i> | |
| <i>Fissistigma lanuginosum</i> | Selusoh semang; Larak api |
| <i>Fissistigma manubriatum</i> | Akar sembelit (Constipation); Akar kenchong (Slipper climber |
| <i>Foeniculum vulgare</i> | Shamar; Rezene; Hui Hsiang Chiu; Hsiao Hui Hsiang; Uikyo; Finocchio Forte; Comino; Shih Lo; L'Anis; Adas pedas; Adas londa; Fennel; Tzu Mu Lo; Hinojo; Anis Vert; Raziyane; La Nuit; Adas landi; Ama-Uikyo; Kaneer Razbana; Anis; Karasu-Uikyo; Shbint; Tzu Mo |
| <i>Fragaria chiloensis</i> | |
| <i>Fritillaria thunbergii</i> | Bei Mu; Amigasa-Yuri; Dai Bei Mu |
| <i>Garcinia mangostana</i> | L.; Mangostan Agaci; Manggis |
| <i>Garcinia sessilis</i> | |
| <i>Gelsemium sempervirens</i> | Jasmine, Yellow; Yellow Jessamine; Carolina Jessamine; Sariyasemin |
| <i>Gentiana rigescens</i> | |
| <i>Gentiana scabra</i> | Ling Yu; Rindo; Lung Tan |
| <i>Gentiana triflora</i> | Ezo-Rindo |
| <i>Glochidion concolor</i> | |
| <i>Glochidion littorale</i> | |
| <i>Glochidion obscurum</i> | Pari; Cheremai antan |
| <i>Glochidion sp</i> | |
| <i>Gossypium hirsutum</i> | Qoten; Algodon Morado; Loka; Pamuk; Pamu |
| <i>Gouania richii</i> | |
| <i>Grewia paniculata</i> | Chengai; Ara lumut; Chenderai; Chindarah; Jenerai |
| <i>Grindelia squarrosa</i> | Nebari-Oguruma; Grindelia |

| Ehnbobotanical Plant | Common Names |
|-----------------------------------|---|
| <i>Gutierrezia sarothrae</i> | |
| <i>Gynochthodes sublaceolata</i> | Akar sulong |
| <i>Gyrocarpus americanus</i> | |
| <i>Haplophyllum propinquum</i> | Juwaifah |
| <i>Hedeoma nanum</i> | |
| <i>Hedeoma piperitum</i> | |
| <i>Hedyotis glabra</i> | Sepitam (For vertigo); Rumput chengkering (Abscess.); Rumput sebueh (Frothy rumput); Rumput seri galoh (Princess fl |
| <i>Hedyotis hispida</i> | |
| <i>Hedyotis verticillata</i> | Lidah tiong (Bulbul's tongue); Rumput chengkering (Absc. gras; Rumput sebueh (Froth grass) |
| <i>Helenium hoopesii</i> | |
| <i>Helicteres angustifolia</i> | |
| <i>Helicteres isora</i> | Chabai tali; Jelumpang; Chabai lintal |
| <i>Hernandia ovigera</i> | |
| <i>Heuchera cylindrica</i> | |
| <i>Hippophae rhamnoides</i> | Oblebicha; Olivella Spinosa; Espino Falso; Sea Buckthorn |
| <i>Holarrhena antidysenterica</i> | Vatsaka; Kurchi; Conessi Tree; Kalingaka |
| <i>Holostemma annularis</i> | |
| <i>Homalanthus nutans</i> | |
| <i>Hypericum ascyron</i> | |
| <i>Hyptis capitata</i> | Margarita; Oregano |
| <i>Hyptis decurrens</i> | |
| <i>Hyptis suaveolens</i> | Mastranto; Selaseh hutan (Woodland basil); Ajonjoli Cimarron; Oregano; Lerkuung; Melisse; Sepulut; Basinan; Mamajuana; Malbar hutan |
| <i>Ilex rubra</i> | |
| <i>Indigofera suffruticosa</i> | Azul De Hoja; Digot; Digot Sauvage; Azulejo; Anil |
| <i>Ipomoea alba</i> | |
| <i>Ipomoea pes-caprae</i> | Batatilla; Liseron Pied-De-Chevre; Katang-katang; Liane Manger Cochon; Patate Lan Mer; Tapak kuda (Horse footprint); Patate Marron; Batata pantai; Goat'S Foot; Daun katang |
| <i>Ipomoea pescaprae</i> | |

| Ehnbobotanical Plant | Common Names |
|---------------------------------|---|
| <i>Ipomoea sinensis</i> | |
| <i>Iva axillaris</i> | |
| <i>Ixora grandifolia</i> | Sikatan; Jarum hutan (Woodland needle) |
| <i>Ixora stricta</i> | Mai Tzu Mu |
| <i>Jatropha curcas</i> | Pinon; Nanyo-Aburagi; Physic Nut; Feuilles Medecinier; Jarak; Medicinier Beni; Purging Nut; Pinon De La India; Grand Medicinier; Tuba; Jarak budeg; Jarak belanda |
| <i>Jatropha gossypifolia</i> | Yuca Cimarrona; Jarak china; Medecin; Jarak kosta merah; Petit Mapou; Papaye Sauvage; Bellyache Bush; Jarak ulung; Medicinier; Tua-Tua |
| <i>Jatropha gossypifolia</i> | |
| <i>Justicia pectoralis</i> | Yerba Carpintero; Z'Herbe Au Charpoentier; Carpintero; Herbe Au Charpentier; Curia |
| <i>Kaempferia rotunda</i> | Kenchur; Kunir puteh; Ban-Ukon |
| <i>Kallstroemia grandiflora</i> | |
| <i>Lasia spinosa</i> | Gegeli; Nyaming; Geli-geli; Sampi; Gali-gali |
| <i>Lawsonia inermis</i> | Henna; Khana; Hinai; Cyprus; Reseda; Hinna; Hai Na; Jan Chih Chia Ts'Ao; Pachar kuku; Inai; Kina Agaci |
| <i>Leea gigantea</i> | Merbati padang; Mali-mali; Jarak laut |
| <i>Leontopodium alpinum</i> | Leontopodio; Edelweiss; Lewenwurz |
| <i>Leonurus cardiaca</i> | Aslankuyrugu; Motherwort; Agripalma |
| <i>Lepidium sativum</i> | Teretura; Cresson Alenois; Cress; Crusson D'Jardin; Mastuerzo; Rshad; Adi Suterisi; Taratiza |
| <i>Leucopogon malayanus</i> | Chuchur atap |
| <i>Liatris punctata</i> | |
| <i>Lippia alba</i> | Melisse; Marguerite; Marguerite Des Jardins; Marguerite Blanche |
| <i>Lippia berlandieri</i> | |
| <i>Lippia multiflora</i> | |
| <i>Litchi chinensis</i> | Li Chih Ho; Quenepe Chinois; Li Chi Tzu; Li Chih; Litchi; Reisi |
| <i>Lithocarpus sp</i> | |
| <i>Litsea cubeba</i> | |
| <i>Litsea glaucescens</i> | |
| <i>Litsea polyantha</i> | |
| <i>Lobelia angulata</i> | |

| Ehnbobotanical Plant | Common Names |
|----------------------------------|---|
| <i>Lomatium nudicaule</i> | |
| <i>Lysimachia paridiformis</i> | |
| <i>Macaranga hullettii</i> | Mahang bulan |
| <i>Macaranga triloba</i> | Sape; Mahang damar; Kajoo Sepat |
| <i>Macrosolen tricolor</i> | |
| <i>Malachra</i> sp | |
| <i>Mallotus floribundus</i> | Maya-maya; Mahang; Nakau; Tapen; Memaya |
| <i>Malvaviscus populifolius</i> | |
| <i>Mareya micrantha</i> | |
| <i>Marsdenia tinctoria</i> | Tarum hutan; Akar tarum (Climbing indigo); Aka taman; Aka sanum |
| <i>Matricaria chamomilla</i> | Bayboon; Papatya; Amerale; Babunnej; Manzanilla; Kami-Ture; Manzanilla Dulce; Camomile; Chamomile |
| <i>Matricaria matricarioides</i> | |
| <i>Maytenus buxifolia</i> | |
| <i>Melilotus indica</i> | Steenklaver; Haisukka |
| <i>Mentha citrata</i> | |
| <i>Mentha piperita</i> | Menthe; Peppermint; Nane; Mentha Montana; Menta |
| <i>Merremia peltata</i> | Akar ulan; Kangkong bukit; Akar ulan gajah; Aroi charayum |
| <i>Microglossa volubilis</i> | Pokok ragin; Ragin |
| <i>Micromelum minutum</i> | Cherek-cherek; Chemama; Cherek puteh |
| <i>Mollinedia guatemalensis</i> | |
| <i>Momordica charantia</i> | Sorossi; K'U Kua; Sorci; Sorossie; Sorossies; Lai P'U T'Ao; A'Jayib Al Maasi; Chin Li Chih; Pare; Periok; Kerela; Gule Khandan; Assorossie; Melao De Sao Caetano; Balsampear; Peria; Peria laut; Balsam Apple; Ejinrin; Salsamino |
| <i>Monostroma</i> sp | |
| <i>Murraya paniculata</i> | Kemuning; Cosmetic Barktree; Kemuning lada |
| <i>Myristica fragrans</i> | Buah pala; Kujuk Hindistancevizi Ag; Jou Kuo; Jou Tou K'Ou; Nux Moschata; Mace; Muscade; Noix De Muscade; Kembang pala diluar; Jou Kou Hua; Nuez Moscada; Notenmuskaatboom; Nutmeg; Jou Tou Hua |
| <i>Myroxylon pereirae</i> | Hoitziloxitl |
| <i>Nepenthes</i> sp. | Periok kera; Perijoek antoe; Tabong berok (Monkey bamboo-ju; Kenchong kera (Monkey slipper) |

| Ehnbobotanical Plant | Common Names |
|----------------------------------|--|
| <i>Nepeta cataria</i> | Inu-Hakka(Tikuma-Hakka); Nepeta; Nebeda; Yalanci Kediotu; Catnip |
| <i>Neurolaena lobata</i> | Caballon; Manzanilla |
| <i>Nicotiana tabacum</i> | Tanigh; Yu Ts'Ao; Tabaco; Tobacco; Yen Ts'Ao; Tabac Mannoque; Yen Ken; Toubac; Nicoziana; Tan Pa Ku; Jen Ts'Ao; Tabac; Tutun; Herbe A La Reine; Tabigh |
| <i>Nigella sativa</i> | Habbat Soda; Black Cumin; Ajenuz; Cummin,Black; Corekotu |
| <i>Ocimum gratissimum</i> | Ramtulsi; Basilic Grandes Feuilles; Atiayo; Fombasin; Basilic A Petites Fleurs; Folle Basin; Vriadhatulasi; Selaseh jambi; Grand Fombasin |
| <i>Ocimum micranthum</i> | Albahaca; Atiyayo |
| <i>Ocimum sanctum</i> | Kami-Me-Boki; Kemangen; Surasa; Lampes; Ruku-ruku merah; Oku; Ruku-ruku; Selaseh; L. |
| <i>Oplopanax horridum</i> | |
| <i>Ormosia calavensis</i> | |
| <i>Oroxylum indicum</i> | Bonglai kulai; Bungli; Boli; Kayu lanang; Merulai; Merkulai; Boloji; Kapoung-kapung; Kajeng jaler; Kulai; Syonaka; Bolai kayu; Bonglai |
| <i>Oxalis corniculata</i> | Oseille Du Bois; Alleluia; Vinagreta; Oseille Marron; Carpigna; Pwin D'Coucou; Hsiao Suan Ts'Ai; Tso Chiang; Hummaidh; Chukrika; Sikap dada; Semanggen; Suan Chiang; Vinagrillo; Rempi; Acederilla Aleluya; Indian Sorrel; Estrebolina; Sorrel |
| <i>Paederia foetida</i> | Nu Ch'Ing; Ch'lao Piao; Kasembukan; Daun kentut; Kesimbukan; Akar sekentut |
| <i>Paeonia anomala</i> | |
| <i>Pajanelia longifolia</i> | |
| <i>Papaver somniferum</i> | O Fu Jung; Kheskhash Abu Al Noum; O Fang; Hashas; Ya P'len; Gelinjik; Chandu; Poppy,Opium; Yu Mi; Madat; Opium Poppy; Opium; O P'len; Adormidero; Poppy; Tengkoh; Adormidera |
| <i>Parkinsonia aculeata</i> | Madame Naiz; Bayahonda Blanca; Aroma Extranjera |
| <i>Paullinia pinnata</i> | Liane Carree; Bejuco Costilla; Bejuco De Tres Filos |
| <i>Penstemon acuminatus</i> | |
| <i>Peperomia viridispica</i> | |
| <i>Petunga venulosa</i> | Jalok hantu; Kayu gading (Ivory wood); Tulang betina; Beberas paya |
| <i>Phania japoniva</i> | |
| <i>Phaseolus calcaratus</i> | Kachang sepalit |
| <i>Phaseolus lunatus</i> | Pois Souche; Haba; Pois De Souche; Limabean; Kara |
| <i>Phoebe henryi</i> | |
| <i>Phoenix dactylifera</i> | Dattier; Datil; Tamur; Khurma; Wu Lou Zi; Palma Datil; Date; Dattes; Hurma Agaci |
| <i>Phyllagathis rotundifolia</i> | Bawal hutan; Akar serau malam; Petar java; Kachit fatimah |

| Ethnobotanical Plant | Common Names |
|----------------------------------|---|
| <i>Phyllanthus niruri</i> | Memeriran; Tamalaka; Dukong anak (Child pick-a-back; Turi hutan; Feuilles La Fievre; Rami buah; Des Dos; Quinina Criolla; Derriere-Dos; Derriere Dos; Meniran |
| <i>Phyllanthus pulcher</i> | Naga buana (Dragon-o-the-world; Kauka bona; Naga jimat (Talisman dragon); Ubat kelurut (Chancro medicin |
| <i>Phyllanthus urinaria</i> | Dukong anak (Child pick-a-back; Rami buah; Memeriran; Meniran; Turi hutan |
| <i>Piliostigma thonningii</i> | Musomo |
| <i>Pimpinella anisum</i> | Huei Hsiang; Razyiana; Anisu; Huai Hsiang; Anise; Pa Yueh Chu; Anasur; Anason; Anis; Jintan mantis; Anisun |
| <i>Pinus contorta</i> | |
| <i>Pinus monticola</i> | |
| <i>Piper auritum</i> | |
| <i>Piper excelsum</i> | |
| <i>Piper porphyrophyllum</i> | Kerakap rimau; Akar bugu; Sireh rimau; Sireh harimau |
| <i>Pipturus argenteus</i> | |
| <i>Pisonia umbellifera</i> | |
| <i>Pittosporum resiniferum</i> | |
| <i>Pittosporum sinuatum</i> | Galai |
| <i>Planchonella obovata</i> | Tuak-tuak; Jenkok; Pokok baraut laut |
| <i>Plantago insularis</i> | |
| <i>Pleiogynium solandri</i> | |
| <i>Plumbago scandens</i> | Loco; Herva Do Diablo; Malacara; Pega-Pollo; Dentelaire |
| <i>Polygala chinensis</i> | |
| <i>Polygonum chinense</i> | Shan Ch'lao Mai; Ch'lh Ti Li; Pokok semuloh (Constipation pl |
| <i>Polypodium scolopendria</i> | |
| <i>Porophyllum macrocephalum</i> | |
| <i>Pouzolzia zeylanica</i> | Deresan; Ubai-ubai; Kermah; Kukon-kukon; Rubai |
| <i>Premna taitensis</i> | |
| <i>Premna tomentosa</i> | Gembulang; Bunglang; Sarong burung (Bird's nest); Tembaroh |
| <i>Prismatomeris tetrandra</i> | |
| <i>Prosopis juliflora</i> | Cambron; Bayahonda; Bohahunda; Mizquitl; Bayarone Francais; Chambron; Bayahonde; Mesquite |

| Ethnobotanical Plant | Common Names |
|-----------------------------------|--|
| <i>Prunus ceylanica</i> | |
| <i>Pseudelephantopus spicatus</i> | Lengue De Vaca; Langue Boeuf |
| <i>Psidium guajava</i> | Jambu padang (Openfield Eugeni; Jambu biji (Seedy Eugenia); Jambu burong (Bird Eugenia); Jambu pelawas; Gouyave; Goavier; Tokal; Jambu portugal (Portuguese Eug; Guayaba; Goyave; Goyavier; Bayawas; Djambu; Dipajaya; Perala; Petokal; Guava; Djamboe |
| <i>Psoralea corylifolia</i> | Cot Chu; Pu Ku Chih; Ku Tzu; P'O Ku Chih; Pha Cot Chi |
| <i>Psychotria olivacea</i> | |
| <i>Psychotria schmielei</i> | |
| <i>Pterocarpus marsupium</i> | Indian Kino; Kino Indien; Khune; Vengai Padauk |
| <i>Pterocarpus santalinus</i> | Tjendana djenggi; Red Saunders; Sandalwood Paduak; Tzu T'An; T'An; Chendana janggi; Kirmizi Santal; Niu Shou Chan T'An |
| <i>Punica granatum</i> | Dalima; Dadima; Pomogranado; Hannar; Naragaci; Granado; Nar; Grenadier; Pomegranate; Rumman; Zakuro; Delima; Shan Shih Liu; Granada; Pomme Grenade; Gangsalan; An Shih Liu; Grenade |
| <i>Quercus lyrata</i> | Overcup Oak; Whiteoak, Water |
| <i>Quercus persica</i> | Barro; Mishe Aghaji; Ballut |
| <i>Rauvolfia mombasiana</i> | |
| <i>Rauvolfia sumatrana</i> | |
| <i>Rhodamnia trinervia</i> | Andong; Sedomang |
| <i>Rhodomyrtus tomentosa</i> | Keremunting; Kemunting |
| <i>Ricinus communis</i> | Gana Garchak; Hintyagi Agaci; Bean, Castor; Tartago; Pei Ma; Huile Ricin; Jarak; Pi Ma; Castor Bean; Higuierilla; Sittamoonaka; Palma Christi; Castorbean; To-Goma; Ricino; Eranda; Khirwe; Castor |
| <i>Rivina humilis</i> | Bonbon Codine; Yerba De Cancer; Caimoni Cimarron; Bonbon Coq D'Inde |
| <i>Rosmarinus officinalis</i> | Romero; Rosemary; Biberiye; Mannen-Ro; Anthos; Romarin; Romero Comun |
| <i>Rourea fulgens</i> | Planch. |
| <i>Rourea rugosa</i> | Planch.; Akar batah |
| <i>Rubus parviflorus</i> | |
| <i>Rumex occidentalis</i> | |
| <i>Salacia macrophylla</i> | Blume; Katji Pot |
| <i>Salvia occidentalis</i> | Petit Baume; Petit Baume Marron |
| <i>Salvia serotina</i> | |
| <i>Salvia sp</i> | Sage |

| Ehnbobotanical Plant | Common Names |
|-----------------------------------|--|
| <i>Santalum album</i> | White Sandal; Pai Chai T'An; Ai nitoe; Chendana; Beyaz Santal; T'An Hsiang; White Sandalwood; Chandana; Chandani; Chan T'An; Haeo meni; Chen T'An; Laki-laki; White Santal; Sandelhout |
| <i>Sapindus vitiensis</i> | |
| <i>Saprosma ternatum</i> | Kesimbukan; Sekentut |
| <i>Saraca asoca</i> | |
| <i>Satureja graeca</i> | Colicosa |
| <i>Saussurea lappa</i> | Kushta; Kust; Mu Xiang; Costus; Quang Mu Xiang; Patchak |
| <i>Scaevola taccada</i> | |
| <i>Scindapsus officinalis</i> | |
| <i>Scirpus validus</i> | |
| <i>Scoparia dulcis</i> | Cha padang (Opening tea); Pokok delis; Cancharagua; Balai Doux; Ginje jepun; Ginje menir; Teh makao (Macao tea); Pokok kelambu (Gray plant); Bunyiga; Mastuerzo |
| <i>Scopolia japonica</i> | Hasiri-Dokoro; Lang Tang; Japanese Belladonna |
| <i>Scyphiphora hydrophyllacea</i> | Doodook Rajap; Duduk rayap |
| <i>Shorea robusta</i> | Sal; Salwa; So Lo Mu; Sal Tree |
| <i>Sloanea amygdalina</i> | Chicharron; Bois Coq; Chapeau Carre |
| <i>Sloanea domingensis</i> | Acomat |
| <i>Smilax mollis</i> | |
| <i>Solanum incanum</i> | |
| <i>Solanum nigrum</i> | Nightshade, Black; L'Homme; Black Nightshade; Lanman Noir; Inu-Hozuki; Lao Ya Yen Ching Ts'Ao; Ranti; Hierba Mora; Terong meranti; T'len P'Ao Ts'Ao; Manman Lanman; Enab Ez Zhib; Gurkamai; T'len Ch'leh Tzu; E'Nab Adh Dhib; Lung K'Uei; Lanman; Solatro Nero; Lanment; E'Nab Ath Tha'Lab; Morete; Morelle Noir; Yerba Mora; Alaman; Long Kui; Ituzumu; Morelle Noire |
| <i>Sonerila nidularia</i> | Serengan kerbau; Katchit fatimah |
| <i>Sorghum bicolor</i> | Durra; Shu Shu; Serce Darisi; Thura; Dari; Bayaz Dari; Kao Liang |
| <i>Spatholobus ferrugineus</i> | Akar sekuet; Akar gueh; Areuj sambangan; Akar sarik; Akar jangat |
| <i>Spatholobus roxburghii</i> | |
| <i>Stachys lavandulaefolia</i> | Sermaq |
| <i>Stemodia maritima</i> | |
| <i>Streblus asper</i> | Serut; Peleh |
| <i>Strychnos panamensis</i> | |

| Ehnbobotanical Plant | Common Names |
|--------------------------------------|---|
| <i>Strychnos potatorum</i> | Clearing Nut Tree |
| <i>Styphelia malayana</i> | Choreng atap; Taratap |
| <i>Symphoricarpos albus</i> | |
| <i>Symplocos penangiana</i> | Gancheke kecil; Meruas |
| <i>Synedrella nodiflora</i> | Feuilles Depot; Krasuk; Salamani; Bruwan; Rumput babi (Pig's grass); Gletan warak |
| <i>Tacca palmata</i> | Gadoeng tikoos; Kotok bongktok; Koemis oetjung; Koomis Ootjing; Gadoong Tikoos; Temu giling; Temoo Giling; Iles-iles |
| <i>Tagetes florida</i> | |
| <i>Tagetes micrantha</i> | |
| <i>Tanacetum vulgare</i> | Yomogi-Giku; Tanaceto; Tansy; Solucanotu |
| <i>Taraxacum mongolicum</i> | Pu Gong Ying |
| <i>Tarenna sambucina</i> | |
| <i>Tecoma stans</i> | Sauco Amarillo; Herbe St Nicolas; Fleur De St Pierre; Yellow Elder; Chevalier |
| <i>Tectona grandis</i> | Jati; Kayu jati |
| <i>Terminalia catappa</i> | Ketapang; Almendro De Playa; Amandier Tropical; Almendro; Amandier Des Indes; Indian Almond; Amandier; Almendro De Las Indias; Lingtak; L.; Badannier; Almendra |
| <i>Terminalia tomentosa</i> | Ain; Asna Saj; Sain |
| <i>Teucrium pyrenaicum</i> | Teucro Pirenaico |
| <i>Thalictrum collinum</i> | |
| <i>Themeda gigantea</i> | |
| <i>Timonius longitubus</i> | |
| <i>Trachymene celebica</i> | Hemsl. |
| <i>Trema cannabina</i> | |
| <i>Trichosanthes quinqueangulata</i> | Patolan Gabat; Gabat |
| <i>Turnera diffusa</i> | Damiane; Damiana; The Bourrique; Oreganillo |
| <i>Tylophora ovata</i> | |
| <i>Urena lobata</i> | Cadillo De Perro; Pulut lembu; Cousin; Escoba; Pulut; Pulutan; Cadillo; Pulut-pulut; Petit Cousin; Kelutut; Legetan; Pepulut |
| <i>Urera sp</i> | |
| <i>Uvaria purpurea</i> | Akar pisang-pisang jantan; Akar pisang-pisang tandok; Akar pisang-pisang kuing; Pisang |

| Ehnbobotanical Plant | Common Names |
|----------------------------------|--|
| <i>Verbena hastata</i> | Blue Vervain |
| <i>Verbesina helianthoides</i> | |
| <i>Vernonia cinerea</i> | Rumput bujong samalan; Ekur juda (Horse tail); Pokok tambak bukit; Sembong hutan; Chongchong hari; Seson daun; Rumput sepagi; Rumput tahi babi (Pig dung gra |
| <i>Vernonia deppeana</i> | |
| <i>Vitex agnus-castus</i> | Hayit; Agno Casto; Daribrahim; Kaff Maryam; Gatilier; Ranukabija; Sauzgatillo; Lygos; Seiyo-Ninzin-Boku; Shajerat Ebrahim; Chaste Tree; Agnocasto; Keuschlamm; Panjangusht; Monk'S Pepper; Bish Barmagh Aghaji; Poivre De Moine |
| <i>Vitex pinnata</i> | |
| <i>Vitex pubescens</i> | Halban; Leban bunga; Leban hitam; Leban kunyit |
| <i>Vitis discolor</i> | Banteng |
| <i>Wedelia biflora</i> | Sunai laut; Saruni; Serenah laut; Seremai; Bunga butang (Button flower); Serunai; Serunai laut |
| <i>Wrightia tomentosa</i> | Duahi; Daira |
| <i>Xanthorhiza simplicissima</i> | |
| <i>Xerospermum sp.</i> | Rambutan pachat (Leech's |
| <i>Xylopia macrantha</i> | |
| <i>Zanthoxylum fagara</i> | |
| <i>Zanthoxylum fruticosum</i> | |
| <i>Zanthoxylum nitidum</i> | |
| <i>Zanthoxylum planispinum</i> | |
| <i>Zea mays</i> | Corn; Mais; Yu Shu Shu; Dari; Maiz; Ble De Turquie; Yu Kao Liang; Thurah Safrah; Mais Vert; Ganma Sham; Jagong; Misir; Jagung |
| <i>Zingiber amaricans</i> | Lempuyang pahit; Lampuyang pahit; Lempuyang emprit |
| <i>Zingiber cassumunar</i> | Bulai; Panini; Koenjit bolai; Bangle; Bunglai; Benge; Bolai; Bongelai; Kunyit bolai; Oenin makei; Bungelai; Boleh; Cassumunar Ginger |
| <i>Zingiber officinale</i> | T'Ang Chiang; Sunthi; Chiang P'I; Kan Chiang; Haliya hudang; Sheng Chiang; Haliya bara; Djae; Lahja; Zencefil; Kunyit terus; Jahi; Shoga; Gengembre; Atuja; Gengibre; Chiang Chiu; Haliya; Chiang; Haiti; Ginger; Gengibre Dulce; Haliya padi; Gan Jiang; Jae; Sonth |
| <i>Zingiber zerumbet</i> | Lampuyang paek; Lampuyang kapoer; Lampuyang kebo; Lampuyang; Lampuyang gajah; Zerumbet Ginger |
| <i>Ziziphus jujuba</i> | Jujube; Kola; Unnab; Bedara china; Sanebuto-Natume; Widara; Pomme Malcadi; Unnap Agaci; Dara; Nabug; Natume; Hong Zao; Suan Tsao; Azufaifo |
| <i>Ziziphus oenoplia</i> | |