

Dr. Duke's Phytochemical and Ethnobotanical Databases

Ehtnobotanical Plants for Diarrhea

| Ehnbobotanical Plant | Common Names |
|-------------------------------|---|
| <i>Abelmoschus esculentus</i> | Ochro; Gombo; Molondron; Calalou Gombo; Gumbo; Quingombo; Calalou; Bamia; Quiabeiro; Huang Shu K'Uei |
| <i>Abrus precatorius</i> | Graines Reglisse; Rakat; Ma Liao Tou; Peonia; Hint Meyankoku; Weesboontje; Paternoster; Gunchi; To-Azuki; Peonia De St Tomas; Paratella; Cain Ghe; Liane Reglisse; Pois Rouge; Hung Tou; Rosary Pea; Jequerit; Reglisse |
| <i>Abutilon haitiense</i> | Pete Vie Moune |
| <i>Acacia catechu</i> | Amaraja; Wu Tieh Ni; Erh Ch'A; Khair; Pegu Katechu; Acacia Di Cachou; Katechu Akazie; Kadaram; Hai Erh Ch'A; Acacie Au Cachou; Katesu |
| <i>Acacia constricta</i> | |
| <i>Acacia lutea</i> | Acacia |
| <i>Acacia pleuripetala</i> | |
| <i>Acacia sieberana</i> | |
| <i>Acacia tortuosa</i> | Carambomba; Bayahonde Rouge; Acacia |
| <i>Acalypha alopecuroides</i> | Petit Mouton; Degonfle; Derriere Confle; Bonda Pe; Petit Pompon; Hierba Del Cancer; Rabo De Zorra |
| <i>Acalypha australis</i> | |
| <i>Achras sapota</i> | Tuingamu-No-Ki; Mamey |
| <i>Aconitum heterophyllum</i> | Atees, Indian; Vajji Turki; Atis; Ativisha; Atees |
| <i>Acorus calamus</i> | Acore Vrai; Shui Ch'Ang Pu; Kalmus; Calomo Aromatico; Kaliraga; Kalmoes; Seki-Sho; Agri Turki; Jeringau; Djerango; Sarango; Acorus; Calamus; Calmus; Kalmos; Jerangau; Vacha; Vaj; Ganoeak; Sweet Flag; Ch'Ang P'U Chiu; Azakegeri; Acoro Aromatico; Jariangau; Calamo Aromatico; Sho-Bu; Bach; Doringo |
| <i>Acorus gramineus</i> | Shih Ch'Ang Pu |
| <i>Actaea arguta</i> | Baneberry |
| <i>Adenostemma lavenia</i> | Daun tempel daging |
| <i>Adiantum concinnum</i> | |
| <i>Adiantum lunulatum</i> | Paku sisek; Paku rambak |
| <i>Adina cordifolia</i> | |
| <i>Adina rubella</i> | Shui Yang Mei |
| <i>Aegiphila elata</i> | |
| <i>Aegle marmelos</i> | Vilwa; Marmelo; Maja galepung; Maja ingus; Baelbaum; Maja batu; Kawista; Shul; Maja lumut; Bael Tree; Maja gedang; Hint Ayva Agaci; Maja pait; Maja |
| <i>Aerva lanata</i> | Oepas oepan; Roempoet oepas oepan; Katumpangan ayer |
| <i>Aethusa cynapium</i> | Hundpetersilie; Fool'S Parsley; Perzin D'Tchin; Fool(S Parsley; Faux Persil; Petite Cigue; Kucik Baldiran |

| Ethnobotanical Plant | Common Names |
|------------------------------------|--|
| <i>Agastache rugosa</i> | |
| <i>Agave brevispina</i> | Galatas |
| <i>Ailanthus altissima</i> | Ch'U; Ch'Ou Ch'Uang Shu Ken; Gok Aghaji; Lisan At Tair; Niwa-Urusi |
| <i>Ailanthus glandsulosa</i> | Kokar Agac |
| <i>Alchemilla vulgaris</i> | Frauenmantel; Pie De Leon; Aslanpencesi |
| <i>Alchornea cordifolia</i> | |
| <i>Aleurites moluccana</i> | Cila Agaci; Shih Li; Derekan; Avellano; Noyer Des Indes; Miri; Buah keras; Kembiri; Pidekan; Kemiri |
| <i>Alisma plantago</i> | Shui Hsieh; Ku Hsieh; Chi Hsieh; Tse Hsieh; Cobandudugu; Mang Yu; Yu; Yu Sun; Hsieh |
| <i>Allionia incarnata</i> | |
| <i>Allium ampeloprasum</i> | |
| <i>Allium ascalonium</i> | Hsieh; Brambang bali; Yabani Sarimsak; Astloke; Brambang abang; Zechalotte; Echalotte; Hsieh Pai; Bawang merah |
| <i>Allium drummondii</i> | |
| <i>Allium nipponicum</i> | No-Biru |
| <i>Allium sativum</i> | Hsiao Suan; Sir; Rosina; Thum; Ail; Ajo; Bawang putih; Suan; Garlic; Ail De Cuisine; Samersaq; Cropleek; Bawang Poetih; Lai; Sarimsak; Lasan |
| <i>Alnus serrulata</i> | Black Alder |
| <i>Alocasia macrorrhiza</i> | Sente; Kuan Yin Lien; Keladi Sebaring; Hai Yu; Birak negeri; Ababa |
| <i>Aloysia triphylla</i> | Yerba Luisa; Diapalma |
| <i>Alpinia globosa</i> | |
| <i>Alpinia officinarum</i> | Galangal; Kao Liang Chiang; Man Chiang; Liang Chiang; Kucuk Galanga |
| <i>Alstonia scholaris</i> | Pule; Pha Ya Sat Ta Ban; Poele; Saptachada; Dita; Pulai; Pulai bukit |
| <i>Alternanthera sessilis</i> | Matean; Keremak; Bayem keramah; Keramah |
| <i>Alyxia</i> spp. | Pulasari |
| <i>Amaranthus hybridus</i> | |
| <i>Amaranthus retroflexus</i> | Pigweed |
| <i>Ambrosia confertiflora</i> | |
| <i>Ambrosia</i> sp | Ragweed |
| <i>Amorphophallus campanulatus</i> | Kembang bangah; Soeweg; Saranah |

| Ehnbobotanical Plant | Common Names |
|--------------------------------|--|
| <i>Anacardium excelsum</i> | Espave |
| <i>Anacardium occidentale</i> | Noix D'Acajou; Acajou A Pomme; Amerikan Elmasi; Anacardier; Cashew; Pomme Acajou; Jambu monyet; Maranon; Jambu; Gajus; Jocote Maranon; Acaju; Merey; Jambu mete; Anacarde; Jambu terong; Cajuil; Alcayoiba; Pomme Cajou; Cajueiro; Jambu golok; Caju; Cajou; Anacardo; Pomme; Acajou; Acajoiba; Cacajuil |
| <i>Andrographis paniculata</i> | Sadilata; Vizra Ufar; Sambilata; Carmantina; Kariyat; Nain Chanvandi; Takila; Bidara |
| <i>Anemone cernua</i> | Pai T'Ou Weng |
| <i>Anisophyllea disticha</i> | Rambai ayam; Kaju pachat; Pokok kanchil; Ribu-ribu |
| <i>Annona glabra</i> | Baga; Corossol Marron; Anon De Rio |
| <i>Annona muricata</i> | Toge-Banreisi; Durian benggala; Nangka blanda; Guanavana; Corossolier; Guanabana; Nangka londa |
| <i>Annona reticulata</i> | Nona kapri; Cachiman; Malowa; Kluwa; Corazon; Cachiment Coeur Boeuf; Kanowa; Mamon; Lonang; Ochsenerz Apfel; Nona; Manowa; Bullock'S Heart; Buah Nona; Ram Phal; Binoewa; Petit Corossol |
| <i>Annona squamosa</i> | Serkaya; Cachiment Cenelle; Candongo; Pomme De Canelle; Sugar Apple; Cachiment Cannelle; Shurifa; Sweetsop; Kaneelappel; Zuckerapfel; Surikaya; Pomme-Cannelle; Srikaya; Cachiman Canelle; Cachiman; Pommier De Canelle; Anon; Custard Apple |
| <i>Anogeissus latifolia</i> | |
| <i>Anthemis cotula</i> | Amarusca; Hunds Kamille; Camomille Puante; Stinkende Kamille; Cotula Fetida; Wild Chamomile; Manzanilla Hedionda; Stinking Chamomile; Dog Fennel; Macela Fetida; Cotula Foetida |
| <i>Antholyza paniculata</i> | |
| <i>Apostasia nuda</i> | Menkuang tikus; Kenching pelandok; Pokok pelampas budak |
| <i>Aquilaria agallocha</i> | Chi Ku Hsiang; Huang Shu Hsiang; Lignum Aloes; Ch'En Hsiang; Aguru; Chan Hsiang; Ch'Ing Kuei Hsiang; Chen Xiang; Ma T'I Hsiang |
| <i>Arctostaphylos glauca</i> | |
| <i>Arctostaphylos pungens</i> | |
| <i>Arcypteris difformis</i> | Paku andam; Paku siar |
| <i>Ardisia colorata</i> | Mata pelandok; Meranting; Sumpoh lumpok |
| <i>Ardisia crispa</i> | Mata pelendok; Mata kuching; Mata ayam; Akar beluloh; Sirey puyoh (Quail's betel) |
| <i>Ardisia odontophylla</i> | Pasal; Sumpuh lumpok |
| <i>Ardisia solanacea</i> | |
| <i>Ardisia villosa</i> | Pogo segureh; Seluntas orang tinggi; Mata pelandok gajah; Kayu ungu bisa |
| <i>Areca catechu</i> | Batang majang; Kramuka; Fufal Agaci; Bing Lang; Bluk; Wohan; Poea; Chohang; Ping Lang; Pinang; Jambe; Ta Fu Tzu |
| <i>Argemone ochroleuca</i> | Chicaohte |
| <i>Argyreia speciosa</i> | Coup D'Air |

| Ethnobotanical Plant | Common Names |
|----------------------------------|---|
| <i>Aristolochia cymbifera</i> | Brezilya Logusaotu; Guaco; Erva Bicha |
| <i>Aristolochia foetida</i> | |
| <i>Aristolochia recurvilabra</i> | Sheng Shu; Ch'Ing Mu Hsiang; Yun Shu; Hsiao Yuan Shu; Pai Shu; Yuan Shu; Tu Hsing Ken; Wu Shu; Tung Shu; P'Ing Shu |
| <i>Artemisia apiacea</i> | Ch'Ing Hao; Yeh Chu Hua; Hsiang Hao |
| <i>Artemisia princeps</i> | Yomogi |
| <i>Artemisia tridentata</i> | |
| <i>Artocarpus communis</i> | Kulur; Sukun; Kaloewih; Kelur |
| <i>Arundo kakao</i> | |
| <i>Atractylis ovata</i> | Ts'Ang Shu; Shu Chiu |
| <i>Averrhoa carambola</i> | Blimbing alas; Belimbing batu; Belimbing manis; Wu Leng Tzu; L.; Wu Han Tzu; Gorensi; Kembola; Belimbing sagi; Yang T' Ao |
| <i>Avicennia nitida</i> | Mangle Prieto |
| <i>Azadirachta indica</i> | Nimva; Tesbih Agaci |
| <i>Bauhinia divaricata</i> | Collegue Matouri; Petit Calecon; Bois Ticalacon; Bois Calecon; Petit Cancon |
| <i>Bauhinia fulva</i> | Areuj koepoe-koepoe |
| <i>Bauhinia griffithiana</i> | Kempaga; Selak kerbau |
| <i>Bergenia ciliata</i> | |
| <i>Bidens pilosa</i> | Romerillo; Jarongan; Alfiler; Saltillo; Z'Aiguille; Yema De Huevo; Clavelito De Monte; Subang puteri batek; Aceitilla; Ketul; Pau-pau pasir |
| <i>Bischofia javanica</i> | |
| <i>Blechnum spicant</i> | |
| <i>Boerhaavia diffusa</i> | Pega Pollo Cimarron; Pega Pollo; Manger Cochon; L.; Liane Manger Cochon; Punarnava; Toston |
| <i>Boerhaavia erecta</i> | Patagon |
| <i>Bombax malabaricum</i> | Bombaks; Kiwata; Salmali |
| <i>Bonnaya antipoda</i> | Kerak-kerak; Sumpu chaching; Mata juju |
| <i>Bosqueia angolensis</i> | |
| <i>Botrychium lunaria</i> | Gazel Dili; Lunaria Menor; Moonwort |
| <i>Bouchea sp</i> | |
| <i>Brickelia cavanillesii</i> | |

| Ehnbobotanical Plant | Common Names |
|--------------------------------|--|
| <i>Brickellia squarrosa</i> | |
| <i>Bridelia ferruginea</i> | |
| <i>Broussonetia papyrifera</i> | Ku Shu; Ch'U |
| <i>Brownea grandiceps</i> | |
| <i>Brucea antidysenterica</i> | |
| <i>Brucea javanica</i> | Ya Dan Zi; Dadih-dadih; Tambur bui; Melada pahit (Bitter pepper); Lada barau; Sarai pusur; Kwalot; Sikalur; Malur; Hempedu beruang (Bear gall); Embalau betina; Lada pahit (Bitter pepper) |
| <i>Brucea sumatrana</i> | Tambara Maritja; Kosam; Macassar Seed; Lada Pahit |
| <i>Bryonopsis affinis</i> | |
| <i>Buchanania latifolia</i> | |
| <i>Bupleurum falcatum</i> | Ch'Ai Hu; Misima-Saiko; Kyushu-Saiko |
| <i>Bupleurum octoradiatum</i> | Tz'U Hu; Ch'Ai Hu |
| <i>Bursera simaruba</i> | Bois D'Encens; Almacigo Blanco; Fragon Caranne; Indio Desnudo; Chique; Jobo; Almacigo Colorado; Gommier Rouge; Gommier Blanc; Almacigo |
| <i>Butea monosperma</i> | Palasa; Teak, Bastard |
| <i>Butea superba</i> | Pelochok |
| <i>Byrsonima crassifolia</i> | Maricao; Peralejo; Nanche; Cajuil Cimarron; Madrono |
| <i>Cacalia descomposita</i> | |
| <i>Caesalpinia bonduc</i> | Niccheri; Mate De Costa; Tenglor; Kelengkeng; Matahijang; Nickernut Tree; Garrapata De Playa; Cniquier; Kemroenggi; Graines Quinine; Koetoek; Kaliŋi; Kaletja; Bondukboom; Bondukbaum |
| <i>Caesalpinia coriaria</i> | Dividivi; Divi-Divi; Macascol; Gerbhulse; Shumak; Libidibi; Guatapana |
| <i>Caesalpinia echinata</i> | Bois De Fernambouc; Palo Brasil |
| <i>Caesalpinia pulcherrima</i> | Patra mengala; Clavellina; Feng Huang Ch'Ang; Francillade; Chana; Poincillade; Parak kegel; Cacalaca; Jambul merak (peacock feather) |
| <i>Caesalpinia sappan</i> | Soo Mook; Verzino; Su Fang Mu; Tjatjang; Soga jawa; Sepang; Sechang; Setjang; Brasilete |
| <i>Caesalpinia vesicaria</i> | |
| <i>Cajanus cajan</i> | Chieh Tu; Guandul; Pois Cajan; Guaduli; Katjang bali; Chieh Tu Tzu; Kachang gude; Pois D'Angolie; Pois Congo; Shan Tou Ken; Kachang kayu (tree bean); Gandul; Adhaki |
| <i>Calanthe sp.</i> | Sebueh |
| <i>Calliandra anomala</i> | Tlacoxilohxochitl |
| <i>Callicarpa longifolia</i> | Chapal; Sulap; Nasi-nasi; Karat besi; Meniran utan; Chapal besi; Tampang besi puteh |

| Ehnbobotanical Plant | Common Names |
|--------------------------------|---|
| <i>Calophyllum inophyllum</i> | Pudek; Nyamplung; Bentangor bunga; Penaga laut; Tamanou; Palo Maria |
| <i>Calyptocarpus vialis</i> | |
| <i>Cananga odorata</i> | Ilang-Ilang; Cananga; Ylang-Ylang; Kananga |
| <i>Canna orientalis</i> | Buah tasbef; Sigi-sigi |
| <i>Canna sp</i> | Canna |
| <i>Canthium dicoccum</i> | Merejah |
| <i>Canthium ventosa</i> | |
| <i>Capraria biflora</i> | Capraire; The Du Mexique; The Indigene; The De St Domingue; Santa Maria; Feregosa; Suisse; The Pays; Te Criollo |
| <i>Capsella bursa-pastoris</i> | Kees Al Rai'Y; Nazuna; Coban Cantasi; Chi Ts'Ai; Shepherd'S Purse; Ti Mi Ts'Ai; Pan Y Quesillo |
| <i>Capsicum sp.</i> | Lombok; Chabai burong |
| <i>Carapa granatum</i> | Nyireh bunga; Niris bunga; Nyireh |
| <i>Careya sphaerica</i> | |
| <i>Carica papaya</i> | Katela gantung; Mapaza; Papaye; Gandul; Kepaya; Papailer; Kuntaia; Papayer; Pawpaw Tree; Pepol; Tinti; Mu Kua; Chich Put; Lohong Si Phle; Papaw; Wan Shou Kuo; Kates; Pawpaw; Lechoso; Kavunagaci; Papaya; Fan Kua; Betik petik |
| <i>Casearia tomentosa</i> | |
| <i>Casimiroa edulis</i> | Cochitzapotl; Zapote Blanco; Weisse Sapote; Wild Sapote |
| <i>Cassia alata</i> | Fleur A Dartres; Fleur Palmiste; Gelenggang; Dates Jaunes; Ki manila; Fleurs Saint Christophe; Guajava; Fleur Dartre; Date; Daoen koepang; Ketepeng badak; Dartres; Ludanggan; Ketepeng; Fleur St Christophe; Ketepeng tijna; Ketepeng kebo; Herbe A Dattes |
| <i>Cassia fistula</i> | Kallober; Kachang kayu (Woody bean); Chacara; Ch'Ang Kuo Tzu Shu; Samyaka; Klohur; Canafistula; Klober; Nanban-Saikati; Sember Hiyari Agaci; Keyok; Baton Casse |
| <i>Cassia occidentalis</i> | Wang Chiang Nan; Shih Chueh Ming; Pois Plante; Menting; Kachang kota; Sinamekki; Kasiah; Tlalhoaxin; Senting; Khiyar Shember |
| <i>Cassia sp</i> | |
| <i>Castanea mollissima</i> | |
| <i>Castela tortuosa</i> | |
| <i>Casuarina equisetifolia</i> | Sunober Ustraly; Roe; Kajoe anjing; Aru; Chemara; Chemara laut; Eru; Pino Australiano; Ru; Filuwah; Tjemara; Kazwarinah |
| <i>Cayaponia espelina</i> | |
| <i>Cecropia peltata</i> | Bois Canon; Trompettier; Grayumbe; Grayumbo; Yagruma; Trompette; Yagrumo; Bois Trompette; Trumpet Tree |
| <i>Cedrela chinense</i> | |

| Ethnobotanical Plant | Common Names |
|---------------------------------|---|
| <i>Celosia argentea</i> | Bayam merah (Red spinach); Yeh Chi Kuan; Ch'Ing Hsiang; No-Geito; Ts'Ing Hsiang Tsu; Ts'ao Chueh Ming; K'Un Lun Ts'ao; L. |
| <i>Celosia cristata</i> | Makhmar; Keito; Rebha mangsor; Djawer hajam; Djawer kotok; Rara ajam; Boenga tali; Urf Al Deek; Khoroz Ibigi; Chi Kuan |
| <i>Celsia coromandeliana</i> | |
| <i>Celtis australis</i> | Almez |
| <i>Cercis canadensis</i> | Redbud |
| <i>Cereus repandus</i> | |
| <i>Ceropegia tuberosa</i> | |
| <i>Chaenomeles lagenaria</i> | |
| <i>Chaenomeles sinensis</i> | Karin |
| <i>Chamaesyce hirta</i> | Yerba Lechera; Malcasa; Marcasa; Malcasada; Malomin; Malnommee |
| <i>Chimaphila maculata</i> | Wintergreen, Spotted |
| <i>Chionanthus virginicus</i> | Kar Agaci; Greybeard; Kar Cicegi |
| <i>Chironia krebisii</i> | |
| <i>Chironia palustris</i> | |
| <i>Chrysanthemum parthenium</i> | Manzanilla; Matricaria; Varadika; Amargosa |
| <i>Chrysobalanus icaco</i> | Icaque; Icaquier; Capollaxipehualli; Hicaco; Zicaque |
| <i>Cicer arietinum</i> | Garbanzo; Pois Chiche; Nok; Cece; Hummus; Garvane; Nokhud |
| <i>Cimicifuga foetida</i> | |
| <i>Cinnamomum camphora</i> | Camphora; Kafur; Kusu-No-Ki; Chang |
| <i>Cinnamomum cassia</i> | Malabathron; Cassia; Cinnamon; Kayu manis china; Cin Tarcini |
| <i>Cinnamomum sintok</i> | Sintok |
| <i>Cinnamomum tamala</i> | Patra |
| <i>Cinnamomum verum</i> | Tvach Bark; Seylan Tarcini; Kayu manis; Malabathron; Cinnamon |
| <i>Cissampelos pareira</i> | Liane Patte Cheval; Aristoloché Lobee; Feuille Coeur; Bejuco De Raton; Gasing-gasing |
| <i>Cissus adnata</i> | Roxb. |
| <i>Cissus sicyoides</i> | Liane Molle; Herbe A Ulceres; Liane Minguet; Caro; Feuille Cotaire; Tripa De Zopilote; Bejuco De Parra; Bejuco Caro |
| <i>Cistanche tubulosa</i> | Zib Al Zumal |

| Ehnbobotanical Plant | Common Names |
|---------------------------------|--|
| <i>Citrus aurantifolia</i> | Lima Bobo; Limau nipis; Limau asam; Citron Vert; Citronnier Verjus; Citronnier; Limau amkian; Limau masam; Lima; Citron |
| <i>Citrus aurantium</i> | Kuang Chu; Orange; Naranjo Amargo; Z'Orange Sure; Chin Ch'lu; Naranja De Babor; Naranja Agria; Hua Chu Hung; Orange Sure; Coolie Orange; Oranger; Bergamot; Ch'Eng; Turunc |
| <i>Citrus limon</i> | Limonero; Miski; Lemun Tresh; Limon; Lemun Hamedh; Lemon |
| <i>Citrus medica</i> | Kabat; Cidro; Numi Hilu; Kou Yuan; Jeruk kates; Limo; Citron; Limau kerbau (Buffalo lime); Matulunga; Limau mata kerbau; Limi; Trunj; Limau hantu; Limau susu (Nipple lime) |
| <i>Citrus reticulata</i> | Mandarine; Tran Bi; Kan; Chu Sha Chu |
| <i>Citrus sinensis</i> | Naranjo Dulce; Naranja De China; Oranger Doux; Portakal; Orange; Z'Orange Douce |
| <i>Clibadium barbasco</i> | |
| <i>Coccoloba uvifera</i> | Raisin La Mer; Raisiner Bord De Mer; Uva De Playa |
| <i>Coix lacryma-jobi</i> | T'U I Mi; Chi Shih; Graines Chapelet; I Chu Tzu; Kan Mi; Yokuinin; Hui Hui Mi; Gurlu; Chieh Li; Gavedhu; Hato-Mugi; I I Jen Chiu; Yi Yi Ren; Zyuzu-Dama; Hatomugi; Tranengras; Job'S Tear; Lagrimas De San Pedro; Larmes De Job; I I Jen |
| <i>Coleus atropurpureus</i> | Salip kechil; Ati-ati merah; Ketangan; Iler; Daun ati-ati |
| <i>Colubrina texensis</i> | |
| <i>Commelina communis</i> | |
| <i>Commersonia bartramia</i> | |
| <i>Comptonia aspleniifolia</i> | |
| <i>Comptonia peregrina</i> | Sweetfern |
| <i>Conioselinum univittatum</i> | Hsiang Kuo; Ch'Uan Hsiung; Hsi Hsiung; Mi Wu; Ma Hsien Hsiung Ch'lung; Ching Hsiung; Fu Hsiung; T'AI Hsiung; Chiao Nao Hsiung |
| <i>Conocarpus erectus</i> | Mangle Prieto; Paletuvier; Manglier Noir; Botoncillo De Costa |
| <i>Copaifera coriacea</i> | |
| <i>Coptis chinensis</i> | Huang Lian |
| <i>Corchorus capsularis</i> | Jut |
| <i>Cordia cylindrostachya</i> | Yerba Golondrina |
| <i>Cordyline fruticosa</i> | Laklak; Tie Shu Ye; Daun juang-juang; Lenjuang; Andong; Senjuang; Jenjuang; Daoen nagasi; Jejuang; Tunjung |
| <i>Cornus amomum</i> | |
| <i>Corypha utan</i> | Lontar oetan; Gawang; Lontar utan; Koewala; Gebang; Puchuk |
| <i>Couma macrocarpa</i> | |
| <i>Crataegus cuneata</i> | |

| Ehnbobotanical Plant | Common Names |
|----------------------------------|---|
| <i>Crataegus pinnatifida</i> | |
| <i>Crataegus pinnatifida</i> | |
| <i>Crataegus</i> sp | Cha |
| <i>Crescentia alata</i> | |
| <i>Crescentia cujete</i> | Petite Calabasse Des Bois; Calabash Tree; Calebassier; Calebasse; Guiro; Higuera; Callebasse Marronne; Camasa; Tabu kayu; Jiguero; Higuero Galion; Calebasse Marron; Higuero; Berenuk |
| <i>Croton argyratum</i> | Cheret budak; Akar cheret budak; Melokan; Hamba raja; Semelit bayor |
| <i>Croton flavens</i> | |
| <i>Croton malambo</i> | |
| <i>Croton oblongifolius</i> | |
| <i>Croton tiglium</i> | Simalakian; Kroton Agaci; Chemkian; Chengkian; Hazu; Pa Tou; PENCHAHAR; Badau; Cheraken |
| <i>Cryptocarya aromatica</i> | Mesui; Massoi |
| <i>Cucumis zeyheri</i> | |
| <i>Cuminum cyminum</i> | Kammun; Ajaji; Cummin; Kimyon; Jintan putih; Comino; Jinten putih; Cumin |
| <i>Curculigo orchioides</i> | Poison Bulb |
| <i>Curcuma angustifolia</i> | Kurkuma |
| <i>Curcuma longa</i> | Kakoenji; Rame; Kunir; Temu kuning; Koenjet; Kondin; Goeratji; Renet; Oendre; Tius; Kunyit; Temu kunyit; Ukon; Kunir bentis |
| <i>Curtonus paniculatus</i> | |
| <i>Cusparia febrifuga</i> | |
| <i>Cyathula prostrata</i> | Nyarang; Femina; Penjarang; Jarang-jarang; Senjarang; Nyarang putih |
| <i>Cydonia maliformis</i> | Membrillero |
| <i>Cydonia oblonga</i> | Marumero; Haiwah; Wen Po; Mala Citonia; Haiwa; Sfarjal; Quince; Ayva Agaci; Membrillo |
| <i>Cynodon dactylon</i> | Bermudagrass; Couchgrass; Grama; Italian Ayrigi |
| <i>Cyperus kyllinga</i> | |
| <i>Cyperus rotundus</i> | Hsiang Fu; Mota; Musta; So Ken Chiu; Boeai; Mutha; Mustaka; Hsiang Fu Tzu; Souchet; Teki; Hama-Suge; Topalak; Woeta; Roekoet teki; Muskezamin; Tage-tage; So Ts'Ao |
| <i>Cyrtocarpa procera</i> | |
| <i>Daemonorops didymophyllus</i> | Rotan jernang (Dragonblood.); Rotan getah |
| <i>Daemonorops draco</i> | Dragon'S Blood; Drakenblodes; San Dragon |

| Ehnbobotanical Plant | Common Names |
|------------------------------------|---|
| <i>Dalbergia latifolia</i> | |
| <i>Daphniphyllum laurinum</i> | Medang mechina; Medang sasak |
| <i>Daucus carota</i> | Hu Lo Po; Havuc; Carot; Huang Lo Po; Hung Lo Po; Carrot; Zanahoria; Yarkuki; Carotte; Mohrrube; Gaizar; Hawuch; Djane Racene; Jazar |
| <i>Desmodium cephalotes</i> | |
| <i>Desmodium gangeticum</i> | Kemani bali; Vidarigandha; Meringan; Lepantan; Serengan; Akar katuh |
| <i>Desmodium pulchellum</i> | Serengan kechil |
| <i>Desmodium triflorum</i> | Rumput berek sisek putih; Sisek tenggiling (Anteater...); Semanggen; Sisik Betok; Sisek betok |
| <i>Dialium guineense</i> | |
| <i>Dianthus fischeri</i> | Ch'U Mai |
| <i>Dicoma anomala</i> | |
| <i>Dillenia ovata</i> | |
| <i>Dioscorea batatas</i> | |
| <i>Dioscorea quinqueloba</i> | Kuo Shan Lung; Shu Yu Chiu; Shan Pei Hsieh |
| <i>Diospyros embryopteris</i> | Indian Persimmon; Ch'I Shih; Pei Shih |
| <i>Diospyros kaki</i> | Pai Shih; Kaki; Juan Tsao; Hung Shih; Shih; Kasemek |
| <i>Diospyros melanoxylon</i> | |
| <i>Diospyros montana</i> | Mangosteen, Wild |
| <i>Diospyros peregrina</i> | |
| <i>Diospyros tomentosa</i> | |
| <i>Diospyros virginiana</i> | Persimmon, Indian; Persimmon |
| <i>Dipteracanthus suffruticosa</i> | |
| <i>Dissotis rotundifolia</i> | |
| <i>Dolichos lablab</i> | Katchang bado; Kara-kara; Huzi-Mame; Lablab; Kekara; Kachang kara |
| <i>Dorstenia contrajerva</i> | Contrayerba |
| <i>Dracaena cinnabari</i> | |
| <i>Drepanocarpus lunatus</i> | |
| <i>Drynaria rigidula</i> | Pitjisan |

| Ehnbobotanical Plant | Common Names |
|---------------------------------|---|
| <i>Drynaria sparsisora</i> | Alar koesoe; Pakoe lanlajangan; Palingir; Barang-barang; Simbar |
| <i>Dryobalanops camphora</i> | |
| <i>Durio graveolens</i> | Becc. |
| <i>Dysophylla auriculata</i> | Ketumpang; Awi tanah; Ekur kucing (Cat tail); Ekor kucing (Cat tail) |
| <i>Dyssodia papposa</i> | |
| <i>Ehretia philippensis</i> | |
| <i>Elaeagnus longipes</i> | Ch'lao Erh Su; Hu T'Ui Tzu |
| <i>Elaeagnus pungens</i> | Nawasiro-Gumi |
| <i>Elaeocarpus serratus</i> | |
| <i>Elaeodendron roxburghii</i> | |
| <i>Elephantopus scaber</i> | Lengua De Vaca; Tutup bumi (Bung of the earth); Tabac Marron; Tapak Liman; Tapak leman; Tupak sulaiman (SDolomon's sea; Go Jihva; Ti Tan T'Ou; Urat tutup bumi; Elefantenfuss; Gobhi |
| <i>Eleusine indica</i> | Herbe Pied De Poule; Rumput sambau; Herbe Pieds Poule; Pata De Gallina; Pied Poule; Diarrhea; Z'Herbe Pied De Poule; Pied De Poule; Sambau |
| <i>Elsholtzia blanda</i> | |
| <i>Embelia ribes</i> | False Black Pepper; Vidanga; Baberang; Birang I Kabuli; Karkannie; Akar asam kubang; Akar sulur kerang; Akar kaching sula; Vidango Kernel |
| <i>Embelia tsjeriam-cottam</i> | |
| <i>Emilia sonchifolia</i> | Tetambak marah; Kemondelan; Ketumbit jantan; Yang Ti Gen; Tambak tobak; Tempuh wayang; Perasi |
| <i>Epigaea repens</i> | Trailing Arbutus; Epigee Rampante |
| <i>Equisetum arvense</i> | Equiseto Menor; Chieh Hsu Ts' Ao; Sugina; At Quyrroughi; Prele; Kilkah Asb; Thanab Al Khail; Horsetail; Atkuyrugu; Vara De Oro; Wen Ching; Cola De Caballo |
| <i>Equisetum ramosissimum</i> | |
| <i>Erianthus officinarum</i> | Seker Kamisi; Molasses; Pai Sha T'Ang; Tebu gagak; Canne A Sucre; Ikshu; Sugarcane; Sha T'Ang; Qamish Shaker; Hung T'Ang; Shih Mi; Cana De Azucar; Kan Che; Qasab As Sukker; Tebu lanjong |
| <i>Erigeron canadensis</i> | Thwail Ath Theeb; Mawi Pire Otu; Canada Fleabane; Kanaryaotu |
| <i>Eriobotrya japonica</i> | P'I P'A; Biwa; Loquat |
| <i>Eriocephalus punctulatus</i> | |
| <i>Eritrichium pedunculare</i> | Chi Ch'Ang Ts' Ao |
| <i>Ervatamia coronaria</i> | Ubat sentak; Susok ayam (Cock's spur); Grape Jasmine; Susun kelapa; Kembang mantega; Manda kaki; Bunga susu (Milk flower); Kembang susu |
| <i>Erythrina flabelliformis</i> | |

| Ehnbobotanical Plant | Common Names |
|---------------------------------|--|
| <i>Erythrophleum guinense</i> | |
| <i>Eucalyptus camaldulensis</i> | Kalebtuz; Sitma Aghaji |
| <i>Eucalyptus rostrata</i> | Eucalipto; Redgum Tree; Bloodwood; Eucalyptus Kino; Kafor; Kafor Aghaji; Sitma Aghaji |
| <i>Eugenia axillaris</i> | |
| <i>Eugenia jambos</i> | Jambu dersana; Jambu mawar; Jambu kraton; Jambu kelampok; Jambu ayer mawar |
| <i>Eugenia polyantha</i> | Salam; Kelat merah |
| <i>Euonymus alatus</i> | Nisikigi |
| <i>Eupatorium odoratum</i> | Rompezaraguey; Langa-Chata; Langi-Chatte; Guerit Tout; Langue A Chatte; Mata Finca; Guerit Vite; Zaraguey; Niquibey; Eupatoire |
| <i>Eupatorium triplinerve</i> | Daun perasman; Daun panahan |
| <i>Eupatorium villosum</i> | |
| <i>Euphorbia cyparissias</i> | Rhubarbe Des Pauvres; Selvi; Sutlegeni |
| <i>Euphorbia hypericifolia</i> | Erva De San Luzie; Acocotli Quaunhahuacense; Mapempe; Milkweed; Yerba De La Golondrina; Spurge, Black |
| <i>Euphorbia lathyris</i> | Tartago; Horuto-So; Horuto-Soo; Lu Ju; Hsu Sui Tzu; Surdurucu Sutlegen; Contrarayo; Euphorbe Epurge; Tithumallos Galaktites |
| <i>Euphorbia palustris</i> | Ts'Ao Lu Ju |
| <i>Euphorbia parviflora</i> | |
| <i>Euphorbia pekinensis</i> | Taka-Todai; Ta Chi |
| <i>Euphorbia pilulifera</i> | Lechera De Golondrina; Raktavinduchada; Fei Yang Ts'Ao; Indisches Wolfsmilchkraut; Dudhi; Um Al Haleeb; Euphorbe Indienne; Asthma Herb; Indisch Wolfsmelkkruid; Catshair; A'Njad; Daun Patikan |
| <i>Euphorbia preslii</i> | |
| <i>Euphorbia prostrata</i> | Golondrino; Yerba Golondrina |
| <i>Euphorbia serpens</i> | Yerba Golondrina |
| <i>Euphorbia thymifolia</i> | Rumput jangot; Sedang padang; Sisi merah; Jarak blanda; Gelang susu |
| <i>Euryale ferox</i> | Ch'Ien Shih; Chi T'Ou |
| <i>Evodia rutaecarpa</i> | Wu Chu Yu; Goshu |
| <i>Fagara zanthoxyloides</i> | |
| <i>Fagopyrum cymosum</i> | Turu-Dokudami |
| <i>Fagopyrum esculentum</i> | Hua Ch'lao; Ch'lao Mai; T'len Ch'lao; Qamh Al Baqar; Wu Mai |

| Ethnobotanical Plant | Common Names |
|--------------------------------|---|
| <i>Feronia limonia</i> | Kapittha |
| <i>Ficus benghalensis</i> | Bengal Inciri Agaci |
| <i>Ficus glomerata</i> | Ara; Lowa; Loh; Gular |
| <i>Ficus graeffii</i> | |
| <i>Ficus hispida</i> | Leluwing; Fig; Ara bombong (Conical top fig); Ara senigai; Ara lempong (Soft fig); Ara sungai (River fig); Luwing; Bisoro |
| <i>Ficus wassa</i> | Wasa |
| <i>Fissistigma cylindricum</i> | Tepak |
| <i>Flacourtia jangomas</i> | Kerekup; Rukam; Rokam; Bebuas akar (Foam root); Rukem |
| <i>Flacourtia rukam</i> | Rokam; Saradan; Rukam gajah; Rukam |
| <i>Fragaria vesca</i> | Fraise; Fraises; Fresa; Fraisier; Cilek; Fraise Des Bois; Erdbeer |
| <i>Fragaria virginiana</i> | Virginia Strawberry |
| <i>Fragaria wallichii</i> | Ti Yang Mei |
| <i>Frankenia grandifolia</i> | |
| <i>Fraxinus bungeana</i> | |
| <i>Fraxinus rhynchophylla</i> | Tyosen-Toneriko |
| <i>Galearia racemosa</i> | Sama badak; Sedasek |
| <i>Garcinia mangostana</i> | L.; Mangostan Agaci; Manggis |
| <i>Gardenia gummifera</i> | |
| <i>Garrya fremontii</i> | |
| <i>Garrya laurifolia</i> | |
| <i>Gastrodia elata</i> | Onino-Yagara; Huan T'Ung Tzu; T'len Ma; Ch'lh Chien |
| <i>Gentiana rigescens</i> | |
| <i>Gentiana triflora</i> | Ezo-Rindo |
| <i>Geophila herbacea</i> | Pegaga titus (Mouse hydrocotyl; Pegaga ular (Snake hydrocotyle |
| <i>Geophila obvallata</i> | |
| <i>Geranium hernandezii</i> | |
| <i>Geranium maculatum</i> | Cranesbill; Benekli Turnagagasi |

| Ehnbobotanical Plant | Common Names |
|----------------------------------|---|
| <i>Geranium robertianum</i> | Erva De Sao Roberto; Hierba De San Roberto; Herba Ruperti; Turnagagasi; Herb Robert; Fortchete Do Diale |
| <i>Geranium thunbergii</i> | Gen-No-Shoko |
| <i>Geum alatum</i> | |
| <i>Geum capense</i> | |
| <i>Geum urbanum</i> | Meryemotu; Benedicte; Hashishat Al Mubarek; Cariofilada; Seiyo-Daikon-So |
| <i>Gillenia trifoliata</i> | Bowman'S Root; Indian Physic; Indian Hippo |
| <i>Gladiolus cruentus</i> | |
| <i>Gladiolus psittacinus</i> | |
| <i>Glochidion concolor</i> | |
| <i>Glochidion eriocarpum</i> | |
| <i>Glochidion obscurum</i> | Pari; Cheremai antan |
| <i>Glycyrrhiza</i> sp | |
| <i>Gmelina arborea</i> | Gambhari |
| <i>Gomphocarpus rigidus</i> | |
| <i>Gordonia penangensis</i> | Biak kechil |
| <i>Grewia hirsuta</i> | |
| <i>Grewia paniculata</i> | Ara lumut; Chengai; Jenerai; Chenderai; Chindarah |
| <i>Grewia polygama</i> | |
| <i>Grewia villosa</i> | |
| <i>Griffonia simplicifolia</i> | |
| <i>Grifola umbellata</i> | |
| <i>Guazuma ulmifolia</i> | Bois De Hetre; Bois D'Homme; Bois D'Orme; Orme D'Amerique; Guacima; Guacima Cimarrona; Guazuma |
| <i>Guettarda speciosa</i> | |
| <i>Gymnosporia montana</i> | |
| <i>Haematoxylum campechianum</i> | Logwood; Kampes Agaci; Palo De Campeche; Bois Campeche; Campechier; Campeche |
| <i>Halimium glomeratum</i> | |
| <i>Halimium glomeratum</i> | |

| Ehnbobotanical Plant | Common Names |
|-----------------------------------|--|
| <i>Hamelia patens</i> | |
| <i>Hamiltonia suaveolens</i> | |
| <i>Harrisonia perfoliata</i> | |
| <i>Harrisonia perforata</i> | |
| <i>Hedyotis auricularia</i> | Kereka batu |
| <i>Heeria mucronata</i> | |
| <i>Heeria reticulata</i> | |
| <i>Helenium hoopesii</i> | |
| <i>Helianthemum canadense</i> | Altinotu; Frostweed |
| <i>Helianthemum glomeratum</i> | |
| <i>Helianthemum sp</i> | |
| <i>Helianthus annuus</i> | Helianthe; Ward Ash Shams; Gundondu; A'Bbad Al Shams; Fleur Soleil; Tournesol; Guna Baqan; A'In Ash Shams; Flor De Sol; Himawari; Aycicegi; Girasol; Gula Barbaroza; Fleurs Soleil |
| <i>Helichrysum adenocarpum</i> | |
| <i>Helichrysum calocephalum</i> | |
| <i>Helicteres isora</i> | Chabai lintal; Jelumpang; Chabai tali |
| <i>Heracleum maximum</i> | |
| <i>Heritiera littoralis</i> | Dungun; Buah pelir kambing (Goatballs.; Dungun bukit |
| <i>Hermannia betonicifolia</i> | |
| <i>Hermannia depressa</i> | |
| <i>Heuchera americana</i> | Alumroot |
| <i>Heuchera cylindrica</i> | |
| <i>Heuchera richardsonii</i> | |
| <i>Hexalobus senegalensis</i> | |
| <i>Hieracium pilosella</i> | Sahinotu; Vellozilla; Habichtskraut |
| <i>Hippophae rhamnoides</i> | Oblebicha; Sea Buckthorn; Olivella Spinosa; Espino Falso |
| <i>Holarrhena antidysenterica</i> | Vatsaka; Kurchi; Kalingaka; Conessi Tree |
| <i>Holarrhena antidysentrica</i> | |

| Ethnobotanical Plant | Common Names |
|----------------------------------|--|
| <i>Hordeum distichon</i> | |
| <i>Hordeum vulgare</i> | Sha'Ir; Barley; Orzo; No Mai; O-Mugi; Cebada; Arpa; Ta Mai; Mai Ya; Kung Mai; Jo; Kung Mai Nieh |
| <i>Hymenaea courbaril</i> | Courbaril; Pois Confiture; Algarroba; Gomme Animee |
| <i>Hypericum chinense</i> | Chin Ssu Ts' Ao; Chin Ssu T' Ao |
| <i>Hypericum perforatum</i> | St John'Swort; Binbirdelikotu; Hiperico |
| <i>Hypericum sampsonii</i> | |
| <i>Hyptis atrorubens</i> | |
| <i>Hyptis brevipes</i> | Godong puser; Sawi enggang |
| <i>Hyptis capitata</i> | Margarita; Oregano |
| <i>Ilex godajam</i> | |
| <i>Imperata cylindrica</i> | Lalang; Mao Ken; Pai Mao; Mah Chow Kin; Alang-alang; Tigaya; Ilalang; Bai Mao Gen; Alalang; Mao Chen; Hilalang; Kambengang |
| <i>Indigofera hirsuta</i> | |
| <i>Indigofera lespedezioides</i> | |
| <i>Inocarpus edulis</i> | Gayam; Gasep; Tolok; Gajang |
| <i>Intsia bijuga</i> | Bajang; Merbau |
| <i>Ipomoea batatas</i> | Camote; Kan Shu; Kan Shu Chiu; Patate Douce; Patate; Patate Des Jardins; Keladi; Batata Doce; Batata Hilwah; Batata; Shan Yu; Satuma-Imo; Sarilici Patates; Shu Yu |
| <i>Iris pseudacorus</i> | |
| <i>Ixora coccinea</i> | |
| <i>Jateorhiza miersii</i> | |
| <i>Jateorhiza palmata</i> | Guvercin Koku Otu |
| <i>Jatropha curcas</i> | Grand Medicinier; Jarak budeg; Tuba; Jarak belanda; Pinon De La India; Pinon; Nanyo-Aburagi; Jarak; Purgin Nut; Physic Nut; Medicinier Beni; Feuilles Medecinier |
| <i>Jatropha dioica</i> | |
| <i>Jatropha gossypifolia</i> | Jarak ulung; Yuca Cimarrona; Papaye Sauvage; Medicinier; Medecin; Petit Mapou; Bellyache Bush; Jarak china; Tua-Tua; Jarak kosta merah |
| <i>Juncus arabicus</i> | |
| <i>Jussiaea suffruticosa</i> | Kalamenya; Lakom ayer (Water Vitis); Bujang samalam (Grown-up o'rni; Salah nyowo |
| <i>Justicia betonica</i> | Ekup tupai (Squirrel Tail) |

| Ehnbobotanical Plant | Common Names |
|---------------------------------|--|
| <i>Justicia bracteata</i> | Akar ratus (100-bract climber) |
| <i>Justicia gendarussa</i> | Ch'In Chiao |
| <i>Kadsura cauliflora</i> | Wera areuj; Belewar; Belebar; Mendoelai |
| <i>Kalanchoe laciniata</i> | Tapak itek (Duck footprint); Chakar itek (Duck foot); Setawar kampung (Summoning...) |
| <i>Kallstroemia grandiflora</i> | |
| <i>Kalmia latifolia</i> | Mountain Laurel; Kalmi |
| <i>Kigelia pinnata</i> | Sausage Tree |
| <i>Kochia paniculata</i> | Sao Chou Ts'Ao; Ti Fu |
| <i>Kohleria deppeana</i> | Tlanchichinole |
| <i>Krameria argentea</i> | |
| <i>Krameria grayi</i> | |
| <i>Krameria ixina</i> | |
| <i>Krameria triandra</i> | Rhatany; Ratanya |
| <i>Kyllingia brevifolia</i> | |
| <i>Kyllingia brevifolia</i> | Rumput teki; Rumput sekepet burit |
| <i>Kyllingia monocephala</i> | Teki; Rumput butang; Melaran |
| <i>Lablab purpureus</i> | Yen Li Tou; E Mei Tou; Hyacinth Bean; Pien Tou |
| <i>Lagerstroemia speciosa</i> | Sebogok; Bongor raya |
| <i>Lannea coromandelica</i> | |
| <i>Lannea discolor</i> | |
| <i>Larrea tridentata</i> | Chaparral |
| <i>Lasianthus longiformis</i> | Bunga chahar ayam (Chick diarr |
| <i>Leea indica</i> | Gurula; Girang; Burulla; Tumbuh daun bukit |
| <i>Lepidium sativum</i> | Crusson D'Jardin; Cresson Alenois; Cress; Adi Suterisi; Mastuerzo; Rshad; Teretura; Taratiza |
| <i>Licaria camara</i> | |
| <i>Limonium carolinianum</i> | |
| <i>Limonium vulgare</i> | Rosemary, Marsh; Acelga Silvestre; Kunduzotu |

| Ehnbobotanical Plant | Common Names |
|---------------------------------|---|
| <i>Linum sativum</i> | Shan Si Hu Ma |
| <i>Linum usitatissimum</i> | Lino; Kahtan; Kittan; Flax; Linseed; Ama; Linaza; Kettan; Keten; Lin; Chih Ma; Hu Ma |
| <i>Liquidambar styraciflua</i> | Xochiocotzoquahuilitl; Amerikaanse Styrax; Sweetgum Tree; American Styrax; Amerikanischer Styraxbaum; Amberboom |
| <i>Litchi chinensis</i> | Li Chih; Li Chih Ho; Litchi; Quenepe Chinois; Li Chi Tzu; Reisi |
| <i>Lithospermum ruderales</i> | Stoneseed |
| <i>Litsea glutinosa</i> | Wuru lilin |
| <i>Litsea monopetala</i> | |
| <i>Lolium perenne</i> | Darnell |
| <i>Lonicera japonica</i> | Jen Tung Chiu; Chin Yin Hua; Jen Tung Kao; Chin Yin T'Eng; Sui-Kazura; Jen Tung; Yin Hua |
| <i>Lotononis lanceolata</i> | |
| <i>Lycopodium clavatum</i> | Lycopode; Licopodio; Kurtpencesi; Musco Clavato; Hikage-No-Kazura |
| <i>Lycopus virginicus</i> | Su Ferasyunu; Bugleweed |
| <i>Lysiloma latisiliqua</i> | Tavernon; Tabernan; Caracolillo; Tabernon; Caracoli |
| <i>Lythrum salicaria</i> | Ezo-Miso-Hagi; Farandal; Kirmizi Hevhulma; Salicaria |
| <i>Maba buxifolia</i> | Secheret laut; Kayu arang (Ebony) |
| <i>Macaranga gigantea</i> | Kubang; Mengkubong; Muell.-Arg. |
| <i>Macaranga vitiensis</i> | |
| <i>Macroptilium lathyroides</i> | Pois Marron; Ajai |
| <i>Magnolia officinalis</i> | Ch'Uan Pu; Magnolia; Magnolier Officinal; Choon Pok; Chinese Magnolia |
| <i>Malpighia glabra</i> | |
| <i>Malvaviscus arboreus</i> | |
| <i>Mangifera indica</i> | An Lo Kuo; Mangga; Anbah; Manga Agaci; Mangot; Mangot Fil; Mango; Merpelam; Mamuang; Manga; Manguier; Pelem |
| <i>Manihot esculenta</i> | Manioc Amer; Mandioca; Yuca; Tapioca; Quauhayohuachtli; Cassava; Manioc; Manihot |
| <i>Manilkara kauki</i> | Talawrintha; Palai; Khirni |
| <i>Marattia douglasii</i> | Mulefoot Fern; Pala |
| <i>Marrubium vulgare</i> | Itsinegiotu; Hoarhound; Qutainah; Horehound; Marrubio; Hashishat Al Kalib; Niga-Hakka |
| <i>Marsilea quadrifolia</i> | Ssu Yeh Ts' Ai; P'lu; T'len Tzu Ts' Ao |

| Ehnbobotanical Plant | Common Names |
|----------------------------------|--|
| <i>Mascagnia macroptera</i> | |
| <i>Matricaria chamomilla</i> | Babunnej; Chamomile; Bayboon; Amerale; Kami-Ture; Manzanilla; Papatya; Camomile; Manzanilla Dulce |
| <i>Matricaria matricarioides</i> | |
| <i>Maytenus senegalensis</i> | |
| <i>Melaleuca leucadendron</i> | Gelam; Kayu putih (White wood); Cayeput; Cajeput Tree; Cajeput; Kajeput |
| <i>Melastoma malabathricum</i> | Senduduk; Harendong; Kluruk; Sikadudok; Sedudok; Kedudok; Kendudok; Kodok |
| <i>Melilotus indica</i> | Steenklaver; Haisukka |
| <i>Melittis melissophyllum</i> | Toronjil Silvestre; Bastard Balm |
| <i>Melothria perpusilla</i> | |
| <i>Mentha arvensis</i> | Bo He; Fan Ho; Hakka; Po Ho; Betch Di Coq |
| <i>Mentha spicata</i> | Spearmint; Yerba Buena; Mint |
| <i>Merremia peltata</i> | Akar ulan gajah; Akar ulan; Aroi charayum; Kangkong bukit |
| <i>Mespilus germanica</i> | Mespilum; Musluna Agaci |
| <i>Metrosideros excelsa</i> | |
| <i>Microdesmis puberula</i> | Ofeabiri; Esunsun |
| <i>Micromelum minutum</i> | Cherek-cherek; Cherek putih; Chemama |
| <i>Mimosa pudica</i> | Puteri malu (Modest princess); Mori Vivi; Adormidera; Honte; Qitem Tranquille; Memalu (Modesty); Feuilles Honte |
| <i>Mimusops elengi</i> | Kun; Brazilian Milktree; Tanjung; Bunga tanjong (Headland flower; Kuhbaum Von Para; Mimuscope; Kekula; Elengi; Pokok tanjong; Pekola batu; Pomme D'Adami |
| <i>Mitchella repens</i> | Partridge Berry; Deer Berry; Winter Clover; Checkerberry; Squawvine; Partridgeberry; Deerberry; Squawberry |
| <i>Mollugo hirta</i> | |
| <i>Momordica charantia</i> | Assorossie; Peria laut; Periook; Salsamino; Sorci; Kerela; Chin Li Chih; Balsampear; Peria; Sorossies; Sorossi; Lai P'U T'Ao; K'U Kua; A'Jayib Al Maasi; Sorossie; Pare; Melao De Sao Caetano; Ejinrin; Gule Khandan; Balsam Apple |
| <i>Morinda citrifolia</i> | Pache; Kudu; Kemudu; Bois Douleur; Mengkudu; Mekudu; Fromagier; Pina De Puerco; Mengkudu besar; Douleur; Bengkudu |
| <i>Morinda elliptica</i> | Mengkudu; Mengkudu kecil; Mengkudu hutan |
| <i>Morinda lucida</i> | Boonko |
| <i>Morinda royoc</i> | Safran De St Domingue; Safran Du Pays; Estologe; Safran |
| <i>Morinda umbellata</i> | |

| Ehnbobotanical Plant | Common Names |
|-------------------------------|---|
| <i>Morus alba</i> | Shan Sang; Hsun; Chi Sang; Mures; Lu Sang; Tuth; Dut Agaci; I Sang; Ti Sang; Ching Sang; Sang Shen Chiu; Nu Sang; Lampoeng; Ma-Guwa; T'An; Chin Sang; Tut; Sang Ken Pai P'I; Mora; Sang Pi; Sang Shen Tzu; Besarane; Kitaoe; Pai Sang; Sang; Sang Shen Kao; Tu; Morera; Tukki; Shen |
| <i>Mucuna pruriens</i> | Kekara gatel; Rarawejah; Swagupta; T'Ao Hung King; Pien Tou; Fagiolo Di Rio Negro; Fogarate; Juckbohne; Pois A Gratter; Jeukerwt; Pois Gratte |
| <i>Murraya koenigii</i> | |
| <i>Murraya paniculata</i> | Kemuning; Kemuning lada; Cosmetic Barktree |
| <i>Musa paradisiaca</i> | Figue; Kan Chiao; Chiao Yu; Pan Chiao; Bananier; Horse Banana; Tan P'Ing Chiao; Mei Jen Chiao; Banane Corne; Fo Shou Chiao; Platano; Niu Ju Chiao; Chi Tzu Chiao; Banana; Plantain; Moz; Bananeira De S Tome; Rulo; Cambur; Shui Chiao; Banane Grosse Botte; Ya Chiao |
| <i>Musa sapientum</i> | Platano; Pisang kelat; Pisang batoe; Banana; Pisang batu; Pisang; Pisang kepok; Pisang embung; Pisang swanggi |
| <i>Myrica cerifera</i> | Mum Ag; Bayberry; Wax Myrtle; Mirika |
| <i>Myrica esculenta</i> | |
| <i>Myrica mexicana</i> | Arbol De Cera |
| <i>Myrica rubra</i> | Chiu Tzu; Yang Mei |
| <i>Narcissus sp</i> | Daffodil; Nisrin; Axochitl |
| <i>Nauclea latifolia</i> | |
| <i>Nectandra coto</i> | Para Goto; Echter Koto; Para Koto; Para Coto |
| <i>Nectandra pichurim</i> | |
| <i>Nelumbo nelumbo</i> | Seroja; Padema; Teratai; Bunga padam; Bunga telepok; Tarate |
| <i>Nelumbo nucifera</i> | Chieh Fen; Lien Tzu; Mi; Ti; Lien I; Lien Hua; Hsia; Lien Ou; Shih Lien Tzu; Hung Pai Lien Hua; Fu Ch'U; Hasu; Ho Yeh; Lien; Kaya; Ch'leh; Han T'Ao; Fo Tso Hsu; Lien Shih; Lien Tzu Hsin; I; Ho; Ho Lien Hua; Ou Fen; Lotus Bean; Ou; Lotus,Blue |
| <i>Nopalea cochenillifera</i> | Tuna De Espana; Nopal; Raquette Pangnol; Raquette Espagnole |
| <i>Nothosmyrnum japonicum</i> | Kao Pen; Kasamoti |
| <i>Nymphaea alba</i> | Nenufar Blanco; Beyaz Nilufer; Pondlily,White |
| <i>Nymphaea sp</i> | Nenufar |
| <i>Nymphaea stellata</i> | Utpala |
| <i>Ochroma lagopus</i> | Mahaudeme; Coton Fleur; Bois Madame; Palo De Lana; Coton Soie |
| <i>Ocimum americanum</i> | Basilic |
| <i>Ocimum basilicum</i> | Chiu Ts'Eng T'A; Feslegen; Lo Le; Raihan Al Malik; Basilic; Basilicon; Selaseh jantan; Me-Boki; Selasih; Ai K'Ang; Albahaca; Chahchabram; Basil; Selaseh; Hsiang Ts' Ai; Selaseh hitam; I Tzu Ts' Ao; Raihana; Rainan |

| Ehnbobotanical Plant | Common Names |
|------------------------|--|
| Ocimum sp | |
| Opuntia ficus-indica | Pricklypear; Hsien Jen Chang; Raquette; Penca; Nopal; Tuna; Figuier D'Inde |
| Opuntia fulgida | |
| Opuntia polyacantha | |
| Opuntia reflexispina | |
| Opuntia sp | Kaynanadili; Firavuninciri; Tuna |
| Opuntia tuna | |
| Orchis mascula | Satyrium; Salep; Suhlub |
| Origanum majorana | Marjoram; Marjolaine; Mayorana-So; Origanium; Mayorana; Mercenkosk |
| Origanum vulgare | Raihan Jabaili; Oregano; Marjoram, Wild; Marjolaine; Raihana Kiwilka; Pot Marjoram; Oregano De Espana; Adi Mercankosk |
| Orobanche aegyptiaca | |
| Orobanche major | Broomrape; Orabanca; Erva Toira |
| Oroxylum indicum | Bonglai kulai; Bungli; Bolai kayu; Merkulai; Syonaka; Merulai; Kapoung-kapung; Bonglai; Kayu lanang; Bolo; Boli; Kajeng jaler; Kulai |
| Orthosiphon glabratus | |
| Oryza sativa | Nasi; Arroz; Timman; No; Keng; Pirinc; Riz; Ruz; Perinj; Chaltook; Hsien; Rice; T'U; Saki; Tao |
| Oryza sativas | Pari; Padi; Beras |
| Osbeckia chinensis | |
| Ougeinia oojeinensis | |
| Oxalis corniculata | Hummaidh; Acederilla Aleluya; Carpigna; Sorrel; Sikap dada; Suan Chiang; Rempi; Tso Chiang; Oseille Du Bois; Vinagrillo; Chukrika; Vinagreta; Alleluia; Oseille Marron; Indian Sorrel; Hsiao Suan Ts'Ai; Estrebolina; Semanggen; Pwin D'Coucou |
| Oxalis dichondraefolia | |
| Oxalis drummondii | |
| Oxystigma mannii | Spicy Cedar |
| Paeonia emodi | Mamekh; Udslap |
| Paeonia lactiflora | Bai Shao |
| Paeonia officinalis | Sakayik; Peonia; Mu Shao Yao; Yoshu-Syakuyaku |
| Pajanelia longifolia | |

| Ehnbobotanical Plant | Common Names |
|------------------------------------|---|
| <i>Pandanus furcatus</i> | Pandan artoenoe; Lantono; Harashas; Bangkoewang |
| <i>Pandanus tectorius</i> | Pandan pasir; Pandan laoet |
| <i>Panicum repens</i> | Rumput jae-jae |
| <i>Papaver somniferum</i> | O Fu Jung; Yu Mi; Gelinjik; O P'Ien; Kheshkhash Abu Al Noum; Adormidera; Poppy; Adormidero; O Fang; Opium Poppy; Madat; Opium; Ya P'Ien; Chandu; Hashas; Tengkoh; Poppy,Opium |
| <i>Parinarium glaberrimum</i> | |
| <i>Parquetina nigrescens</i> | |
| <i>Parthenocissus quinquefolia</i> | Woodbind; Yaban Asmasi; Virginia Creeper |
| <i>Passiflora incarnata</i> | Carkifelek; Ward Assa'Ah; Zahril Aalaam; Maypop Passionflower; Charkhi Felek; Saa'T Gulu; Maypop |
| <i>Passiflora maliformis</i> | Calebassie; Calabacito; Parcha; Calebassier |
| <i>Paullinia cupana</i> | Quarana; Guaranastruik; Guarana Kletterstrauch; Guarana Shrub; Guarana; Quarane |
| <i>Pelargonium bowkeri</i> | |
| <i>Pelargonium reniforme</i> | |
| <i>Peliosanthes sp.</i> | Pokok seranggat |
| <i>Penthorum sedoides</i> | Muraille De Virginie; Virginisches Mauerkraut; Stonecrop, Virginia; Virginian Stonecrop |
| <i>Peperomia pellucida</i> | Ketumpangan ayer; Sladanan; Renren; Suruhan; Rangu-rangu |
| <i>Pergularia daemia</i> | |
| <i>Pergularia extensa</i> | |
| <i>Persea americana</i> | Avocatier; Aguacate; Abokado; Zaboca; Avocado; Paltas; Avocat; Perse Agaci |
| <i>Persea shiedeana</i> | |
| <i>Phellodendron amurense</i> | Kihada; Amur Cork Tree; T'An Huan; Po Mu; Miyama-Kihada; Oba-No-Kihada; Hiroha-No-Kihada; Huang Po |
| <i>Phellodendron sp</i> | |
| <i>Phoenix dactylifera</i> | Hurma Agaci; Dattes; Tamur; Date; Dattier; Wu Lou Zi; Datil; Khurma; Palma Datil |
| <i>Phoradendron diguetianum</i> | |
| <i>Phyllanthus emblica</i> | Amlaka |
| <i>Phyllanthus fraternus</i> | |
| <i>Phyllanthus niruri</i> | Derriere Dos; Rami buah; Meniran; Feuilles La Fievre; Derriere-Dos; Tamalaka; Memeniran; Des Dos; Turi hutan; Dukong anak (Child pick-a-back; Quinina Criolla |
| <i>Phyllanthus officinalis</i> | Kayu laka; Kemlaka; Melaka; Malaka |

| Ehnbobotanical Plant | Common Names |
|---------------------------------|---|
| <i>Phyllanthus reticulata</i> | |
| <i>Phyllanthus urinaria</i> | Memeniran; Dukong anak (Child pick-a-back; Meniran; Turi hutan; Rami buah |
| <i>Phyllitis scolopendrium</i> | Geyikdili; Scolopendrium; Lengua De Ciervo |
| <i>Physalis angulata</i> | K'U Chih; Battre-Autour |
| <i>Picea sitchnsis</i> | |
| <i>Picris comosa</i> | Lenguaza |
| <i>Picris echioides</i> | Raspasayo |
| <i>Pimenta racemosa</i> | Bayrumtree; Cinnamon,Wild; Bois Bay Rhum |
| <i>Pimpinella saxifraga</i> | Burnet Saxifrage; Kucuk Pimpinella; Pinpinera; Pate Di Gate; Pimpinela Blanca; Black Caraway |
| <i>Pinaropappus roseus</i> | |
| <i>Pinus palustris</i> | Longleaf Pine; Sarala |
| <i>Piper longum</i> | Pi P'O Mu; Pepper,Long; Uzun Biber; Pi Po; Long Pepper |
| <i>Piper nigrum</i> | Lada sula (Decorticated pepper; Pepper; Pfeffer; Pepper,Black; Kosho; Lada hitam (Black pepper); Lada puteh (White pepper); Karabiber; White Peppercorn; Wei Fu Chic; Black Pepper; Hu Chiao; Maricha |
| <i>Piper puberulum</i> | |
| <i>Pistacia lentiscus</i> | Schinos; Masticum; Almaciga; Lentisk; Egyptian Mastich; Mastic Resin; Lentisco; Pistache; Masticke; Lentiscus; Sakiz Agaci; Mastix; Mastich; Mastic; Mastiche |
| <i>Pithecellobium albicans</i> | |
| <i>Pithecellobium confertum</i> | Keredas |
| <i>Pithecellobium saman</i> | |
| <i>Plantago asiatica</i> | Oba-Ko |
| <i>Plantago depressa</i> | |
| <i>Plantago erosa</i> | |
| <i>Plantago major</i> | Meloh kiloh; Sangkuwah; Otot ototan; Tarkuz; Arnoglossa; Wegerlich; Daum sejumbok; Bazir Dam Bil; Llanten; Sangkubah; Ekur anjing (Dog tail); Gechi Qulaghi; Buyuk Sinirliot; Plantain; Ch'E Ch'len; Sei Ohr Re; Lisan Al Hamal; Sangka buwah; Suri pandak; Oba-Ko; Llanten Mayor; Sembung otot |
| <i>Plantago ovata</i> | Riblah; Zibad; Gechi Qulaghi |
| <i>Platanus orientalis</i> | Dulb; Cinar; Chinar; Planetree,Oriental; Shanar |
| <i>Platycodon grandiflorum</i> | K'U Chieh Keng; Lu T'Ou; Chieh Keng; Kikyoo; Chieh K'Eng |
| <i>Plumbago zeylanica</i> | Bama; Chempaka; Poksor; Inobiri; Seiron-Maturi; Jarak; Godong enchok; Chitraka; Cheraka; Leadwort,White-Flowered; Ohyeegya; Daun Entjok; Chita |

| Ehnbobotanical Plant | Common Names |
|--------------------------------|--|
| <i>Plumeria acutifolia</i> | Frangipani; Samboja; Kshirka; Champa lao; Chempaka; Kamboja; Semboja; Hint Yasemini |
| <i>Pogostemon cablin</i> | Dilem singapur; Patchouly |
| <i>Polanisia viscosa</i> | |
| <i>Polianthes tuberosa</i> | Teber; Sedap malam (Night sensation); Sundal malam (Night harlot); Tutya Cicegi; Tuberose |
| <i>Polygala glomerata</i> | Andong Petooroon; Lidah A Jam; Djookoot Malela |
| <i>Polygala sibirica</i> | Yuan Chih Jou; Yuan Chih; Yao Jao; Hsiao Ts' Ao |
| <i>Polygonatum odoratum</i> | Poligonato; Amadokoro |
| <i>Polygonum aviculare</i> | Knotweed; Habbat Al Rae'Y; Hemero Tea; Kus Karabugdayi; T'leh Sien Ts' Ao; Pien Hsu; Asa Al Rae'Y; Knowgrass; Centinodia; Miti-Yanagi; Nana Shwana |
| <i>Polygonum barbatum</i> | Mao Liao; Mengrengan; Tuba seluang; Sala nyoyo; Tebok seludang; Johong beraleh (Spell remover) |
| <i>Polygonum bistorta</i> | Enjebar; Ch'Uan Shen; Bistorta; Tzu Shen; Snakeroot; Mou Meng; Ibuki-Tora-No-O; Kurtpencesi; Naterwurz; English Serpentry |
| <i>Polygonum hydropiper</i> | Yanagi-Tade; Subiberi; Smartweed; Pweve D'Ewe; Daun senahun; Pimienta Acuatica |
| <i>Polygonum molle</i> | |
| <i>Polygonum multiflorum</i> | Ho Shou Wu; She Chien Ts' Ao; Turu-Dokudami; Ho Chou Wu |
| <i>Polygonum viviparum</i> | |
| <i>Polypodium glycyrrhiza</i> | |
| <i>Polypodium scolopendria</i> | |
| <i>Pometia pinnata</i> | |
| <i>Poncirus trifoliata</i> | Chih; Chih K'O |
| <i>Pongamia pinnata</i> | Ki pahang; Pongam; Hoang Ba; Kepik; Jadar; Karanda; Chiravilvra; Bangkong; Malapari; Bangkong; Malabari; Pongam Oil; Hongay Oil |
| <i>Populus balsamifera</i> | Tacamahaca; Balsam Poplar; Balm Of Gilead; Hai T'Ung; Tz'U T'Ung |
| <i>Poria cocos</i> | |
| <i>Porophyllum gracile</i> | |
| <i>Potentilla anserina</i> | Silberweed; Gumusu Besparmak; Genserich; Tansy, Wild; Yerba Plateada |
| <i>Potentilla candicans</i> | |
| <i>Potentilla fruticosa</i> | Bush Cinquefoil |
| <i>Potentilla fulgens</i> | |

| Ethnobotanical Plant | Common Names |
|-----------------------------------|---|
| <i>Potentilla reptans</i> | Besparmak; Cincoenrama; Fivefinger; Penthafilon; Cinquefoil; Vieleaf; Five-Leaf Cinquefoil; I'Hul Khamsat Awraq |
| <i>Potentilla tormentilla</i> | Kurtpencesi |
| <i>Pouteria sapota</i> | Zapotier; Jaune D'Oeuf; Sapotillier; Sapotillier Marmelade; Grand Sapotillier; Sapote |
| <i>Premna tomentosa</i> | Bunglang; Gembulang; Tembaroh; Sarong burung (Bird's nest) |
| <i>Priva lappulacea</i> | Cousin Vent; Topecito De Conuco; Amor Seco; Vendome |
| <i>Prosopis juliflora</i> | Bohahunda; Mizquitl; Mesquite; Bayahonde; Chambron; Bayarone Francais; Bayahonda; Cambron |
| <i>Prunella vulgaris</i> | Adi Erikotu; Consolida Minor; Hsia Ku Ts'Ao; Selfheal; Healall; Xia Ku Cao; Consuelda Menor; Sicklewort |
| <i>Prunus capuli</i> | Capollaxipehualli |
| <i>Prunus cerasus</i> | Kiraz; Kerrsebere; Karez; Ge Lase; Sour Cherry; Cerisier; Guindo |
| <i>Prunus mume</i> | Wu Mei; Ume; Pai Mei; Mei; Ch'Ing Mei |
| <i>Prunus serotina</i> | Cherry,Wild; Virginya Kirazi; Black Cherry; Wild Cherry; Rum Cherry |
| <i>Prunus virginiana</i> | |
| <i>Pseudelephantopus spicatus</i> | Lengue De Vaca; Langue Boeuf |
| <i>Pseudotsuga menziesii</i> | |
| <i>Psidium guajava</i> | Goyave; Petokal; Guava; Jambu padang (Openfield Eugeni; Jambu biji (Seedy Eugenia); Jambu pelawas; Guayaba; Goyavier; Djambu; Jambu portugal (Portuguese Eug; Djamboe; Goyave; Dipajaya; Tokal; Bayawas; Perala; Jambu burung (Bird Eugenia); Goavier |
| <i>Psilotum nudum</i> | |
| <i>Psoralea corylifolia</i> | Pha Cot Chi; Cot Chu; P'O Ku Chih; Ku Tzu; Pu Ku Chih |
| <i>Pteridium aquilinum</i> | Chueh; Bracken; Eagle Fern; Helecho Comun |
| <i>Pteris multifida</i> | Feng Wei Cao |
| <i>Pterocarpus erinaceus</i> | Ven; African Kino |
| <i>Pterocarpus indicus</i> | Sana kapur; Asana; Chandana; Sena; Sana kembang; Tonala; Angsana; Sana |
| <i>Pterocarpus marsupium</i> | Indian Kino; Khune; Vengai Padauk; Kino Indien |
| <i>Pterocarpus santalinus</i> | Tjendana djenggi; Niu Shou Chan T'An; Tzu T'An; Sandalwood Paduak; Kirmizi Santal; Chendana janggi; Red Saunders; T'An |
| <i>Pterocarpus sp</i> | |
| <i>Pueraria pseudohirsuta</i> | |
| <i>Pulicaria dysenterica</i> | Ri'Ra' Ayyub; Pireotu; Pulicaria |

| Ehnbobotanical Plant | Common Names |
|-------------------------------|---|
| <i>Pulsatilla chinensis</i> | Hiroha-Okina-Gusa; Bai Tou Weng |
| <i>Punica granatum</i> | Grenadier; Dalima; Rumman; Pomegranate; Delima; Shan Shih Liu; Gangsalan; Naragaci; Granado; Dadima; Grenade; Granada; Nar; Pomogranado; Pomme Grenade; An Shih Liu; Hannar; Zakuro |
| <i>Pyrus aria</i> | Atlas Tree; Mehlbeere |
| <i>Pyrus communis</i> | Birne; Pear; Pereira; T'Ang Li; Uvez Agaci; Nashpati |
| <i>Quassia amara</i> | Simaruba; Quassia; Cuassia; Palo Muneco; Surinam Quassia; Jamaica Bark |
| <i>Quassia glauca</i> | Bois Frene |
| <i>Quercus incana</i> | |
| <i>Quercus infectoria</i> | Mazu; Mishe Aghaji; Mazi; A'Fus |
| <i>Quercus sp</i> | Ko; Oak; Chou; Ch'lu; Hsu; P'O; Tso; Tchinne; Akame-Gasiwa; Hsiang; Yu; Li; Chu; Hu; Fou; Roble; Hu Jo |
| <i>Quercus velutina</i> | Staining Oak; Oak,Black |
| <i>Quisqualis indica</i> | Dani (Speckled); Rangoon Creeper; Pokok setendai; Shih Chun Tzu; Wedani; Urdani |
| <i>Randia cinerea</i> | |
| <i>Randia echinocarpa</i> | |
| <i>Randia spinosa</i> | |
| <i>Randia uliginosa</i> | |
| <i>Raphanus sativus</i> | Kirmiziturp; Karaturp; Rabano; Radis; Lo Po; Daikon; Radish; Mulaka; Radis Marron; Lai Fu |
| <i>Rheum officinale</i> | Huang Liang; Cin Ravendi; Da Huang; Ta Huang; Medicinel Rhubarb; Chiang Chun; Kelembak |
| <i>Rheum tanguticum</i> | Da Huang |
| <i>Rhododendron arboreum</i> | |
| <i>Rhodomyrtus parviflora</i> | |
| <i>Rhodomyrtus tomentosa</i> | Kemunting; Keremunting |
| <i>Rhus aromatica</i> | Kokulu Sumak Agaci; Fragrant Sumach |
| <i>Rhus coriaria</i> | Notia; Somack; Sommak; Sumak; Sumbaq; Sumak Agaci; Zumaque; Tursh; Sumac |
| <i>Rhus erosa</i> | |
| <i>Rhus glabnra</i> | |
| <i>Rhus javanica</i> | Nurude(Husi-No-Ki) |
| <i>Rhus semialata</i> | Fu Yang; Yen Fu Tzu; Fu Mu |

| Ethnobotanical Plant | Common Names |
|----------------------------|--|
| <i>Rhus succedanea</i> | Huang Lu; Haze(Ryukyu-Haze); Karkata |
| <i>Rhus taitensis</i> | |
| <i>Rhus trilobata</i> | Squawberry; Lemonade Sumach |
| <i>Ribes lobbii</i> | |
| <i>Rogeria adenophylla</i> | |
| <i>Rorippa dufia</i> | |
| <i>Rosa canina</i> | Eglantier; Eglantier Rose Sauvage; Escaramujo; Ward Barry; Gul Mohammed; Oleum Roseum; Kusburnu; Rosal Silvestre; Dog Rose |
| <i>Rosa eglantheria</i> | Nisrin |
| <i>Rosa foetida</i> | |
| <i>Rosa laevigana</i> | |
| <i>Rosa laevigata</i> | Chin Ying Tsu; Naniwa-Ibara |
| <i>Rosa sp</i> | Rose; Rosa |
| <i>Rosa x centifolia</i> | |
| <i>Rubus fruticosus</i> | European Blackberry; Rovo; Zarzamora; Bogurtlen; Zarza; Blackberry,European |
| <i>Rubus idaeus</i> | Framboises; Ahududu; Red Raspberry; Frambueso; Frambosia |
| <i>Rubus parviflorus</i> | |
| <i>Rubus rosaefolius</i> | Raspberry,Mauritius; Goetjen; Arbe |
| <i>Rubus sp</i> | |
| <i>Rubus tephrodes</i> | |
| <i>Rubus ursinus</i> | |
| <i>Rumex acetosa</i> | Shan Tang Ti; Vinagrella; Sorrel,Garden; Shan Ta Huang; Sorrel; Kuzukulagi; Suan Mo; Acedera; Lapathus |
| <i>Rumex hymenosepalus</i> | Canaigre; Canegeira |
| <i>Rumex japonicus</i> | Yang Ti Gen; Gisi-Gisi; Tu Ts'Ai; Niu She Ts'Ai; Kuei Mu; Yang Ti; Chin Ch'lao Mai; Yang Ti Ta Huang |
| <i>Rumex woodii</i> | |
| <i>Salix alba</i> | Willow; Sugut Aghaji; Safsaf Abyadh; White Willow; Sauce Blanco; Ak Sogut; Vrba |
| <i>Salix nigra</i> | Willow,Black; Kara Sogut; Black Willow |
| <i>Salix sp</i> | Osier; Willow |

| Ethnobotanical Plant | Common Names |
|---------------------------------|---|
| <i>Salvia aegyptiaca</i> | Harbak; Simsim Barri; Hamham; Smaismyah |
| <i>Salvia occidentalis</i> | Petit Baume Marron; Petit Baume |
| <i>Salvia plebeia</i> | |
| <i>Sandoricum koetjape</i> | |
| <i>Sandoricum nervosum</i> | Kechapi; Boh ketapi |
| <i>Sanguisorba canadensis</i> | |
| <i>Sanguisorba officinalis</i> | Tibbi Kanotu; Pimpinela Mayor; Ware-Moko; Pimpernel |
| <i>Sanvitalia procumbens</i> | |
| <i>Satureja hortensis</i> | Summer Savory; Ajedrea; Geyikotu; Senyorida De Jardi |
| <i>Satureja montana</i> | Sariette; Ajedrea; Winter Savory |
| <i>Sauropus parvifolius</i> | Merajah santah |
| <i>Saussurea lappa</i> | Mu Xiang; Patchak; Costus; Quang Mu Xiang; Kust; Kushta |
| <i>Scaevola frutescens</i> | Dudulan; Ambong-ambong (Knapsacks); Akar-pahit (Bitter vine); Embun-embun; Wudulan |
| <i>Scaphium scaphigerum</i> | Ta Hai Tzu; P'Ang Ta Hai; An Nan Tzu; Ta T'Ung Kuo |
| <i>Schinus terebinthifolius</i> | Aroeira Do Sertao; Aroeira De Minas; Cambui |
| <i>Scindapsus officinalis</i> | |
| <i>Scirpus articulatus</i> | |
| <i>Scirpus grossus</i> | |
| <i>Scleria scrobiculata</i> | Nees & Mey. |
| <i>Sclerocarya caffra</i> | Kaffir Nut |
| <i>Scoparia dulcis</i> | Cancharagua; Pokok delis; Ginje jepun; Teh makao (Macao tea); Pokok kelambu (Gray plant); Bunyiga; Mastuerzo; Cha padang (Opening tea); Balai Doux; Ginje menir |
| <i>Scopolia japonica</i> | Hasiri-Dokoro; Lang Tang; Japanese Belladonna |
| <i>Scutellaria baicalensis</i> | Huang Qin; Baikal Skullcap |
| <i>Scutellaria japonica</i> | |
| <i>Scutellaria lateriflora</i> | Madweed; Skullcap |
| <i>Scutellaria macrantha</i> | Tu Fu; Su Ch'In; Huang Ch'In; Tzu Ch'In |
| <i>Securinega virosa</i> | |

| Ehnbobotanical Plant | Common Names |
|-------------------------------|--|
| <i>Selloa glutinosa</i> | Mariquita; Escobilla; Jarilla |
| <i>Senecio cardiophyllus</i> | |
| <i>Senecio palmatus</i> | Wei Hsien |
| <i>Serissa foetida</i> | Ch'U Chieh Ts'Ao; Liu Yueh Ling |
| <i>Sesamum indicum</i> | Tila; Kundij; Ch'Ing Jang; Wijen; Pai Yu Ma; Hoholi; Susam; Jojoli; Ma K'U Ping; Jijiri; Jungeoline; Ooli; Lenga; Bijan; Hei Yu Ma; Kunji; Haholi; Goma; Ajonjoli; Sesame; Simsim; Hu Ma |
| <i>Sesbania grandiflora</i> | Agati; Toeri bang (Red flowered); Turi; Toeri poetih (White flowered); Toeri; Geti |
| <i>Setaria italica</i> | Hsiao Mi; Ku Tzu; Pai Liang Mi; Ch'Ing Liang Mi; Shu; Huang Liang Mi; Liang |
| <i>Shorea robbusta</i> | |
| <i>Shorea robusta</i> | Salwa; Sal Tree; So Lo Mu; Sal |
| <i>Sida rhombifolia</i> | Cheleguri; Senduri; Tsindahoro; Seleguri; Bunga padang; Broomjue Sida; Sidaguri; Senanguri; Lemak ketam (CRab's fat); Sidoguir; Atibala; Sedeguri; Getanguri; Padang belulang; Chinaguri; Sendaguri; Seleguri padang; Otok-otak |
| <i>Sida veronicaefolia</i> | |
| <i>Simarouba glauca</i> | Bois Negresse; Quasia Amarga; Palo Amargo; Bois Amer; Quassia Amer; Juan Primero; Bois Frene; Quinquina D'Europe; Frene; Daguilla; Bois Blanc |
| <i>Smilax china</i> | Gadong saberang (Exotic gadong; Chin Kang Ken; T'leh Ling Chio; Pa Ch'la; Ba Qia; Akar restong (Sore-nose med.); Smilace; Wang Kua Ts'Ao; Squine; Zarzaparilla; Gadong china (China gadon); Ubat raja (Royal medicine); Saru-Tori-Ibara; Chinaroot; Kinawortel; Chinawurzel; China Root; Sarsaparilla; China |
| <i>Smilax pseudochina</i> | Shan Ti Li; Leng Fan T'Uan; Tz'U Chu Ling; T'U Fu Ling; T'U Fu Ling P'len; Yu Yu Liang |
| <i>Solanum hindsianum</i> | |
| <i>Solanum nigrum</i> | L'Homme; E'Nab Adh Dhib; Gurkamai; Terong meranti; T'len Ch'leh Tzu; Lanman Noir; Morelle Noir; Inu-Hozuki; Morete; Ranti; Lanment; Long Kui; Nightshade, Black; Morelle Noire; Manman Lanman; Lung K'Uei; Lanman; Hierba Mora; Yerba Mora; Solatro Nero; Black Nightshade; Lao Ya Yen Ching Ts'Ao; T'len P'Ao Ts'Ao; E'Nab Ath Tha'Lab; Ituzumu; Alaman; Enab Ez Zhib |
| <i>Solanum triflorum</i> | |
| <i>Solidago virgaurea</i> | European Goldenrod |
| <i>Solidago virgo-aurea</i> | Liu Chi Nu Ts'Ao |
| <i>Sophora flavescens</i> | |
| <i>Sophora tomentosa</i> | Kajoe penawar; Kayu penawar; Ki koetjing; Matoea masin; Oepas bidji; Lolang ahoek; Pelotok; Pelochok; Mata koetjing; Lolang pante; Lolang badjo; Panawa sofo; Lolang lainoehi |
| <i>Soymida febrifuga</i> | Rohan; Rohuna; Bastard Cedar; Cedro Bastardo |
| <i>Spatholobus roxburghii</i> | |
| <i>Sphaeralcea ambigua</i> | |

| Ehnbobotanical Plant | Common Names |
|------------------------------------|--|
| <i>Sphaeralcea coulteri</i> | |
| <i>Spiraea tomentosa</i> | |
| <i>Spondias dulcis</i> | Jen Mien Tzu |
| <i>Spondias mombin</i> | Grand Mombin; Gros Mombin; Myrobalane; Mombin Franc; Grtand Mombin Franc; Jobo De Puerco; Ciruela Amarilla; Ciruela; Jobo Macho; Hogplum |
| <i>Spondias pinnata</i> | Kadondong; Buah larah; Buah amra |
| <i>Spondias purpurea</i> | Cirouelle; Ciruela Morada; Ciruela Sanjuanera; Ciroyere D'Amerique; Cirouellier; Jobo; Abricotier Batard; Jobo Negro |
| <i>Stachytarpheta jamaicensis</i> | Bastard Vervain; Brazilian Tea; Verbena; Verbena Azul; Verveine Violette; Verveine A Queue De Rat; Verveine; Selaseh dandi (Spotted basil); Verveine Bleue; Rumpot tahi babi (Pig dung gra; Gewongan |
| <i>Stachytarpheta urticaefolia</i> | |
| <i>Statice caroliniana</i> | Statice De La Caroline; Amerikaanse Lamsoor; American Sea Lavender; Marsh Rosemary; Amerikanischer Widerstoss |
| <i>Staurogyne setigera</i> | Rumput kerak rimba (Forest dia |
| <i>Sterculia scaphigera</i> | P'Ang Ta Hai; Ta Hai Tzu |
| <i>Sterculia tragacantha</i> | |
| <i>Stereospermum kunthianum</i> | Golombi |
| <i>Streblus asper</i> | Peleh; Serut |
| <i>Strychnos potatorum</i> | Clearing Nut Tree |
| <i>Strychnos rheedei</i> | |
| <i>Stryphnodendron barbatimam</i> | Barbatimao |
| <i>Stylosanthes fruticosa</i> | |
| <i>Swertia japonica</i> | |
| <i>Swietenia mahogani</i> | Acajou |
| <i>Symphytum officinale</i> | Borraja; Consoude; Comfrey; Consuelda; Buyuk Karakafesotu; Liane Chique; Bourrache; Hirehari-So |
| <i>Symplocos laurina</i> | |
| <i>Symplocos racemosa</i> | Lodhra |
| <i>Syzygium aromaticum</i> | Karanfil; Mu Ting Hsiang; Chi She Hsiang; Ting Hsiang; Clove; Ting Tzu Hsiang; Cloves; Girofle |
| <i>Syzygium cumini</i> | Jamboulbaum; Jambolboom; Jambosier |
| <i>Tabebuia rosea</i> | |

| Ehnbobotanical Plant | Common Names |
|---------------------------------|---|
| <i>Tacca leontopetaloides</i> | |
| <i>Tacca pinnatifida</i> | Pia |
| <i>Tagetes lucida</i> | Sweet Marigold; Tzitziqui |
| <i>Tamarindus indica</i> | Tamarindier; Mandarin; Tamarin; Tamarinde; Tomarin; Tomaring; Tamarind; Tama-Rindo; Asam kawak; Wit asem; Asem; Tomale; Demirhindi; Asam jawa; Tamarindo; Asam jara |
| <i>Tamarix troupii</i> | |
| <i>Tanaecium nocturnum</i> | |
| <i>Tarenna sambucina</i> | |
| <i>Tarenna stellulata</i> | Kereseq puteh (Woodland coffee; Kahwah hutan (Woodland coffee) |
| <i>Taxodium mucronatum</i> | Ahuehuete |
| <i>Tecoma capensis</i> | |
| <i>Tephrosia purpurea</i> | Indigo,Wild; Purple Tephrosia |
| <i>Tephrosia spinosa</i> | |
| <i>Terminalia alata</i> | |
| <i>Terminalia bellerica</i> | Belleric Myrobalan; Belleric |
| <i>Terminalia catappa</i> | Badannier; Lingtak; Amandier Tropical; Amandier; Almendra; Amandier Des Indes; Ketapang; Almendro De Las Indias; Almendro De Playa; L.; Almendro; Indian Almond |
| <i>Terminalia chebula</i> | Myrobalan; Indian Myrobalan; Mirobalan; Ho Li Le; Abhaya |
| <i>Terminalia comintana</i> | Binggas Terminalia |
| <i>Terminalia glaucescens</i> | |
| <i>Terminalia nigrovenulosa</i> | Chieu Lieu |
| <i>Ternstroemia elliptica</i> | |
| <i>Tetracera scandens</i> | Ampelas kucing; Mempelas puteh; Mempelas; Mempelas rimau; Mempelas tikus; Empelas |
| <i>Tetraclinis articulata</i> | Tuya Articulada; Sandaracha |
| <i>Tinospora crispa</i> | Bandoul Pech; Bratawali; Tajoengan; Pantjasono; Poetrawali; Olor-oloran; Lele wedit; Aka mato alik; Andawali; Daoen gadel; Thuoc Sot Ret |
| <i>Tinospora rumphii</i> | |
| <i>Toddalia aculeata</i> | Lopezbaum; Wild Orange; Lopez Tree; Arbre De Lopez; Kaka Toddali |
| <i>Toddalia asiatica</i> | |
| <i>Trachelospermum lucidum</i> | |

| Ehnbobotanical Plant | Common Names |
|------------------------------------|--|
| <i>Trachyspermum ammi</i> | Kamune Muliki; Hajimuju; Ostindischer Kummel; Musi; Remuju; Zinyan; Carvi Oriental; Mungsi; Mosi; Moengsi; Nankhah; Jemuju |
| <i>Trapa natans</i> | Gaou Fun; Shiu Li Chi Shih; Ling; Sukestanesi; Castana De Agua; Fou Ling; Lao Ling; Hisi; Ling Chio |
| <i>Trema orientalis</i> | Narong paya; Mendarung; Anggrung |
| <i>Trichosanthes anguina</i> | Khyar; Pudal |
| <i>Trichosanthes tricuspidata</i> | Bolu teke; Akar kepayang |
| <i>Triclisia gelletii</i> | Bahotot |
| <i>Tridax procumbens</i> | |
| <i>Trigonella foenum-graecum</i> | Boyotu; K'U Tou; Koroha; Hu Lu Pa; Shimli; Fenugreek; Chinagreye; Foenum Graecum; Alholva; Helba; Halva; Kelabat |
| <i>Trigonella foenumgraecum</i> | |
| <i>Trigonella polycerata</i> | |
| <i>Triphasia trifolia</i> | Jeruk kingkip; Orange Berry; Limau kikir; Limau keresek; Limau kiah |
| <i>Triticum aestivum</i> | Mai Fu Tzu; Mo Mo; Bugday; Hui Mien; Man Tou; Frumint; Ka Shih Tso; Mien Chin; Mai Fu; Hsiao Mai; Fou Mai; Pai Mien; Cheng Ping; Lai; Mai Ch' Ao; Trigo; Wheat; Mien; Mien Fen |
| <i>Triumfetta lappula</i> | Cadillo Chiquito; Cadillo; Cadillo De Burro; Cadillo De Perro; Mozote De Caballo |
| <i>Triumfetta semitrilobata</i> | Cadillo De Burro; Cadillo De Perro |
| <i>Tropidia cucurlioides</i> | |
| <i>Tropidia curculigoides</i> | Ranchang hantu; Serugat |
| <i>Tsuga heterophylla</i> | |
| <i>Tussacia friedrichsthaliana</i> | |
| <i>Tussilago farfara</i> | K'Uan Tung; Tusilago; Huki-Tanpopo; To Wu; Farfara; Oksurukotu; Coltsfoot |
| <i>Tylophora indica</i> | |
| <i>Typha latifolia</i> | Gama; Cattail |
| <i>Typha sp</i> | |
| <i>Typhonium divaricatum</i> | |
| <i>Ulmus americana</i> | Elm, White; Elm, Red |
| <i>Ulmus fulva</i> | Amerikan Karaagaci; Slippery Elm; Sweet Elm |
| <i>Ulmus rubra</i> | Elm, Slippery |
| <i>Ulmus sinensis</i> | Yu; Ling Fen; Fen; Hsiang Yu P'I; Shah Chih Chu |

| Ehnbobotanical Plant | Common Names |
|------------------------------|--|
| <i>Uncaria gambir</i> | Bengal Gambir; Gambir; Wi Tieh Ni |
| <i>Uraria crinita</i> | Pemat ulat (Death to worms); Pokok ekur anjing (Dog tail); Buntut bajing; Buntut kucing; Pati uler; Pohon ekur anis; Uler-uleran; Pokok ekur kucing (Cat tail) |
| <i>Uraria lagopodioides</i> | |
| <i>Urena lobata</i> | Cadillo De Perro; Pulutan; Escoba; Cadillo; Petit Cousin; Legetan; Pepulut; Pulut; Pulut-pulut; Pulut lembu; Kelutut; Cousin |
| <i>Vaccinium arboreum</i> | |
| <i>Vateria indica</i> | |
| <i>Vernonia amygdalina</i> | |
| <i>Vernonia cinerea</i> | Pokok tambak bukit; Sembong hutan; Rumput sepagi; Rumput tahi babi (Pig dung gra; Chongchong hari; Seson daun; Rumput bujong samalan; Ekur juda (Horse tail) |
| <i>Vernonia senegalensis</i> | Bitters Tree |
| <i>Veronica salicifolia</i> | |
| <i>Vicia sativa</i> | Orobos; Haba Del Campo |
| <i>Vigna unguiculata</i> | Pois Inconnu; Chiang Tou |
| <i>Vinca minor</i> | Cezayirmeneksesi; Common Periwinkle; Vincapervinca |
| <i>Vitex doniana</i> | |
| <i>Vitex negundo</i> | Pajan Kusut; Man Ching; Chaste Tree; Huang Ching; Nisinda; Gattilier Incise; Nirgundi; Taiwan-Ninzin-Boku(Kusa-Ninzin; Ban Muichi; Sambhalu; Katri; Ch'U; Lenggundi; Indrani; Nirgandi |
| <i>Vitex pyramidata</i> | |
| <i>Vitis vinifera</i> | Vid; Raisin; Vigne; P'U T'Ao Chiu; I'Nab; Roseinekaerne; Asma; European Grape; Tray; P'U T'Ao; Vite; Grape; Auzum |
| <i>Waltheria americana</i> | |
| <i>Waltheria indica</i> | Balai Blanc |
| <i>Watsonia lepida</i> | |
| <i>Wigandia caracasana</i> | |
| <i>Xanthium spinosum</i> | Pittrak; Cepa Caballo; Espinho De Carneiro; Clotweed; Cepa De Caballo; Cachurera Menor |
| <i>Xanthosoma sp</i> | |
| <i>Ximenia americana</i> | Bedara laut |
| <i>Xylia xylocarpa</i> | |
| <i>Xylocarpus granatum</i> | Cannonball Tree |

| Ethnobotanical Plant | Common Names |
|--------------------------|--|
| Zanthoxylum ailanthoides | Yueh Chiao; Tang Tzu; Shih Chu Yu; La Tzu; Karasu-Zansho |
| Zanthoxylum bungeanum | |
| Zanthoxylum tetraspermum | |
| Zingiber nigrum | |
| Zingiber officinale | Gingembre; Jae; Haiti; Lahja; Kunyit terus; Sheng Chiang; Gengibre; Sunthi; Chiang P'I; Gengibre Dulce; Shoga; Chiang Chiu; Jahi; Gan Jiang; Zencefil; Haliya padi; Ginger; Djae; Haliya bara; Kan Chiang; Sonth; T'Ang Chiang; Haliya; Atuja; Chiang; Haliya hudang |
| Zingiber zerumbet | Lampuyang; Lampuyang gajah; Lampuyang kapoer; Lampuyang kebo; Zerumbet Ginger; Lampuyang paek |
| Zinnia acerosa | |
| Ziziphus jujuba | Jujube; Unnap Agaci; Azufaifo; Natume; Dara; Bedara china; Kola; Hong Zao; Nabug; Sanebuto-Natume; Suan Tsao; Unnab; Widara; Pomme Malcadi |
| Ziziphus mauritiana | Liane Crocs Chien; Pomme Malcadi; Jujubier; Perita Haitiana; Petite Pomme; Ponsere |
| Ziziphus rugosa | |
| Zostera marina | |