

Dr. Duke's Phytochemical and Ethnobotanical Databases

Ethnobotanical Plants for Abscess

| Ethnobotanical Plant | Common Names |
|------------------------------------|---|
| <i>Abelmoschus esculentus</i> | Molondron; Quingombo; Calalou; Ochro; Calalou Gombo; Quiabeiro; Huang Shu K'Uei; Bamia; Gombo; Gumbo |
| <i>Achillea sibirica</i> | Shih |
| <i>Ajuga decumbens</i> | Isha Nakasa |
| <i>Allium ampeloprasum</i> | |
| <i>Allium cepa</i> | Pyaz; Sogan; Bawang puteh; Tama-Negi; Cebola; Onion; Bawang; Oignon; Bawang merah; Cebolla Macho; Hu Ts'Ung; Soghan; Onion,Red; Cabolla; Cebolla; Basal; Z'Oignon; Zwibel |
| <i>Ampelopsis brevipedunculata</i> | |
| <i>Andrographis paniculata</i> | Nain Chanvandi; Sambilata; Kariyat; Sadilata; Takila; Vizra Ufar; Bidara; Carmantina |
| <i>Angelica anomala</i> | Fang Hsiang; Pai Chih Hsiang; Pai Chih; Fu Li; Pai Ch'lh; Tse Fen |
| <i>Angelica dahurica</i> | Yoroi-Gusa |
| <i>Angelica pubescens</i> | |
| <i>Angelica sylvestris</i> | Angelique De Bois; Angelika |
| <i>Annona marcgravii</i> | |
| <i>Arctium lappa</i> | Burdock Blood; Dulavratotu; Kewe; Wu Shih; Burdock; Lampazo Mayor; Waisar; Shu Nien; Ta Li Tzu; Bardana; Gobo; Arqityon; Niu P'Ang Tzu; Niu Ts'ei; Kuang Mu Hsiang |
| <i>Arisaema consanguineum</i> | Tian Nan Xing |
| <i>Arisaema thunbergii</i> | Hu Chang |
| <i>Artemisia annua</i> | Ts'Ao Hao; Huang Hua Hao; Kuso-Ninzing; Ch'Ou Hao |
| <i>Bacopa procumbens</i> | |
| <i>Belamcanda chinensis</i> | Hi-Ogi; She Kan; Semprit; Pokok kipas (fan plant); Suliga |
| <i>Benincasa hispida</i> | Shui Chih; Tung Kua; Ti Chih; Shijar Abyadh Hindi; Pai Kua; Tung Kua Tsu; Hindistan Qabaghi |
| <i>Bletilla striata</i> | Pai Chi; Siran; Si-Ran |
| <i>Caladium sp</i> | |
| <i>Cardiospermum halicacabum</i> | Badha; Pois De Merveille; Baloon Vine; Peria bulan; Kola Myetsi; Kokalende; Bonnet Carre; Toffe-Toffe; Persil Batard; Ketipes; Pepare karung; Uban kayu; Pois Merveille |
| <i>Carpesium divaricatum</i> | |
| <i>Cassia occidentalis</i> | Shih Chueh Ming; Senting; Tlalhoaxin; Pois Piante; Wang Chiang Nan; Kachang kota; Kasiah; Khiyar Shember; Menting; Sinamekki |
| <i>Castilla elastica</i> | Caucho Criollo Hembra; Holli |
| <i>Catalpa bungei</i> | Chio Chio Ch'In; Tzu; Ch'lu |

| Ehnbobotanical Plant | Common Names |
|---------------------------------|--|
| <i>Chrysanthemum indicum</i> | Kan-Giku; Hsiao Yeh Chu Hua; Yeh Chu Hua; Sima-Kan-Giku; Huang Chu; Chu Hua; Magarida; Pai Chu Hua; Kan Chu Hua; Gundandi |
| <i>Chrysanthemum morifolium</i> | Kan Chu Hua; Kiku |
| <i>Cirsium sinense</i> | |
| <i>Citrus sinensis</i> | Naranja De China; Oranger Doux; Orange; Naranjo Dulce; Z'Orange Douce; Portakal |
| <i>Clitoria ternatea</i> | Menteling; Cwetabhandia; Kembang teling; Mazeryon Hindi |
| <i>Cochlospermum vitifolium</i> | Rosa Imperial |
| <i>Cocos nucifera</i> | Jeho; Kalapa; Coqueiro; Ipai; Cocotier; Kechambil; Noix De Coco; Nyor; Mata De Coco; Cocoyeur; Nyiur; Drakht I Badinja; Kelambir; Coco; Kerambir; Yeh Tzu; Yeh Chung Chiu; Niyu; Kelapa; Cocotero; Cocoye; Palma De Coco; Yueh Wang T'Ou; Hsu Yu; Kerambil |
| <i>Codonopsis lanceolata</i> | Shan Hai Luo; Turu-Ninzin |
| <i>Coix lacryma-jobi</i> | Chieh Li; Yi Yi Ren; Hato-Mugi; Job'S Tear; I I Jen Chiu; Zyuzu-Dama; Hui Hui Mi; I Chu Tzu; Larmes De Job; T'U I Mi; Hatomugi; Gavedhu; Graines Chapelet; Gurlu; Chi Shih; I I Jen; Yokuinin; Kan Mi; Tranengras; Lagrimas De San Pedro |
| <i>Combretum latifolium</i> | |
| <i>Commelina communis</i> | |
| <i>Commelina polygama</i> | Chu Yeh Ts'AI; Ya Chih Ts'AO |
| <i>Coniogramme japonica</i> | |
| <i>Conioselinum univittatum</i> | Ma Hsien Hsiung Ch'lung; Hsi Hsiung; Fu Hsiung; Ching Hsiung; T'AI Hsiung; Hsiang Kuo; Mi Wu; Ch'Uan Hsiung; Chiao Nao Hsiung |
| <i>Coptosapelta griffithii</i> | Akar sebusok; Setulang (Bone wood); Pokok lidah kijang |
| <i>Cordyline terminalis</i> | Ti Palm |
| <i>Curcuma longa</i> | Renet; Kunir bentis; Kakoenji; Temu kunyit; Kunir; Oendre; Ukon; Tius; Temu kuning; Kunyit; Kondin; Rame; Goeratji; Koenjet |
| <i>Cyperus esculentus</i> | Hsiang Fu; Hsiang Fu Tzu; Teki; Juncia Avellanada; Rumput haliya hitam |
| <i>Dalbergia hupeana</i> | T'An |
| <i>Desmodium triflorum</i> | Sisek tenggiling (Anteater...); Rumput barek sisek putih; Sisik Betok; Sisek betok; Semanggan |
| <i>Dianthus superbus</i> | Kawara-Nadesiko; Ezo-Kawara-Nadesiko; Ch'U Mai |
| <i>Dioscorea japonica</i> | Yeh Shan Yao; T'U Yu; Shan Yao; Huang Tu; Yama-No-Imo |
| <i>Dregea volubilis</i> | |
| <i>Duchesnea indica</i> | She Mei |
| <i>Dysosma auranticocaulis</i> | |

| Ehnbobotanical Plant | Common Names |
|-----------------------------------|--|
| <i>Echinops dahuricus</i> | Lou Lu |
| <i>Eclipta prostrata</i> | Takasaburo |
| <i>Elaeocarpus grandiflorus</i> | Anjang-anjang |
| <i>Elephantopus scaber</i> | Urut tutup bumi; Tapak Liman; Tapak leman; Tupak sulaiman (SDolomon's sea; Tutup bumi (Bung of the earth); Ti Tan T'Ou; Elefantenfuss; Lengua De Vaca; Tabac Marron; Go Jihva; Gobhi |
| <i>Emilia sonchifolia</i> | Perasi; Tetambak marah; Tambak tobak; Yang Ti Gen; Tempuh wayang; Ketumbit jantan; Kemondelan |
| <i>Ephemerantha pallidiflorum</i> | Susu kubong |
| <i>Erythrina indica</i> | Galala poetih; Dadap ajam; Immortel; Dadap sabrong; Oeken |
| <i>Erythrina variegata</i> | Petaqueros; Arbor Maurepasia; Baton De Sorcier; Chengkering (Abscess); Chengkering; Le Maurepas; Dedap |
| <i>Eucalyptus robusta</i> | |
| <i>Euodia kajewskii</i> | |
| <i>Euphorbia atoto</i> | |
| <i>Euphorbia prostrata</i> | Yerba Golondrina; Golondrino |
| <i>Euphorbia tirucalli</i> | Tikel balung; Tulang-tulang; Mentulang; Kayu patah tulang (Frac. wood); Pencil Tree; Kayu urip; Milkbush; Paching tawa |
| <i>Fagonia cretica</i> | Clover, Prickly; Damahan |
| <i>Fagopyrum esculentum</i> | Qamh Al Baqar; T'len Ch'lao; Wu Mai; Ch'lao Mai; Hua Ch'lao |
| <i>Ficus benghalensis</i> | Bengal Inciri Agaci |
| <i>Ficus carica</i> | Fig; Figuier; Ichijiku; Tin; Figuier Blanc; Lovea Si Phle; Higo Verde; Higo; Injir; Higuera; Figue France; Incir Agaci; Itiziku; Hanjir |
| <i>Ficus leucantatoma</i> | Bar-abar; Tobo-tobo; Sirih popar; Ki tjjjat; Tagalolo |
| <i>Fritillaria callicola</i> | |
| <i>Fritillaria roylei</i> | Meng; Pei Mu |
| <i>Fumaria officinalis</i> | Kohaheina; Fumaria; Sahtere; Shaterag; Tzu Hua Ti Ting; Fumitory |
| <i>Funkia subcordata</i> | Yu Tsan |
| <i>Galium gracile</i> | |
| <i>Gentiana scabra</i> | Lung Tan; Rindo; Ling Yu |
| <i>Geum japonica</i> | Ti Chiao; Shui Yang Mei |
| <i>Glechoma hederacea</i> | Kaki-Doosi; Hiedra Terrestre; Kakidosi; Yer Sarmasigi; Groundivy |

| Ethnobotanical Plant | Common Names |
|-----------------------------------|---|
| <i>Gleditsia chinensis</i> | Tsao Chia; Chao Tou T'Eng; Tsao Chio; Wu Wei Tzu; Pei Wu Wei; Tzu T'Eng; T'len Ting |
| <i>Glochidion puberum</i> | |
| <i>Glycyrrhiza</i> sp | |
| <i>Glycyrrhiza uralensis</i> | Gan Cao |
| <i>Guettarda speciosa</i> | |
| <i>Hedyotis auricularia</i> | Kereka batu |
| <i>Hibiscus mutabilis</i> | Mu Fu Jung Yeh; Waru landak; Changing Rose; Fu Rong Ye; Botan; Chiu K'Uei; Mu Fu Jung; Ti Fu Jung |
| <i>Holarrhena antidysenterica</i> | Kalingaka; Vatsaka; Conessi Tree; Kurchi |
| <i>Homalomena pendula</i> | Kemulawangi; Kembalu |
| <i>Houttuynia cordata</i> | Chu Ts'AI; Yu Xing Cao; Zyuyaku; Ch'I; Yu Hsing Ts'AO; Doku-Dami; Dokudami |
| <i>Hydrilla verticillata</i> | |
| <i>Hydrocotyle rotundifolia</i> | |
| <i>Hypericum ascyron</i> | |
| <i>Hyptis</i> sp | |
| <i>Ilex asprolla</i> | |
| <i>Indigofera aspalathoides</i> | |
| <i>Ipomoea pes-caprae</i> | Patate Lan Mer; Patate Marron; Batata pantai; Batatilla; Goat'S Foot; Liseron Pied-De-Chevre; Tapak kuda (Horse footprint); Liane Manger Cochon; Katang-katang; Daun katang |
| <i>Jussiaea repens</i> | |
| <i>Kalanchoe integra</i> | |
| <i>Lagerstroemia indica</i> | Gula Qawa; Ward AI Qahwah; Qahwa Chichegi |
| <i>Lallemantia royleana</i> | Rehana Quwoy; Rehana Barry |
| <i>Laportea crenulata</i> | |
| <i>Laportea stimulans</i> | Jelatang gajah (Big nettle); Kemadoeh; Kemadu |
| <i>Lecaniodiscus cupanioides</i> | |
| <i>Leonurus sibiricus</i> | T'Ui; Mehaziki; Ginjean; I Mu; Ch'Ung Wei; Yeh T'len Ma; Tebing agu |
| <i>Lithospermum erythrorhizon</i> | Murasaki |
| <i>Lobelia radicans</i> | Pan Pien Lien |

| Ehnbobotanical Plant | Common Names |
|----------------------------------|---|
| <i>Luisia tenuifolia</i> | |
| <i>Lycopodium cernuum</i> | Paku serani (Portuguese fern); Rumpu kenarus; Sarang baganding; Daoen rairai; L.; Rumpu serani (Portuguese grass) |
| <i>Lycopus lucidus</i> | Siro-Ne; Tse Lan |
| <i>Lycoris radiata</i> | Lao Ya Suan; Higan-Bana; Shih Suan; I Chih Chien |
| <i>Lysimachia christinae</i> | |
| <i>Lysimachia paridiformis</i> | |
| <i>Macleaya cordata</i> | Takeni-Gusa |
| <i>Mallotus apelta</i> | |
| <i>Malva rotundifolia</i> | Common Mallow; Mallow, Round; Hai-Aoi; Malva |
| <i>Malva sylvestris</i> | Ebegumeci; Zeni-Aoi; High Mallow; Malva |
| <i>Manihot esculenta</i> | Cassava; Manioc; Tapioca; Manihot; Yuca; Quauhayohuachtli; Mandioca; Manioc Amer |
| <i>Marsilea quadrifolia</i> | T'len Tzu Ts' Ao; Ssu Yeh Ts' Ai; P'lu |
| <i>Melanorrhoea wallichii</i> | Rengas paya (Marsh rengas); Rengas ayer (Water rengas) |
| <i>Memorialis hirta</i> | |
| <i>Mentha viridis</i> | Midori-Hakka; Adi Nane |
| <i>Mirabilis jalapa</i> | Heft Reng; Four-O'Clock; Tzu Mo Li; Segerat; Jalap; Four O'Clock; Gulabbas; Buenas Tardes; Lala A'Bbas; Kembang pukul empat (4:00 fbd); Bunga pukul empat (4:00 flower); Maravilla; Gecese fase; Kederat; Noche Buena; Belle De Nuit Blanche; Belle De Nuit; Kembang pagi sore; Ubat jerawat; Nodja; Belle De Nuit Rose; Dondiego De Noche; Geje Safa |
| <i>Miscanthus sinensis</i> | |
| <i>Momordica cochinchinensis</i> | Mu Bie Zi; Teruah; Turu-Reisi; Mu Pieh Tzu; Fan Muh Pu; Mu Hsieh; Mu Pie Tzu |
| <i>Moneses uniflora</i> | |
| <i>Monstera pertusa</i> | Liane Couleuvre |
| <i>Montrichardia arborescens</i> | Arum Du Pays; Aninga Uva; Aninga |
| <i>Morinda citrifolia</i> | Mengkudu; Kudu; Pina De Puerco; Pache; Fromagier; Douleur; Kemudu; Bengkudu; Mengkudu besar; Mekudu; Bois Douleur |
| <i>Musa paradisiaca</i> | Horse Banana; Rulo; Banana; Moz; Figue; Banane Corne; Plantain; Kan Chiao; Pan Chiao; Niu Ju Chiao; Banane Grosse Botte; Ya Chiao; Platano; Fo Shou Chiao; Chi Tzu Chiao; Shui Chiao; Mei Jen Chiao; Chiao Yu; Bananier; Cambur; Bananeira De S Tome; Tan P'Ing Chiao |
| <i>Myrrhis odorata</i> | Myrrh; Sweet Cicely; Spanische Sussdold; Finocchiella; Holy Grass; Spansk Korvel; Perifolio; Cerfeuil Musque; Roomse Kervel |
| <i>Narcissus tazetta</i> | Shui Hsien; Chin Chan Yin T' Ai; Suisen; Oil Of Narcissus; Dohn En Nirdjis |

| Ehnbobotanical Plant | Common Names |
|---------------------------------|---|
| <i>Oldenlandia diffusa</i> | Bunga chakar ayam |
| <i>Oxalis corniculata</i> | Indian Sorrel; Alleluia; Remp; Acederilla Aleluya; Suan Chiang; Sorrel; Semanggen; Pwin D'Coucou; Chukrika; Hummaidh; Carpigna; Tso Chiang; Hsiao Suan Ts'Ai; Oseille Marron; Sikap dada; Estrebolina; Oseille Du Bois; Vinagrillo; Vinagreta |
| <i>Paederia scandens</i> | |
| <i>Panicum miliaceum</i> | Men; Akdari; Tzu; Busa; Ch'I; Millet; P'Ei; Shu; Chi; Chu |
| <i>Parietaria officinalis</i> | Parietaire; Parietaria; Paritory; Pellitory On The Wall; Yapiskanotu; Pellitory; Kestere |
| <i>Parthenium hysterophorus</i> | Parthene Multifide; Escoba Amarga; Escobita Amarga; Feuilles Bouton; Baille Lame; Escoba De Puerco; Yerba Amarga; Friega Platos; Absinthe Marron; Balai Amer; Absynthe Batarde |
| <i>Patrinia scabiosaefolia</i> | Ominaesi; Pai Chiang |
| <i>Paullinia pinnata</i> | Bejuco De Tres Filos; Bejuco Costilla; Liane Carree |
| <i>Phaseolus angularis</i> | |
| <i>Philodendron krebsii</i> | |
| <i>Philodendron speciosum</i> | |
| <i>Phragmites communis</i> | |
| <i>Phyllanthus simplex</i> | |
| <i>Physalis alkekengi</i> | Alkekenje; Teng Leng Ts'Ao; Guveyfeneri; Suan Chiang; Strawberry Tomato; Winter Cherry; Alkekengi |
| <i>Physalis pubescens</i> | Winter Cherry |
| <i>Pinellia ternata</i> | Pan Hisa; Karasu-Bisyaku; Ban Xia |
| <i>Piper betle</i> | Sirih; Sibiroah; Sireh; Suruh; Bodeh; Kinma |
| <i>Piper fragile</i> | Siri pait; Goemi momadi; Tali pait; Soelamoe tali |
| <i>Pistacia vera</i> | Pistachio; Hu Chen Tzu; Wu Ming Tzu; O Yueh Chun Tzu |
| <i>Pistia stratiotes</i> | Kapu-kapu; Gadjambang; Sarme-sarme; Tajapoe; Kiambang; Kambiing |
| <i>Pithecellobium angulatum</i> | Saga bukit; Petai belalang |
| <i>Platycodon grandiflorum</i> | Chieh K'Eng; Chieh Keng; Lu T'Ou; Kikyoo; K'U Chieh Keng |
| <i>Plumbago zeylanica</i> | Chitraka; Poksor; Bama; Seiron-Maturi; Jarak; Inobiri; Chita; Ohyeegya; Leadwort, White-Flowered; Daun Entjok; Godong enchok; Cheraka; Chempaka |
| <i>Plumeria alba</i> | Kshira; Frangipani |
| <i>Polygala sibirica</i> | Yuan Chih; Yao Jao; Yuan Chih Jou; Hsiao Ts'Ao |
| <i>Polygala tenuifolia</i> | |

| Ethnobotanical Plant | Common Names |
|--------------------------------|--|
| <i>Polygonum chinense</i> | Shan Ch'lao Mai; Pokok semuloh (Constipation pl; Ch'lh Ti Li |
| <i>Polygonum cuspidatum</i> | Japanese Fleeceflower; Itadori; Hu Chang; Pan Chang |
| <i>Polygonum perfoliatum</i> | Rau Song Chua Day |
| <i>Polypodium scolopendria</i> | |
| <i>Portulaca quadrifida</i> | Rumput segan; Rebha leoka; Purslane; Memaniran puteh; Kremi |
| <i>Pothomorphe peltata</i> | Feuilles A Coeur; Fait Collet; Yagrumo; Broquelejo; Collet A Dame |
| <i>Pothomorphe umbellata</i> | Broquelejo; Feuilles De Coeur; Yagrumo; Feuilles A Coeur |
| <i>Prunella vulgaris</i> | Selfheal; Sickwort; Adi Erikotu; Consolida Minor; Consuelda Menor; Healall; Xia Ku Cao; Hsia Ku Ts'AO |
| <i>Pyracantha fortuneana</i> | |
| <i>Rhoeo spathacea</i> | Barquito; Boule De Mars; Maguey |
| <i>Ricinus communis</i> | Ricino; Jarak; Tartago; Castorbean; Khirwe; Gana Garchak; Eranda; Pei Ma; Bean, Castor; Castor; Hintyagi Agaci; Sittamoonaka; To-Goma; Pi Ma; Palma Christi; Huile Ricin; Higuierilla; Castor Bean |
| <i>Rohdea japonica</i> | Omoto |
| <i>Rosa anemonaeflora</i> | Yueh Chi Hua; Yueh Yueh Hung |
| <i>Rumex daiwoo</i> | |
| <i>Sagittaria sagittifolia</i> | T'Zu Ku; Suokiu; Chien Tao Ts'AO; Chieh Ku; Yen Wei Ts'AO; Pai Ti Li; Shui P'Ing |
| <i>Saponaria vaccaria</i> | Chin Chan Yin T'AI; Cow Cockle; Wang Pu Liu Hsing; Chin Kung Hua |
| <i>Saururus chinensis</i> | Han-Gesho |
| <i>Saxifraga sarmentosa</i> | Shih Ho Yeh; Hu Erh Ts'AO |
| <i>Scrophularia nodosa</i> | Siraca Otu; Throatwort; Rosenoble; Figwort; Reuwe Di Tchín; Braunwurz; L'Herbe Chancreuse; Escrofularia |
| <i>Sedum makinoi</i> | |
| <i>Sedum spectabile</i> | |
| <i>Semiaquilegia adoxoides</i> | Tien Kui Zi; Tian Kui Zi |
| <i>Senecio crepidifolius</i> | |
| <i>Sesbania sesban</i> | |
| <i>Setaria italica</i> | Shu; Huang Liang Mi; Ch'Ing Liang Mi; Ku Tzu; Liang; Hsiao Mi; Pai Liang Mi |
| <i>Siegesbeckia orientalis</i> | Nien Hu Ts'AI; Si Tzian Tsao; Chu Kao Mu; Holy Herb; Herbe Divine; Hsi Lien; Hu Kao; Kou Kao |

| Ehnbobotanical Plant | Common Names |
|-----------------------------|---|
| Smilax china | Zarzaparilla; China Root; Chin Kang Ken; Wang Kua Ts' Ao; Gadong china (China gadon); Gadong sabarang (Exotic gadong; Squine; Kinawortel; Ba Qia; Sarsaparilla; Saru-Tori-Ibara; T'leh Ling Chio; Akar restong (Sore-nose med.); Chinaroot; China; Pa Ch'la; Smilace; Chinawurzel; Ubat raja (Royal medicine) |
| Smilax glabra | |
| Smilax zeylanica | |
| Solanum erianthum | Tabac Marron; Zamourette; Tabacon; Amourette |
| Solanum lyratum | Hiyodori-Shogo; Bai Ying |
| Solanum melongena | Aubergine; Nasu; Berenjena; Strychnos Kepaios; Nasubi; Ch'leh; Berengena; Berengine; Berengene; Terong manis (Sweet eggplant); Enchong; Baingan; Ch'leh Ken; Melongene; K'Un Lun Kua; Beregene; Terong ungu (Purple eggplant); Belinjele; Lo Su; Terong hijau (Green eggplant); Eggplant |
| Solanum nigrum | E'Nab Ath Tha'Lab; Yerba Mora; Ituzumu; T'len Ch'leh Tzu; L'Homme; Solatro Nero; Manman Lanman; Lao Ya Yen Ching Ts' Ao; Morelle Noire; Lanman Noir; Ranti; Morelle Noir; Alaman; Morete; Black Nightshade; Lanman; Long Kui; T'len P' Ao Ts' Ao; Lung K'Uei; Hierba Mora; Lanment; Nightshade, Black; Gurkamai; Enab Ez Zhib; E'Nab Adh Dhib; Inu-Hozuki; Terong meranti |
| Solanum uporo | |
| Sonchus oleraceus | Lechuguilla; Jo'Dhaidh; Esek Marulu; Chicoree Marron; K'U Ts' Ai; Cerraja; Achicoria; Sowthistle; Sow Thistle; Gansedistel; Lechuguillo; Thistle, Milky; T'U; Thistle, Tufty |
| Stephania sp | |
| Sterculia platanifolia | Wu Tung Chiu; Wu T'Ung |
| Taraxacum mongolicum | Pu Gong Ying |
| Taraxacum officinale | Kara Hindiba; Chiang Nou Ts' Ao; Maitiainen; Pu Gong Ying; Diente De Leon; Hindiba Berri; Pissenlit; Kou Ju Ts' Ao; P'U Kung Ying; Dandelion; Chin Tsan Ts' Ao; Khas Berri; P'O Kung Ying; Seiyō-Tanpopo; Huang Hua Ti Ting |
| Tenerium stoloniferum | Chia Su |
| Tetrastigma hemsleyanum | |
| Teucrium polium | Polion; Misk Al Jin; Ja'Dah; Zamarrila |
| Tinospora capillipes | |
| Trachelospermum jasminoides | |
| Tribulus cistoides | Fleurs Cape; Abrojo; Caprier |
| Trichosanthes cucumeroides | Karasu-Uri; Japanese Snake Gourd |
| Trichosanthes kirilowii | T'len Kua; Kua Lou; Karo (To-Karasu-Uri) |
| Trichosanthes multiloba | T'len Hua Fen; Qua Lau; Pai Yao; Kua Lou; Kuo Lou |
| Tulipa edulis | Chin Teng; Shan Ci Gu; Amana; Shan T'Zu Ku; Shan Tzu Ku |
| Ulmus fulva | Slippery Elm; Sweet Elm; Amerikan Karaagaci |

| Ethnobotanical Plant | Common Names |
|--------------------------------|--|
| <i>Ulmus sinensis</i> | Fen; Yu; Shah Chih Chu; Ling Fen; Hsiang Yu P'I |
| <i>Vaccaria pyramidata</i> | Dokan-So |
| <i>Vigna angularis</i> | |
| <i>Vigna mungo</i> | Lehloli; Mudga; Lu Tou; Mach |
| <i>Vigna radiata</i> | Ch'Ih Hsiao Tou; Hung Ton; Hung Tou; Ch'Ih Hsiao Ton |
| <i>Viola diffusa</i> | |
| <i>Viola japonica</i> | |
| <i>Viola patrinii</i> | |
| <i>Wickstroemia indica</i> | |
| <i>Xanthium strumarium</i> | Gatico; Lizzaj; Ts'Ang Erh; Cadillo; Yang Fu Lai; Hsi Erh; Erh Tang; Ona-Momi; Kucuk Siracaotu; Buah anjang; Chuan Erh; Cang Er Zi |
| <i>Zanthoxylum planispinum</i> | |
| <i>Zephyranthes rosea</i> | |