

Dr. Duke's Phytochemical and Ethnobotanical Databases

Chemicals found in *Hyssopus officinalis*

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
4	PINOCAMPHONE	Shoot		691000.0	3.1621380760355877	--
4	PINOCAMPHONE	Essential Oil		440000.0		--
4	ISOPINOCAMPHONE	Essential Oil		381000.0		--
1	PINOCARVONE	Essential Oil		203000.0		--
13	BETA-PINENE	Shoot		168000.0	11.646965341540012	--
67	1,8-CINEOLE	Essential Oil		122000.0	-0.2995646683900661	--
9	CAMPHENE	Shoot		115000.0	10.475998457193025	--
13	BETA-PINENE	Essential Oil		102000.0	1.5344583642563674	--
35	TANNIN	Plant	50000.0	80000.0	-0.053082229266390064	Lawrence Review of Natural Products, Jan-87.
34	DIOSMIN	Plant	30000.0	60000.0	1.1355499479153381	--
31	HESPERIDIN	Plant	50000.0	60000.0		--
0	HYDROXYCINNAMIC-DERIVATIVES	Plant		22000.0		Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
0	EO	Plant	300.0	20000.0	0.7798359465806497	--
4	PINOCAMPHONE	Leaf	24.0	13820.0		--
0	PINOCAMPHEOL	Shoot		11000.0		--
0	EO	Shoot		10000.0	-0.027439288511147023	--
0	EO	Shoot		10000.0	-0.027439288511147023	--
0	EO	Shoot		10000.0	-0.027439288511147023	--
0	EO	Shoot		10000.0	-0.027439288511147023	--
0	EO	Shoot		10000.0	-0.027439288511147023	--
0	EO	Shoot		10000.0	-0.027439288511147023	--
0	EO	Shoot		10000.0	-0.027439288511147023	--
0	EO	Shoot		10000.0	-0.027439288511147023	--
4	ISOPINOCAMPHONE	Leaf	3.0	6520.0		--
57	ROSMARINIC-ACID	Plant		5000.0	-1.4207683050352211	Fitoterapia No.62: 166.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
89	URSOLIC-ACID	Plant		4900.0	-0.5616031801935085	--
4	PINOCAMPHONE	Shoot		4870.0	-0.30120713929699344	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
4	PINOCAMPHONE	Shoot		4620.0	-0.3024690522053827	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
4	PINOCAMPHONE	Shoot		4600.0	-0.3025700052380539	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
13	BETA-PINENE	Leaf	66.0	4580.0	6.3263317984661365	--
3	XANTHOPHYLL	Plant		3556.0		ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
41	CAMPHOR	Leaf	10.0	3280.0	-0.17537277359849665	--
4	ISOPINOCAMPHONE	Shoot		3260.0	1.086749853468171	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	GERMACRENE-D	Leaf	4.0	3100.0	1.9841064805574304	--
4	ISOPINOCAMPHONE	Shoot		2940.0	0.8727097015815748	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
1	PINOCARVONE	Shoot		2620.0	2.1961571564067977	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
1	PINOCARVONE	Shoot		2550.0	2.120571217891708	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
1	PINOCARVONE	Shoot		2530.0	2.098975235458825	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
4	ISOPINOCAMPHONE	Shoot		2220.0	0.3911193598367336	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
4	PINOCAMPHONE	Flower	200.0	2060.0		--
4	PINOCAMPHONE	Shoot		1970.0	-0.31584532903430923	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
4	PINOCAMPHONE	Shoot		1950.0	-0.3159462820669804	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
13	ALPHA-TERPINENE	Leaf	1.0	1880.0	0.6590992695708332	--
13	BETA-PINENE	Shoot		1750.0	0.0014836319760715047	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	HEDYCARYOL	Leaf	8.0	1700.0		--
2	GERMACRENE-D	Shoot		1550.0	0.4984749397522208	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
28	ALPHA-PINENE	Leaf	0.1	1460.0	-0.12975468398012238	--
4	ISOPINOCAMPHONE	Shoot		1410.0	-0.15066977462621298	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
4	ISOPINOCAMPHONE	Shoot		1380.0	-0.1707360388655814	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
41	CAMPHOR	Flower	125.0	1240.0	-0.4037256527367186	--
0	CAROTENES	Plant		1080.0	-1.0	ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
13	BETA-PINENE	Shoot		1080.0	-0.04544853491359971	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
13	BETA-PINENE	Shoot		1050.0	-0.04754997522209245	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	GERMACRENE-D	Shoot		1030.0	0.20695059257020465	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
2	GERMACRENE-D	Shoot		990.0	0.18452564278697262	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	GERMACRENE-D	Shoot		970.0	0.1733131678953566	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
6	METHYL-CHAVICOL	Shoot	1.0	960.0	1.6431262740379204	--
2	GERMACRENE-D	Shoot		950.0	0.1621006930037406	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
13	BETA-PINENE	Shoot		930.0	-0.055955736456063415	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	GERMACRENE-D	Shoot		920.0	0.1452819806663166	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	GERMACRENE-D	Shoot		920.0	0.1452819806663166	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	GERMACRENE-D	Shoot		900.0	0.1340695057747006	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
3	BETA-PHELLANDRENE	Leaf	1.0	800.0	1.446446497775597	--

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
13	BETA-PINENE	Shoot		790.0	-0.06576245789569621	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
23	TERPINEN-4-OL	Leaf	1.0	790.0	0.11076020391043574	Flavour and Fragrance Journal, 6: 72.
13	BETA-PINENE	Shoot		780.0	-0.06646293799852712	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	BICYCLOGERMACRENE	Shoot		760.0	2.3920861027878644	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	CIS-BETA-OCIMENE	Leaf	0.1	720.0	1.414213562373095	--
0	HEDYCARYOL	Shoot		680.0	1.4674741398643345	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	GERMACRENE-D	Shoot		670.0	0.005126044521116516	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	BETA-CARYOPHYLLENE	Leaf	3.0	660.0	-0.011681242399672966	--
0	HEDYCARYOL	Shoot		660.0	1.3373532801719306	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
76	EUGENOL	Flower	62.0	624.0	-0.37203893797995374	Flavour and Fragrance Journal, 6: 72.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
13	BETA-PINENE	Shoot		620.0	-0.07767061964382173	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
67	1,8-CINEOLE	Shoot	488.0	610.0	-0.1268500303308429	Indian Perfumer, 35: 51.
2	ELEMOL	Leaf	0.4	608.0	-0.3001877753948351	Flavour and Fragrance Journal, 6: 72.
1	PINOCARVONE	Shoot		570.0	-0.017431042963683897	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
1	PINOCARVONE	Shoot		560.0	-0.02822903418012527	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	HEDYCARYOL	Shoot		560.0	0.6867489817099102	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	BICYCLOGERMACRENE	Shoot		540.0	1.4474461052769505	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
1	PINOCARVONE	Shoot		530.0	-0.06062300782944939	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	HEDYCARYOL	Shoot		530.0	0.49156769217130414	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
13	BETA-PINENE	Shoot		520.0	-0.08467542067213087	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	BICYCLOGERMACRENE	Shoot		520.0	1.3615697418668673	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	MYRTENOL	Leaf	0.5	520.0	4.047540790648524	--
0	BICYCLOGERMACRENE	Shoot		520.0	1.3615697418668673	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	BICYCLOGERMACRENE	Shoot		510.0	1.318631560161826	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
60	LIMONENE	Leaf	7.0	480.0	0.05717611233764573	--
0	METHYL-MYRTENATE	Leaf	4.0	480.0		--
0	BICYCLOGERMACRENE	Shoot		480.0	1.1898170150467011	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	BICYCLOGERMACRENE	Shoot		460.0	1.1039406516366181	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.



Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	BICYCLOGERMACRENE	Shoot		460.0	1.1039406516366181	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
76	EUGENOL	Leaf	2.0	443.0	-0.764139250926167	--
0	SPATHULENOL	Leaf	1.0	440.0	1.5472132169200414	--
8	INOSITOL	Leaf		433.3		--
0	BICYCLOGERMACRENE	Shoot		430.0	0.9751261065214935	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	BICYCLOGERMACRENE	Shoot		420.0	0.9321879248164519	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
9	DELTA-CADINENE	Plant	14.0	420.0	2.4375748902835204	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
0	BETA-CARYOPHYLLENE	Flower	40.0	415.0	0.7236924389584528	--
0	HEDYCARYOL	Shoot		410.0	-0.2891574659831202	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	HEDYCARYOL	Shoot		410.0	-0.2891574659831202	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
22	MYRCENE	Shoot	27.0	400.0	0.11420850874501413	--
0	MYRTENYL-METHYL-ETHER	Leaf	1.0	380.0		--

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
3	BETA-PHELLANDRENE	Shoot		380.0	1.0304095190337315	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
5	SABINENE	Leaf	28.0	380.0	-0.019095817088093343	--
23	ALPHA-TERPINEOL	Leaf	0.1	360.0	0.041693203276555756	--
0	HEDYCYARYOL	Shoot		350.0	-0.6795200450603324	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
3	BETA-PHELLANDRENE	Flower	34.0	348.0		Flavour and Fragrance Journal, 6: 69.
3	BETA-PHELLANDRENE	Shoot		330.0	0.8120214473898526	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
3	BETA-PHELLANDRENE	Shoot		330.0	0.8120214473898526	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	BETA-CARYOPHYLLENE	Shoot		330.0	0.2590518847551154	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
11	ALPHA-PHELLANDRENE	Leaf	5.0	320.0	-0.08738448361690086	--
0	ALPHA-CARYOPHYLLENE	Shoot		290.0	-0.23233865576316065	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
3	BETA-PHELLANDRENE	Shoot		290.0	0.6373109900747495	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
3	BETA-PHELLANDRENE	Shoot		280.0	0.5936333757459736	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	BETA-CARYOPHYLLENE	Shoot		270.0	0.13741131069244641	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
4	PINOCAMPHONE	Shoot		270.0	-0.3244263368113564	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	BETA-CARYOPHYLLENE	Shoot		260.0	0.11713788168200157	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALPHA-CARYOPHYLLENE	Shoot		260.0	-0.23790309817241706	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALPHA-CARYOPHYLLENE	Shoot		260.0	-0.23790309817241706	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
2	MYRTENOL	Shoot		260.0	0.18213108633003047	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	MYRTENOL	Shoot		260.0	0.18213108633003047	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	HEDYCARYOL	Shoot		250.0	-1.3301243435223526	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	MYRTENOL	Shoot		250.0	0.16545116851048147	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	BETA-CARYOPHYLLENE	Shoot		240.0	0.0765910236611119	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	HEDYCARYOL	Shoot		240.0	-1.3951847733685547	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	BETA-CARYOPHYLLENE	Shoot		240.0	0.0765910236611119	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
2	MYRTENOL	Shoot		240.0	0.14877125069093244	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	BETA-CARYOPHYLLENE	Shoot		230.0	0.056317594650667054	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
1	PINOCARVONE	Shoot		220.0	-0.395360735539132	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	MYRTENOL	Shoot		220.0	0.11541141505183443	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	ELEMOL	Flower	21.0	215.0		Flavour and Fragrance Journal, 6: 72.
0	BETA-CARYOPHYLLENE	Shoot		210.0	0.015770736629777373	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	MYRTENOL	Shoot		210.0	0.09873149723228541	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	MYRTENOL	Shoot		200.0	0.08205157941273641	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	CIS-BETA-OCIMENE	Shoot		200.0	0.7467492919714654	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALPHA-CARYOPHYLLENE	Shoot		200.0	-0.2490319829909299	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
4	ISOPINOCAMPHONE	Shoot		200.0	-0.9600090989474048	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	BETA-CARYOPHYLLENE	Shoot		200.0	-0.004502692380667468	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	GERMACRENE-D	Flower	10.0	200.0	0.6421278095722747	--
0	BETA-CARYOPHYLLENE	Shoot		200.0	-0.004502692380667468	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	CIS-BETA-OCIMENE	Shoot		200.0	0.7467492919714654	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
3	BETA-PHELLANDRENE	Shoot		190.0	0.20053484678699166	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
2	MYRTENOL	Shoot		190.0	0.0653716615931874	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALPHA-CARYOPHYLLENE	Shoot		190.0	-0.2508867971273487	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
16	P-CYMENE	Plant	6.0	180.0	-0.3733987842290206	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
0	ALPHA-CARYOPHYLLENE	Shoot		180.0	-0.2527416112637675	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
1	PINOCARVONE	Shoot		170.0	-0.44935069162133884	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	MYRTENOL	Shoot		170.0	0.032011825954089385	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
1	PINOCARVONE	Shoot		170.0	-0.44935069162133884	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	LINALOL	Leaf	0.2	160.0	-0.34782849372113306	--

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	SPATHULENOL	Shoot		160.0	0.48321554801417016	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALPHA-CARYOPHYLLENE	Shoot		160.0	-0.2564512395366051	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	MYRTENOL	Flower	16.0	160.0		--
53	LINALOOL	Leaf	0.2	160.0	-0.5366457589382241	--
4	PINOCAMPHONE	Shoot		160.0	-0.3249815784910477	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
5	SABINENE	Shoot		150.0	-0.1362096936828808	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALPHA-CARYOPHYLLENE	Shoot		140.0	-0.26016086780944275	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	TRANS-BETA-OCIMENE	Leaf	1.0	140.0	-0.6821070631543047	--
0	MYRTENOL-METHYL-ETHER	Shoot		140.0	1.3719886811400703	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	D-2-HYDROXYISOPINOCAMPHONE	Plant	6.0	140.0		--



Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
4	PINOCAMPHONE	Shoot		140.0	-0.32508253152371885	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALPHA-CARYOPHYLLENE	Shoot		140.0	-0.26016086780944275	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	ALPHA-HUMULENE	Leaf	1.0	140.0	-0.23026576726663947	--
0	SPATHULENOL	Shoot		130.0	0.30921477678770815	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
4	ISOPINOCAMPHONE	Shoot		130.0	-1.0068303821725977	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	MYRTENOL-METHYL-ETHER	Shoot		130.0	1.114740803426307	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
4	ISOPINOCAMPHONE	Shoot		130.0	-1.0068303821725977	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	1-(1,4-DIMETHYL-3-CYCLOHEXEN-1-YL)ETHANONE	Shoot		130.0	1.8646929495938078	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	SPATHULENOL	Shoot		130.0	0.30921477678770815	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	SPATHULENOL	Shoot		130.0	0.30921477678770815	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	BETA-MYRCENE	Shoot		130.0	-0.09506196795895694	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALPHA-GURJUNENE	Shoot		120.0	1.7429746857725639	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALPHA-GURJUNENE	Shoot		120.0	1.7429746857725639	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	SPATHULENOL	Shoot		120.0	0.2512145197122208	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	SPATHULENOL	Shoot		120.0	0.2512145197122208	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	ALPHA-CARYOPHYLLENE	Shoot		120.0	-0.26387049608228036	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
1	PINOCARVONE	Shoot		120.0	-0.5033406477035457	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	BETA-MYRCENE	Shoot		120.0	-0.11548543763763912	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	MYRTENYL-METHYL-ETHER	Flower	12.0	120.0		--
11	ALPHA-PHELLANDRENE	Flower	12.0	120.0	-1.0	Flavour and Fragrance Journal, 6: 69.
0	ALPHA-GURJUNENE	Shoot		120.0	1.7429746857725639	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	BETA-MYRCENE	Shoot		120.0	-0.11548543763763912	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	HYSSOPUS-POLYSACCHARIDE-MAR-10	Leaf		112.2		--
0	SPATHULENOL	Shoot		110.0	0.1932142626367335	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	MYRTENOL-METHYL-ETHER	Shoot		110.0	0.6002450479987805	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
5	SABINENE	Shoot		110.0	-0.178799659237741	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
5	SABINENE	Shoot		110.0	-0.178799659237741	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	MYRTENOL-METHYL-ETHER	Shoot		110.0	0.6002450479987805	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
4	ISOPINOCAMPHONE	Shoot		110.0	-1.02020789166551	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
5	SABINENE	Shoot		110.0	-0.178799659237741	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	CIS-BETA-OCIMENE	Shoot		110.0	0.1604829961334394	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	HEDYCYARYOL	Flower	10.0	105.0		--
5	SABINENE	Flower	10.0	100.0	-0.43270519325643764	--

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
20	METHYL-EUGENOL	Plant	7.0	100.0	-0.5641652169732609	--
0	ALPHA-GURJUNENE	Shoot		100.0	1.279896540475056	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	1-(1,4-DIMETHYL-3-CYCLOHEXEN-1-YL)ETHANONE	Shoot		100.0	1.0780256114839202	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	CIS-BETA-OCIMENE	Shoot		100.0	0.09534229659588093	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	SPATHULENOL	Shoot		100.0	0.13521400556124616	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	MYRTENOL-METHYL-ETHER	Shoot		100.0	0.3429971702850172	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
20	METHYL-EUGENOL	Shoot	7.0	100.0	-0.562321857612429	--
5	SABINENE	Shoot		90.0	-0.2000946420151711	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	TRANS-PINOCARVEOL	Shoot		90.0	-0.17215583882914187	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	SPATHULENOL	Shoot		90.0	0.07721374848575883	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	BETA-MYRCENE	Shoot		90.0	-0.17675584667368563	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
5	SABINENE	Shoot		90.0	-0.2000946420151711	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	TRANS-NEROLIDOL	Plant	1.0	80.0	-1.0	--
2	BETA-MYRCENE	Shoot		80.0	-0.1971793163523678	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
28	ALPHA-PINENE	Shoot		80.0	-0.13946995126655645	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	MYRTENOL-METHYL-ETHER	Shoot		80.0	-0.17149858514250935	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
5	SABINENE	Shoot		80.0	-0.21074213340388603	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	CIS-BETA-OCIMENE	Shoot		80.0	-0.03493910247923596	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	BETA-MYRCENE	Shoot		80.0	-0.1971793163523678	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
9	CAMPHENE	Leaf	6.0	80.0	-0.162453933589436	--
5	SABINENE	Shoot		80.0	-0.21074213340388603	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
12	ESTRAGOLE	Leaf	1.0	80.0	-0.8780569046390017	Flavour and Fragrance Journal, 6: 69.
0	LINALOL	Shoot		80.0	-0.20775636662408106	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	1-(1,4-DIMETHYL-3-CYCLOHEXEN-1-YL)ETHANONE	Shoot		80.0	0.5535807194106619	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	VERBENOL	Leaf	1.0	78.0	1.0	Flavour and Fragrance Journal, 6: 72.
0	ALLO-AROMADENDRENE	Shoot		70.0	-0.09515208572111743	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
2	BETA-MYRCENE	Shoot		70.0	-0.21760278603105	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	TRANS-PINOCARVEOL	Shoot		70.0	-0.18099544956207	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
28	ALPHA-PINENE	Shoot		70.0	-0.14046727069284576	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	1-(1,4-DIMETHYL-3-CYCLOHEXEN-1-YL)ETHANONE	Shoot		70.0	0.29135827337403264	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	LINALOL	Shoot		70.0	-0.20957116436014098	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	BETA-MYRCENE	Shoot		70.0	-0.21760278603105	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	LINALOL	Shoot		70.0	-0.20957116436014098	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.



Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
5	SABINENE	Shoot		70.0	-0.2213896247926011	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALPHA-GURJUNENE	Shoot		70.0	0.5852793225287944	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	TRANS-BETA-OCIMENE	Flower	6.0	66.0	--	--
19	D-LIMONENE	Shoot		60.0	1.7371980724307592	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	TRANS-PINOCARVEOL	Shoot		60.0	-0.18541525492853406	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
19	D-LIMONENE	Shoot		60.0	1.7371980724307592	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
11	GAMMA-TERPINENE	Leaf	1.0	60.0	-0.2562362491576039	--
0	LEDOL	Shoot		60.0	-0.03419291864772805	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
3	BETA-PHELLANDRENE	Shoot		60.0	-0.3672741394870935	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
2	TRANS-PINOCARVEOL	Shoot		60.0	-0.18541525492853406	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALPHA-GURJUNENE	Shoot		60.0	0.3537402498800405	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	LEDOL	Shoot		60.0	-0.03419291864772805	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	1-(1,4-DIMETHYL-3-CYCLOHEXEN-1-YL)ETHANONE	Shoot		60.0	0.029135827337403337	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	TRANS-PINOCARVEOL	Shoot		60.0	-0.18541525492853406	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALPHA-THUJENE	Shoot		60.0	0.5249996640145044	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	T-CADINOL	Leaf	0.1	60.0	0.2141790245785401	Flavour and Fragrance Journal, 6: 72.
2	TRANS-PINOCARVEOL	Shoot		60.0	-0.18541525492853406	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
28	ALPHA-PINENE	Shoot		60.0	-0.14146459011913506	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ISOPINOCAMPHOME	Flower	5.0	55.0		--
60	LIMONENE	Flower	5.0	54.0	-0.5756715791109762	Flavour and Fragrance Journal, 6: 69.
0	METHYL-MYRTENATE	Flower	5.0	54.0		--
19	D-LIMONENE	Shoot		50.0	0.5345224838248486	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
5	EUGENOL-METHYL-ETHER	Shoot		50.0	1.4142135623730947	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
3	BETA-PHELLANDRENE	Shoot		50.0	-0.41095175381586924	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALPHA-GURJUNENE	Shoot		50.0	0.12220117723128662	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	TRANS-PINOCARVEOL	Shoot		50.0	-0.18983506029499814	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
2	BETA-MYRCENE	Shoot		50.0	-0.2584497253884143	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
3	BETA-PHELLANDRENE	Shoot		50.0	-0.41095175381586924	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	LINALOL	Shoot		50.0	-0.2132007598322608	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALPHA-GURJUNENE	Shoot		50.0	0.12220117723128662	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
5	EUGENOL-METHYL-ETHER	Shoot		50.0	1.4142135623730947	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	LEDOL	Shoot		50.0	-0.06520120271552078	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALPHA-THUJENE	Shoot		50.0	0.3446782919633604	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	CIS-BETA-OCIMENE	Shoot		50.0	-0.23036120109191133	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	OCT-1-EN-3-OL	Leaf	0.5	48.0	1.0	Flavour and Fragrance Journal, 6: 72.
9	CAMPHENE	Shoot		40.0	-0.13058578979385044	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
28	ALPHA-PINENE	Shoot		40.0	-0.1434592289717137	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	LEDOL	Shoot		40.0	-0.09620948678331352	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
19	D-LIMONENE	Shoot		40.0	-0.6681531047810612	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
3	ESTRAGOL	Shoot		40.0	0.8440949857039474	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALLO-AROMADENDRENE	Shoot		40.0	-0.13456983845277953	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	PINOCARVEOL	Shoot	32.0	40.0	-1.0	Indian Perfumer, 35: 52.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	ALPHA-GURJUNENE	Shoot		40.0	-0.10933789541746726	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	TRANS-PINOCARVEOL	Shoot		40.0	-0.19425486566146222	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
19	D-LIMONENE	Shoot		40.0	-0.6681531047810612	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	LEDOL	Shoot		40.0	-0.09620948678331352	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
5	EUGENOL-METHYL-ETHER	Shoot		40.0	0.8081220356417683	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
19	D-LIMONENE	Shoot		40.0	-0.6681531047810612	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
28	ALPHA-PINENE	Shoot		40.0	-0.1434592289717137	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	LEDOL	Shoot		40.0	-0.09620948678331352	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	PHENETHYLETHANOL	Leaf	0.2	40.0		Flavour and Fragrance Journal, 6: 72.
0	1-(1,4-DIMETHYL-3-CYCLOHEXEN-1-YL)ETHANONE	Shoot		40.0	-0.49530906473585523	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	TRANS-PINOCARVEOL	Shoot		40.0	-0.19425486566146222	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
9	CAMPHENE	Shoot		40.0	-0.13058578979385044	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
3	ESTRAGOL	Shoot		40.0	0.8440949857039474	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
19	D-LIMONENE	Shoot		40.0	-0.6681531047810612	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	TRANS-PINOCARVEOL	Shoot		40.0	-0.19425486566146222	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
9	CAMPHENE	Shoot		40.0	-0.13058578979385044	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
28	ALPHA-PINENE	Shoot		40.0	-0.1434592289717137	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
19	D-LIMONENE	Shoot		40.0	-0.6681531047810612	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
5	EUGENOL-METHYL-ETHER	Shoot		40.0	0.8081220356417683	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
3	ESTRAGOL	Shoot		40.0	0.8440949857039474	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	MYRTENOL-METHYL-ETHER	Shoot		40.0	-1.2004900959975624	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	TRANS-SABINENE-HYDRATE	Leaf	1.0	40.0	0.9276212415517329	--
19	D-LIMONENE	Shoot		40.0	-0.6681531047810612	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.



Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
9	CAMPHENE	Shoot		40.0	-0.13058578979385044	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	MYRTENOL-METHYL-ETHER	Shoot		40.0	-1.2004900959975624	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	P-VANILLIN	Leaf	1.0	38.0		Flavour and Fragrance Journal, 6: 72.
9	BENZYL-ALCOHOL	Flower	3.0	32.0	-0.7063856201770791	Flavour and Fragrance Journal, 6: 72.
5	MYRTENAL	Shoot	24.0	30.0	-0.28722839924002375	Indian Perfumer, 35: 52.
0	ALPHA-THUJENE	Shoot		30.0	-0.015964452138927467	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	MYRTENOL-METHYL-ETHER	Shoot		30.0	-1.4577379737113256	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
5	EUGENOL-METHYL-ETHER	Shoot		30.0	0.20203050891044186	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALPHA-THUJENE	Shoot		30.0	-0.015964452138927467	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
5	EUGENOL-METHYL-ETHER	Shoot		30.0	0.20203050891044186	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	LEDOL	Shoot		30.0	-0.12721777085110625	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	T-CADINOL	Shoot		30.0	0.6871033072491771	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	METHYL-MYRTENATE	Shoot		30.0	1.4142135623730956	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALPHA-THUJENE	Shoot		30.0	-0.015964452138927467	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
28	ALPHA-PINENE	Shoot		30.0	-0.144456548398003	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
3	ESTRAGOL	Shoot		30.0	0.10458748884191567	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	ALLO-AROMADENDRENE	Shoot		30.0	-0.14770908936333357	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALPHA-THUJENE	Shoot		30.0	-0.015964452138927467	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALLO-AROMADENDRENE	Shoot		30.0	-0.14770908936333357	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
9	BENZYL-ALCOHOL	Leaf	0.1	30.0	1.601098364560363	Flavour and Fragrance Journal, 6: 72.
0	ALPHA-GURJUNENE	Shoot		30.0	-0.34087696806622114	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	T-CADINOL	Shoot		30.0	0.6871033072491771	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
5	EUGENOL-METHYL-ETHER	Shoot		30.0	0.20203050891044186	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	METHYL-MYRTENATE	Shoot		30.0	1.4142135623730956	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	ALLO-AROMADENDRENE	Shoot		30.0	-0.14770908936333357	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	LEDOL	Shoot		30.0	-0.12721777085110625	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	T-CADINOL	Shoot		30.0	0.6871033072491771	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	T-CADINOL	Shoot		30.0	0.6871033072491771	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
9	CAMPHENE	Shoot		30.0	-0.13150842238318472	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	LEDOL	Shoot		30.0	-0.12721777085110625	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	METHYL-MYRTENATE	Shoot		30.0	1.4142135623730956	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
3	ESTRAGOL	Shoot		30.0	0.10458748884191567	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	LEDOL	Shoot		30.0	-0.12721777085110625	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	T-CADINOL	Shoot		30.0	0.6871033072491771	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
23	TERPINEN-4-OL	Flower	2.0	28.0	-0.877935181573476	Flavour and Fragrance Journal, 6: 72.
0	O-VANILLIN	Leaf	0.1	21.0		Flavour and Fragrance Journal, 6: 72.
0	PHENETHYLETHANOL	Flower	2.0	21.0		Flavour and Fragrance Journal, 6: 72.
0	1-(1,4-DIMETHYL-3-CYCLOHEXEN-1-YL)ETHANONE	Shoot		20.0	-1.0197539568091138	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	CIS-NEROLIDIOL	Leaf	2.0	20.0		Flavour and Fragrance Journal, 6: 72.
5	BETA-THUJONE	Shoot		20.0	-0.313491451572943	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	T-CADINOL	Shoot		20.0	0.1122369145170252	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
9	CAMPHENE	Shoot		20.0	-0.132431054972519	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	BETA-SELINENOL	Shoot		20.0	1.0	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
5	BETA-THUJONE	Shoot		20.0	-0.313491451572943	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	1-(1,4-DIMETHYL-3-CYCLOHEXEN-1-YL)ETHANONE	Shoot		20.0	-1.0197539568091138	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	METHYL-MYRTENATE	Shoot		20.0	-0.7071067811865474	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALPHA-THUJENE	Shoot		20.0	-0.1962858241900714	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
9	CAMPHENE	Shoot		20.0	-0.132431054972519	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
3	ESTRAGOL	Shoot		20.0	-0.6349200080201161	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
5	BETA-THUJONE	Shoot		20.0	-0.313491451572943	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
5	EUGENOL-METHYL-ETHER	Shoot		20.0	-0.40406101782088455	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
6	ALPHA-THUJONE	Shoot		20.0	-0.2729422248942492	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	METHYL-MYRTENATE	Shoot		20.0	-0.7071067811865474	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
28	ALPHA-PINENE	Shoot		20.0	-0.14545386782429234	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	METHYL-MYRTENATE	Shoot		20.0	-0.7071067811865474	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
6	ALPHA-THUJONE	Shoot		20.0	-0.2729422248942492	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
9	CAMPHENE	Shoot		20.0	-0.132431054972519	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	METHYL-MYRTENATE	Shoot		20.0	-0.7071067811865474	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALPHA-THUJENE	Shoot		20.0	-0.1962858241900714	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALLO-AROMADENDRENE	Shoot		20.0	-0.1608483402738876	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
6	ALPHA-THUJONE	Shoot		20.0	-0.2729422248942492	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	T-CADINOL	Shoot		20.0	0.1122369145170252	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
9	TERPINOLENE	Leaf	1.0	20.0	-0.20661710588269624	--



Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	METHYL-MYRTENATE	Shoot		20.0	-0.7071067811865474	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALLO-AROMADENDRENE	Shoot		20.0	-0.1608483402738876	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	METHYL-MYRTENATE	Shoot		20.0	-0.7071067811865474	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
5	BETA-THUJONE	Shoot		20.0	-0.313491451572943	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
5	EUGENOL-METHYL-ETHER	Shoot		20.0	-0.40406101782088455	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALLO-AROMADENDRENE	Shoot		20.0	-0.1608483402738876	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	LINALOL	Shoot		20.0	-0.21864515304044052	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	LINALOL	Shoot		20.0	-0.21864515304044052	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
12	ESTRAGOLE	Flower	2.0	18.0		Flavour and Fragrance Journal, 6: 69.
0	HEXAN-1-OL	Leaf	1.0	15.0		Flavour and Fragrance Journal, 6: 72.
0	D-TERPINEOL	Shoot	12.0	15.0		Indian Perfumer, 35: 52.
2	ALPHA-HUMULENE	Flower	1.0	12.0	-0.8529274950889835	--
0	MYRTENIC-ACID-METHYL-ESTER	Shoot	8.0	11.0		Indian Perfumer, 35: 52.
0	1-(1,4-DIMETHYL-3-CYCLOHEXEN-1-YL)ETHANONE	Shoot		10.0	-1.281976402845743	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	LINALOL	Shoot		10.0	-0.22045995077650044	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
6	ALPHA-THUJONE	Shoot		10.0	-0.2770334359740345	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
6	ALPHA-THUJONE	Shoot		10.0	-0.2770334359740345	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALLO-AROMADENDRENE	Shoot		10.0	-0.17398759118444163	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	CIS-BETA-OCIMENE	Shoot		10.0	-0.49092399924214514	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
5	EUGENOL-METHYL-ETHER	Shoot		10.0	-1.010152544552211	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	HEXAN-1-OL	Flower	1.0	10.0		Flavour and Fragrance Journal, 6: 72.
0	CIS-BETA-OCIMENE	Shoot		10.0	-0.49092399924214514	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
6	ALPHA-THUJONE	Shoot		10.0	-0.2770334359740345	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	CRYPTONE	Shoot	7.0	9.0		Indian Perfumer, 35: 52.
10	NEROL	Leaf	0.8	9.0	-0.2680817417810032	Flavour and Fragrance Journal, 6: 72.
0	NOPINONE	Shoot	6.0	8.0		Indian Perfumer, 35: 51.
10	NEROL	Flower	0.8	8.0	-1.1381482713893585	Flavour and Fragrance Journal, 6: 72.
10	CUMINALDEHYDE	Shoot	4.0	7.0	-0.2854659339161764	Indian Perfumer, 35: 52.
35	GERANIOL	Flower	0.5	6.0	-0.5144293278566698	Flavour and Fragrance Journal, 6: 72.
0	2-HEXANONE	Shoot	5.0	6.0		Indian Perfumer, 35: 51.
0	CIS-BETA-OCIMENE	Flower	0.6	6.0		--
13	BETA-IONONE	Flower	0.6	6.0	-0.5924279733807828	Flavour and Fragrance Journal, 6: 72.
0	TRANS-SABINENE-HYDRATE	Flower	1.0	6.0		--
13	BETA-IONONE	Leaf	0.3	4.0	-0.8302186598528475	Flavour and Fragrance Journal, 6: 72.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
35	BORNEOL	Shoot	3.0	4.0	-0.394923705122541	Indian Perfumer, 35: 52.
0	P-CYMOL	Shoot	3.0	4.0	1.0	Indian Perfumer, 35: 51.
71	THYMOL	Shoot	2.0	3.0	-0.33238938578824073	Indian Perfumer, 35: 52.
23	ALPHA-TERPINEOL	Flower	0.3	3.0	-0.7017091422809357	Flavour and Fragrance Journal, 6: 72.
35	GERANIOL	Leaf	0.1	2.0	-0.22954672153632943	Flavour and Fragrance Journal, 6: 72.
0	SALICYLIC-ACID-METHYL-ESTER	Shoot	1.0	2.0		Indian Perfumer, 35: 52.
6	FURFURAL	Shoot	1.0	2.0	1.0	Indian Perfumer, 35: 51.
0	3-CARENE	Shoot		1.0	-0.9001800540180063	Indian Perfumer, 35: 51.
0	10-EPI-(ALPHA)-CADINOL	Plant		1.0	-1.0	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
0	OCTAN-3-OL	Leaf		1.0	-0.4618027280375439	Flavour and Fragrance Journal, 6: 72.
0	1,8-EPOXY-2-P-MENTHENE	Shoot		1.0		Indian Perfumer, 35: 51.
0	LINALOL	Flower	0.1	1.0	-0.3900304526992942	Flavour and Fragrance Journal, 6: 69.
0	OCT-1-EN-3-OL	Flower	0.1	1.0	-1.0	Flavour and Fragrance Journal, 6: 72.
37	CARVACROL	Plant		1.0	-0.8666583045604165	--
53	LINALOOL	Flower	0.1	1.0	-0.5919295131645452	Flavour and Fragrance Journal, 6: 72.
0	3-OCTANONE	Shoot		1.0	-0.6620789856466877	Indian Perfumer, 35: 51.
0	P-CYMENOL-8	Shoot		1.0		Indian Perfumer, 35: 52.
5	BETA-THUJONE	Shoot		0.1	-0.3181087855129189	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	BETA-SELINENOL	Shoot		0.1	-1.0000000000000002	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
3	ESTRAGOL	Shoot		0.1	-2.106539926775559	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
12	IODINE	Plant		0.014	-0.4477493394460826	--
6	ALPHA-THUJONE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	N-EICOSANE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	GERMACRENE-D	Essential Oil				--
0	BETA-SELINENOL	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
3	ESTRAGOL	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	LINALOL	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	N-TETRADECANE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
5	BETA-ELEMENE	Plant				--
6	ALPHA-THUJONE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	N-EICOSANE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
76	EUGENOL	Essential Oil				--
0	CIS-CALAMENENE	Plant				--
3	BETA-PHELLANDRENE	Essential Oil				--
0	N-TETRADECANE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	T-CADINOL	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	PHENYLETHANOL	Essential Oil				--
64	OLEANOLIC-ACID	Plant				--
0	TRANS-NEROLIDOL	Flower				--
0	ALPHA-CADINENE	Plant				--
6	ALPHA-THUJONE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	N-EICOSANE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
12	ESTRAGOLE	Essential Oil				--
5	BETA-THUJONE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	HESPERIDIN-GLYCOSIDES	Essential Oil				Gruenwald, J. et al. 1998. PDR for Herbal Medicine. 1st ed. Medical Economics Co., Montvale, NJ. 1244 pp. (abbreviated as PHR or Physicians Herbal Reference in my mind)
0	BETA-SELINENOL	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALLO-AROMADENDRENE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
9	BENZYL-ALCOHOL	Essential Oil				--
0	EO	Shoot				--
0	N-TETRADECANE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
20	CHOLINE	Plant				Leung, A.Y., Encyclopedia of Common Natural Ingredients Used in Food, Drugs, and Cosmetics, John Wiley & Sons, New York, 1980.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
16	P-CYMENE	Essential Oil				--
0	RESIN	Plant				--
0	TRANS-HEXEN-1-OL	Plant				Planta Medica, 55: 226.
53	LINALOOL	Essential Oil				--
0	N-EICOSANE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
34	DIOSMIN	Leaf				--
0	DIOSMETIN-GLYCOSIDES	Essential Oil				Gruenwald, J. et al. 1998. PDR for Herbal Medicine. 1st ed. Medical Economics Co., Montvale, NJ. 1244 pp. (abbreviated as PHR or Physicians Herbal Reference in my mind)
28	ALPHA-PINENE	Essential Oil				--
0	N-TETRADECANE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	T-CADINOL	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	OCTAN-3-OL	Essential Oil				--
0	N-EICOSANE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
61	FERULIC-ACID	Plant				Jim Duke's personal files.
34	DIOSMIN	Shoot				--



Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
47	BETA-SITOSTEROL	Plant				Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
13	DIOSMETIN	Essential Oil				Gruenwald, J. et al. 1998. PDR for Herbal Medicine. 1st ed. Medical Economics Co., Montvale, NJ. 1244 pp. (abbreviated as PHR or Physicians Herbal Reference in my mind)
0	O-VANILLIN	Plant				Planta Medica, 55: 226.
11	ALPHA-PHELLANDRENE	Essential Oil				--
8	MARRUBIIN	Plant				--
0	PINOCAMPHEOL	Plant				Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
0	N-TETRADECANE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
102	CAFFEIC-ACID	Plant				Jim Duke's personal files.
0	T-CADINOL	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	O-VANILLIN	Essential Oil				--
41	CAMPHOR	Essential Oil				--
0	HYSSOPIN	Plant				Leung, A.Y., Encyclopedia of Common Natural Ingredients Used in Food, Drugs, and Cosmetics, John Wiley & Sons, New York, 1980.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	N-EICOSANE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	CIS-PINONIC-ACID	Essential Oil				--
0	BETA-SELINENOL	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	(1S,2R,5R)-3-PINANONE	Plant				J.S. Glasby Dict.Pls Containing 2ndary Metabolite. 1991.
0	DELPHINIDIN-3-(P-COUMAROYLGLUCOSIDE)-5-GLUCOSIDE	Flower				List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
0	ALPHA-CAMPHENE	Essential Oil				--
0	N-TETRADECANE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
12	BORNYL-ACETATE	Plant				Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
0	MYRTENOL-METHYL-ETHER	Essential Oil				--
9	CAMPHENE	Essential Oil				--
0	N-EICOSANE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
5	BETA-THUJONE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	CIS-PINIC-ACID	Essential Oil				--
0	BETA-SELINENOL	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	CIS-BETA-OCIMENE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
24	BENZALDEHYDE	Shoot				Indian Perfumer, 35: 51.
0	N-TETRADECANE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
2	MYRTENOL	Essential Oil				--
5	TERPINYL-ACETATE	Plant				--
0	VERBENOL	Essential Oil				--
5	BETA-THUJONE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	CIS-NEROLIDOL	Essential Oil				--
0	BETA-SELINENOL	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
2	NONANOIC-ACID	Plant				--
6	PHENETHYL-ALCOHOL	Plant				Planta Medica, 55: 226.
1	MYRTENYL-ACETATE	Plant				--
0	N-TETRADECANE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	MYRTENOIC-ACID-METHYL-ESTER	Essential Oil				--
0	MYRTENIC-CIS-PINOIC-ACID	Plant				--
18	TERPINEOL	Essential Oil				--
5	BETA-THUJONE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	CINEOL	Essential Oil				--
0	BETA-SELINENOL	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
3	ESTRAGOL	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	ALPHA-THUJENE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	MYRTENIC-ACID	Plant				Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
6	ALPHA-THUJONE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	N-EICOSANE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	MYRTENIC-CIS-PINIC-ACID	Plant				--
0	TERPENYL-ACETATE	Essential Oil				--
0	CAR-3-ENE	Essential Oil				--
28	ALPHA-PINENE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	BETA-SELINENOL	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	CIS-PINOIC-ACID	Plant				Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
0	GUM	Plant				--
5	TERPINYL-ACETATE	Shoot				--
0	LINALOL	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	1-(1,4-DIMETHYL-3-CYCLOHEXEN-1-YL)ETHANONE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	N-EICOSANE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
57	ROSMARINIC-ACID	Inflorescence				--
0	ALPHA-THUJENE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	BORNEOL-ACETATE	Essential Oil				--
0	BETA-SELINENOL	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	CIS-PINIC-ACID	Plant				Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
5	BETA-THUJONE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	SPATHULENOL	Flower				--
2	3-OCTANOL	Plant				Planta Medica, 55: 226.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Refernce Citation
0	N-TETRADECANE	Shoot				Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
0	GAMMA-CADINENE	Plant				--