

Dr. Duke's Phytochemical and Ethnobotanical Databases

Chemicals found in *Eucalyptus odorata*

| Activities Count | Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference Citation |
|------------------|-----------------|------------|---------|----------|---------------------|--|
| 1 | VIRIDIFLOROL | Leaf | | 18.0 | -0.6358383996300913 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364 |
| 3 | AROMADENDRENE | Leaf | | 4.4 | -0.6173522583573284 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364 |
| 23 | ALPHA-TERPINEOL | Leaf | | 25.0 | -0.5463639886248375 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364 |
| 3 | ALPHA-SELINENE | Leaf | | 15.0 | -0.4931456356702503 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364 |
| 3 | BETA-SELINENE | Leaf | | 4.4 | -0.480591880410335 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364 |

| Activities Count | Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference Citation |
|------------------|-------------------|------------|---------|----------|----------------------|---|
| 35 | BORNEOL | Leaf | | 12.0 | -0.46065768940639096 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 3 | BETA-PHELLANDRENE | Leaf | | 4.4 | -0.4538204640500689 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 60 | LIMONENE | Leaf | | 40.0 | -0.40570419186405104 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 13 | BETA-EUDESOL | Leaf | | 75.0 | -0.39984631323453906 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 5 | BETA-ELEMENE | Leaf | | 4.4 | -0.3968662886730168 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activities Count | Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference Citation |
|------------------|--------------------|------------|---------|----------|----------------------|---|
| 11 | GAMMA-TERPINENE | Leaf | | 4.4 | -0.3634394188165153 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 1 | DELTA-CADINOL | Leaf | | 8.0 | -0.35234307243876395 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 67 | 1,8-CINEOLE | Leaf | | 1520.0 | -0.3347134839642195 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 7 | PIPERITONE | Leaf | | 43.0 | -0.33434385447433956 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 11 | ALPHA-PHELLANDRENE | Leaf | | 4.4 | -0.3112010081617144 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activities Count | Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference Citation |
|------------------|----------------|------------|---------|----------|----------------------|---|
| 9 | DELTA-CADINENE | Leaf | | 41.0 | -0.2855942704637211 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 10 | NEROL | Leaf | | 4.4 | -0.2840394395387329 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 19 | CARVONE | Leaf | | 4.4 | -0.28195679979524785 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 5 | SABINENE | Leaf | | 4.4 | -0.25840545017838246 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 35 | GERANIOL | Leaf | | 0.0 | -0.23047566655859675 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activities Count | Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference Citation |
|------------------|---------------|------------|---------|----------|----------------------|---|
| 9 | TERPINOLENE | Leaf | | 4.4 | -0.2264895368084614 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 23 | TERPINEN-4-OL | Leaf | | 200.0 | -0.2261243656763046 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 28 | ALPHA-PINENE | Leaf | | 190.0 | -0.21220885936418557 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 22 | MYRCENE | Leaf | | 4.4 | -0.17108779425810722 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 13 | BETA-PINENE | Leaf | | 195.0 | -0.14150630283248133 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activities Count | Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference Citation |
|------------------|---------------------|------------|---------|----------|----------------------|---|
| 2 | TRANS-PINOCARVEOL | Leaf | | 150.0 | -0.04497462987898142 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 8 | CARYOPHYLLENE-OXIDE | Leaf | | 105.0 | 6.676883408603721E-4 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 5 | VERBENONE | Leaf | | 90.0 | 0.0902183440691865 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 2 | MYRTENOL | Leaf | | 80.0 | 0.238141562541198 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 1 | PINOCARVONE | Leaf | | 75.0 | 0.30958992728795703 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activities Count | Chemical | Plant Part | Low PPM | High PPM | StdDev | Reference Citation |
|------------------|----------|------------|---------|----------|--------------------|---|
| 16 | P-CYMENE | Leaf | | 1095.0 | 0.5096090208075029 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 5 | MYRTENAL | Leaf | | 85.0 | 1.1856511937662368 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |