

Dr. Duke's Phytochemical and Ethnobotanical Databases

Chemicals found in Eucalyptus populnea

| Activities Count | Chemical           | Plant Part | Low PPM | High PPM | StdDev               | Reference Citation  |
|------------------|--------------------|------------|---------|----------|----------------------|---|
| 0                | (+)-QUERCITOL      | Plant      |         |          |                      | Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.  |
| 67               | 1,8-CINEOLE        | Leaf       |         | 2210.0   | -0.24596177633568608 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | A-MUUROLENE        | Leaf       |         | 1.8      | -0.7879716086652032  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | ALLO-AROMADENDRENE | Leaf       |         | 35.0     | -0.19433943732834327 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | ALPHA-BULNESENE    | Leaf       |         | 8.0      | -0.6739674786198434  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activities Count | Chemical                   | Plant Part | Low PPM | High PPM | StdDev              | Reference Citation  |
|------------------|----------------------------|------------|---------|----------|---------------------|---|
| 0                | ALPHA-CAMPHOLENIC-ALDEHYDE | Leaf       |         | 1.8      | -0.8173276759227618 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | ALPHA-COPAENE              | Leaf       |         | 1.8      | -0.3456006851019321 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | ALPHA-CUBEBENE             | Leaf       |         | 1.8      | -0.4021378056218067 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | ALPHA-EUDESOL              | Leaf       |         | 3.0      | -0.6903159560876962 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | ALPHA-FENCHENE             | Leaf       |         | 0.0      | -0.4609977705185447 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activities Count | Chemical                 | Plant Part | Low PPM | High PPM | StdDev               | Reference Citation  |
|------------------|--------------------------|------------|---------|----------|----------------------|---|
| 0                | ALPHA-GURJUNENE          | Leaf       |         | 1.8      | -0.6100101025948784  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | ALPHA-P-DIMETHYLSTRYRENE | Leaf       |         | 1.8      |                      | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 11               | ALPHA-PHELLANDRENE       | Leaf       |         | 1.8      | -0.3130448705312218  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 28               | ALPHA-PINENE             | Leaf       |         | 71.0     | -0.21993488052221985 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 3                | ALPHA-SELINENE           | Leaf       |         | 1.8      | -0.7577974642621077  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activities Count | Chemical           | Plant Part | Low PPM | High PPM | StdDev               | Reference Citation  |
|------------------|--------------------|------------|---------|----------|----------------------|---|
| 23               | ALPHA-TERPINEOL    | Leaf       |         | 1.8      | -0.5870891434072624  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 3                | AROMADENDRENE      | Leaf       |         | 110.0    | -0.5534024245248963  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | BETA-CARYOPHYLLENE | Leaf       |         | 1.8      | -0.333948126756507   | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | BETA-CIS-OCIMENE   | Leaf       |         | 1.8      | -0.39148246287961924 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | BETA-CUBEBENE      | Leaf       |         | 1.8      | -0.31028056121260383 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activities Count | Chemical                    | Plant Part | Low PPM | High PPM | StdDev               | Reference Citation  |
|------------------|-----------------------------|------------|---------|----------|----------------------|---|
| 5                | BETA-ELEMENE                | Leaf       |         | 8.0      | -0.377957740947063   | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 13               | BETA-EUDESOL                | Leaf       |         | 5.0      | -0.6051664564741057  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 3                | BETA-PHELLANDRENE           | Leaf       |         | 1.8      | -0.46003048680113945 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | BETA-PHENYLETHYL-PROPIONATE | Leaf       |         | 1.8      | -0.7034412359737474  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 13               | BETA-PINENE                 | Leaf       |         | 3.0      | -0.4247046871994904  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activities Count | Chemical           | Plant Part | Low PPM | High PPM | StdDev              | Reference Citation  |
|------------------|--------------------|------------|---------|----------|---------------------|---|
| 3                | BETA-SELINENE      | Leaf       |         | 1.8      | -0.5066256953294005 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | BETA-TRANS-OCIMENE | Leaf       |         | 0.0      | -0.6714561647172038 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | BICYCLOELEMENE     | Leaf       |         | 1.8      | -0.9206163450442792 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | BICYCLOGERMACRENE  | Leaf       |         | 1.8      | -0.2781504515328032 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 35               | BORNEOL            | Leaf       |         | 1.8      | -0.4732836689075007 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activities Count | Chemical           | Plant Part | Low PPM | High PPM | StdDev               | Reference Citation  |
|------------------|--------------------|------------|---------|----------|----------------------|---|
| 0                | CADINA-1,4-DIENE   | Leaf       |         | 4.0      | -0.6444846962525255  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | CALACORENE         | Leaf       |         | 3.0      | -0.990527412389629   | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | CALAMENENE         | Leaf       |         | 1.8      | -0.61053839442438    | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 19               | CARVONE            | Leaf       |         | 7.0      | -0.28142363843386237 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 8                | CARYOPHYLENE-OXIDE | Leaf       |         | 1.8      | -0.448715594986109   | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activities Count | Chemical                      | Plant Part | Low PPM | High PPM | StdDev               | Reference Citation  |
|------------------|-------------------------------|------------|---------|----------|----------------------|---|
| 0                | CIS-P-MENTHA-1(7),8-DIEN-2-OL | Leaf       |         | 19.0     | 1.0365706409369204   | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | CIS-P-MENTHA-1,8-DIEN-6-OL    | Leaf       |         | 1.8      | -0.8775209103652573  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | CIS-PIPERITOL                 | Leaf       |         | 5.0      | -0.33738082371128875 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | CRYPTONE                      | Leaf       |         | 3.0      | -0.2795465283131092  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | CUMINAL                       | Leaf       |         | 1.8      | -0.34078839844783737 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |



| Activities Count | Chemical        | Plant Part | Low PPM | High PPM | StdDev              | Reference Citation  |
|------------------|-----------------|------------|---------|----------|---------------------|---|
| 9                | DELTA-CADINENE  | Leaf       |         | 8.0      | -0.4292576505663304 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 1                | DELTA-CADINOL   | Leaf       |         | 1.8      | -0.6554864617356018 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | DELTA-ELEMENE   | Leaf       |         | 1.8      | -0.7968165519095821 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | DELTA-TERPINEOL | Leaf       |         | 9.0      | -0.2711479275959365 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | EO              | Leaf       |         | 3600.0   | -0.6979637980013755 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activities Count | Chemical        | Plant Part | Low PPM | High PPM | StdDev               | Reference Citation  |
|------------------|-----------------|------------|---------|----------|----------------------|---|
| 0                | FENCHOL         | Leaf       |         | 1.8      | -0.8973579476914617  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | GAMMA-EUDESOL   | Leaf       |         | 1.8      | -0.7423733175748863  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 11               | GAMMA-TERPINENE | Leaf       |         | 1.8      | -0.368452516678263   | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 35               | GERANIOL        | Leaf       |         | 0.0      | -0.23047566655859675 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | GLOBULOL        | Leaf       |         | 145.0    | -0.36112567158063236 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activities Count | Chemical             | Plant Part | Low PPM | High PPM | StdDev               | Reference Citation  |
|------------------|----------------------|------------|---------|----------|----------------------|---|
| 0                | ISOAMYL-ISOVALERATE  | Leaf       |         | 0.0      | -0.501945328806811   | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | ISOBUTYL-ISOVALERATE | Leaf       |         | 1.8      | -0.5674137550280068  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 60               | LIMONENE             | Leaf       |         | 1.8      | -0.4458906182742893  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 53               | LINALOOL             | Leaf       |         | 1.8      | -0.6461973760052117  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 22               | MYRCENE              | Leaf       |         | 1.8      | -0.17202601090679234 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activities Count | Chemical     | Plant Part | Low PPM | High PPM | StdDev              | Reference Citation  |
|------------------|--------------|------------|---------|----------|---------------------|---|
| 5                | MYRTENAL     | Leaf       |         | 7.0      | -0.5098582718105744 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 2                | MYRTENOL     | Leaf       |         | 1.8      | -0.438892572999695  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 10               | NEROL        | Leaf       |         | 5.0      | -0.2819580007007681 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | P-CYMEN-8-OL | Leaf       |         | 3.5      | -0.6999118327180465 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 16               | P-CYMENE     | Leaf       |         | 22.0     | -0.3818359584235987 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activities Count | Chemical    | Plant Part | Low PPM | High PPM | StdDev               | Reference Citation  |
|------------------|-------------|------------|---------|----------|----------------------|---|
| 0                | PALUSTROL   | Leaf       |         | 1.8      | -0.4678216181684391  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 1                | PINOCARVONE | Leaf       |         | 62.0     | 0.14014098775423214  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 7                | PIPERITONE  | Leaf       |         | 1.8      | -0.3560354630497123  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 5                | SABINENE    | Leaf       |         | 1.8      | -0.26006201313374666 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | SPATHULENOL | Leaf       |         | 23.0     | -0.6466750924896314  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activities Count | Chemical                        | Plant Part | Low PPM | High PPM | StdDev               | Reference Citation  |
|------------------|---------------------------------|------------|---------|----------|----------------------|---|
| 23               | TERPINEN-4-OL                   | Leaf       |         | 1.8      | -0.33929474142561294 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 9                | TERPINOLENE                     | Leaf       |         | 1.8      | -0.22980160862942228 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | TORQUATONE                      | Leaf       |         | 10.0     | -0.47632163259520754 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | TRANS-P-MENTH-2-EN-1-OL         | Leaf       |         | 1.8      | -0.8878160947682905  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | TRANS-P-MENTHA-1(7),8-DIEN-2-OL | Leaf       |         | 19.0     | 0.12707363949587736  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activities Count | Chemical                     | Plant Part | Low PPM | High PPM | StdDev               | Reference Citation  |
|------------------|------------------------------|------------|---------|----------|----------------------|---|
| 0                | TRANS-P-MENTHA-1,8-DIEN-6-OL | Leaf       |         | 1.8      | -0.5627123295706371  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 2                | TRANS-PINOCARVEOL            | Leaf       |         | 75.0     | -0.36143518780227707 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | TRANS-PIPERITOL              | Leaf       |         | 1.8      | -0.7477712239391278  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 5                | VERBENONE                    | Leaf       |         | 1.8      | -0.3617818491449867  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 0                | VIRIDIFLORENE                | Leaf       |         | 1.8      | -0.6736237836580294  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activities Count | Chemical     | Plant Part | Low PPM | High PPM | StdDev              | Reference Citation  |
|------------------|--------------|------------|---------|----------|---------------------|---|
| 1                | VIRIDIFLOROL | Leaf       |         | 60.0     | -0.4413504109938655 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |