

Dr. Duke's Phytochemical and Ethnobotanical Databases

Chemicals found in *Eucalyptus porosa*

| Activities Count | Chemical          | Plant Part | Low PPM | High PPM | StdDev               | Reference Citation   |
|------------------|-------------------|------------|---------|----------|----------------------|--|
| 1                | PINOCARVONE       | Leaf       |         | 10.0     | -0.5376547703806674  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364 |
| 1                | DELTA-CADINOL     | Leaf       |         | 13.0     | -0.10787259719937864 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364 |
| 1                | VIRIDIFLOROL      | Leaf       |         | 540.0    | 1.7813694591344293   | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364 |
| 2                | TRANS-PINOCARVEOL | Leaf       |         | 10.0     | -0.6357010046691332  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364 |
| 3                | ALPHA-SELINENE    | Leaf       |         | 10.0     | -0.5933925404398932  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364 |

| Activities Count | Chemical          | Plant Part | Low PPM | High PPM | StdDev               | Reference Citation  |
|------------------|-------------------|------------|---------|----------|----------------------|---|
| 3                | BETA-PHELLANDRENE | Leaf       |         | 10.0     | -0.4404450304323781  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 3                | AROMADENDRENE     | Leaf       |         | 850.0    | -0.10526911925974647 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 3                | BETA-SELINENE     | Leaf       |         | 10.0     | -0.42451904827696346 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 5                | SABINENE          | Leaf       |         | 38.0     | -0.23699755967829275 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 5                | BETA-ELEMENE      | Leaf       |         | 10.0     | -0.367452992210422   | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activities Count | Chemical            | Plant Part | Low PPM | High PPM | StdDev               | Reference Citation  |
|------------------|---------------------|------------|---------|----------|----------------------|---|
| 5                | VERBENONE           | Leaf       |         | 10.0     | -0.3197591554448028  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 5                | MYRTENAL            | Leaf       |         | 23.0     | -0.16206145835892072 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 7                | PIPERITONE          | Leaf       |         | 10.0     | -0.3517182011487886  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 8                | CARYOPHYLLENE-OXIDE | Leaf       |         | 13.0     | -0.3999453161754302  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 9                | DELTA-CADINENE      | Leaf       |         | 75.0     | -0.1375774546004268  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activities Count | Chemical           | Plant Part | Low PPM | High PPM | StdDev               | Reference Citation  |
|------------------|--------------------|------------|---------|----------|----------------------|---|
| 9                | TERPINOLENE        | Leaf       |         | 47.0     | -0.1722225138957951  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 10               | NEROL              | Leaf       |         | 10.0     | -0.264612677051062   | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 11               | ALPHA-PHELLANDRENE | Leaf       |         | 865.0    | 0.29911743614521386  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 11               | GAMMA-TERPINENE    | Leaf       |         | 130.0    | -0.12126822980285945 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 13               | BETA-EUDESOL       | Leaf       |         | 25.0     | -0.5465035584056581  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activities Count | Chemical        | Plant Part | Low PPM | High PPM | StdDev               | Reference Citation  |
|------------------|-----------------|------------|---------|----------|----------------------|---|
| 13               | BETA-PINENE     | Leaf       |         | 100.0    | -0.28163050343074103 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 16               | P-CYMENE        | Leaf       |         | 220.0    | -0.21733818965588375 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 19               | CARVONE         | Leaf       |         | 10.0     | -0.2808084522476485  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 22               | MYRCENE         | Leaf       |         | 240.0    | -0.08607093178494452 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 23               | ALPHA-TERPINEOL | Leaf       |         | 42.0     | -0.5165222803790951  | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activities Count | Chemical      | Plant Part | Low PPM | High PPM | StdDev               | Reference Citation  |
|------------------|---------------|------------|---------|----------|----------------------|---|
| 23               | TERPINEN-4-OL | Leaf       |         | 425.0    | -0.09765143659661539 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 28               | ALPHA-PINENE  | Leaf       |         | 2100.0   | -0.08820297355035825 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 35               | GERANIOL      | Leaf       |         | 0.0      | -0.23047566655859675 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 35               | BORNEOL       | Leaf       |         | 10.0     | -0.46313337166151053 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |
| 60               | LIMONENE      | Leaf       |         | 295.0    | -0.13744401556534042 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |

| Activities Count | Chemical    | Plant Part | Low PPM | High PPM | StdDev             | Reference Citation  |
|------------------|-------------|------------|---------|----------|--------------------|---|
| 67               | 1,8-CINEOLE | Leaf       |         | 5940.0   | 0.2338119475113134 | Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364 |