

# List of All Chemicals

## Hyacinthus orientalis (Liliaceae)

### Common name(s)

Hyacinth

### How used

Medicinal

\*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Chemical	Part <input type="button" value="All"/>	Low PPM	High PPM	StdDev	*Reference
1,2,4-TRIMETHOXYBENZENE	Flower	5.0	69.0		*
1,2-DIMETHOXY-BENZENE	Flower	0.032	0.46		*
1,4-DIMETHOXY-BENZENE	Flower	0.32	4.6		*
1-OCTEN-3-OL	Flower	1.0	16.0	-1.35	*
2-METHOXY-METHYL-BENZOATE	Flower	0.16	2.3		*
2-METHOXYBENZYL-ACETATE	Flower	0.032	0.46		*
2-METHOXYETHYL-ACETATE	Flower	0.032	0.46		*
6,10,14-TRIMETHYL-PENTADECAN-2-ONE	Flower	0.16	2.3		*
ALPHA-FARNESENE	Flower	0.16	2.3	-1.0	*
BENZALDEHYDE	Flower	0.16	2.3	-1.0	*

**Activities (24)**

Allergenic	
Anesthetic	
Antibacterial	
Anticancer	
Antimutagenic	
Antipeptic	
Antiseptic	
Antispasmodic	
Antitumor	
Candidicide	
FLavor FEMA 150-800	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Immunostimulant	
Insecticide	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Insectifuge 50 ppm	J. Stored. Prod. Res., 22:141, 1986.
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Narcotic	Merck 11th Edition
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Pesticide	
Sedative	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Termiticide LD100=5 mg/g	
Tyrosinase-Inhibitor ID50=820 uM	
Tyrosinase-Inhibitor ID50=87 ug/ml	
Tyrosinase-Inhibitor ID50=0.82 mM	
Tyrosinase-Inhibitor ID50=830 uM	

BENZOIC-ACID

Flower

--

--

\*

**Activities (20)**

Allergenic	Martindale's 28th
Anesthetic	
Antibacterial 33-1,250 ppm	
Antibacterial MBC=800 ug/ml	
Antiotitic	Martindale's 28th
Antipyretic	
Antisalmonella MIC=800 ug/ml	
Antiseptic 800 ug/ml	
Antiyeast MFC=1,600 ug/ml	
Choleretic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Expectorant	
FLavor FEMA 250	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide MFC=1,600 ug/ml	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Pesticide	
Phytoalexin	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Tyrosinase-Inhibitor ID50=710 uM	
Tyrosinase-Inhibitor ID50=640 uM	
Uricosuric	
Vulnerary	

BENZYL-ACETATE

Flower

--

--

\*

Activities (9)	
Acaricide	
Cardiotonic	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Emetic	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
FLavor FEMA 35-800	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Hypotensive	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Laxative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Tumorigenic	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Varroacide	

BENZYL-ALCOHOL	Flower	64.0	920.0	2.05	*
----------------	--------	------	-------	------	---

Activities (9)	
Allergenic	Martindale's 29th
Anesthetic	Martindale's 28th
Antiodontalgic	Martindale's 28th
Antipruritic	
Antiseptic	Martindale's 29th
FLavor Fema 200-1,200	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Pesticide	
Sedative	Jim Duke's personal files.

BENZYL-BENZOATE	Flower	10.0	138.0	-0.42	*
-----------------	--------	------	-------	-------	---

Activities (17)	
Acaricide LD50=9.22 ug/sq cm cf DEET at 37.59 ug/sq cm	
Allergenic	Martindale's 29th
Antiasthmatic	
Antidysmenorrhic	
Antispasmodic	
Antitumor ED50=8-15	Jung, J.H., Pummangura, S., Chaichantipyuth, c., Patarapanich, C., and McLaughlin, J.L. 1989. Bioactive Constituents of Melodorum fruticosum. Phytochemistry. 29(5): 1667-1670. 1990.
Artemicide LC50=2 ppm	Jung, J.H., Pummangura, S., Chaichantipyuth, c., Patarapanich, C., and McLaughlin, J.L. 1989. Bioactive Constituents of Melodorum fruticosum. Phytochemistry. 29(5): 1667-1670. 1990.
CNS-Depressant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
CNS-Stimulant	Martindale's 29th
FLavor FEMA 40-300	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Hypotensive	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Insectifuge	Martindale's 29th
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Myorelaxant	
Pediculicide	Martindale's 29th
Pesticide	
Scabicide	Merck 11th Edition

BENZYL-FORMATE	Flower	0.08	1.15		*
----------------	--------	------	------	--	---

Activities (1)	
FLavor FEMA 12-35	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

BENZYL-SALICYLATE	Flower	0.32	4.6	-0.67	*
-------------------	--------	------	-----	-------	---

Activities (2)	
Allergenic	
FLavor FEMA <1	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

BENZYL-TIGLATE	Flower	0.048	0.69		*
----------------	--------	-------	------	--	---

CINNAMALDEHYDE	Flower	0.48	6.9	1.0	*
----------------	--------	------	-----	-----	---

**Activities (60)**

Acaricide	
Adrenergic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Allelochemic IC100=2.5 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Allergenic	
Anesthetic	Hutchings, A, Scott, AH, Lewis, G, and Cunningham, A. 1996. Zulu Medicinal Plants. An inventory. University of Natal Press, Pietermaritzburg. 450 pp.
Antiaggregant 200 uM	Economic & Medicinal Plant Research, 5: 343.
Antibacterial MIC=250-1,000 ug/ml	
Antienterococcic MIC=250 ug/ml	
Antiescherichic MIC=500 ug/ml	
Antiherpetic	
Antiinflammatory	Hutchings, A, Scott, AH, Lewis, G, and Cunningham, A. 1996. Zulu Medicinal Plants. An inventory. University of Natal Press, Pietermaritzburg. 450 pp.
Antiklebsielllic MIC=1,000 ug/ml	
Antileukemic	
Antimutagenic	HerbalGram No. 24, page 40.
Antipneumonic MIC=1,000 ug/ml	
Antipseudomonic MIC=1,000 ug/ml	
Antipyretic	
Antisalmonella MIC=500 ug/ml	
Antispasmodic	
Antistaphylococcic MIC=250 ug/ml	
Antiulcer 500 mg/kg/orl	
Antiurease	
Antiviral	
CNS-Depressant	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
CNS-Stimulant	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
COX-2-Inhibitor IC50=245 uM	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide MIC=16- 40 ppm	
Choleretic 500 mg/kg/orl	
Chronotropic	
Circulatory-Stimulant	
Cyclooxygenase- Inhibitor	Hutchings, A, Scott, AH, Lewis, G, and Cunningham, A. 1996. Zulu Medicinal Plants. An inventory. University of Natal Press, Pietermaritzburg. 450 pp.
Cytotoxic ED50=5-60 ug/ml	
FLavor	
Fungicide 1.7-250 ppm	
Fungicide MIC=16-40 ppm	
Herbicide	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Histaminic	
Hypoglycemic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Hypotensive	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Hypothermic	
Inotropic	
Insecticide	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Irritant	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Lipoxygenase- Inhibitor	Hutchings, A, Scott, AH, Lewis, G, and Cunningham, A. 1996. Zulu Medicinal Plants. An inventory. University of Natal Press, Pietermaritzburg. 450 pp.
Monoaminergic	
Mutagenic	
Nematicide 100 ug/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	
Pesticide	
Sedative	

Sprout-Inhibitor	Duke, J.A.. Personal Communication.				
Teratogenic					
Termiticide LD96=1 mg/g					
Termiticide LD100=5 mg/g					
Tranquilizer					
Tyrosinase-Inhibitor ID50=129 ug/ml					
Tyrosinase-Inhibitor ID50=970 uM					
Vasodilator					
Vibriocide MIC=250 ug/ml					
<b>CINNAMYL-ACETATE</b>	Flower	1.0	16.0		*
<b>Activities (3)</b>					
FLavor FEMA 1-18	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Nematicide MLC=1,000 uM	Shoyakugaku Zasshi, 44: 183.				
Pesticide					
<b>CINNAMYL-ALCOHOL</b>	Flower	--	--		*
<b>Activities (6)</b>					
Allelochemic IC50=0.68 uM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.				
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.				
Herbicide 2.5 mM					
Nematicide MLC=1,000 uM	Shoyakugaku Zasshi, 44: 183.				
Perfumery	Merck 11th Edition				
Pesticide					
<b>CIS-3-HEXENOL</b>	Flower	0.032	0.46	-1.0	*
<b>Activities (1)</b>					
FLavor FEMA 1-5	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
<b>CIS-3-HEXENYL-ACETATE</b>	Flower	0.016	0.23	-1.0	*
<b>CIS-CINNAMYL-ALCOHOL</b>	Flower	0.32	4.6		*
<b>CIS-OCIMENE</b>	Flower	0.016	0.23		*
<b>Activities (3)</b>					
Antibacterial	Wright, C.W. (Ed) 2002. Medicinal & Aromatic Plants-Industrial Profiles. Artemisia. 344pp. Maffei, M. (Ed) 2002. Vetiveria. The Genus Vetiveria. Taylor & Francis. NY, NY. 191pp. Southwell, I., Lowe, R. (Eds) 1999. Tea Tree. The Genus Melaleuca. Harwood Acad. Pub. Amsterdam, Netherlands.				
Antistaphylococcic	Wright, C.W. (Ed) 2002. Medicinal & Aromatic Plants-Industrial Profiles. Artemisia. 344pp. Maffei, M. (Ed) 2002. Vetiveria. The Genus Vetiveria. Taylor & Francis. NY, NY. 191pp. Southwell, I., Lowe, R. (Eds) 1999. Tea Tree. The Genus Melaleuca. Harwood Acad. Pub. Amsterdam, Netherlands.				
Fungicide	Wright, C.W. (Ed) 2002. Medicinal & Aromatic Plants-Industrial Profiles. Artemisia. 344pp. Maffei, M. (Ed) 2002. Vetiveria. The Genus Vetiveria. Taylor & Francis. NY, NY. 191pp. Southwell, I., Lowe, R. (Eds) 1999. Tea Tree. The Genus Melaleuca. Harwood Acad. Pub. Amsterdam, Netherlands.				
<b>CYANIDIN-3,5-GLUCOSIDE</b>	Flower	--	--		*
<b>DELPHINIDIN-3,5-GLUCOSIDE</b>	Flower	--	--		*
<b>DIMETHYL-ANTHRANILATE</b>	Flower	--	--		*
<b>EO</b>	Flower	160.0	2300.0	-0.35	*
<b>ETHYL-BENZOATE</b>	Flower	0.032	0.46		*
<b>Activities (1)</b>					
FLavor FEMA 2-60	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
<b>ETHYL-SALICYLATE</b>	Flower	0.032	0.46		*
<b>Activities (4)</b>					
Analgesic	Martindale's 28th				
Antimyalgic	Martindale's 28th				
Antirheumatalgic	Martindale's 28th				
FLavor FEMA <1-1000	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				

**Activities (76)**

Acaricide LD50=5.47 ug/sq cm cf DEET at 37.59 ug/sq cm	
Allergenic	
Analgesic	Merck 11th Edition
Anesthetic 200-400	Phytotherapy Research, 4: 93.
AntiTNF	
Antiaggregant IC50=0.3 uM	Phytotherapy Research, 4: 93.
Antiarachidonate	
Antibacterial 500 ppm	Valnet, J. 1982. The Practice of Aromatherapy. Translated from the 1980 French Edition by Robin Campbell and Libby Houston. Destiny Books, New York. 279 pp.
Antibacterial MBC=400 ug/ml	
Anticonvulsant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiedemic 100	Phytotherapy Research, 4: 95.
Antiestrogenic	
Antifeedant	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Antigenotoxic 50-500 mg/kg ori mus	
Antiherpetic IC50=16.2-25.6 ug/ml	
Antiinflammatory (11 uM) IC~97=1,000 uM	
Antikeratotic IC50=16.2- 25.6 ug/ml	
Antimitotic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antinitrosating	
Antioxidant IC65=30 ppm	
Antioxidant 10 uM	
Anti prostaglandin 11 uM	
Anti prostaglandin IC50=9.2 mM	
Antipyretic 3 ml/man/day	
Antiradicular EC50=2 ul/l	
Antisalmonella MIC=400 ug/ml	
Antiseptic 3 ml/man/day	
Antiseptic 400 ug/ml	
Antispasmodic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antistaphylococccic	Wright, C.W. (Ed) 2002. Medicinal & Aromatic Plants-Industrial Profiles. Artemisia. 344pp. Maffei, M. (Ed) 2002. Vetiveria. The Genus Vetiveria. Taylor & Francis. NY, NY. 191pp. Southwell, I., Lowe, R. (Eds) 1999. Tea Tree. The Genus Melaleuca. Harwood Acad. Pub. Amsterdam, Netherlands.
Antithromboxane	Lawrence Review of Natural Products, Jul-87.
Antitumor	Zheng, G-Q., Kenney, P.M., and Lam, L.K.T. Sesquiterpenes From Clove ( <i>Eugenia caryophyllata</i> ) As Potential Anticarcinogenic Agents. Journal of Natural Products 55(7): 999-1003, 1992.
Antiulcer	
Antiviral IC50=16.2-25.6 ug/ml	
Apifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
CNS-Depressant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
COX-1-Inhibitor IC97=1,000 uM	
COX-2-Inhibitor IC>97=1,000 uM	
COX-2-Inhibitor IC50=129 uM	
Calcium-Antagonist IC50=224 uM	
Calcium-Antagonist IC50=200 uM gpg	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	Phytotherapy Research, 4: 93.
Carcinogenic?	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. J. Pharm. Pharmacol. 46: 14-18, 1994.
Choleretic	
Cytochrome-P450-Inhibitor	Pizzorno, J. 1998. Total Wellness. Prima Health, a division of Prima.
Cytotoxic 25 ug/ml	Phytotherapy Research, 4: 93.
Dermatitigenic	
Enterorelaxant	J. Aromatherapy 4: 22.
FLAOR FEMA 10-500	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Fungicide	
Hepatoprotective 100 ppm	
Herbicide	
Insecticide	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	
Juvabional	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Larvicide	
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=2,000 ug/ml	Shoyakugaku Zasshi, 44: 183.
Neurotoxic	R.J. Hixtable (Huxtable, R.J. (as T. Max), 1992. This and That:The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. Anns. Intern. Med. 117(2):165-6; Huxtable, R.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Prostaglandin-Synthesis-Inhibitor 1 mM rbt	Chen, S. J., Wang, M. H., Chen, I. J. 1996. Antiplatelet and Calcium Inhibitory Properties of Eugenol and Sodium Eugenol Acetate. Gen Pharmacol, 27(4): 629-633.
Prostaglandin-Synthesis-Inhibitor IC50=9.2 uM	
Sedative	
Termiticide LD100=5 mg/g	
Trichomonicide LD100=300 ug/ml	
Trichomonistat IC50=10 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Trypsin-Enhancer	Lawrence Review of Natural Products, Dec-93.
Ulcerogenic	Phytotherapy Research, 4: 93.
Varroacide	
Vasodilator	
Vermifuge	

---

GERANIOL	Flower	0.048	0.69	-0.52	*
----------	--------	-------	------	-------	---

---

**Activities (35)**

Allergenic	
Anthelmintic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antibacterial MIC=400 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antibacterial MIC=64 ug/ml	
Antibacterial MBC=800 ug/ml	
Anticancer (Pancreas) IC50=265 uM	
Anticariogenic MIC=400 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antimelanomic IC50=150 uM/l	
Antisalmonella MIC=400 ug/ml	
Antiseptic 7 x phenol	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Antiseptic MIC=64 ug/ml	
Antiseptic 400-800 ug/ml	
Antispasmodic	Buchbauer, G., Jirovetz*, L., Nikiforov, A., Remberg, G., Raverdino, V. 1989. Headspace-Analysis and Aroma Compounds of Austrian Hay-Blossoms (Flores Graminis, Graminis Flos) used in Aromatherapy. J. Ess. Oil Res., 2: 185-191, 1990.
Antitubercular MIC=64 ug/ml	
Antitumor	Yu, S.G., Anderson, P.J., and Elson, C.E. 1995. Efficacy of B-Ionone in the Chemoprevention of Rat Mammary Carcinogenesis. J. Agric. Food Chem. 43: 2144-2147.
Antitumor (Pancreas) IC50=265 uM	
Ascaricide	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
CNS-Stimulant	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	
Embryotoxic	
Emetic 3 x ipecac	Lawrence Review of Natural Products, Sep-97.
Expectorant	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
FLavor FEMA 1-10	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide IC93=2 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Herbicide IC100-2,000 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge 50 ppm	
Insectiphile	Merck 11th Edition
Mycobactericide MIC=64 ug/ml	
Nematicide IC86=100 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Nematicide MLC=1,000 ug/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Merck 11th Edition
Pesticide	
Sedative	
Trichomonicide LD100=300 ug/ml	

HEPTANAL-DIETHYL-ACETATE	Flower	0.016	0.23		*
HEPTANOL	Flower	0.016	0.23		*
HEXANOL	Flower	0.032	0.46	-1.0	*

**Activities (3)**

Antiseptic	
FLavor FEMA 0.2-25	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	

HYDROQUINONE	Flower	--	--		*
--------------	--------	----	----	--	---



**Activities (32)**

Allelochemic IC100=2.7 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Allergenic	Merck 11th Edition
Antibacterial	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antihepatomic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Antilithic	
Antimalarial	
Antimelanomic	
Antimelasmic	Martindale's 29th
Antimenorrhagic	
Antimitotic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antinephritic	
Antioxidant	Jim Duke's personal files.
Antipertussive	
Antiseptic	
Antithyretropic	
Antitrypanosomic	
Antitumor	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Astringent	
Carcinogenic	
Co-carcinogenic	
Convulsant 1 g orl	Lawrence Review of Natural Products, Sep-87.
Cytotoxic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Deliriant 1,000 mg/man	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Depigmentor	Merck 11th Edition
Emetic 1 g orl	Lawrence Review of Natural Products, Sep-87.
Flavor FEMA 5-50	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide IC41=50 ug/ml	Hanke, F. J., Natural Products as a Resource for Biologically Active Compounds, Thesis, U. Cal (Santa Cruz), 1986, 252 pp
Hypertensive	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Irritant	Martindale's 28th
Mycoplasmatistat	Mills, Simon and Bone, Kerry. 2000. Phytotherapy. Churchill Livinston, Edinburgh.
Pesticide	
Tinnitogenic 1,000 mg/man	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.

HYDROQUINONE-DIMETHYL-ETHER

Flower

--

--

\*

**Activities (1)**

FLavor FEMA <1-5	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
------------------	---

INDOLE

Flower

0.24

3.45

-0.67

\*

**Activities (15)**

Aldose-Reductase-Inhibitor

Antiacne

Antibacterial MIC=800 ug/ml Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.

Antibacterial MBC=800 ug/ml

Anticariogenic MIC=800 ug/ml Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.

Antisalmonella MIC=800 ug/ml

Antiseptic 800 ug/ml

Antistreptococcic

Cancer-Preventive Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

Carcinogenic Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Insectiphile Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor &amp; Frost, London. 791 pp.

Nematicide MLC=1 mg/ml Shoyakugaku Zasshi, 44: 183.

Perfumery Fragrance Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Pesticide

Tumorigenic Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

LINALOL	Flower	0.032	0.46	-0.39	*
---------	--------	-------	------	-------	---

METHYL-BENZOATE	Flower	0.048	0.69	0.15	*
-----------------	--------	-------	------	------	---

**Activities (4)**

Antiseptic

FLavor FEMA 2-10 Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Irritant Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Perfumery Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

METHYL-BENZYL-ETHER	Flower	0.016	0.23		*
---------------------	--------	-------	------	--	---

METHYL-CHAVICOL	Flower	0.032	0.46		*
-----------------	--------	-------	------	--	---

**Activities (6)**

Calcium-Antagonist IC50=258 uM

DNA-Binder

Hepatocarcinogenic Bisset, N.G., ed. 1994. Herbal Drugs and Phytopharmaceuticals. CRC Press. Boca Raton, FL. 566 pp.

Hypothermic

Insecticide

Pesticide

METHYL-EUGENOL	Flower	2.0	34.0	-1.0	*
----------------	--------	-----	------	------	---

**Activities (20)**

Anesthetic	
Antibacterial	Internat. J. Oriental Med. 15(4): 199, 1990+
Anticonvulsant	
Antidote (Strychnine)	
Antifeedant	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Antioxidant EC50=100 ul/l	
Antiradicular EC50=100 ul/l	
Antiseptic	
Cancer- Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carcinogenic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
FLavor FEMA 5- 15	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Fungistat 100 ug/ml	Laekeman, G.M., Van Hoof, L., Haemers, A., Vanden Berghe, D.A., Herman, A.G., and Vlietinck, A.J. Eugenol a Valuable Compound for In Vitro Experimental Research and Worthwhile for Further In Vivo Investigation. Phytotherapy Research 4(3): 93, 1990.
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Myorelaxant	Fitoterapia No.61: 254, 1990.
Narcotic	
Nematicide MIC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	

METHYL-N-METHYL-ANTHRANILATE	Flower	1.0	7.0	*	
METHYL-O-METHOXY-BENZOATE(?)	Flower	--	--	*	
METHYL-SALICYLATE	Flower	0.16	2.3	-0.62	*

**Activities (21)**

Allergenic	Martindale's 28th
Analgesic	
Anaphrodisiac	
Antiinflammatory	Planta Medica, 56(6): 660, 1990.
Antioxidant	
Antipyretic	
Antiradicular	O'Connell, M.J., Webster, N.R. 1989. Hyperoxia and salicylate metabolism in rats. J. Pharm. Pharmacol. 42: 205-206, 1990.
Antirheumatologic	Martindale's 28th
Antiseptic	
Antitartar	
Cancer- Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carminative	
Counterirritant	Merck 11th Edition
Dentifrice	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
FLavor FEMA 70- 8,000	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Herpetifuge	
Insectifuge	Hardie, J., Isaacs, R., Pickett* J.A., Wadhams, L.J., and Woodcock, C.M. 1994. Methyl Salicylate and (-)-(1R,5S)-Myrtenal are Plant-Derived Repellents for Black Bean Aphid, Aphis fabae Scop. (Homoptera: Aphididae). J. of Chemical Ecology, 20(11):2847.
Insectiphile	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	

METHYL-VERATRATE	Flower	0.016	0.23	*	
MYRCENE	Flower	0.016	0.23	-0.91	*

**Activities (22)**

ACE-Inhibitor 100 ug/ml

Aldose-Reductase-Inhibitor 100 ug/ml Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.

Allergenic

Analgesic Kauderer, B., Zamith, H., Paumgartten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. Environmental and Molecular Mutagenesis 18: 28-34, 1991.

Antibacterial

Anticonvulsant

Antimutagenic Kauderer, B., Zamith, H., Paumgartten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. Environmental and Molecular Mutagenesis 18: 28-34, 1991.

Antinitrosaminic

Antinociceptive 10-20 mg/kg ipr mus Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. J. Pharm. Pharmacol. 42: 877-878, 1990.

Antinociceptive 20-40 mg/kg scu mus Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. J. Pharm. Pharmacol. 42: 877-878, 1990.

Antioxidant Jim Duke's personal files.

Antispasmodic Jim Duke's personal files.

Chemopreventive Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

FLavor FEMA 0.5-9 Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Fungicide Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.

Hypothermic

Insectifuge

Irritant Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Myorelaxant 100-200 mg/kg

P450-2B1-Inhibitor IC50=0.14 uM

Perfumery Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor &amp; Frost, London. 791 pp.

Pesticide

N-HEPTALDEHYDE(?)	Flower	--	--	*
-------------------	--------	----	----	---

N-HEPTANAL	Flower	0.032	0.46	*
------------	--------	-------	------	---

**Activities (1)**

FLavor FEMA 1-5 Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

N-HEPTANOL	Essential Oil	--	--	*
------------	---------------	----	----	---

P-METHOXY-ACETOPHENONE	Flower	0.16	2.3	*
------------------------	--------	------	-----	---

P-METHOXY-PHENYL-ETHYL-ACETATE	Flower	0.48	6.9	*
--------------------------------	--------	------	-----	---

P.METHOXYPHENYLPROPYL-ALCOHOL	Flower	0.032	0.46	*
-------------------------------	--------	-------	------	---

PELARGONIDIN-3,5-GLUCOSIDE	Flower	--	--	*
----------------------------	--------	----	----	---

PHENYL-ETHYL-ALCOHOL	Flower	6.0	85.0	0.04	*
----------------------	--------	-----	------	------	---

PHENYLEHTYL-BENZOATE	Flower	2.0	28.0	*
----------------------	--------	-----	------	---

PHENYLETHYL-SALICYLATE	Flower	0.064	0.92	*
------------------------	--------	-------	------	---

PHENYLPROPYL-ACETATE	Flower	0.08	1.15	*
----------------------	--------	------	------	---

PHENYLPROPYL-ALCOHOL	Flower	1.0	18.0	*
----------------------	--------	-----	------	---

SAPONIN	Twig	--	--	*
---------	------	----	----	---

SAPONIN	Seed	--	--	*
---------	------	----	----	---

TRANS-ALPHA-FARNESENE	Flower	1.0	14.0	*
-----------------------	--------	-----	------	---

TRANS-CINNAMYL-ALCOHOL	Flower	18.0	253.0	*
------------------------	--------	------	-------	---

TRANS-OCIMENE	Flower	0.032	0.46	*
---------------	--------	-------	------	---

TRIMETHOXYMETHYL-BENZOATE	Flower	32.0	460.0	*
---------------------------	--------	------	-------	---

UNDECANONE	Flower	0.064	0.92	*
------------	--------	-------	------	---

VERATRYL-ACETATE	Flower	0.048	0.69	*
------------------	--------	-------	------	---