

List of All Chemicals

P Hydnocarpus wightiana (Flacourtiaceae)

Common name(s)

Hindi Chaulmoogra

How used

Medicinal

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Chemical	Part All ▾	Low PPM	High PPM	StdDev	*Reference
ALEPRESTIC-ACID	Seed	--	--		*
ALEPRIC-ACID	Seed	--	--		*
ALEPROLIC-ACID	Seed	--	--		*
ALEPRYLIC-ACID	Seed	--	--		*
APIGENIN	Seed	--	--		*

Activities (101)

11B-HSD-Inhibitor

AntiADD

AntiHIV IC72=200 ug/ml

AntiHIV IC50=143 ug/ml

Antiaflatoxin IC50=9.52 uM

Antiaflatoxin IC50=2.57 ppm

Antiaggregant

Antiaging

Antiallergic Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).

Antiangiogenic 4 uM

Antiarrhythmic

Antibacterial Recio, M. C., Rios, J. L., and Villar, A., A review of some antimicrobial compounds isolated from medicinal plants reported in the literature 1978-1988, Phytotherapy Research, 3(4), 1989, 117-125.

Anticancer (Lung)

Anticomplementary

Antidermatitic

Bisset, N.G., ed. 1994. Herbal Drugs and Phytopharmaceuticals. CRC Press. Boca Raton, FL. 566 pp.

Antiestrogenic

Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).

Antiherpetic 20-54 ug/ml

Antihistaminic IC50=10-35 uM

Antiinflammatory #NAME?

Antiinflammatory IC~65=1,000 uM

Antileukemic 20-50 uM

Antimelanomic 1-50 uM

Antimetastatic 1-50 uM

Antimutagenic ID50=10-40 nM

Phenolic Compounds in Food and Their Effects on Health. Antioxidants & Cancer Prevention. Huang, M.T., Ho, C.T. and Lee, C.Y. eds. 1992. ACS Symposium Series 507.ACS, Washington 402 pp.

Antimutagenic ID50=0.55 ug/ml

Antioxidant 1.5 x Vit. E

Antioxidant IC28.5=62.5 ug/ml

Antiperistaltic

Antiproliferant 1-50 uM

Antiproliferant IC50=155 uM

Antispasmodic EC50=1-5 uM

Antistress 10 mg/kg

Antithyroid Jim Duke's personal files.

Antitumor 1-50 uM

Antitumor (Breast) 1-50 uM

Antitumor (Lung)

Antitumor (Skin)

Antiviral 20-54 ug/ml

Anxiolytic 10 mg/kg

Apoptotic 12-60 uM

Aromatase-Inhibitor
IC₆₅=1 uM/l Journal of Medicinal Food 2: 235.1999.

Beta-Glucuronidase-Inhibitor IC₅₀=~40 uM

CNS-Depressant

COX-1-Inhibitor
IC₆₅=1,000 uM

COX-2-Inhibitor
IC₆₅=1,000 uM

COX-2-Inhibitor <40 uM

COX-2-Inhibitor IC₅₀=<15 uM

Calcium-Antagonist? Biochimica & Biophysica Acta, 1115: 69, 1991.

Cancer-Preventive Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

Choleretic

Cyclooxygenase-Inhibitor

Cytochrome-P450-1A1-Inhibitor

Cytotoxic IC₈₈=10 ug/ml Planta Medica, 57: A113, 1991.

Cytotoxic 1-50 uM

Cytotoxic IC₅₀=9.5 uM

DNA-Protective

Deiodinase-Inhibitor Jim Duke's personal files.

Differentiator MIC=30 uM

Differentiator IC₄₀=40 uM

Diuretic Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

Estrogenic EC₅₀=0.1-25 uM/l Journal of Medicinal Food 2: 227.1999.

Estrogenic 16% genistein

Estrogenic EC₅₀=1 uM

HIF-1alpha-Inhibitor

Hyaluronidase-Inhibitor
IC₅₀+ =50-250 uM

Hypotensive Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

ICAM-1-Inhibitor

IKK-Inhibitor

Inotropic

Interleukin-6-Inhibitor

MAO-Inhibitor

MAPK-Inhibitor

Musculotropic Wichtl, M. 1984. Teedrogen. Ein Handbuch für Apotheker und Ärzte. Wissenschaftliche Verlagsgesellschaft. mbH Stuttgart. 393 pp.

Mutagenic

Myorelaxant Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

NADH-Oxidase-Inhibitor

NF-kB-Inhibitor

NO-Synthase-Inhibitor 5-50 uM

Nodulation-Signal Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

Ornithine-Decarboxylase-Inhibitor

P21-Inducer 10-70 uM

PKC-Inhibitor IC₅₀=10 uM

PTK-Inhibitor 10-100 uM

Pesticide

Polyamine-Synthesis-Inhibitor

Progestational

Protein-Kinase-C-Inhibitor
IC₅₀=10-40 uM

Quinone-Reductase-Inducer 20 uM Uda, Y., Price, K. R., Williamson, G., Rhodes, M. J. C. 1997. Induction of the Anticarcinogenic Marker Enzyme, Quinone Reductase, in Murine Hepatoma Cells In Vitro by Flavonoids. Cancer Lett., 120 (2): 213-216.

Radioprotective

Sedative 30-100 mg/kg

Sunscreen

TNF-alpha-Inhibitor
IC₅₀=3.27 uM

Topoisomerase-I-Inhibitor	Santti, R., Makela, S., Strauss, L., Korman, J., Kostian, M. L. 1998. Phytoestrogens: Potential Endocrine Disruptors in Males. <i>Toxicol Ind Health</i> , 14: 223-237.
Topoisomerase-II-Inhibitor 50 ug/ml	Azuma, Y., Onishi, Y., Sato, Y., Kizaki, H. 1995. Effects of Protein Tyrosine Kinase Inhibitors With Different Modes of Action on Topoisomerase Activity and Death of IL-2-Dependent CTLL-2-Cells. <i>J Biochemistry</i> , 118: 312-318.
Topoisomerase-II-Inhibitor IC28=18 uM	
Topoisomerase-II-Inhibitor IC45=180 uM	
Uterotrophic EC50=0.1-25 uM/l	<i>Journal of Medicinal Food</i> 2: 227.1999.
VEGF-Inhibitor IC50=2-7 uM	
Vasodilator	
Xanthine-Oxidase-Inhibitor 0.36 uM	
iNOS-Inhibitor IC50=<15 uM	

ARACHNIC-ACID	Seed	--	--		*
ASH	Seed	--	38300.0	-0.29	*
BETULINIC-ACID	Leaf	--	48.8	-0.98	Jim Duke's personal files.

Activities (22)	
Anthelmintic	
AntiHIV EC50=2.0 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. <i>J. Nat. Prod.</i> , 61 (9): 1090-1095.
AntiHIV IC50=6.5 ug/ml	
AntiHIV 14.8 uM	
Antibacterial	
Anticancer	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Anticarcinomic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Antiedemic	
Antiinflammatory	Recio, M., et al. 1994. Investigations on the Steroidal Anti-Inflammatory Activity of Triterpenoids from <i>Diospyros leucomelas</i> *. <i>Planta Medica</i> , 61: 9.
Antileukemic	
Antimalarial IC50=19-26 ug/ml	
Antimelanomic	<i>New York Times</i> , 3/28/95.
Antinociceptive	
Antiplasmodial IC50=19-26 ug/ml	
Antitumor	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Antiviral 14.8 uM	
Apoptotic	
Cytotoxic 50-100 ppm	<i>Biosyn. Prod. Cancer Chemotherapy</i> (Petit et al)
Cytotoxic 16.4 uM	
Phospholipase-A2-Inhibitor	
Prostaglandin-Synthesis- Inhibitor 200 ug/ml	Dunstan, C. A., Liu, B., Welch, C. J., Perera, P., Bohlin, L. 1998. Alphitol, a Phenolic Substance from <i>Alphitonia zizyphoides</i> which Inhibits Prostaglandin Biosynthesis in vitro. <i>Phytochemistry</i> , 48(3): 495-497.
Prostaglandin-Synthesis- Inhibitor IC50=101 uM	Huang, C., Tunon, H., Bohlin, L. 1995. Anti-Inflammatory Compounds Isolated from <i>Menyanthes trifoliata</i> L. <i>Yao Hsueh Hsueh Pao</i> , 30(8): 621-626.

BETULINIC-ACID	Seed	--	--		Jim Duke's personal files.
----------------	------	----	----	--	----------------------------

Activities (22)

Anthelmintic	
AntiHIV EC50=2.0 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. <i>J. Nat. Prod.</i> , 61 (9): 1090-1095.
AntiHIV IC50=6.5 ug/ml	
AntiHIV 14.8 uM	
Antibacterial	
Anticancer	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Anticarcinomic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Antiedemic	
Antiinflammatory	Recio, M., et al. 1994. Investigations on the Steroidal Anti-Inflammatory Activity of Triterpenoids from <i>Diospyros leucomelas</i> *. <i>Planta Medica</i> , 61: 9.
Antileukemic	
Antimalarial IC50=19-26 ug/ml	
Antimelanomic	New York Times, 3/28/95.
Antinociceptive	
Antiplasmodial IC50=19-26 ug/ml	
Antitumor	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Antiviral 14.8 uM	
Apoptotic	
Cytotoxic 50-100 ppm	Biosyn. Prod. Cancer Chemotherapy (Petit et al)
Cytotoxic 16.4 uM	
Phospholipase-A2-Inhibitor	
Prostaglandin-Synthesis-Inhibitor 200 ug/ml	Dunstan, C. A., Liu, B., Welch, C. J., Perera, P., Bohlin, L. 1998. Alphitol, a Phenolic Substance from <i>Alphitonia zizyphoides</i> which Inhibits Prostaglandin Biosynthesis in vitro. <i>Phytochemistry</i> , 48(3): 495-497.
Prostaglandin-Synthesis-Inhibitor IC50=101 uM	Huang, C., Tunon, H., Bohlin, L. 1995. Anti-Inflammatory Compounds Isolated from <i>Menyanthes trifoliata</i> L. <i>Yao Hsueh Hsueh Pao</i> , 30(8): 621-626.

BETULINIC-ACID Stem Bark -- 66.6 -0.4 Jim Duke's personal files.

Activities (22)

Anthelmintic	
AntiHIV EC50=2.0 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. <i>J. Nat. Prod.</i> , 61 (9): 1090-1095.
AntiHIV IC50=6.5 ug/ml	
AntiHIV 14.8 uM	
Antibacterial	
Anticancer	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Anticarcinomic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Antiedemic	
Antiinflammatory	Recio, M., et al. 1994. Investigations on the Steroidal Anti-Inflammatory Activity of Triterpenoids from <i>Diospyros leucomelas</i> *. <i>Planta Medica</i> , 61: 9.
Antileukemic	
Antimalarial IC50=19-26 ug/ml	
Antimelanomic	New York Times, 3/28/95.
Antinociceptive	
Antiplasmodial IC50=19-26 ug/ml	
Antitumor	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Antiviral 14.8 uM	
Apoptotic	
Cytotoxic 50-100 ppm	Biosyn. Prod. Cancer Chemotherapy (Petit et al)
Cytotoxic 16.4 uM	
Phospholipase-A2-Inhibitor	
Prostaglandin-Synthesis-Inhibitor 200 ug/ml	Dunstan, C. A., Liu, B., Welch, C. J., Perera, P., Bohlin, L. 1998. Alphitol, a Phenolic Substance from <i>Alphitonia zizyphoides</i> which Inhibits Prostaglandin Biosynthesis in vitro. <i>Phytochemistry</i> , 48(3): 495-497.
Prostaglandin-Synthesis-Inhibitor IC50=101 uM	Huang, C., Tunon, H., Bohlin, L. 1995. Anti-Inflammatory Compounds Isolated from <i>Menyanthes trifoliata</i> L. <i>Yao Hsueh Hsueh Pao</i> , 30(8): 621-626.

CHAULMOGRIC-ACID Seed -- 170775.0 1.0 *

Activities (3)

Antibacterial MIC=32-64 ug/ml	Martindale's 28th
Antileptic	Iwu, M.M. 1993. <i>Handbook of African Medicinal Plants.</i> CRC Press, Boca Raton, FL 435 pp.
Antisarcoidosis	Merck 11th Edition

CHRYSOERIOL Seed -- -- *

Activities (7)

Aldose-Reductase-Inhibitor IC31=10 uM	Shimizu, M., Ito, T., Terashima, S., Hayashi, T., Arisawa, M., Morita, N., Kurokawa, S., Ito, K., and Hashimoto, Y. 1984. Inhibition of Lens Aldose Reductase by Flavonoids. <i>Phytochemistry</i> , 23: 1885-1888.
Anticomplementary	
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antioxidant	
Antirhinoviral	Economic & Medicinal Plant Research, 5: 197.
Antiviral	Economic & Medicinal Plant Research, 5: 197.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

DIHYDROCHAULMOGRIC-ACID	Seed	--	--		*
DIHYDROHYDNOCARPIC-ACID	Seed	--	--		*
FAT	Seed	--	632500.0	1.93	*
GORLIC-ACID	Seed	--	77165.0	-1.0	*
HYDNOCARPIC-ACID	Seed	--	308000.0	1.0	*

Activities (3)

Antibacterial	Merck 11th Edition
Antileptic	
Pesticide	

HYDNOCARPIN	Fruit	--	--		*
ISOGALEIC-ACID	Seed	--	--		*
LEUCOPELARGONIDIN	Fruit	--	--		*

Activities (1)

Antineoplastic

LICHENIN	Fruit	--	--		*
LUTEOLIN	Seed	--	--		*

Activities (78)

Aldose-Reductase-Inhibitor EC=3 ppm	Shin*, K.H., Chung, M.S., Chae, Y.J., Yoon, K.Y., Cho, T.S. 1992. A survey for aldose reductase inhibition of herbal medicines. <i>Fitoterapia</i> 64(2): 130, 1993.
Aldose-Reductase-Inhibitor IC50=0.45 uM rat	
AntiHIV	
Antiallergic	
Antiangiogenic IC60-75=10 uM	
Antiatherogenic	
Antibacterial MIC=500 ug/ml	<i>Planta Medica</i> , 57: A43, 1991.
Anticarcinogenic	
Anticarcinomic	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Anticataract EC=3 ppm	Shin*, K.H., Chung, M.S., Chae, Y.J., Yoon, K.Y., Cho, T.S. 1992. A survey for aldose reductase inhibition of herbal medicines. <i>Fitoterapia</i> 64(2): 130, 1993.
Anticomplementary	
Antidermatic	Bisset, N.G., ed. 1994. <i>Herbal Drugs and Phytopharmaceuticals</i> . CRC Press. Boca Raton, FL. 566 pp.
Antiestrogenic	
Antifeedant IC52=<1,000 ppm diet	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, <i>Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology</i> , v. 4, Oryx Press, Phoenix, 1989, 267pp.
Antiherpetic 11-23 ug/ml	
Antihistaminic <10-15 uM	
Antiinflammatory #NAME?	Wichtl, M. 1984. <i>Teedrogen. Ein Handbuch für Apotheker und Ärzte</i> . Wissenschaftliche Verlagsgesellschaft. mbH Stuttgart. 393 pp.
Antileukemic 20-50 uM	
Antilymphomic	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antimelanomic	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antimutagenic ID50=2-5 nM	
Antimutagenic ID50=0.44 ug/ml	

Antinociceptive	
Antioxidant IC50=10 uM	
Antipolio	Economic & Medicinal Plant Research, 5: 197.
Antiproliferant	
Antispasmodic	Williamson, E. M. and Evans, F. J., <i>Potter's New Cyclopaedia of Botanical Drugs and Preparations</i> , Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Antitumor 1-50 uM	
Antitumor (Colon)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Kidney)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Lung)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Ovary)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Pancreas)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Skin) 20 uM	
Antitumor (Stomach)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Thyroid) 12-50 uM	
Antitumor (brain)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitussive	
Antiviral 11-23 ug/ml	
Aphidifuge	
Apoptotic 12-50 uM	
Aromatase-Inhibitor IC35=1 uM/l	Journal of Medicinal Food 2: 235.1999.
Beta-Glucuronidase-Inhibitor IC50=--40 uM	
Calcium-Antagonist IC50=1.2 uM rbt	
Cancer-Preventive	
Chemopreventive	
Choleretic	
Cytotoxic 1-50 uM	
Deiodinase-Inhibitor	Jim Duke's personal files.
Differentiator IC>40=40 uM	
Diuretic	Jim Duke's personal files.
Estrogenic 58% genistein	
Hepatoprotective	
Hyaluronidase-Inhibitor IC50+=100-250 uM	
Hypocholesterolemic	
ICAM-1-Inhibitor	
IKK-Inhibitor	
Iodothyronine-Deiodinase-Inhibitor	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Lipoxygenase-Inhibitor	
MAPK-Inhibitor	
MMP-9-Inhibitor 20 uM	
Metalloproteinase-Inhibitor	
Myorelaxant	
NEP-Inhibitor IC50=>42 uM	
NF-kB-Inhibitor	
NO-Inhibitor	
PTK-Inhibitor 10-100 uM	
Pesticide	
Proliferant	
Prostaglandin-Synthetase-Inhibitor	
Protein-Kinase-C-Inhibitor IC70=50 uM	
Succinoxidase-Inhibitor	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
TNF-alpha-Inhibitor IC50=14.44 uM	
Topoisomerase-I-Inhibitor	Santti, R., Makela, S., Strauss, L., Korman, J., Kostian, M. L. 1998. Phytoestrogens: Potential Endocrine Disruptors in Males. <i>Toxicol Ind Health</i> , 14: 223-237.
VEGF-Inhibitor IC50=2-7 uM	
Vasodilator	
Xanthine-Oxidase-Inhibitor IC50=0.11 ug/ml	Chem. & Pharm. Bull. 38: 1772.

iNOS-Inhibitor					
OLEIC-ACID	Seed	--	41110.0	-0.64	*
Activities (18)					
5-Alpha-Reductase-Inhibitor					
Allergenic					
Alpha-Reductase-Inhibitor					
Anemiagenic					
Antialopecic					
Antiandrogenic					
Antiinflammatory IC50=21 uM					
Antileukotriene-D4 IC50=21 uM					
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
Choleretic 5 ml/man					
Dermatitigenic					
Flavor FEMA 1-30	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Hypocholesterolemic	Spiller, G. A. 1996 (Spiller, G. A. Ed. 1996. CRC Handbook of Lipids in Human Nutrition. CRC Press. Boca Raton, FL. 233 pp.)				
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Irritant	Merck 11th Edition				
Percutaneostimulant	Seki, T., Toeda, C., Kawaguchi, T., Juni, K., Sugibayashi, K., and Morimoto, Y. 1990. Enhanced Transdermal Delivery of Zidovudine in Rats and Human Skin. Chem. Pharm. Bull. 38(11): 3086-3089, 1990.				
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Propecic					

PALMITIC-ACID					
	Seed	--	11385.0	-0.46	*
Activities (13)					
5-Alpha-Reductase-Inhibitor					
Antialopecic					
Antiandrogenic					
Antifibrinolytic	Economic & Medicinal Plant Research, 1: 53.				
Antioxidant IC40=60					
Flavor FEMA 1	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Hemolytic	Bisset, N.G., ed. 1994. Herbal Drugs and Phytopharmaceuticals. CRC Press. Boca Raton, FL. 566 pp.				
Hypercholesterolemic	Spiller, G. A. 1996 (Spiller, G. A. Ed. 1996. CRC Handbook of Lipids in Human Nutrition. CRC Press. Boca Raton, FL. 233 pp.)				
Lubricant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Nematicide	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.				
Pesticide					
Propecic					
Soap	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				

STARCH					
	Fruit	--	--		*
Activities (5)					
Absorbent	Martindale's 29th				
Antidote (Iodine)	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Antinesidioblastosic	Martindale's 29th				
Emollient	Martindale's 29th				
Poultice	Martindale's 29th				

TARAKTOGENIC-ACID					
	Seed	--	--		*
WATER					
	Seed	--	84800.0	-0.55	*