

# List of All Chemicals

## **P** Hyssopus officinalis (Lamiaceae)

### Common name(s)

Hyssop

### How used

GRAS

\*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Chemical	Part	All <input type="button" value="v"/>	Low PPM	High PPM	StdDev	*Reference
(1S,2R,5R)-3-PINANONE	Plant		--	--		J.S. Glasby Dict.Pls Containing 2ndary Metabolite. 1991.
1,8-CINEOLE	Shoot		488.0	610.0	-0.13	Indian Perfumer, 35: 51.

#### Activities (67)

(-)-Chronotropic 87 n/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
(-)-Inotropic 87 n/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Acaricide LC100=6 uM	
Allelopathic	
Allergenic	
Anesthetic	
Anthelmintic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiacetylcholinesterase IC50=41 ug/ml	
Antiallergic	J. Food Hyg. Soc. Jap. 33(6): 569.
Antibacterial 50 ppm	
Antibronchitic	
Anticariogenic	
Anticatarrh	Martindale's 29th
Anticholinesterase IC50=50-70	
Antifatigue	
Antihalitosis	American Health, 12(4): 17, 1993.
Antiinflammatory	
Antilaryngitic	
Antinociceptive	
Antipharyngitic	
Antiplaque	
Antirheumatic	
Antirhinitic	
Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antisinusitic	
Antispasmodic	
Antistaphylococcic 50 ppm	
Antitussive	
Antiulcer	
CNS-Stimulant	
Candidicide	
Carcinogenic	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Choleretic	
Convulsant	
Counterirritant	Martindale's 29th
Cytochrome-P450-Inducer	
Decongestant	
Degranulant 0.3 ul/ml	
Dentifrice	Martindale's 29th
Edemaegenic ini	

Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
FLavor FEMA 1-200	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Gastroprotective	
Gram(+)-icide	
Gram(-)-icide	
Hepatotonic	
Herbicide IC50=78 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Hypotensive	
Inflammatory inj	
Insectifuge	
Irritant	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Myorelaxant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Neurotoxic	
P450-Inducer	
Pediculicide 2.3 x pyrethrin	
Perfume	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Rubefacient	Martindale's 29th
Secretogogue	
Sedative	
Spasmogenic	
Surfactant	
Testosterone-Hydroxylase-Inducer	
Transdermal	
Trichomonicide LD100=1,000 ug/ml	

1,8-CINEOLE                      Essential Oil    --                      122000.0    -0.3                      \*

#### Activities (67)

(-)-Chronotropic 87 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
(-)-Inotropic 87 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Acaricide LC100=6 uM	
Allelopathic	
Allergenic	
Anesthetic	
Anthelmintic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiacetylcholinesterase IC50=41 ug/ml	
Antiallergic	J. Food Hyg. Soc. Jap. 33(6): 569.
Antibacterial 50 ppm	
Antibronchitic	
Anticariogenic	
Anticatarrh	Martindale's 29th
Anticholinesterase IC50=50-70	
Antifatigue	
Antihalitosis	American Health, 12(4): 17, 1993.
Antiinflammatory	
Antilaryngitic	
Antinociceptive	
Antipharyngitic	
Antiplateau	
Antirheumatic	
Antirhinitic	
Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antisinusitic	
Antispasmodic	
Antistaphylococcic 50 ppm	
Antitussive	

Antiulcer	
CNS-Stimulant	
Candidicide	
Carcinogenic	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Choleretic	
Convulsant	
Counterirritant	Martindale's 29th
Cytochrome-P450-Inducer	
Decongestant	
Degranulant 0.3 ul/ml	
Dentifrice	Martindale's 29th
Edemagenic inj	
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
FLavor FEMA 1-200	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Gastroprotective	
Gram(+)-icide	
Gram(-)-icide	
Hepatotoxic	
Herbicide IC50=78 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Hypotensive	
Inflammatory inj	
Insectifuge	
Irritant	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Myorelaxant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Neurotoxic	
P450-Inducer	
Pediculicide 2.3 x pyrethrin	
Perfume	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Rubefacient	Martindale's 29th
Secretagogue	
Sedative	
Spasmogenic	
Surfactant	
Testosterone-Hydroxylase-Inducer	
Transdermal	
Trichomonocide LD100=1,000 ug/ml	

1,8-EPOXY-2-P-MENTHENE	Shoot	--	1.0		Indian Perfumer, 35: 51.
1-(1,4-DIMETHYL-3-CYCLOHEXEN-1-YL)ETHANONE	Shoot	--	20.0	-1.02	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
1-(1,4-DIMETHYL-3-CYCLOHEXEN-1-YL)ETHANONE	Shoot	--	10.0	-1.28	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
1-(1,4-DIMETHYL-3-CYCLOHEXEN-1-YL)ETHANONE	Shoot	--	20.0	-1.02	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
1-(1,4-DIMETHYL-3-CYCLOHEXEN-1-YL)ETHANONE	Shoot	--	100.0	1.08	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
1-(1,4-DIMETHYL-3-CYCLOHEXEN-1-YL)ETHANONE	Shoot	--	70.0	0.29	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
1-(1,4-DIMETHYL-3-CYCLOHEXEN-1-YL)ETHANONE	Shoot	--	130.0	1.86	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

1-(1,4-DIMETHYL-3-CYCLOHEXEN-1-YL)ETHANONE	Shoot	--	40.0	-0.5	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
1-(1,4-DIMETHYL-3-CYCLOHEXEN-1-YL)ETHANONE	Shoot	--	60.0	0.03	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
1-(1,4-DIMETHYL-3-CYCLOHEXEN-1-YL)ETHANONE	Shoot	--	80.0	0.55	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
1-(1,4-DIMETHYL-3-CYCLOHEXEN-1-YL)ETHANONE	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
10-EPI-(ALPHA)-CADINOL	Plant	--	1.0	-1.0	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
2-HEXANONE	Shoot	5.0	6.0		Indian Perfumer, 35: 51.
3-CARENE	Shoot	--	1.0	-0.9	Indian Perfumer, 35: 51.
3-OCTANOL	Plant	--	--		Planta Medica, 55: 226.
<b>Activities (2)</b>					
Flavor FEMA	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
3-OCTANONE	Shoot	--	1.0	-0.66	Indian Perfumer, 35: 51.
ALLO-AROMADENDRENE	Shoot	--	20.0	-0.16	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALLO-AROMADENDRENE	Shoot	--	70.0	-0.1	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALLO-AROMADENDRENE	Shoot	--	40.0	-0.13	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALLO-AROMADENDRENE	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALLO-AROMADENDRENE	Shoot	--	30.0	-0.15	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALLO-AROMADENDRENE	Shoot	--	30.0	-0.15	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALLO-AROMADENDRENE	Shoot	--	10.0	-0.17	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALLO-AROMADENDRENE	Shoot	--	30.0	-0.15	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALLO-AROMADENDRENE	Shoot	--	20.0	-0.16	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALLO-AROMADENDRENE	Shoot	--	20.0	-0.16	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-CADINENE	Plant	--	--		*
ALPHA-CAMPHENE	Essential Oil	--	--		*
ALPHA-CARYOPHYLLENE	Shoot	--	290.0	-0.23	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

ALPHA-CARYOPHYLLENE	Shoot	--	260.0	-0.24	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-CARYOPHYLLENE	Shoot	--	260.0	-0.24	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-CARYOPHYLLENE	Shoot	--	140.0	-0.26	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-CARYOPHYLLENE	Shoot	--	200.0	-0.25	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-CARYOPHYLLENE	Shoot	--	120.0	-0.26	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-CARYOPHYLLENE	Shoot	--	160.0	-0.26	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-CARYOPHYLLENE	Shoot	--	190.0	-0.25	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-CARYOPHYLLENE	Shoot	--	180.0	-0.25	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-CARYOPHYLLENE	Shoot	--	140.0	-0.26	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-GURJUNENE	Shoot	--	120.0	1.74	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-GURJUNENE	Shoot	--	120.0	1.74	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-GURJUNENE	Shoot	--	100.0	1.28	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-GURJUNENE	Shoot	--	40.0	-0.11	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-GURJUNENE	Shoot	--	50.0	0.12	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-GURJUNENE	Shoot	--	30.0	-0.34	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-GURJUNENE	Shoot	--	60.0	0.35	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-GURJUNENE	Shoot	--	50.0	0.12	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-GURJUNENE	Shoot	--	70.0	0.59	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-GURJUNENE	Shoot	--	120.0	1.74	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-HUMULENE	Flower	1.0	12.0	-0.85	*

Activities (2)					
Antitumor	Zheng, G-Q., Kenney, P.M., and Lam, L.K.T. Sesquiterpenes From Clove ( <i>Eugenia caryophyllata</i> ) As Potential Anticarcinogenic Agents. <i>Journal of Natural Products</i> 55(7): 999-1003, 1992.				
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.				

ALPHA-HUMULENE                      Leaf                      1.0                      140.0                      -0.23                      \*

Activities (2)					
Antitumor	Zheng, G-Q., Kenney, P.M., and Lam, L.K.T. Sesquiterpenes From Clove ( <i>Eugenia caryophyllata</i> ) As Potential Anticarcinogenic Agents. <i>Journal of Natural Products</i> 55(7): 999-1003, 1992.				
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.				

ALPHA-PHELLANDRENE                      Leaf                      5.0                      320.0                      -0.09                      \*

Activities (11)					
Antibacterial	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.				
Antistaphylococcic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.				
Dermal	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.				
Emetic					
FLavor FEMA 10-130	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Fungicide	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. <i>Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D)</i> , 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
Insectiphile	Pakistan Encyclopedia Planta Medica. 1986.				
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.				
Laxative					
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.				
Pesticide					

ALPHA-PHELLANDRENE                      Essential Oil                      --                      --                      \*

Activities (11)					
Antibacterial	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.				
Antistaphylococcic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.				
Dermal	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.				
Emetic					
FLavor FEMA 10-130	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Fungicide	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. <i>Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D)</i> , 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
Insectiphile	Pakistan Encyclopedia Planta Medica. 1986.				
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.				
Laxative					
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.				
Pesticide					

ALPHA-PHELLANDRENE                      Flower                      12.0                      120.0                      -1.0                      Flavour and Fragrance Journal, 6: 69.

**Activities (11)**

Antibacterial	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antistaphylococcic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Dermal	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Emetic	
FLavor FEMA 10-130	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Insectiphile	Pakistan Encyclopedia Planta Medica. 1986.
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Laxative	
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide	

ALPHA-PINENE	Shoot	--	20.0	-0.15	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
--------------	-------	----	------	-------	---

**Activities (28)**

Allelochemic	
Allergenic	
Antiacne	
Antibacterial	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory 500 mg/kg	
Antipneumonic	
Antiseptic	
Antispasmodic	
Antistaphylococcic	
Antiviral	Economic & Medicinal Plant Research, 5: 195.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Coleoptophile	
Expectorant	Michael Castleman 1991. The Healing Herbs. Rodale Press, Emmaus, PA 436 pp.
FLavor FEMA 15-150	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide IC50=30 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insecticide 0.82 uM/fly	
Insectifuge 50 ppm	
Insectiphile	J. Stored. Prod. Res., 22:141, 1986.
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
P450-2B1-Inhibitor IC50=0.087 uM	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	Lawrence Review of Natural Products, Jun-90.
Spasmogenic	
Tranquilizer	Lawrence Review of Natural Products, Jun-90.
Transdermal	

ALPHA-PINENE	Shoot	--	40.0	-0.14	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
--------------	-------	----	------	-------	---

**Activities (28)**

Allelochemic	
Allergenic	
Antiacne	
Antibacterial	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory 500 mg/kg	
Antipneumonic	
Antiseptic	
Antispasmodic	
Antistaphylococcic	
Antiviral	Economic & Medicinal Plant Research, 5: 195.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Coleoptophile	
Expectorant	Michael Castleman 1991. The Healing Herbs. Rodale Press, Emmaus, PA 436 pp.
FLavor FEMA 15-150	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide IC50=30 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insecticide 0.82 uM/fly	
Insectifuge 50 ppm	
Insectiphile	J. Stored. Prod. Res., 22:141, 1986.
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
P450-2B1-Inhibitor IC50=0.087 uM	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	Lawrence Review of Natural Products, Jun-90.
Spasmogenic	
Tranquilizer	Lawrence Review of Natural Products, Jun-90.
Transdermal	

ALPHA-PINENE      Leaf      0.1      1460.0      -0.13      \*

**Activities (28)**

Allelochemic	
Allergenic	
Antiacne	
Antibacterial	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory 500 mg/kg	
Antipneumonic	
Antiseptic	
Antispasmodic	
Antistaphylococcic	
Antiviral	Economic & Medicinal Plant Research, 5: 195.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Coleoptophile	
Expectorant	Michael Castleman 1991. The Healing Herbs. Rodale Press, Emmaus, PA 436 pp.
FLavor FEMA 15-150	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide IC50=30 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insecticide 0.82 uM/fly	
Insectifuge 50 ppm	
Insectiphile	J. Stored. Prod. Res., 22:141, 1986.
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
P450-2B1-Inhibitor IC50=0.087 uM	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	Lawrence Review of Natural Products, Jun-90.
Spasmogenic	
Tranquilizer	Lawrence Review of Natural Products, Jun-90.
Transdermal	



ALPHA-PINENE

Shoot

--

40.0

-0.14

Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (*Hyssopus officinalis* L.) J. Agric. Food Chem. 42: 776-781.

**Activities (28)**

Allelochemic

Allergenic

Antiacne

Antibacterial

Antifeedant

Antiflu Economic &amp; Medicinal Plant Research, 5: 195.

Antiinflammatory 500 mg/kg

Antipneumonic

Antiseptic

Antispasmodic

Antistaphylococcic

Antiviral Economic &amp; Medicinal Plant Research, 5: 195.

Cancer-Preventive Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

Coleoptophile

Expectorant Michael Castleman 1991. The Healing Herbs. Rodale Press, Emmaus, PA 436 pp.

FLavor FEMA 15-150 Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Herbicide IC50=30 uM Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.

Insecticide 0.82 uM/fly

Insectifuge 50 ppm

Insectiphile J. Stored. Prod. Res., 22:141, 1986.

Irritant Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor &amp; Frost, London. 791 pp.

P450-2B1-Inhibitor  
IC50=0.087 uM

Perfumery Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Pesticide

Sedative Lawrence Review of Natural Products, Jun-90.

Spasmogenic

Tranquilizer Lawrence Review of Natural Products, Jun-90.

Transdermal

ALPHA-PINENE

Essential Oil

--

--

\*

**Activities (28)**

Allelochemic	
Allergenic	
Antiacne	
Antibacterial	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory 500 mg/kg	
Antipneumonic	
Antiseptic	
Antispasmodic	
Antistaphylococcic	
Antiviral	Economic & Medicinal Plant Research, 5: 195.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Coleoptophile	
Expectorant	Michael Castleman 1991. The Healing Herbs. Rodale Press, Emmaus, PA 436 pp.
FLavor FEMA 15-150	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide IC50=30 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insecticide 0.82 uM/fly	
Insectifuge 50 ppm	
Insectiphile	J. Stored. Prod. Res., 22:141, 1986.
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
P450-2B1-Inhibitor IC50=0.087 uM	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	Lawrence Review of Natural Products, Jun-90.
Spasmogenic	
Tranquilizer	Lawrence Review of Natural Products, Jun-90.
Transdermal	

ALPHA-PINENE	Shoot	--	--	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
--------------	-------	----	----	---

**Activities (28)**

Allelochemic	
Allergenic	
Antiacne	
Antibacterial	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory 500 mg/kg	
Antipneumonic	
Antiseptic	
Antispasmodic	
Antistaphylococcic	
Antiviral	Economic & Medicinal Plant Research, 5: 195.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Coleoptophile	
Expectorant	Michael Castleman 1991. The Healing Herbs. Rodale Press, Emmaus, PA 436 pp.
FLavor FEMA 15-150	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide IC50=30 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insecticide 0.82 uM/fly	
Insectifuge 50 ppm	
Insectiphile	J. Stored. Prod. Res., 22:141, 1986.
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
P450-2B1-Inhibitor IC50=0.087 uM	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	Lawrence Review of Natural Products, Jun-90.
Spasmogenic	
Tranquilizer	Lawrence Review of Natural Products, Jun-90.
Transdermal	

ALPHA-PINENE	Shoot	--	60.0	-0.14	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
--------------	-------	----	------	-------	---

**Activities (28)**

Allelochemic	
Allergenic	
Antiacne	
Antibacterial	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory 500 mg/kg	
Antipneumonic	
Antiseptic	
Antispasmodic	
Antistaphylococcic	
Antiviral	Economic & Medicinal Plant Research, 5: 195.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Coleoptophile	
Expectorant	Michael Castleman 1991. The Healing Herbs. Rodale Press, Emmaus, PA 436 pp.
Flavor FEMA 15-150	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide IC50=30 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insecticide 0.82 uM/fly	
Insectifuge 50 ppm	
Insectiphile	J. Stored. Prod. Res., 22:141, 1986.
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
P450-2B1-Inhibitor IC50=0.087 uM	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	Lawrence Review of Natural Products, Jun-90.
Spasmogenic	
Tranquilizer	Lawrence Review of Natural Products, Jun-90.
Transdermal	

ALPHA-PINENE	Shoot	--	40.0	-0.14	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
--------------	-------	----	------	-------	---

**Activities (28)**

Allelochemic	
Allergenic	
Antiacne	
Antibacterial	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory 500 mg/kg	
Antipneumonic	
Antiseptic	
Antispasmodic	
Antistaphylococcic	
Antiviral	Economic & Medicinal Plant Research, 5: 195.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Coleoptophile	
Expectorant	Michael Castleman 1991. The Healing Herbs. Rodale Press, Emmaus, PA 436 pp.
FLavor FEMA 15-150	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide IC50=30 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insecticide 0.82 uM/fly	
Insectifuge 50 ppm	
Insectiphile	J. Stored. Prod. Res., 22:141, 1986.
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
P450-2B1-Inhibitor IC50=0.087 uM	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	Lawrence Review of Natural Products, Jun-90.
Spasmogenic	
Tranquilizer	Lawrence Review of Natural Products, Jun-90.
Transdermal	

ALPHA-PINENE	Shoot	--	70.0	-0.14	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
--------------	-------	----	------	-------	---

**Activities (28)**

Allelochemic	
Allergenic	
Antiacne	
Antibacterial	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory 500 mg/kg	
Antipneumonic	
Antiseptic	
Antispasmodic	
Antistaphylococcic	
Antiviral	Economic & Medicinal Plant Research, 5: 195.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Coleoptophile	
Expectorant	Michael Castleman 1991. The Healing Herbs. Rodale Press, Emmaus, PA 436 pp.
FLavor FEMA 15-150	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide IC50=30 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insecticide 0.82 uM/fly	
Insectifuge 50 ppm	
Insectiphile	J. Stored. Prod. Res., 22:141, 1986.
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
P450-2B1-Inhibitor IC50=0.087 uM	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	Lawrence Review of Natural Products, Jun-90.
Spasmogenic	
Tranquilizer	Lawrence Review of Natural Products, Jun-90.
Transdermal	

ALPHA-PINENE	Shoot	--	80.0	-0.14	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
--------------	-------	----	------	-------	---

**Activities (28)**

Allelochemic	
Allergenic	
Antiacne	
Antibacterial	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory 500 mg/kg	
Antipneumonic	
Antiseptic	
Antispasmodic	
Antistaphylococcic	
Antiviral	Economic & Medicinal Plant Research, 5: 195.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Coleoptophile	
Expectorant	Michael Castleman 1991. The Healing Herbs. Rodale Press, Emmaus, PA 436 pp.
FLavor FEMA 15-150	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide IC50=30 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insecticide 0.82 uM/fly	
Insectifuge 50 ppm	
Insectiphile	J. Stored. Prod. Res., 22:141, 1986.
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
P450-2B1-Inhibitor IC50=0.087 uM	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	Lawrence Review of Natural Products, Jun-90.
Spasmogenic	
Tranquilizer	Lawrence Review of Natural Products, Jun-90.
Transdermal	

ALPHA-PINENE	Shoot	--	30.0	-0.14	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
--------------	-------	----	------	-------	---

#### Activities (28)

Allelochemic	
Allergenic	
Antiacne	
Antibacterial	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory 500 mg/kg	
Antipneumonic	
Antiseptic	
Antispasmodic	
Antistaphylococcic	
Antiviral	Economic & Medicinal Plant Research, 5: 195.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Coleoptophile	
Expectorant	Michael Castleman 1991. The Healing Herbs. Rodale Press, Emmaus, PA 436 pp.
FLavor FEMA 15-150	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide IC50=30 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insecticide 0.82 uM/fly	
Insectifuge 50 ppm	
Insectiphile	J. Stored. Prod. Res., 22:141, 1986.
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
P450-2B1-Inhibitor IC50=0.087 uM	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	Lawrence Review of Natural Products, Jun-90.
Spasmogenic	
Tranquilizer	Lawrence Review of Natural Products, Jun-90.
Transdermal	

ALPHA-TERPINENE	Leaf	1.0	1880.0	0.66	*
-----------------	------	-----	--------	------	---

#### Activities (13)

ACE-Inhibitor 100 ug/ml (weak activity)	
Acaricide	
Aldose-Reductase-Inhibitor 100 ug/ml	Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Antiacetylcholinesterase IC50=1.0 mM	
Antinitrosaminic	
Antispasmodic	
FLavor FEMA 1-40	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insecticide 0.86 uM/fly	
Insectifuge	
P450-2B1-Inhibitor IC50=0.76 uM	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Spasmogenic	

ALPHA-TERPINEOL	Leaf	0.1	360.0	0.04	*
-----------------	------	-----	-------	------	---

**Activities (23)**

ACE-Inhibitor 100 ug/ml (weak activity)	
Aldose-Reductase-Inhibitor 100 ug/ml	Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antiacne	
Antibacterial MIC=800-1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Anticancer	Joseph, J., Nadeau, D. and Underwood, A. 2001. The Color Code. Hyperion, NY.
Anticariogenic MIC=800-1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antiinflammatory	
Antiproliferant	
Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Cicatrizant ED50=240 ug/g mus	
FLavor FEMA 5-40	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insecticide 1.29 uM/fly	
Interleukin-6-Inhibitor	
Mosquitofuge > Deet	
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide	
Sedative	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Termiticide IC100=5 mg/g	
Transdermal	
Vulnerary ED50=240 ug/g mus	

ALPHA-TERPINEOL                      Flower                      0.3                      3.0                      -0.7                      Flavour and Fragrance Journal, 6: 72.



**Activities (23)**

ACE-Inhibitor 100 ug/ml (weak activity)	
Aldose-Reductase-Inhibitor 100 ug/ml	Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Allelopathic	Wright, C.W. (Ed) 2002. Medicinal & Aromatic Plants-Industrial Profiles. Artemisia. 344pp. Maffei, M. (Ed) 2002. Vetiveria. The Genus Vetiveria. Taylor & Francis. NY, NY. 191pp. Southwell, I., Lowe, R. (Eds) 1999. Tea Tree. The Genus Melaleuca. Harwood Acad. Pub. Amsterdam, Netherlands.
Antiacne	
Antibacterial MIC=800-1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Anticancer	Joseph, J., Nadeau, D. and Underwood, A. 2001. The Color Code. Hyperion, NY.
Anticariogenic MIC=800-1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antiinflammatory	
Antiproliferant	
Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Cicatrizant ED50=240 ug/g mus	
FLavor FEMA 5-40	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry
Insecticide 1.29 uM/fly	
Interleukin-6-Inhibitor	
Mosquitofuge > Deet	
Motor-Depressant	Buchbauer et al, e.g. Buchbauer et al, 1993. Therapeutic properties of essential oils and fragrances. Chap. 12 in Teranishi, R., Buttery, R.G and Sugisawa, H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide	
Sedative	Buchbauer et al, e.g. Buchbauer et al, 1993. Therapeutic properties of essential oils and fragrances. Chap. 12 in Teranishi, R., Buttery, R.G and Sugisawa, H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Termiticide IC100=5 mg/g	
Transdermal	
Vulnerary ED50=240 ug/g mus	

ALPHA-THUJENE	Shoot	--	30.0	-0.02	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-THUJENE	Shoot	--	20.0	-0.2	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-THUJENE	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-THUJENE	Shoot	--	50.0	0.34	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-THUJENE	Shoot	--	60.0	0.52	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-THUJENE	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-THUJENE	Shoot	--	30.0	-0.02	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-THUJENE	Shoot	--	30.0	-0.02	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
ALPHA-THUJENE	Shoot	--	20.0	-0.2	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

ALPHA-THUJENE	Shoot	--	30.0	-0.02	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
---------------	-------	----	------	-------	---

ALPHA-THUJONE	Shoot	--	10.0	-0.28	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
---------------	-------	----	------	-------	---

**Activities (6)**

Abortifacient	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Antibacterial	J. Ess. Oil Res. 7: 271.
Emmenagogue	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Insecticide	
Larvicide	Misra, L.N. and Singh, S.P. Alpha-Thujone, The Major Component Of The Essential Oil From <i>Artemisia vulgaris</i> Growing Wild In Nilgiri Hills. Journal of Natural Products, 49: 941, 1986.
Pesticide	

ALPHA-THUJONE	Shoot	--	20.0	-0.27	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
---------------	-------	----	------	-------	---

**Activities (6)**

Abortifacient	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Antibacterial	J. Ess. Oil Res. 7: 271.
Emmenagogue	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Insecticide	
Larvicide	Misra, L.N. and Singh, S.P. Alpha-Thujone, The Major Component Of The Essential Oil From <i>Artemisia vulgaris</i> Growing Wild In Nilgiri Hills. Journal of Natural Products, 49: 941, 1986.
Pesticide	

ALPHA-THUJONE	Shoot	--	20.0	-0.27	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
---------------	-------	----	------	-------	---

**Activities (6)**

Abortifacient	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Antibacterial	J. Ess. Oil Res. 7: 271.
Emmenagogue	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Insecticide	
Larvicide	Misra, L.N. and Singh, S.P. Alpha-Thujone, The Major Component Of The Essential Oil From <i>Artemisia vulgaris</i> Growing Wild In Nilgiri Hills. Journal of Natural Products, 49: 941, 1986.
Pesticide	

ALPHA-THUJONE	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
---------------	-------	----	----	--	---

**Activities (6)**

Abortifacient	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Antibacterial	J. Ess. Oil Res. 7: 271.
Emmenagogue	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Insecticide	
Larvicide	Misra, L.N. and Singh, S.P. Alpha-Thujone, The Major Component Of The Essential Oil From <i>Artemisia vulgaris</i> Growing Wild In Nilgiri Hills. Journal of Natural Products, 49: 941, 1986.
Pesticide	

ALPHA-THUJONE	Shoot	--	10.0	-0.28	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
---------------	-------	----	------	-------	---

**Activities (6)**

Abortifacient	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Antibacterial	J. Ess. Oil Res. 7: 271.
Emmenagogue	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Insecticide	
Larvicide	Misra, L.N. and Singh, S.P. Alpha-Thujone, The Major Component Of The Essential Oil From <i>Artemisia vulgaris</i> Growing Wild In Nilgiri Hills. Journal of Natural Products, 49: 941, 1986.
Pesticide	

ALPHA-THUJONE                      Shoot                      --                      --                      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (*Hyssopus officinalis* L.) J. Agric. Food Chem. 42: 776-781.

**Activities (6)**

Abortifacient      Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.  
Antibacterial      J. Ess. Oil Res. 7: 271.  
Emmenagogue      Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.  
Insecticide  
Larvicide              Misra, L.N. and Singh, S.P. Alpha-Thujone, The Major Component Of The Essential Oil From *Artemisia vulgaris* Growing Wild In Nilgiri Hills. Journal of Natural Products, 49: 941, 1986.  
Pesticide

ALPHA-THUJONE                      Shoot                      --                      --                      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (*Hyssopus officinalis* L.) J. Agric. Food Chem. 42: 776-781.

**Activities (6)**

Abortifacient      Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.  
Antibacterial      J. Ess. Oil Res. 7: 271.  
Emmenagogue      Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.  
Insecticide  
Larvicide              Misra, L.N. and Singh, S.P. Alpha-Thujone, The Major Component Of The Essential Oil From *Artemisia vulgaris* Growing Wild In Nilgiri Hills. Journal of Natural Products, 49: 941, 1986.  
Pesticide

ALPHA-THUJONE                      Shoot                      --                      --                      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (*Hyssopus officinalis* L.) J. Agric. Food Chem. 42: 776-781.

**Activities (6)**

Abortifacient      Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.  
Antibacterial      J. Ess. Oil Res. 7: 271.  
Emmenagogue      Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.  
Insecticide  
Larvicide              Misra, L.N. and Singh, S.P. Alpha-Thujone, The Major Component Of The Essential Oil From *Artemisia vulgaris* Growing Wild In Nilgiri Hills. Journal of Natural Products, 49: 941, 1986.  
Pesticide

ALPHA-THUJONE                      Shoot                      --                      20.0                      -0.27                      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (*Hyssopus officinalis* L.) J. Agric. Food Chem. 42: 776-781.

**Activities (6)**

Abortifacient      Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.  
Antibacterial      J. Ess. Oil Res. 7: 271.  
Emmenagogue      Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.  
Insecticide  
Larvicide              Misra, L.N. and Singh, S.P. Alpha-Thujone, The Major Component Of The Essential Oil From *Artemisia vulgaris* Growing Wild In Nilgiri Hills. Journal of Natural Products, 49: 941, 1986.  
Pesticide

ALPHA-THUJONE                      Shoot                      --                      10.0                      -0.28                      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (*Hyssopus officinalis* L.) J. Agric. Food Chem. 42: 776-781.

**Activities (6)**

Abortifacient      Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.  
Antibacterial      J. Ess. Oil Res. 7: 271.  
Emmenagogue      Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.  
Insecticide  
Larvicide              Misra, L.N. and Singh, S.P. Alpha-Thujone, The Major Component Of The Essential Oil From *Artemisia vulgaris* Growing Wild In Nilgiri Hills. Journal of Natural Products, 49: 941, 1986.  
Pesticide

BENZALDEHYDE                      Shoot                      --                      --                      Indian Perfumer, 35: 51.

**Activities (24)**

Allergenic	
Anesthetic	
Antibacterial	
Anticancer	
Antimutagenic	
Antipeptic	
Antiseptic	
Antispasmodic	
Antitumor	
Candidicide	
FLavor FEMA 150-800	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Immunostimulant	
Insecticide	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Insectifuge 50 ppm	J. Stored. Prod. Res., 22:141, 1986.
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Narcotic	Merck 11th Edition
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Pesticide	
Sedative	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Termiticide LD100=5 mg/g	
Tyrosinase-Inhibitor ID50=820 uM	
Tyrosinase-Inhibitor ID50=87 ug/ml	
Tyrosinase-Inhibitor ID50=0.82 mM	
Tyrosinase-Inhibitor ID50=830 uM	

BENZYL-ALCOHOL      Flower      3.0      32.0      -0.71      Flavour and Fragrance Journal, 6: 72.

**Activities (9)**

Allergenic	Martindale's 29th
Anesthetic	Martindale's 28th
Antiodontalgic	Martindale's 28th
Antipruritic	
Antiseptic	Martindale's 29th
FLavor Fema 200-1,200	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Pesticide	
Sedative	Jim Duke's personal files.

BENZYL-ALCOHOL      Essential Oil      --      --      \*

**Activities (9)**

Allergenic	Martindale's 29th
Anesthetic	Martindale's 28th
Antiodontalgic	Martindale's 28th
Antipruritic	
Antiseptic	Martindale's 29th
FLavor Fema 200-1,200	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Pesticide	
Sedative	Jim Duke's personal files.

BENZYL-ALCOHOL      Leaf      0.1      30.0      1.6      Flavour and Fragrance Journal, 6: 72.

Activities (9)					
Allergenic					Martindale's 29th
Anesthetic					Martindale's 28th
Antiodontalgic					Martindale's 28th
Antipruritic					
Antiseptic					Martindale's 29th
FLavor Fema 200-1,200					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide					
Pesticide					
Sedative					Jim Duke's personal files.

BETA-CARYOPHYLLENE	Shoot	--	270.0	0.14	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
BETA-CARYOPHYLLENE	Shoot	--	210.0	0.02	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
BETA-CARYOPHYLLENE	Shoot	--	200.0	-0.0	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
BETA-CARYOPHYLLENE	Shoot	--	330.0	0.26	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
BETA-CARYOPHYLLENE	Shoot	--	230.0	0.06	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
BETA-CARYOPHYLLENE	Shoot	--	200.0	-0.0	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
BETA-CARYOPHYLLENE	Shoot	--	260.0	0.12	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
BETA-CARYOPHYLLENE	Shoot	--	240.0	0.08	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
BETA-CARYOPHYLLENE	Leaf	3.0	660.0	-0.01	*
BETA-CARYOPHYLLENE	Flower	40.0	415.0	0.72	*
BETA-CARYOPHYLLENE	Shoot	--	240.0	0.08	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
BETA-ELEMENE	Plant	--	--		*

Activities (5)					
Anticancer (Cervix)					Medicinal and Poisonous Plants of the Tropics. Leeuwenberg, A.J.M., ed. Pudoc, Wageningen. 1987.
Antigliomic					
Antiproliferant					
Antitumor (Cervix)					Medicinal and Poisonous Plants of the Tropics. Leeuwenberg, A.J.M., ed. Pudoc, Wageningen. 1987.
Apoptotic					

BETA-IONONE	Leaf	0.3	4.0	-0.83	Flavour and Fragrance Journal, 6: 72.
-------------	------	-----	-----	-------	---------------------------------------

Activities (13)					
Allergenic					
Antibacterial MIC=200 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.				
Anticariogenic MIC=100 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.				
Antimelanomic IC50=140 uM/l					
Antitumor	Yu, S.G., Anderson, P.J., and Elson, C.E. 1995. Efficacy of B-Ionone in the Chemoprevention of Rat Mammary Carcinogenesis. J. Agric. Food Chem. 43: 2144-2147.				
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
Cytochrome-P450-Inducer					
Fungicide					
Hypocholesterolemic	Yu, S.G., Anderson, P.J., and Elson, C.E. 1995. Efficacy of B-Ionone in the Chemoprevention of Rat Mammary Carcinogenesis. J. Agric. Food Chem. 43: 2144-2147.				
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.				
P450-Inducer					
Pesticide					
Trichomonicide LD100=100 ug/ml					

BETA-IONONE Flower 0.6 6.0 -0.59 Flavour and Fragrance Journal, 6: 72.

Activities (13)					
Allergenic					
Antibacterial MIC=200 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.				
Anticariogenic MIC=100 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.				
Antimelanomic IC50=140 uM/l					
Antitumor	Yu, S.G., Anderson, P.J., and Elson, C.E. 1995. Efficacy of B-Ionone in the Chemoprevention of Rat Mammary Carcinogenesis. J. Agric. Food Chem. 43: 2144-2147.				
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
Cytochrome-P450-Inducer					
Fungicide					
Hypocholesterolemic	Yu, S.G., Anderson, P.J., and Elson, C.E. 1995. Efficacy of B-Ionone in the Chemoprevention of Rat Mammary Carcinogenesis. J. Agric. Food Chem. 43: 2144-2147.				
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.				
P450-Inducer					
Pesticide					
Trichomonicide LD100=100 ug/ml					

BETA-MYRCENE Shoot -- 80.0 -0.2 Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (Hyssopus officinalis L.) J. Agric. Food Chem. 42: 776-781.

Activities (2)					
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
Perfumery	Merck 11th Edition				

BETA-MYRCENE Shoot -- 50.0 -0.26 Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (Hyssopus officinalis L.) J. Agric. Food Chem. 42: 776-781.

Activities (2)					
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
Perfumery	Merck 11th Edition				

BETA-MYRCENE Shoot -- 70.0 -0.22 Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (Hyssopus officinalis L.) J. Agric. Food Chem. 42: 776-781.

Activities (2)					
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
Perfumery	Merck 11th Edition				

BETA-MYRCENE Shoot -- 120.0 -0.12 Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (Hyssopus officinalis L.) J. Agric. Food Chem. 42: 776-781.

<b>Activities (2)</b>					
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
Perfumery	Merck 11th Edition				
BETA-MYRCENE	Shoot	--	90.0	-0.18	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<b>Activities (2)</b>					
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
Perfumery	Merck 11th Edition				
BETA-MYRCENE	Shoot	--	130.0	-0.1	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<b>Activities (2)</b>					
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
Perfumery	Merck 11th Edition				
BETA-MYRCENE	Shoot	--	120.0	-0.12	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<b>Activities (2)</b>					
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
Perfumery	Merck 11th Edition				
BETA-MYRCENE	Shoot	--	80.0	-0.2	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<b>Activities (2)</b>					
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
Perfumery	Merck 11th Edition				
BETA-MYRCENE	Shoot	--	70.0	-0.22	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<b>Activities (2)</b>					
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
Perfumery	Merck 11th Edition				
BETA-PHELLANDRENE	Shoot	--	50.0	-0.41	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<b>Activities (3)</b>					
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Fungicide	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
Perfumery	Merck 11th Edition				
BETA-PHELLANDRENE	Shoot	--	60.0	-0.37	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<b>Activities (3)</b>					
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Fungicide	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
Perfumery	Merck 11th Edition				
BETA-PHELLANDRENE	Shoot	--	50.0	-0.41	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities (3)					
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Fungicide	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
Perfumery	Merck 11th Edition				

BETA-PHELLANDRENE	Essential Oil	--	--		*
-------------------	---------------	----	----	--	---

Activities (3)					
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Fungicide	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
Perfumery	Merck 11th Edition				

BETA-PHELLANDRENE	Shoot	--	290.0	0.64	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------------	-------	----	-------	------	---

Activities (3)					
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Fungicide	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
Perfumery	Merck 11th Edition				

BETA-PHELLANDRENE	Shoot	--	330.0	0.81	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------------	-------	----	-------	------	---

Activities (3)					
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Fungicide	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
Perfumery	Merck 11th Edition				

BETA-PHELLANDRENE	Shoot	--	380.0	1.03	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------------	-------	----	-------	------	---

Activities (3)					
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Fungicide	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
Perfumery	Merck 11th Edition				

BETA-PHELLANDRENE	Shoot	--	280.0	0.59	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------------	-------	----	-------	------	---

Activities (3)					
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Fungicide	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
Perfumery	Merck 11th Edition				

BETA-PHELLANDRENE	Shoot	--	190.0	0.2	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------------	-------	----	-------	-----	---

Activities (3)					
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Fungicide	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
Perfumery	Merck 11th Edition				

BETA-PHELLANDRENE	Shoot	--	330.0	0.81	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------------	-------	----	-------	------	---



Activities (3)					
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Fungicide	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
Perfumery	Merck 11th Edition				

BETA-PHELLANDRENE      Leaf      1.0      800.0      1.45      \*

Activities (3)					
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Fungicide	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
Perfumery	Merck 11th Edition				

BETA-PHELLANDRENE      Flower      34.0      348.0           Flavour and Fragrance Journal, 6: 69.

Activities (3)					
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Fungicide	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
Perfumery	Merck 11th Edition				

BETA-PINENE      Shoot      --      780.0      -0.07      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (*Hyssopus officinalis* L.) J. Agric. Food Chem. 42: 776-781.

Activities (13)					
Allergenic					
Antiinflammatory					
Antiseptic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.				
Antispasmodic					
Candidicide					
FLavor FEMA 15-600	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Herbicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.				
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Pesticide					
Spasmogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.				
Transdermal					

BETA-PINENE      Essential Oil      --      102000.0      1.53      \*

Activities (13)					
Allergenic					
Antiinflammatory					
Antiseptic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.				
Antispasmodic					
Candidicide					
FLavor FEMA 15-600	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Herbicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.				
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Pesticide					
Spasmogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.				
Transdermal					

BETA-PINENE      Shoot      --      790.0      -0.07      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (*Hyssopus officinalis* L.) J. Agric. Food Chem. 42: 776-781.

**Activities (13)**

Allergenic	
Antiinflammatory	
Antiseptic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antispasmodic	
Candidicide	
FLavor FEMA 15-600	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Spasmogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Transdermal	

BETA-PINENE	Shoot	--	930.0	-0.06	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------	-------	----	-------	-------	---

**Activities (13)**

Allergenic	
Antiinflammatory	
Antiseptic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antispasmodic	
Candidicide	
FLavor FEMA 15-600	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Spasmogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Transdermal	

BETA-PINENE	Shoot	--	1050.0	-0.05	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------	-------	----	--------	-------	---

**Activities (13)**

Allergenic	
Antiinflammatory	
Antiseptic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antispasmodic	
Candidicide	
FLavor FEMA 15-600	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Spasmogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Transdermal	

BETA-PINENE	Shoot	--	1080.0	-0.05	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------	-------	----	--------	-------	---

**Activities (13)**

Allergenic	
Antiinflammatory	
Antiseptic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antispasmodic	
Candidicide	
FLavor FEMA 15-600	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Spasmogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Transdermal	

BETA-PINENE                      Shoot                      --                      1750.0                      0.0                      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (*Hyssopus officinalis* L.) J. Agric. Food Chem. 42: 776-781.

**Activities (13)**

Allergenic	
Antiinflammatory	
Antiseptic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antispasmodic	
Candidicide	
FLavor FEMA 15-600	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Spasmogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Transdermal	

BETA-PINENE                      Shoot                      --                      620.0                      -0.08                      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (*Hyssopus officinalis* L.) J. Agric. Food Chem. 42: 776-781.

**Activities (13)**

Allergenic	
Antiinflammatory	
Antiseptic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antispasmodic	
Candidicide	
FLavor FEMA 15-600	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Spasmogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Transdermal	

BETA-PINENE                      Shoot                      --                      520.0                      -0.08                      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (*Hyssopus officinalis* L.) J. Agric. Food Chem. 42: 776-781.

Activities (13)					
Allergenic					
Antiinflammatory					
Antiseptic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.				
Antispasmodic					
Candidicide					
FLavor FEMA 15-600	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Herbicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.				
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Pesticide					
Spasmogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.				
Transdermal					

BETA-PINENE                      Shoot                      --                      168000.0    11.65                      \*

Activities (13)					
Allergenic					
Antiinflammatory					
Antiseptic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.				
Antispasmodic					
Candidicide					
FLavor FEMA 15-600	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Herbicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.				
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Pesticide					
Spasmogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.				
Transdermal					

BETA-PINENE                      Leaf                      66.0                      4580.0                      6.33                      \*

Activities (13)					
Allergenic					
Antiinflammatory					
Antiseptic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.				
Antispasmodic					
Candidicide					
FLavor FEMA 15-600	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Herbicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.				
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Pesticide					
Spasmogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.				
Transdermal					

BETA-SELINENOL                      Shoot                      --                      0.1                      -1.0                      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (Hyssopus officinalis L.) J. Agric. Food Chem. 42: 776-781.

BETA-SELINENOL                      Shoot                      --                      --                      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (Hyssopus officinalis L.) J. Agric. Food Chem. 42: 776-781.

BETA-SELINENOL                      Shoot                      --                      --                      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (Hyssopus officinalis L.) J. Agric. Food Chem. 42: 776-781.

BETA-SELINENOL	Shoot	--	--			Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
BETA-SELINENOL	Shoot	--	--			Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
BETA-SELINENOL	Shoot	--	--			Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
BETA-SELINENOL	Shoot	--	--			Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
BETA-SELINENOL	Shoot	--	20.0	1.0		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
BETA-SELINENOL	Shoot	--	--			Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
BETA-SITOSTEROL	Plant	--	--			Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.

**Activities (47)**

Androgenic	
Angiogenic	
Anorexic	Martindale's 28th
Antiadenomic	Merck 11th Edition
Antiandrogenic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. Journal of Ethnopharmacology, 28: 221-234, 1990.
Antibacterial	Recently became Internat. J. Crude Drug Res. 28(1,2,3,4):1990, page 155.
Anticancer (Breast)	Madhavi, D. L., Bomser, J., Smith, M., Singletary, K. 1998. Isolation of Bioactive Constituents from Vaccinium myrtillus (Bilberry) Fruits and Cell Cultures. Plant Sci., 131(1): 95-103.
Anticancer (Cervix)	
Anticancer (Lung)	
Antiedemic IC54=320 mg/kg orl	
Antiestrogenic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. Journal of Ethnopharmacology, 28: 221-234, 1990.
Antifeedant	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Antifertility	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. Journal of Ethnopharmacology, 28: 221-234, 1990.
Antigonadotrophic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. Journal of Ethnopharmacology, 28: 221-234, 1990.
Antihyperlipoproteinaemic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiinflammatory	
Antileukemic	
Antilymphomic	
Antimutagenic 250 ug/ml	
Antiophidic 2.3 mg mus	Economic & Medicinal Plant Research, 5: 363.
Antioxidant IC44=10 uM	
Antiprogestational	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. Journal of Ethnopharmacology, 28: 221-234, 1990.
Antiprostaglandin 30 mg/day/12 wks	
Antiprostataadenomic	Merck 11th Edition
Antiprostatic 10-20 mg 3 x/day/orl man	
Antipyretic	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.
Antitumor (Breast)	Madhavi, D. L., Bomser, J., Smith, M., Singletary, K. 1998. Isolation of Bioactive Constituents from Vaccinium myrtillus (Bilberry) Fruits and Cell Cultures. Plant Sci., 131(1): 95-103.
Antitumor (Cervix)	
Antitumor (Lung)	
Antiviral	Abid Ali Khan, M.M., Jain, D.C., Bhakuni, R.S., Zaim, M., and Thakur, R.S. 1991. Occurrence of some antiviral sterols in Artemisia annua. Plant Science, 75: 161-165, 1991.
Apoptotic	
Artemicide LC50=110 ppm	Jung, J.H., Pummangura, S., Chaichantipyuth, c., Patarapanich, C., and McLaughlin, J.L. 1989. Bioactive Constituents of Melodorum fruticosum. Phytochemistry. 29(5): 1667-1670. 1990.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	Recently became Internat. J. Crude Drug Res. 28(1,2,3,4):1990, page 155.
Caspase-8-Inducer	
Estrogenic	
Febrifuge	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.
Gonadotrophic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. Journal of Ethnopharmacology, 28: 221-234, 1990.
Hepatoprotective	
Hypocholesterolemic 2-6 g/man/day/orl	Martindale's 30th
Hypocholesterolemic 9-3,330 mg/man/day/orl	Martindale's 28th
Hypoglycemic	Ivorra, M.D., Paya, M., and Villar, A. 1989. A Review of Natural Products and Plants as Potential Antidiabetic Drugs. Journal of Ethnopharmacology, 27: 243-275, 1989.
Hypolipidemic 2-6 g/day	
Pesticide	
Spermicide	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. Journal of Ethnopharmacology, 28: 221-234, 1990.
Ubiquiot	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Ulcerogenic 500 mg/kg ipr rat	

**BETA-THUJONE**

Shoot

--

--

Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (*Hyssopus officinalis* L.) J. Agric. Food Chem. 42: 776-781.

**Activities (5)**

Abortifacient	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Antibacterial	J. Ess. Oil Res. 7: 271.
Emmenagogue	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Insectifuge	
Pesticide	

BETA-THUJONE                      Shoot                      --                      --                      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (*Hyssopus officinalis* L.) J. Agric. Food Chem. 42: 776-781.

**Activities (5)**

Abortifacient    Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.  
Antibacterial    J. Ess. Oil Res. 7: 271.  
Emmenagogue    Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.  
Insectifuge  
Pesticide

BETA-THUJONE                      Shoot                      --                      --                      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (*Hyssopus officinalis* L.) J. Agric. Food Chem. 42: 776-781.

**Activities (5)**

Abortifacient    Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.  
Antibacterial    J. Ess. Oil Res. 7: 271.  
Emmenagogue    Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.  
Insectifuge  
Pesticide

BETA-THUJONE                      Shoot                      --                      20.0                      -0.31                      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (*Hyssopus officinalis* L.) J. Agric. Food Chem. 42: 776-781.

**Activities (5)**

Abortifacient    Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.  
Antibacterial    J. Ess. Oil Res. 7: 271.  
Emmenagogue    Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.  
Insectifuge  
Pesticide

BETA-THUJONE                      Shoot                      --                      --                      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (*Hyssopus officinalis* L.) J. Agric. Food Chem. 42: 776-781.

**Activities (5)**

Abortifacient    Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.  
Antibacterial    J. Ess. Oil Res. 7: 271.  
Emmenagogue    Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.  
Insectifuge  
Pesticide

BETA-THUJONE                      Shoot                      --                      20.0                      -0.31                      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (*Hyssopus officinalis* L.) J. Agric. Food Chem. 42: 776-781.

**Activities (5)**

Abortifacient    Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.  
Antibacterial    J. Ess. Oil Res. 7: 271.  
Emmenagogue    Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.  
Insectifuge  
Pesticide

BETA-THUJONE                      Shoot                      --                      20.0                      -0.31                      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (*Hyssopus officinalis* L.) J. Agric. Food Chem. 42: 776-781.

**Activities (5)**

Abortifacient    Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.  
Antibacterial    J. Ess. Oil Res. 7: 271.  
Emmenagogue    Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.  
Insectifuge  
Pesticide

BETA-THUJONE	Shoot	--	20.0	-0.31	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
--------------	-------	----	------	-------	---

**Activities (5)**

Abortifacient	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Antibacterial	J. Ess. Oil Res. 7: 271.
Emmenagogue	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Insectifuge	
Pesticide	

BETA-THUJONE	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
--------------	-------	----	----	--	---

**Activities (5)**

Abortifacient	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Antibacterial	J. Ess. Oil Res. 7: 271.
Emmenagogue	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Insectifuge	
Pesticide	

BETA-THUJONE	Shoot	--	0.1	-0.32	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
--------------	-------	----	-----	-------	---

**Activities (5)**

Abortifacient	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Antibacterial	J. Ess. Oil Res. 7: 271.
Emmenagogue	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Insectifuge	
Pesticide	

BICYCLOGERMACRENE	Shoot	--	480.0	1.19	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------------	-------	----	-------	------	---

BICYCLOGERMACRENE	Shoot	--	520.0	1.36	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------------	-------	----	-------	------	---

BICYCLOGERMACRENE	Shoot	--	460.0	1.1	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------------	-------	----	-------	-----	---

BICYCLOGERMACRENE	Shoot	--	520.0	1.36	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------------	-------	----	-------	------	---

BICYCLOGERMACRENE	Shoot	--	540.0	1.45	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------------	-------	----	-------	------	---

BICYCLOGERMACRENE	Shoot	--	430.0	0.98	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------------	-------	----	-------	------	---

BICYCLOGERMACRENE	Shoot	--	460.0	1.1	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------------	-------	----	-------	-----	---

BICYCLOGERMACRENE	Shoot	--	760.0	2.39	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------------	-------	----	-------	------	---

BICYCLOGERMACRENE	Shoot	--	510.0	1.32	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------------	-------	----	-------	------	---

BICYCLOGERMACRENE	Shoot	--	420.0	0.93	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------------	-------	----	-------	------	---

BORNEOL	Shoot	3.0	4.0	-0.39	Indian Perfumer, 35: 52.
---------	-------	-----	-----	-------	--------------------------



**Activities (35)**

(-)-Chronotropic 29 ug/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
(-)-Inotropic 29 ug/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Allelochemic	
Analgesic	
Antiacetylcholine	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Antibacterial MIC=125-250 ug/ml	
Antibronchitic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiescherichic MIC=125 ug/ml	
Antifeedant	
Antiinflammatory	
Antiotitic	
Antipyretic	
Antisalmonella MIC=125 ug/ml	
Antispasmodic ED50=0.008 mg/ml	
Antistaphylococcic MIC=250 ug/ml	
Antiyeast MIC=250 ug/ml	
CNS-Stimulant	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
CNS-Toxic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Candidicide MIC=250 ug/ml	
Choleretic	
FLavor FEMA<1	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry
Fungicide	
Hepatoprotective	
Herbicide IC50=470 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Herbicide IC50=470 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Inhalant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Insect-Repellent	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Myorelaxant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide	
Sedative	Medline (post 1990 searches filed in my computer)
Tranquilizer	

BORNEOL-ACETATE	Essential Oil	--	--	*
BORNYL-ACETATE	Plant	--	--	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.

**Activities (12)**

(-)-Chronotropic 933 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
(-)-Inotropic 933 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Antibacterial	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antifeedant	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Antispasmodic ED50=0.09 mg/ml	Fitoterapia No.59-1984.
Antiviral	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
FLavor FEMA 70-80	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insectifuge	Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.
Myorelaxant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Pesticide	
Sedative	

**CAFFEIC-ACID**

Plant

--

--

Jim Duke's personal files.

**Activities (102)**

Aldose-Reductase-Inhibitor 4 ug/ml (weak activity)	Ichikawa, K., et al. 1991. Isolation and Structure Determination of Aldose Reductase Inhibitors from Traditional Thai Medicine, and Syntheses of Their Derivatives. Sankyo Kenkyusho Nempo, 43: 99-110.
Allergenic	
Analgesic	
AntiHIV EC50=200 ug/ml	
AntiLegionella	
Antiadenoviral	Economic & Medicinal Plant Research, 5: 207.
Antiaaggregant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiaging	
Antiatherogenic	
Antibacterial	
Anticancer	
Anticarcinogenic	Economic & Medicinal Plant Research, 6: 189.
Antidepressant	
Antiedemic	Economic & Medicinal Plant Research, 6: 189.
Antielastase IC50=93 um/l	
Antielastase IC50=86 ug/ml (475 uM)	
Antiescherichic	
Antiflu	Economic & Medicinal Plant Research, 5: 207.
Antigonadotropic	Jim Duke's personal files.
Antihemolytic 25 uM	Ohnishi, M., Morishita, H., Iwahashi, H., Toda, S., Shirataki, Y., Kimura, M., and Kido, R. 1993. Inhibitory Effects of Chlorogenic Acids on Linoleic Acid Peroxidation and Haemolysis. Phytochemistry. 36(3): 579-583. 1994.
Antihepatoadenomic 200 ppm diet orl mus	
Antihepatotoxic	
Antiherpetic 50 ug/ml	
Antiherpetic EC50=>50 ug/ml	
Antihistaminic	
Antihypercholesterolemic	Economic & Medicinal Plant Research, 6: 189.
Antihyperthyroid	
Antiinflammatory	
Antileukemic	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antileukotriene	
Antimelanogenic	
Antimutagenic	Ki Soon Rhee. Oilseed Food Ingredients Used To Minimize Oxidative Flavor Deterioration in Meat Products. Phenolic Compounds in Food and Their Effects on Health, Ch.18.
Antinitrosaminic	Ki Soon Rhee. Oilseed Food Ingredients Used To Minimize Oxidative Flavor Deterioration in Meat Products. Phenolic Compounds in Food and Their Effects on Health, Ch.18.
Antiphidic	
Antioxidant 50 uM	
Antioxidant IC57=30 ppm	
Antioxidant 1/3 quercetin	
Antioxidant 30 mM	
Antioxidant 1.3 x Vit. E	
Antioxidant 1/2 BHA	
Antiperoxidant IC50=44 uM	Planta Medica, 57: A54, 1991.
Antiperoxidant IC35=200 ug/ml	

Antiperoxidant IC85=100 ug/ml	
Antiproliferant	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antiprostaglandin	
Antiradicular 10 uM	Ohnishi, M., Morishita, H., Iwahashi, H., Toda, S., Shirataki, Y., Kimura, M., and Kido, R. 1993. Inhibitory Effects of Chlorogenic Acids on Linoleic Acid Peroxidation and Haemolysis. <i>Phytochemistry</i> . 36(3): 579-583. 1994.
Antiradicular 1/3 quercetin	
Antiradicular 30 mM	
Antiradicular IC50=32-35 uM	
Antiseptic	
Antispasmodic EC50=3.4-15 uM	Phytotherapy Research, 4: 73.
Antistaphylococcic	
Antistomatitic	Economic & Medicinal Plant Research, 5: 207.
Antisunburn	
Antithiamin	Phenolic Compounds in Food and Their Effects on Health, 69.
Antithyroid	Jim Duke's personal files.
Antitumor 200 ppm diet orl mus	
Antitumor (Skin)	
Antitumor-Promoter IC42=10 uM	Cancer Research, 48: 5941.
Antiulcerogenic	
Antivaccinia	Economic & Medicinal Plant Research, 5: 207.
Antiviral IC50=62.5 ug/ml	
Anxiolytic	
CNS-Active	Wichtl, M. 1984. Teedrogen. Ein Handbuch fur Apotheker und Arzte. Wissenschaftliche Verlagsgesellschaft. mbH Stuttgart. 393 pp.
COX-2-Inhibitor IC32=100 uM	
Calcium-Antagonist IC50=1.2 uM rbt	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carcinogenic 2% (diet)	
Chemopreventive	
Cholagogue	Wichtl, M. 1984. Teedrogen. Ein Handbuch fur Apotheker und Arzte. Wissenschaftliche Verlagsgesellschaft. mbH Stuttgart. 393 pp.
Choleretic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Clastogenic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Co-carcinogenic	
Collagen-Sparing	
Cytoprotective	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Cytotoxic TC50=200 ug/ml	
DNA-Active	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
DNA-Protective	
Diuretic	Wichtl, M. 1984. Teedrogen. Ein Handbuch fur Apotheker und Arzte. Wissenschaftliche Verlagsgesellschaft. mbH Stuttgart. 393 pp.
Fungicide MIC=0.4 mg/ml	
Hepatocarcinogenic 400 ppm diet orl mus (in the absence of alcohol)	
Hepatoprotective	Advance in Chinese Medicinal Materials Research. 1985. Eds. H. M. Chang, H. W. Yeung, W. -W. Tso and A. Koo. World Scientific Publishing Co., Philadelphia Pa., page 210.
Hepatotropic	
Histamine-Inhibitor	
Immunostimulant	
Insectifuge	Tunon, H., Thorsell, W., and Bohlin, L. 1993. Mosquito Repelling Activity of Compounds Occurring in Achillea millefolium L. (Asteraceae). <i>Economic Botany</i> 48(2): 111-120, 1994.
Leukotriene-Inhibitor	
Lipoxygenase-Inhibitor IC27=5 mM	Oszmianski, J. and Lee, C.Y. 1990. Inhibitory Effect of Phenolics on Carotene Bleaching in Vegetables. <i>J. Agric. Food Chem.</i> 38: 688-690.
Lipoxygenase-Inhibitor IC50=62-148 uM	
Lyase-Inhibitor IC50=94-164 uM	
Metal-Chelator	McEvily, A.J., Iyengar, R., and Gross, A.T. Inhibition of Polyphenol Oxidase by Phenolic Compounds. <i>Phenolic Compounds in Food and Their Effects on Health</i> , Ch.25.
Ornithine-Decarboxylase-Inhibitor	Hagerman, A.E. Tannin-Protein Interactions. <i>Phenolic Compounds in Food and Their Effects on Health</i> , Ch.19.
Pesticide	
Prooxidant	
Prostaglandigenic	
Sedative 500 mg	
Sunscreen IC50=2.5 mg/l	Lazarova*, G., Kostova, I., Neychev, H. 1992. Photodynamic damage prevention by some hydroxycoumarins. <i>Fitoterapia</i> 64(2): 134-136, 1993.
Sunscreen IC91=5 mg/l	Lazarova*, G., Kostova, I., Neychev, H. 1992. Photodynamic damage prevention by some hydroxycoumarins. <i>Fitoterapia</i> 64(2): 134-136, 1993.
Sunscreen IC98=25 mg/l	Lazarova*, G., Kostova, I., Neychev, H. 1992. Photodynamic damage prevention by some hydroxycoumarins. <i>Fitoterapia</i> 64(2): 134-136, 1993.
Tumorigenic	Jim Duke's personal files.

Vulnerary					
Xanthine-Oxidase-Inhibitor IC50=39.21 uM	Mills, Simon and Bone, Kerry. 2000. Phytotherapy. Churchill Livinston, Edinburgh.				

CAMPHENE	Shoot	--	40.0	-0.13	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------	-------	----	------	-------	---

Activities (9)					
Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.				
Antilithic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Antioxidant	Jim Duke's personal files.				
Expectorant	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
FLavor FEMA 15-175	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Hypocholesterolemic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Pesticide					
Spasmogenic	Fitoterapia No.59-1984.				

CAMPHENE	Shoot	--	20.0	-0.13	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------	-------	----	------	-------	---

Activities (9)					
Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.				
Antilithic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Antioxidant	Jim Duke's personal files.				
Expectorant	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
FLavor FEMA 15-175	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Hypocholesterolemic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Pesticide					
Spasmogenic	Fitoterapia No.59-1984.				

CAMPHENE	Shoot	--	20.0	-0.13	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------	-------	----	------	-------	---

Activities (9)					
Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.				
Antilithic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Antioxidant	Jim Duke's personal files.				
Expectorant	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
FLavor FEMA 15-175	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Hypocholesterolemic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Pesticide					
Spasmogenic	Fitoterapia No.59-1984.				

CAMPHENE	Shoot	--	115000.0	10.48	*
----------	-------	----	----------	-------	---

Activities (9)					
Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.				
Antilithic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Antioxidant	Jim Duke's personal files.				
Expectorant	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
FLavor FEMA 15-175	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Hypocholesterolemic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Pesticide					
Spasmogenic	Fitoterapia No.59-1984.				

CAMPHENE	Leaf	6.0	80.0	-0.16	*
----------	------	-----	------	-------	---

Activities (9)					
Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.				
Antilithic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Antioxidant	Jim Duke's personal files.				
Expectorant	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
FLavor FEMA 15-175	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Hypocholesterolemic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Pesticide					
Spasmogenic	Fitoterapia No.59-1984.				

CAMPHENE	Shoot	--	20.0	-0.13	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------	-------	----	------	-------	---

Activities (9)					
Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.				
Antilithic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Antioxidant	Jim Duke's personal files.				
Expectorant	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
FLavor FEMA 15-175	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Hypocholesterolemic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Pesticide					
Spasmogenic	Fitoterapia No.59-1984.				

CAMPHENE	Shoot	--	40.0	-0.13	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------	-------	----	------	-------	---

Activities (9)					
Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.				
Antilithic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Antioxidant	Jim Duke's personal files.				
Expectorant	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
FLavor FEMA 15-175	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Hypocholesterolemic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Pesticide					
Spasmogenic	Fitoterapia No.59-1984.				

CAMPHENE	Essential Oil	--	--	*	
----------	---------------	----	----	---	--

Activities (9)					
Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.				
Antilithic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Antioxidant	Jim Duke's personal files.				
Expectorant	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
FLavor FEMA 15-175	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Hypocholesterolemic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Pesticide					
Spasmogenic	Fitoterapia No.59-1984.				

CAMPHENE	Shoot	--	40.0	-0.13	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------	-------	----	------	-------	---

Activities (9)					
Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.				
Antilithic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Antioxidant	Jim Duke's personal files.				
Expectorant	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
FLavor FEMA 15-175	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Hypocholesterolemic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Pesticide					
Spasmogenic	Fitoterapia No.59-1984.				

CAMPHENE	Shoot	--	30.0	-0.13	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------	-------	----	------	-------	---

Activities (9)					
Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.				
Antilithic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Antioxidant	Jim Duke's personal files.				
Expectorant	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
FLavor FEMA 15-175	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Hypocholesterolemic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Pesticide					
Spasmogenic	Fitoterapia No.59-1984.				

CAMPHENE	Shoot	--	40.0	-0.13	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------	-------	----	------	-------	---

Activities (9)					
Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.				
Antilithic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Antioxidant	Jim Duke's personal files.				
Expectorant	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
FLavor FEMA 15-175	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Hypocholesterolemic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Pesticide					
Spasmogenic	Fitoterapia No.59-1984.				

CAMPHOR	Leaf	10.0	3280.0	-0.18	*
---------	------	------	--------	-------	---

**Activities (41)**

Allelopathic	
Analgesic	
Anesthetic	
Antiacne	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Antidiarrheic 500 ug/ml	Wealth of India.
Antidysenteric 500 ug/ml	Wealth of India.
Antiemetic 100-200 mg man orl	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antifeedant IC50=5,000 ppm diet	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Antifibrositic	Martindale's 28th
Antineuralgic	Martindale's 28th
Antipruritic	Merck 11th Edition
Antiseptic	Merck 11th Edition
Antispasmodic ED50=0.075 mg/ml	Fitoterapia No.59-1984.
CNS-Stimulant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. J. Pharm. Pharmacol. 46: 14-18, 1994.
Convulsant	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That:The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. Anns. Intern. Med. 117(2):165-6; Huxtable, R.
Cosmetic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Counterirritant	Martindale's 28th
Decongestant	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Deliriant	Merck 11th Edition
Ecbolic	
Emetic	
Epileptogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Expectorant	Martindale's 29th
Fungicide ED50=2.7 mM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Herbicide IC50=3.3-180 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Insect-Repellent	
Insectifuge	
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Occuloirritant	
P450-2B1-Inhibitor IC50=7.89 uM	
Pesticide	
Respirainhibitor	Merck 11th Edition
Respirastimulant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Rubefacient	
Stimulant	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That:The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. Anns. Intern. Med. 117(2):165-6; Huxtable, R.
Transdermal	
Verrucolytic	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Vibriocide 500 ug/ml	Wealth of India.

CAMPHOR                      Flower                      125.0                      1240.0                      -0.4                      \*

**Activities (41)**

Allelopathic	
Analgesic	
Anesthetic	
Antiacne	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Antidiarrheic 500 ug/ml	Wealth of India.
Antidysenteric 500 ug/ml	Wealth of India.
Antiemetic 100-200 mg man orl	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antifeedant IC50=5,000 ppm diet	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Antifibrositic	Martindale's 28th
Antineuralgic	Martindale's 28th
Antipruritic	Merck 11th Edition
Antiseptic	Merck 11th Edition
Antispasmodic ED50=0.075 mg/ml	Fitoterapia No.59-1984.
CNS-Stimulant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. J. Pharm. Pharmacol. 46: 14-18, 1994.
Convulsant	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That:The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. Anns. Intern. Med. 117(2):165-6; Huxtable, R.
Cosmetic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Counterirritant	Martindale's 28th
Decongestant	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Deliriant	Merck 11th Edition
Ecbolic	
Emetic	
Epileptogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Expectorant	Martindale's 29th
Fungicide ED50=2.7 mM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Herbicide IC50=3.3-180 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Insect-Repellent	
Insectifuge	
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Occuloirritant	
P450-2B1-Inhibitor IC50=7.89 uM	
Pesticide	
Respirainhibitor	Merck 11th Edition
Respirastimulant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Rubefacient	
Stimulant	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That:The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. Anns. Intern. Med. 117(2):165-6; Huxtable, R.
Transdermal	
Verrucolytic	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Vibriocide 500 ug/ml	Wealth of India.

CAMPHOR

Essential Oil

--

--

\*



**Activities (41)**

Allelopathic	
Analgesic	
Anesthetic	
Antiacne	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Antidiarrheic 500 ug/ml	Wealth of India.
Antidysenteric 500 ug/ml	Wealth of India.
Antiemetic 100-200 mg man orl	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antifeedant IC50=5,000 ppm diet	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Antifibrositic	Martindale's 28th
Antineuralgic	Martindale's 28th
Antipruritic	Merck 11th Edition
Antiseptic	Merck 11th Edition
Antispasmodic ED50=0.075 mg/ml	Fitoterapia No.59-1984.
CNS-Stimulant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. J. Pharm. Pharmacol. 46: 14-18, 1994.
Convulsant	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That:The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. Anns. Intern. Med. 117(2):165-6; Huxtable, R.
Cosmetic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Counterirritant	Martindale's 28th
Decongestant	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Deliriant	Merck 11th Edition
Ecbolic	
Emetic	
Epileptogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Expectorant	Martindale's 29th
Fungicide ED50=2.7 mM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Herbicide IC50=3.3-180 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Insect-Repellent	
Insectifuge	
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Occuloirritant	
P450-2B1-Inhibitor IC50=7.89 uM	
Pesticide	
Respirainhibitor	Merck 11th Edition
Respirastimulant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Rubefacient	
Stimulant	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That:The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. Anns. Intern. Med. 117(2):165-6; Huxtable, R.
Transdermal	
Verrucolytic	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Vibriocide 500 ug/ml	Wealth of India.

CAR-3-ENE	Essential Oil	--	--	*	
CAROTENES	Plant	--	1080.0	-1.0	ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
CARVACROL	Plant	--	1.0	-0.87	*

**Activities (37)**

Allergenic	
Anesthetic	
Anthelmintic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antialzheimeran?	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antiatherosclerotic IC50=5.53 uM	
Antibacterial MIC 170-290	Chalchat, J.C. et Garry, R.P.*, Bastide, P., Fabre, F. et Malhuret, R. Correlation Composition Chimique/Activite Antimicrobienne: V - Contribution a la Comparaison de 2 Methodes de Determination Des Cmi. Plantes medicinales et phytotherapie, 25: 184-193.
Antibacterial MIC=39-625	Russell, G. B., Phytochemical resources for crop protection, N. Z. J. Technol., 2, 1986, 127-134.
Anticholinesterase?	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antidiuretic	Lawrence Review of Natural Products, Mar-92.
Antiinflammatory IC50=4 uM	
Antimelanomic IC50=120 uM/l	
Antioxidant	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Antioxidant (LDL) IC50=5.53 uM	
Antiplateau MIC=39-625 ug/ml	Osawa, K., Matsumoto, T., Maruyama, T., Takiguchi, T., Okuda, K., and Takazoe, I., Studies of the antibacterial activity of plant extracts and their constituents against periodontopathic bacteria, Bull Tokyo Dent. Coll., 31 (1), 1990, 17-21
Antiprostaglandin	
Antiradicular 600 x thymol	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Antiseptic 1.5 x phenol	
Antispasmodic	
Antistaphylococcic	
Antistreptococcic	
Antitussive	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Candidicide MIC<0.1 ug/ml	
Candidicide 100- 150 ug/ml	
Carminative	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Cyclooxygenase- Inhibitor #NAME?	
Enterorelaxant	J. Aromatherapy 4: 22.
Expectorant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Flavor FEMA 10- 125	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Insectifuge	
Irritant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Nematicide MLC=1 mg/ml	
Pesticide	
Prostaglandin- Inhibitor	
Tracheorelaxant	
Trichomonicide LD100=150 ug/ml	
Vermifuge	

CHOLINE Plant -- -- Leung, A.Y., Encyclopedia of Common Natural Ingredients Used in Food, Drugs, and Cosmetics, John Wiley & Sons, New York, 1980.

**Activities (20)**

Antialzheimeran 5-16 g/man/day					
Antichoreic					Davies, S., and Stewart, A. 1990. Nutritional Medicine. Avon Books, New York. 509pp.
Anticirrhotic 6,000 mg/man/day					
Anticystinuric					
Antidementia					
Antidiabetic					
Antidyskinetic 150-200 mg/kg/man/day					Martindale's 28th
Antihomocysteine					
Antimanic 15-30 g/man/day/orl					Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).
Antinociceptive					
Antisteatotic					
Cardiodepressant					
Cerebrotonic					
Cholinergic					Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Hepatoprotective					
Hypotensive					
Ileorelaxant					
Lipotropic					
Memorigenic					
Parasympathomimetic (1/1,000th acetylcholine)					Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.

CINEOL	Essential Oil	--	--		*
CIS-BETA-OCIMENE	Shoot	--	80.0	-0.03	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
CIS-BETA-OCIMENE	Shoot	--	100.0	0.1	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
CIS-BETA-OCIMENE	Shoot	--	10.0	-0.49	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
CIS-BETA-OCIMENE	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
CIS-BETA-OCIMENE	Shoot	--	10.0	-0.49	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
CIS-BETA-OCIMENE	Shoot	--	110.0	0.16	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
CIS-BETA-OCIMENE	Shoot	--	50.0	-0.23	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
CIS-BETA-OCIMENE	Shoot	--	200.0	0.75	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
CIS-BETA-OCIMENE	Leaf	0.1	720.0	1.41	*
CIS-BETA-OCIMENE	Flower	0.6	6.0		*
CIS-BETA-OCIMENE	Shoot	--	200.0	0.75	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
CIS-CALAMENENE	Plant	--	--		*
CIS-NEROLIDIOL	Leaf	2.0	20.0		Flavour and Fragrance Journal, 6: 72.
CIS-NEROLIDOL	Essential Oil	--	--		*
CIS-PINIC-ACID	Plant	--	--		Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.

CIS-PINIC-ACID	Essential Oil	--	--		*
CIS-PINOIC-ACID	Plant	--	--		Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
CIS-PINONIC-ACID	Essential Oil	--	--		*
CRYPTONE	Shoot	7.0	9.0		Indian Perfumer, 35: 52.
CUMINALDEHYDE	Shoot	4.0	7.0	-0.29	Indian Perfumer, 35: 52.

#### Activities (10)

Antibacterial	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
FLavor FEMA <1	Singh*, G., Upadhyay, R.K. 1990. Fungitoxic Activity of Cumaldehyde, Main Constituent of the Cuminum cyminum Oil. Fitoterapia 62(1): 86, 1991.				
Fungicide	Singh*, G., Upadhyay, R.K. 1990. Fungitoxic Activity of Cumaldehyde, Main Constituent of the Cuminum cyminum Oil. Fitoterapia 62(1): 86, 1991.				
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Larvicide	Leung, A.Y., Encyclopedia of Common Natural Ingredients Used in Food, Drugs, and Cosmetics, John Wiley & Sons, New York, 1980.				
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Pesticide					
Sedative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Tyrosinase-Inhibitor ID50=0.05 mM					
Ulcerogenic	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				

D-2-HYDROXYISOPINOCAMPHONE	Plant	6.0	140.0		*
D-LIMONENE	Shoot	--	50.0	0.53	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

#### Activities (19)

Antiacetylcholinesterase IC22=1.2 mM					
Anticancer (Breast) 8,000 mg/kg	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Anticancer (Gastric)					
Antimelanomic IC50=450 uM/l					
Antitumor (Breast) 8,000 mg/kg					
Antitumor (Gastric)					
Antitumor-Promoter					
Apoptotic 8,000 mg/kg					
Cancer-Preventive					
Chemopreventive					
Differentiator 8,000 mg/kg					
FLavor FEMA 30-2,300	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Hypocholesterolemic					
Insecticide					
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Litholytic	Martindale's 28th				
Nephrotoxic					
P450-2B1-Inhibitor IC50=0.19 uM					
Pesticide					

D-LIMONENE	Shoot	--	40.0	-0.67	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
------------	-------	----	------	-------	---

**Activities (19)**

Antiacetylcholinesterase IC22=1.2 mM  
 Anticancer (Breast) 8,000 mg/kg  
 Anticancer (Gastric)  
 Antimelanomic IC50=450 uM/l  
 Antitumor (Breast) 8,000 mg/kg  
 Antitumor (Gastric)  
 Antitumor-Promoter  
 Apoptotic 8,000 mg/kg  
 Cancer-Preventive  
 Chemopreventive  
 Differentiator 8,000 mg/kg  
 FLavor FEMA 30-2,300  
 Hypocholesterolemic  
 Insecticide  
 Insectifuge  
 Litholytic  
 Nephrotoxic  
 P450-2B1-Inhibitor IC50=0.19 uM  
 Pesticide

Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry

Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.  
 Martindale's 28th

**D-LIMONENE**                      Shoot                      --                      40.0                      -0.67                      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (*Hyssopus officinalis* L.) J. Agric. Food Chem. 42: 776-781.

**Activities (19)**

Antiacetylcholinesterase IC22=1.2 mM  
 Anticancer (Breast) 8,000 mg/kg  
 Anticancer (Gastric)  
 Antimelanomic IC50=450 uM/l  
 Antitumor (Breast) 8,000 mg/kg  
 Antitumor (Gastric)  
 Antitumor-Promoter  
 Apoptotic 8,000 mg/kg  
 Cancer-Preventive  
 Chemopreventive  
 Differentiator 8,000 mg/kg  
 FLavor FEMA 30-2,300  
 Hypocholesterolemic  
 Insecticide  
 Insectifuge  
 Litholytic  
 Nephrotoxic  
 P450-2B1-Inhibitor IC50=0.19 uM  
 Pesticide

Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry

Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.  
 Martindale's 28th

**D-LIMONENE**                      Shoot                      --                      40.0                      -0.67                      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (*Hyssopus officinalis* L.) J. Agric. Food Chem. 42: 776-781.

**Activities (19)**

Antiacetylcholinesterase IC22=1.2 mM  
 Anticancer (Breast) 8,000 mg/kg  
 Anticancer (Gastric)  
 Antimelanomic IC50=450 uM/l  
 Antitumor (Breast) 8,000 mg/kg  
 Antitumor (Gastric)  
 Antitumor-Promoter  
 Apoptotic 8,000 mg/kg  
 Cancer-Preventive  
 Chemopreventive  
 Differentiator 8,000 mg/kg  
 FLavor FEMA 30-2,300  
 Hypocholesterolemic  
 Insecticide  
 Insectifuge  
 Litholytic  
 Nephrotoxic  
 P450-2B1-Inhibitor IC50=0.19 uM  
 Pesticide

Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry

Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.  
 Martindale's 28th

D-LIMONENE                      Shoot                      --                      40.0                      -0.67                      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (*Hyssopus officinalis* L.) J. Agric. Food Chem. 42: 776-781.

**Activities (19)**

Antiacetylcholinesterase IC22=1.2 mM  
 Anticancer (Breast) 8,000 mg/kg  
 Anticancer (Gastric)  
 Antimelanomic IC50=450 uM/l  
 Antitumor (Breast) 8,000 mg/kg  
 Antitumor (Gastric)  
 Antitumor-Promoter  
 Apoptotic 8,000 mg/kg  
 Cancer-Preventive  
 Chemopreventive  
 Differentiator 8,000 mg/kg  
 FLavor FEMA 30-2,300  
 Hypocholesterolemic  
 Insecticide  
 Insectifuge  
 Litholytic  
 Nephrotoxic  
 P450-2B1-Inhibitor IC50=0.19 uM  
 Pesticide

Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry

Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.  
 Martindale's 28th

D-LIMONENE                      Shoot                      --                      40.0                      -0.67                      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (*Hyssopus officinalis* L.) J. Agric. Food Chem. 42: 776-781.

**Activities (19)**

Antiacetylcholinesterase IC22=1.2 mM  
 Anticancer (Breast) 8,000 mg/kg  
 Anticancer (Gastric)  
 Antimelanomic IC50=450 uM/l  
 Antitumor (Breast) 8,000 mg/kg  
 Antitumor (Gastric)  
 Antitumor-Promoter  
 Apoptotic 8,000 mg/kg  
 Cancer-Preventive  
 Chemopreventive  
 Differentiator 8,000 mg/kg  
 FLavor FEMA 30-2,300  
 Hypocholesterolemic  
 Insecticide  
 Insectifuge  
 Litholytic  
 Nephrotoxic  
 P450-2B1-Inhibitor IC50=0.19 uM  
 Pesticide

Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.

Martindale's 28th

**D-LIMONENE**      Shoot      --      60.0      1.74      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (*Hyssopus officinalis* L.) J. Agric. Food Chem. 42: 776-781.

**Activities (19)**

Antiacetylcholinesterase IC22=1.2 mM  
 Anticancer (Breast) 8,000 mg/kg  
 Anticancer (Gastric)  
 Antimelanomic IC50=450 uM/l  
 Antitumor (Breast) 8,000 mg/kg  
 Antitumor (Gastric)  
 Antitumor-Promoter  
 Apoptotic 8,000 mg/kg  
 Cancer-Preventive  
 Chemopreventive  
 Differentiator 8,000 mg/kg  
 FLavor FEMA 30-2,300  
 Hypocholesterolemic  
 Insecticide  
 Insectifuge  
 Litholytic  
 Nephrotoxic  
 P450-2B1-Inhibitor IC50=0.19 uM  
 Pesticide

Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.

Martindale's 28th

**D-LIMONENE**      Shoot      --      40.0      -0.67      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (*Hyssopus officinalis* L.) J. Agric. Food Chem. 42: 776-781.

**Activities (19)**

Antiacetylcholinesterase IC22=1.2 mM  
 Anticancer (Breast) 8,000 mg/kg  
 Anticancer (Gastric)  
 Antimelanomic IC50=450 uM/l  
 Antitumor (Breast) 8,000 mg/kg  
 Antitumor (Gastric)  
 Antitumor-Promoter  
 Apoptotic 8,000 mg/kg  
 Cancer-Preventive  
 Chemopreventive  
 Differentiator 8,000 mg/kg  
 FLavor FEMA 30-2,300  
 Hypocholesterolemic  
 Insecticide  
 Insectifuge  
 Litholytic  
 Nephrotoxic  
 P450-2B1-Inhibitor IC50=0.19 uM  
 Pesticide

Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry

Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.  
 Martindale's 28th

D-LIMONENE	Shoot	--	60.0	1.74	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
------------	-------	----	------	------	---

**Activities (19)**

Antiacetylcholinesterase IC22=1.2 mM  
 Anticancer (Breast) 8,000 mg/kg  
 Anticancer (Gastric)  
 Antimelanomic IC50=450 uM/l  
 Antitumor (Breast) 8,000 mg/kg  
 Antitumor (Gastric)  
 Antitumor-Promoter  
 Apoptotic 8,000 mg/kg  
 Cancer-Preventive  
 Chemopreventive  
 Differentiator 8,000 mg/kg  
 FLavor FEMA 30-2,300  
 Hypocholesterolemic  
 Insecticide  
 Insectifuge  
 Litholytic  
 Nephrotoxic  
 P450-2B1-Inhibitor IC50=0.19 uM  
 Pesticide

Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry

Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.  
 Martindale's 28th

D-TERPINEOL	Shoot	12.0	15.0		Indian Perfumer, 35: 52.
DELPHINIDIN-3-(P-COUMAROYLGLUCOSIDE)-5-GLUCOSIDE	Flower	--	--		List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
DELTA-CADINENE	Plant	14.0	420.0	2.44	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.



**Activities (9)**

Aldose-Reductase-Inhibitor	
Antiacne	
Antibacterial MIC800 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Anticariogenic MIC800 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antistreptococcic	
Cytochrome-P450-Inducer	
P450-Inducer	
Pesticide	
Testosterone-Inducer	

DIOSMETIN	Essential Oil	--	--		Gruenwald, J. et al. 1998. PDR for Herbal Medicine. 1st ed. Medical Economics Co., Montvale, NJ. 1244 pp. (abbreviated as PHR or Physicians Herbal Reference in my mind)
-----------	---------------	----	----	--	--

**Activities (13)**

Aldose-Reductase-Inhibitor IC17=10 uM	Shimizu, M., Ito, T., Terashima, S., Hayashi, T., Arisawa, M., Morita, N., Kurokawa, S., Ito, K., and Hashimoto, Y. 1984. Inhibition of Lens Aldose Reductase by Flavonoids. Phytochemistry, 23: 1885-1888.
Antialzheimeran	
Antidementia	
Antimutagenic ID50=10-40 nM	Phenolic Compounds in Food and Their Effects on Health. Antioxidants & Cancer Prevention. Huang, M.T., Ho, C.T. and Lee, C.Y. eds. 1992. ACS Symposium Series 507.ACS, Washington 402 pp.
Antirhinoviral	Economic & Medicinal Plant Research, 5: 197.
Antiviral	Economic & Medicinal Plant Research, 5: 197.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Estrogenic EC50=2.9 uM	
NO-Inhibitor EC50=19 uM	
Osteoblastogenic	
PPAR-Gamma-Antagonist	
TNF-alpha-Inhibitor IC50=3.27 uM	
TNF-alpha-Inhibitor EC50=39 uM	

DIOSMETIN-GLYCOSIDES	Essential Oil	--	--		Gruenwald, J. et al. 1998. PDR for Herbal Medicine. 1st ed. Medical Economics Co., Montvale, NJ. 1244 pp. (abbreviated as PHR or Physicians Herbal Reference in my mind)
----------------------	---------------	----	----	--	--

DIOSMIN	Plant	30000.0	60000.0	1.14	*
---------	-------	---------	---------	------	---

**Activities (34)**

AntiCVI	
Anticancer	
Anticapillary-Fragility 300 mg/2x/day/woman	Martindale's 28th
Anticarcinogenic	
Anticlastogen	
Anticytotoxic	
Antiedemic 600 mg/kg rat	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Antiedemic 50-200 mg/kg/day	
Antihemorrhoidal 450 mg 2x/day x7days then 1x/day x2months	
Antihistaminic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antiinflammatory 600 mg/kg rat	
Antileukotriene	
Antimelanomic	
Antimetastatic	
Antimetrorrhagic	Fitoterapia No.55-1984.
Antioxidant	
Antiperoxidant	
Antiproliferant	
Antiprostaglandin	
Antiradicular	
Antithromboxane	
Antiulcer	
COMT-Inhibitor 200-400 mg/kg ip	
Chemopreventive	
Cyclooxygenase-Inhibitor	
Cytoprotective	
Diuretic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Hypoglycemic	
Lipoxygenase-Inhibitor	
MDR-Inhibitor 100 uM	Critchfield, J. W., Welsh, C. J., Phang, J. M., Yeh, G. C. 1994. Modulation of Adriamycin Accumulation and Efflux by Flavonoids in HCT-15 Colon Cells. Activation of P-Glycoprotein as a Putative Mechanism. Biochem Pharmacol, 48(7): 1437-1445.
P450-Inhibitor	
Radioprotective	
Venoprotective	
Venotonic	

DIOSMIN

Leaf

--

--

\*

**Activities (34)**

AntiCVI	
Anticancer	
Anticapillary-Fragility 300 mg/2x/day/woman	Martindale's 28th
Anticarcinogenic	
Anticlastogen	
Anticytotoxic	
Antiedemic 600 mg/kg rat	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Antiedemic 50-200 mg/kg/day	
Antihemorrhoidal 450 mg 2x/day x7days then 1x/day x2months	
Antihistaminic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antiinflammatory 600 mg/kg rat	
Antileukotriene	
Antimelanomic	
Antimetastatic	
Antimetrorrhagic	Fitoterapia No.55-1984.
Antioxidant	
Antiperoxidant	
Antiproliferant	
Antiprostaglandin	
Antiradicular	
Antithromboxane	
Antiulcer	
COMT-Inhibitor 200-400 mg/kg ip	
Chemopreventive	
Cyclooxygenase-Inhibitor	
Cytoprotective	
Diuretic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Hypoglycemic	
Lipoxygenase-Inhibitor	
MDR-Inhibitor 100 uM	Critchfield, J. W., Welsh, C. J., Phang, J. M., Yeh, G. C. 1994. Modulation of Adriamycin Accumulation and Efflux by Flavonoids in HCT-15 Colon Cells. Activation of P-Glycoprotein as a Putative Mechanism. Biochem Pharmacol, 48(7): 1437-1445.
P450-Inhibitor	
Radioprotective	
Venoprotective	
Venotonic	

DIOSMIN

Shoot

--

--

\*

**Activities (34)**

AntiCVI	
Anticancer	
Anticapillary-Fragility 300 mg/2x/day/woman	Martindale's 28th
Anticarcinogenic	
Anticlastogen	
Anticytotoxic	
Antiedemic 600 mg/kg rat	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Antiedemic 50-200 mg/kg/day	
Antihemorrhoidal 450 mg 2x/day x7days then 1x/day x2months	
Antihistaminic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antiinflammatory 600 mg/kg rat	
Antileukotriene	
Antimelanomic	
Antimetastatic	
Antimetrorrhagic	Fitoterapia No.55-1984.
Antioxidant	
Antiperoxidant	
Antiproliferant	
Antiprostaglandin	
Antiradicular	
Antithromboxane	
Antiulcer	
COMT-Inhibitor 200-400 mg/kg ip	
Chemopreventive	
Cyclooxygenase-Inhibitor	
Cytoprotective	
Diuretic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Hypoglycemic	
Lipoxygenase-Inhibitor	
MDR-Inhibitor 100 uM	Critchfield, J. W., Welsh, C. J., Phang, J. M., Yeh, G. C. 1994. Modulation of Adriamycin Accumulation and Efflux by Flavonoids in HCT-15 Colon Cells. Activation of P-Glycoprotein as a Putative Mechanism. Biochem Pharmacol, 48(7): 1437-1445.
P450-Inhibitor	
Radioprotective	
Venoprotective	
Venotonic	

ELEMOL Flower 21.0 215.0 Flavour and Fragrance Journal, 6: 72.

**Activities (2)**

Antiacetylcholinesterase IC50=34 ug/ml  
Antiulcer

ELEMOL Leaf 0.4 608.0 -0.3 Flavour and Fragrance Journal, 6: 72.

**Activities (2)**

Antiacetylcholinesterase IC50=34 ug/ml  
Antiulcer

EO	Plant	300.0	20000.0	0.78	*
EO	Shoot	--	10000.0	-0.03	*
EO	Shoot	--	10000.0	-0.03	*
EO	Shoot	--	10000.0	-0.03	*
EO	Shoot	--	10000.0	-0.03	*
EO	Shoot	--	10000.0	-0.03	*
EO	Shoot	--	10000.0	-0.03	*
EO	Shoot	--	10000.0	-0.03	*
EO	Shoot	--	10000.0	-0.03	*
EO	Shoot	--	--		*

ESTRAGOL	Shoot	--	40.0	0.84	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------	-------	----	------	------	---

**Activities (3)**

Anesthetic	
Anticonvulsant	
Myorelaxant	Fitoterapia No.61: 254, 1990.

ESTRAGOL	Shoot	--	20.0	-0.63	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------	-------	----	------	-------	---

**Activities (3)**

Anesthetic	
Anticonvulsant	
Myorelaxant	Fitoterapia No.61: 254, 1990.

ESTRAGOL	Shoot	--	30.0	0.1	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------	-------	----	------	-----	---

**Activities (3)**

Anesthetic	
Anticonvulsant	
Myorelaxant	Fitoterapia No.61: 254, 1990.

ESTRAGOL	Shoot	--	0.1	-2.11	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------	-------	----	-----	-------	---

**Activities (3)**

Anesthetic	
Anticonvulsant	
Myorelaxant	Fitoterapia No.61: 254, 1990.

ESTRAGOL	Shoot	--	40.0	0.84	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------	-------	----	------	------	---

**Activities (3)**

Anesthetic	
Anticonvulsant	
Myorelaxant	Fitoterapia No.61: 254, 1990.

ESTRAGOL	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------	-------	----	----	--	---

**Activities (3)**

Anesthetic	
Anticonvulsant	
Myorelaxant	Fitoterapia No.61: 254, 1990.

ESTRAGOL	Shoot	--	40.0	0.84	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------	-------	----	------	------	---

**Activities (3)**

Anesthetic	
Anticonvulsant	
Myorelaxant	Fitoterapia No.61: 254, 1990.

ESTRAGOL	Shoot	--	30.0	0.1	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------	-------	----	------	-----	---

Activities (3)					
Anesthetic					
Anticonvulsant					
Myorelaxant					Fitoterapia No.61: 254, 1990.

ESTRAGOL                      Shoot                      --                      --                      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (*Hyssopus officinalis* L.) J. Agric. Food Chem. 42: 776-781.

Activities (3)					
Anesthetic					
Anticonvulsant					
Myorelaxant					Fitoterapia No.61: 254, 1990.

ESTRAGOLE                      Leaf                      1.0                      80.0                      -0.88                      Flavour and Fragrance Journal, 6: 69.

Activities (12)	
Antiaggregant IC50=320 uM	Laekeman, G.M., Van Hoof, L., Haemers, A., Vanden Berghe, D.A., Herman, A.G., and Vlietinck, A.J. Eugenol a Valuable Compound for In Vitro Experimental Research and Worthwhile for Further In Vivo Investigation. <i>Phytotherapy Research</i> 4(3): 93, 1990.
Calcium-Antagonist IC50=257.6 uM gpg	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carcinogenic 4.4 uM/15 mos. scu mus	
DNA-Binder	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
FLavor FEMA 4-150	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry
Hepatocarcinogenic 0.23-0.46% diet/12 mos.	
Hypothermic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Insecticide	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Insectifuge	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Mutagenic	
Perfumery	Merck 11th Edition

ESTRAGOLE                      Essential Oil                      --                      --                      \*

Activities (12)	
Antiaggregant IC50=320 uM	Laekeman, G.M., Van Hoof, L., Haemers, A., Vanden Berghe, D.A., Herman, A.G., and Vlietinck, A.J. Eugenol a Valuable Compound for In Vitro Experimental Research and Worthwhile for Further In Vivo Investigation. <i>Phytotherapy Research</i> 4(3): 93, 1990.
Calcium-Antagonist IC50=257.6 uM gpg	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carcinogenic 4.4 uM/15 mos. scu mus	
DNA-Binder	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
FLavor FEMA 4-150	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry
Hepatocarcinogenic 0.23-0.46% diet/12 mos.	
Hypothermic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Insecticide	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Insectifuge	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Mutagenic	
Perfumery	Merck 11th Edition

ESTRAGOLE                      Flower                      2.0                      18.0                      Flavour and Fragrance Journal, 6: 69.

**Activities (12)**

Antiaggregant IC50=320 uM	Laekeman, G.M., Van Hoof, L., Haemers, A., Vanden Berghe, D.A., Herman, A.G., and Vlietinck, A.J. Eugenol a Valuable Compound for In Vitro Experimental Research and Worthwhile for Further In Vivo Investigation. <i>Phytotherapy Research</i> 4(3): 93, 1990.
Calcium-Antagonist IC50=257.6 uM gpg	
Cancer-Preventive	Stitt, P. A. <i>Why George Should Eat Broccoli</i> . Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carcinogenic 4.4 uM/15 mos. scu mus	
DNA-Binder	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
FLavor FEMA 4-150	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Hepatocarcinogenic 0.23-0.46% diet/12 mos.	
Hypothermic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Insecticide	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Insectifuge	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Mutagenic	
Perfumery	Merck 11th Edition

EUGENOL                      Leaf                      2.0                      443.0                      -0.76                      \*

**Activities (76)**

Acaricide LD50=5.47 ug/sq cm cf DEET at 37.59 ug/sq cm	
Allergenic	
Analgesic	Merck 11th Edition
Anesthetic 200-400	<i>Phytotherapy Research</i> , 4: 93.
AntiTNF	
Antiaggregant IC50=0.3 uM	<i>Phytotherapy Research</i> , 4: 93.
Antiarachidonate	
Antibacterial 500 ppm	Valnet, J. 1982. <i>The Practice of Aromatherapy</i> . Translated from the 1980 French Edition by Robin Campbell and Libby Houston. Destiny Books, New York. 279 pp.
Antibacterial MBC=400 ug/ml	
Anticonvulsant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Antiedemic 100	<i>Phytotherapy Research</i> , 4: 95.
Antiestrogenic	
Antifeedant	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Antigenotoxic 50-500 mg/kg orl mus	
Antiherpetic IC50=16.2-25.6 ug/ml	
Antiinflammatory (11 uM) IC~97=1,000 uM	
Antikeratotic IC50=16.2-25.6 ug/ml	
Antimitotic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Antimutagenic	<i>Economic &amp; Medicinal Plant Research</i> , 6: 235.
Antinitrosating	
Antioxidant IC65=30 ppm	
Antioxidant 10 uM	
Antiprostaglandin 11 uM	
Antiprostaglandin IC50=9.2 mM	
Antipyretic 3 ml/man/day	
Antiradicular EC50=2 ul/l	
Antisalmonella MIC=400 ug/ml	
Antiseptic 3 ml/man/day	
Antiseptic 400 ug/ml	
Antispasmodic	Leung, A. Y. and Foster, S. 1995. <i>Encyclopedia of Common Natural Ingredients</i> 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antistaphylococcic	Wright, C.W. (Ed) 2002. <i>Medicinal &amp; Aromatic Plants-Industrial Profiles</i> . Artemisia. 344pp. Maffei, M. (Ed) 2002. <i>Vetiveria. The Genus Vetiveria</i> . Taylor & Francis. NY, NY. 191pp. Southwell, J., Lowe, R. (Eds) 1999. <i>Tea Tree. The Genus Melaleuca</i> . Harwood Acad. Pub. Amsterdam, Netherlands.
Antithromboxane	Lawrence Review of Natural Products, Jul-87.
Antitumor	Zheng, G-Q., Kenney, P.M., and Lam, L.K.T. Sesquiterpenes From Clove ( <i>Eugenia caryophyllata</i> ) As Potential Anticarcinogenic Agents. <i>Journal of Natural Products</i> 55(7): 999-1003, 1992.
Antiulcer	
Antiviral IC50=16.2-25.6 ug/ml	
Apifuge	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
CNS-Depressant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.

COX-1-Inhibitor IC97=1,000 uM	
COX-2-Inhibitor IC>97=1,000 uM	
COX-2-Inhibitor IC50=129 uM	
Calcium-Antagonist IC50=224 uM	
Calcium-Antagonist IC50=200 uM gpg	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	Phytotherapy Research, 4: 93.
Carcinogenic?	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. J. Pharm. Pharmacol. 46: 14-18, 1994.
Choleretic	
Cytochrome-P450-Inhibitor	Pizzorno, J. 1998. Total Wellness. Prima Health, a division of Prima.
Cytotoxic 25 ug/ml	Phytotherapy Research, 4: 93.
Dermatitogenic	
Enterorelaxant	J. Aromatherapy 4: 22.
FLavor FEMA 10-500	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Hepatoprotective 100 ppm	
Herbicide	
Insecticide	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	
Juvabional	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Larvicide	
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=2,000 ug/ml	Shoyakugaku Zasshi, 44: 183.
Neurotoxic	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That:The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benficent Nature. The Risk of Herbal Preparations. Anns. Intern. Med. 117(2):165-6; Huxtable, R.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Prostaglandin-Synthesis-Inhibitor 1 mM rbt	Chen, S. J., Wang, M. H., Chen, I. J. 1996. Antiplatelet and Calcium Inhibitory Properties of Eugenol and Sodium Eugenol Acetate. Gen Pharmacol, 27(4): 629-633.
Prostaglandin-Synthesis-Inhibitor IC50=9.2 uM	
Sedative	
Termiticide LD100=5 mg/g	
Trichomonicide LD100=300 ug/ml	
Trichomonistat IC50=10 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Trypsin-Enhancer	Lawrence Review of Natural Products, Dec-93.
Ulcerogenic	Phytotherapy Research, 4: 93.
Varroacide	
Vasodilator	
Vermifuge	

EUGENOL Flower 62.0 624.0 -0.37 Flavour and Fragrance Journal, 6: 72.

#### Activities (76)

Acaricide LD50=5.47 ug/sq cm cf DEET at 37.59 ug/sq cm	
Allergenic	
Analgesic	Merck 11th Edition
Anesthetic 200-400	Phytotherapy Research, 4: 93.
AntiTNF	
Antiaggregant IC50=0.3 uM	Phytotherapy Research, 4: 93.
Antiarachidonate	
Antibacterial 500 ppm	Valnet, J. 1982. The Practice of Aromatherapy. Translated from the 1980 French Edition by Robin Campbell and Libby Houston. Destiny Books, New York. 279 pp.
Antibacterial MBC=400 ug/ml	
Anticonvulsant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiedemic 100	Phytotherapy Research, 4: 95.
Antiostrogenic	
Antifeedant	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Antigenotoxic 50-500 mg/kg orl mus	



Antiherpetic IC50=16.2-25.6 ug/ml	
Antiinflammatory (11 uM) IC~97=1,000 uM	
Antikeratotic IC50=16.2-25.6 ug/ml	
Antimitotic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antinitrosating	
Antioxidant IC65=30 ppm	
Antioxidant 10 uM	
Antiprostaglandin 11 uM	
Antiprostaglandin IC50=9.2 mM	
Antipyretic 3 ml/man/day	
Antiradicular EC50=2 ul/l	
Antisalmonella MIC=400 ug/ml	
Antiseptic 3 ml/man/day	
Antiseptic 400 ug/ml	
Antispasmodic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antistaphylococccic	Wright, C.W. (Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei, M. (Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell, I.,Lowe,R. (Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antithromboxane	Lawrence Review of Natural Products, Jul-87.
Antitumor	Zheng, G-Q., Kenney, P.M., and Lam, L.K.T. Sesquiterpenes From Clove ( <i>Eugenia caryophyllata</i> ) As Potential Anticarcinogenic Agents. Journal of Natural Products 55(7): 999-1003, 1992.
Antiulcer	
Antiviral IC50=16.2-25.6 ug/ml	
Apifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
CNS-Depressant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
COX-1-Inhibitor IC97=1,000 uM	
COX-2-Inhibitor IC>97=1,000 uM	
COX-2-Inhibitor IC50=129 uM	
Calcium-Antagonist IC50=224 uM	
Calcium-Antagonist IC50=200 uM gpg	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	Phytotherapy Research, 4: 93.
Carcinogenic?	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. J. Pharm. Pharmacol. 46: 14-18, 1994.
Choleretic	
Cytochrome-P450-Inhibitor	Pizzorno, J. 1998. Total Wellness. Prima Health, a division of Prima.
Cytotoxic 25 ug/ml	Phytotherapy Research, 4: 93.
Dermatitigenic	
Enterorelaxant	J. Aromatherapy 4: 22.
FLavor FEMA 10-500	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Hepatoprotective 100 ppm	
Herbicide	
Insecticide	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	
Juvabional	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Larvicide	
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=2,000 ug/ml	Shoyakugaku Zasshi, 44: 183.
Neurotoxic	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That:The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benficent Nature. The Risk of Herbal Preparations. Anns. Intern. Med. 117(2):165-6; Huxtable, R.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Prostaglandin-Synthesis-Inhibitor 1 mM rbt	Chen, S. J., Wang, M. H., Chen, I. J. 1996. Antiplatelet and Calcium Inhibitory Properties of Eugenol and Sodium Eugenol Acetate. Gen Pharmacol, 27(4): 629-633.
Prostaglandin-Synthesis-Inhibitor IC50=9.2 uM	
Sedative	
Termiticide LD100=5 mg/g	

Trichomonicide LD100=300 ug/ml	
Trichomonistat IC50=10 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture</i> . Plenum Press, New York. 445 pp.
Trypsin-Enhancer	Lawrence Review of Natural Products, Dec-93.
Ulcerogenic	Phytotherapy Research, 4: 93.
Varroacide	
Vasodilator	
Vermifuge	

EUGENOL                      Essential Oil    --                      --                      \*

#### Activities (76)

Acaricide LD50=5.47 ug/sq cm cf DEET at 37.59 ug/sq cm	
Allergenic	
Analgesic	Merck 11th Edition
Anesthetic 200-400	Phytotherapy Research, 4: 93.
AntiTNF	
Antiaggregant IC50=0.3 uM	Phytotherapy Research, 4: 93.
Antiarachidonate	
Antibacterial 500 ppm	Valnet, J. 1982. <i>The Practice of Aromatherapy</i> . Translated from the 1980 French Edition by Robin Campbell and Libby Houston. Destiny Books, New York. 279 pp.
Antibacterial MBC=400 ug/ml	
Anticonvulsant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Antiedemic 100	Phytotherapy Research, 4: 95.
Antiestrogenic	
Antifeedant	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Antigenotoxic 50-500 mg/kg orl mus	
Antiherpetic IC50=16.2-25.6 ug/ml	
Antiinflammatory (11 uM) IC~97=1,000 uM	
Antikeratotic IC50=16.2-25.6 ug/ml	
Antimitotic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Antimutagenic	<i>Economic &amp; Medicinal Plant Research</i> , 6: 235.
Antinitrosating	
Antioxidant IC65=30 ppm	
Antioxidant 10 uM	
Antiprostaglandin 11 uM	
Antiprostaglandin IC50=9.2 mM	
Antipyretic 3 ml/man/day	
Antiradicular EC50=2 ul/l	
Antisalmonella MIC=400 ug/ml	
Antiseptic 3 ml/man/day	
Antiseptic 400 ug/ml	
Antispasmodic	Leung, A. Y. and Foster, S. 1995. <i>Encyclopedia of Common Natural Ingredients</i> 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antistaphylococccic	Wright, C.W. (Ed) 2002. <i>Medicinal &amp; Aromatic Plants-Industrial Profiles. Artemisia</i> . 344pp. Maffei, M. (Ed) 2002. <i>Vetiveria. The Genus Vetiveria</i> . Taylor & Francis. NY, NY. 191pp. Southwell, J., Lowe, R. (Eds) 1999. <i>Tea Tree. The Genus Melaleuca</i> . Harwood Acad. Pub. Amsterdam, Netherlands.
Antithromboxane	Lawrence Review of Natural Products, Jul-87.
Antitumor	Zheng, G-Q., Kenney, P.M., and Lam, L.K.T. Sesquiterpenes From Clove ( <i>Eugenia caryophyllata</i> ) As Potential Anticarcinogenic Agents. <i>Journal of Natural Products</i> 55(7): 999-1003, 1992.
Antiulcer	
Antiviral IC50=16.2-25.6 ug/ml	
Apifuge	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
CNS-Depressant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
COX-1-Inhibitor IC97=1,000 uM	
COX-2-Inhibitor IC>97=1,000 uM	
COX-2-Inhibitor IC50=129 uM	
Calcium-Antagonist IC50=224 uM	
Calcium-Antagonist IC50=200 uM gpg	
Cancer-Preventive	Stitt, P. A. <i>Why George Should Eat Broccoli</i> . Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	Phytotherapy Research, 4: 93.
Carcinogenic?	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture</i> . Plenum Press, New York. 445 pp.

Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. <i>J. Pharm. Pharmacol.</i> 46: 14-18, 1994.
Choleretic	
Cytochrome-P450-Inhibitor	Pizzorno, J. 1998. Total Wellness. Prima Health, a division of Prima.
Cytotoxic 25 ug/ml	Phytotherapy Research, 4: 93.
Dermatitogenic	
Enterorelaxant	J. Aromatherapy 4: 22.
FLavor FEMA 10-500	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry
Fungicide	
Hepatoprotective 100 ppm	
Herbicide	
Insecticide	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	
Juvabional	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Larvicide	
Motor-Depressant	Buchbauer et al, e.g. Buchbauer et al, 1993. Therapeutic properties of essential oils and fragrances, Chap. 12 in Teranishi, R., Buttery, R.G and Sugisawa, H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=2,000 ug/ml	Shoyakugaku Zasshi, 44: 183.
Neurotoxic	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That: The Essential Pharmacology of Herbs and Spices. <i>Tips</i> 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. <i>Anns. Intern. Med.</i> 117(2):165-6; Huxtable, R.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry
Pesticide	
Prostaglandin-Synthesis-Inhibitor 1 mM rbt	Chen, S. J., Wang, M. H., Chen, I. J. 1996. Antiplatelet and Calcium Inhibitory Properties of Eugenol and Sodium Eugenol Acetate. <i>Gen Pharmacol.</i> 27(4): 629-633.
Prostaglandin-Synthesis-Inhibitor IC50=9.2 uM	
Sedative	
Termiticide LD100=5 mg/g	
Trichomonicide LD100=300 ug/ml	
Trichomonistat IC50=10 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture</i> . Plenum Press, New York. 445 pp.
Trypsin-Enhancer	Lawrence Review of Natural Products, Dec-93.
Ulcerogenic	Phytotherapy Research, 4: 93.
Varroacide	
Vasodilator	
Vermifuge	

EUGENOL-METHYL-ETHER	Shoot	--	50.0	1.41	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) <i>J. Agric. Food Chem.</i> 42: 776-781.
----------------------	-------	----	------	------	--

#### Activities (5)

CNS-Depressant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Cancer-Preventive	Stitt, P. A. <i>Why George Should Eat Broccoli</i> . Dougherty Co, Milwaukee, WI, 1990, 399 pp.
DNA-Binder	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Hypothermic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Myorelaxant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.

EUGENOL-METHYL-ETHER	Shoot	--	40.0	0.81	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) <i>J. Agric. Food Chem.</i> 42: 776-781.
----------------------	-------	----	------	------	--

#### Activities (5)

CNS-Depressant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Cancer-Preventive	Stitt, P. A. <i>Why George Should Eat Broccoli</i> . Dougherty Co, Milwaukee, WI, 1990, 399 pp.
DNA-Binder	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Hypothermic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Myorelaxant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.

EUGENOL-METHYL-ETHER	Shoot	--	30.0	0.2	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) <i>J. Agric. Food Chem.</i> 42: 776-781.
----------------------	-------	----	------	-----	--

Activities (5)					
CNS-Depressant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
DNA-Binder	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Hypothermic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Myorelaxant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				

EUGENOL-METHYL-ETHER	Shoot	--	10.0	-1.01	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------------------	-------	----	------	-------	---

Activities (5)					
CNS-Depressant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
DNA-Binder	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Hypothermic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Myorelaxant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				

EUGENOL-METHYL-ETHER	Shoot	--	50.0	1.41	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------------------	-------	----	------	------	---

Activities (5)					
CNS-Depressant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
DNA-Binder	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Hypothermic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Myorelaxant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				

EUGENOL-METHYL-ETHER	Shoot	--	40.0	0.81	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------------------	-------	----	------	------	---

Activities (5)					
CNS-Depressant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
DNA-Binder	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Hypothermic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Myorelaxant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				

EUGENOL-METHYL-ETHER	Shoot	--	20.0	-0.4	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------------------	-------	----	------	------	---

Activities (5)					
CNS-Depressant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
DNA-Binder	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Hypothermic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Myorelaxant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				

EUGENOL-METHYL-ETHER	Shoot	--	30.0	0.2	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------------------	-------	----	------	-----	---

Activities (5)					
CNS-Depressant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
DNA-Binder	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Hypothermic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Myorelaxant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				

EUGENOL-METHYL-ETHER	Shoot	--	30.0	0.2	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------------------	-------	----	------	-----	---

Activities (5)					
CNS-Depressant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
DNA-Binder	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Hypothermic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Myorelaxant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				

EUGENOL-METHYL-ETHER	Shoot	--	20.0	-0.4	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------------------	-------	----	------	------	---

Activities (5)					
CNS-Depressant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
DNA-Binder	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Hypothermic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Myorelaxant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				

FERULIC-ACID	Plant	--	--		Jim Duke's personal files.
--------------	-------	----	----	--	----------------------------

Activities (61)	
Allelopathic	Holappa, L.D., and Blum*, U. 1991. Effects of Exogenously Applied Ferulic Acid, a Potential Allelopathic Compound, on Leaf Growth, Water Utilization, and Endogenous Abscisic Acid Levels of Tomato, Cucumber, and Bean. J. of Chemical Ecology, 17(5): 865.
Analgesic	Advance in Chinese Medicinal Materials Research. 1985. Eds. H. M. Chang, H. W. Yeung, W. -W. Tso and A. Koo. World Scientific Publishing Co., Philadelphia Pa., page 69.
Antiaggregant	Ozaki, Y. and Ma, J-P. 1989. Inhibitory Effects of Tetramethylpyrazine and Ferulic Acid on Spontaneous Movement of Rat Uterus in Situ. Chem. Pharm. Bull. 38(6): 1620-1623, 1990.
Antiallergic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antiarrhythmic	
Antibacterial	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Anticancer (Colon)	
Anticancer (Forestomach)	
Anticancer (Liver)	
Anticancer (Skin)	
Anticarcinogenic	
Antidysmenorrhic	
Antiandrogenic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antihepatotoxic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiherpetic	
Antiinflammatory	Hagerman, A.E. Tannin-Protein Interactions. Phenolic Compounds in Food and Their Effects on Health, Ch.19.
Antileukemic IC50=25-56 ug/ml	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antimitotic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antimutagenic	Ki Soon Rhee. Oilseed Food Ingredients Used To Minimize Oxidative Flavor Deterioration in Meat Products. Phenolic Compounds in Food and Their Effects on Health, Ch.18.
Antineoplastic (Stomach)	
Antinitrosaminic	Ki Soon Rhee. Oilseed Food Ingredients Used To Minimize Oxidative Flavor Deterioration in Meat Products. Phenolic Compounds in Food and Their Effects on Health, Ch.18.

Antioxidant 3,000 uM	
Antioxidant IC51=200 ppm	
Antioxidant 1/3 quercetin	
Antioxidant 1/2 BHA	
Antioxidant EC50=9-15 ug/ml	
Antiradicular EC50=9-15 ug/ml	
Antiradicular IC50=116-124 uM	
Antiserotonin	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antispasmodic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antithrombic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antitumor	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antitumor (Colon)	
Antitumor (Forestomach)	
Antitumor (Liver)	
Antitumor (Skin)	
Antitumor-Promoter IC46=10 uM	Cancer Research, 48: 5941.
Antiviral	Vlietinck, A.J. and Dommissie, R.A. eds. 1985. Advances in Medicinal Plant Research. Wiss. Verlag. Stuttgart.
Arteriodilator	Ozaki, Y. and Ma, J-P. 1989. Inhibitory Effects of Tetramethylpyrazine and Ferulic Acid on Spontaneous Movement of Rat Uterus in Situ. Chem. Pharm. Bull. 38(6): 1620-1623, 1990.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Cardiac	Ozaki, Y. and Ma, J-P. 1989. Inhibitory Effects of Tetramethylpyrazine and Ferulic Acid on Spontaneous Movement of Rat Uterus in Situ. Chem. Pharm. Bull. 38(6): 1620-1623, 1990.
Cholagogue	Pharmazie, 46: 156, 1991.
Choleretic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Fungicide	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Hepatoprotective	Mills, Simon and Bone, Kerry. 2000. Phytotherapy. Churchill Livinston, Edinburgh.
Hepatotropic	
Herbicide	Angewandte Botanik 68(5/6)=1994. Page 195.
Hydrocholerectic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Hypolipidemic	
Immunostimulant	Economic & Medicinal Plant Research, 1: 124.
Insectifuge	Tunon, H., Thorsell, W., and Bohlin, L. 1993. Mosquito Repelling Activity of Compounds Occurring in Achillea millefolium L. (Asteraceae). Economic Botany 48(2): 111-120, 1994.
Metal-Chelator	McEvily, A.J., Iyengar, R., and Gross, A.T. Inhibition of Polyphenol Oxidase by Phenolic Compounds. Phenolic Compounds in Food and Their Effects on Health, Ch.25.
Ornithine-Decarboxylase-Inhibitor	Hagerman, A.E. Tannin-Protein Interactions. Phenolic Compounds in Food and Their Effects on Health, Ch.19.
Pesticide	
Phagocytotic	
Preservative	Merck 11th Edition
Prostaglandigenic	
Prostaglandin-Synthesis-Inhibitor 0.58-3.2 mM	Xu, L. N., Yu, W. G., Tian, J. Y., Liu, Q. Y. 1990. Effect of Sodium Ferulate on Arachidonic Acid Metabolism. Yao Hsueh Hsueh Pao, 25(6): 412-416.
Sunscreen	Chemical Marketing Reporter; a weekly tabloid, 9/10/92.
Uterosedative 30-100 mg/kg ivn rat	Ozaki, Y. and Ma, J-P. 1989. Inhibitory Effects of Tetramethylpyrazine and Ferulic Acid on Spontaneous Movement of Rat Uterus in Situ. Chem. Pharm. Bull. 38(6): 1620-1623, 1990.

FURFURAL                      Shoot                      1.0                      2.0                      1.0                      Indian Perfumer, 35: 51.

**Activities (6)**

Antiseptic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Flavor FEMA 1-30	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry
Fungicide	
Insecticide	
Irritant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Pesticide	

GAMMA-CADINENE                      Plant                      --                      --                      \*

GAMMA-TERPINENE                      Leaf                      1.0                      60.0                      -0.26                      \*

**Activities (11)**

ACE-Inhibitor 100 ug/ml  
(weak activity)

Acaricide

Aldose-Reductase-Inhibitor 100 ug/ml Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.

Antiacetylcholinesterase  
IC23=1.2 mM

Antifeedant Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.

Antioxidant Jim Duke's personal files.

FLavor FEMA 1-40 Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Insectifuge Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.

Irritant Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Perfumery Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Pesticide

---

GERANIOL	Leaf	0.1	2.0	-0.23	Flavour and Fragrance Journal, 6: 72.
----------	------	-----	-----	-------	---------------------------------------

---

**Activities (35)**

Allergenic	
Anthelmintic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antibacterial MIC=400 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antibacterial MIC=64 ug/ml	
Antibacterial MBC=800 ug/ml	
Anticancer (Pancreas) IC50=265 uM	
Anticariogenic MIC=400 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antimelanomic IC50=150 uM/l	
Antisalmonella MIC=400 ug/ml	
Antiseptic 7 x phenol	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Antiseptic MIC=64 ug/ml	
Antiseptic 400-800 ug/ml	
Antispasmodic	Buchbauer, G., Jirovetz*, L., Nikiforov, A., Remberg, G., Raverdino, V. 1989. Headspace-Analysis and Aroma Compounds of Austrian Hay-Blossoms (Flores Graminis, Graminis Flos) used in Aromatherapy. J. Ess. Oil Res., 2: 185-191, 1990.
Antitubercular MIC=64 ug/ml	
Antitumor	Yu, S.G., Anderson, P.J., and Elson, C.E. 1995. Efficacy of B-Ionone in the Chemoprevention of Rat Mammary Carcinogenesis. J. Agric. Food Chem. 43: 2144-2147.
Antitumor (Pancreas) IC50=265 uM	
Ascaricide	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
CNS-Stimulant	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	
Embryotoxic	
Emetic 3 x ipecac	Lawrence Review of Natural Products, Sep-97.
Expectorant	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
FLavor FEMA 1-10	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry
Fungicide IC93=2 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Herbicide IC100-2,000 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge 50 ppm	
Insectiphile	Merck 11th Edition
Mycobactericide MIC=64 ug/ml	
Nematicide IC86=100 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Nematicide MLC=1,000 ug/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Merck 11th Edition
Pesticide	
Sedative	
Trichomonicide LD100=300 ug/ml	

GERANIOL                      Flower                      0.5                      6.0                      -0.51                      Flavour and Fragrance Journal, 6: 72.



**Activities (35)**

Allergenic	
Anthelmintic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antibacterial MIC=400 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antibacterial MIC=64 ug/ml	
Antibacterial MBC=800 ug/ml	
Anticancer (Pancreas) IC50=265 uM	
Anticariogenic MIC=400 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antimelanomic IC50=150 uM/l	
Antisalmonella MIC=400 ug/ml	
Antiseptic 7 x phenol	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Antiseptic MIC=64 ug/ml	
Antiseptic 400-800 ug/ml	
Antispasmodic	Buchbauer, G., Jirovetz*, L., Nikiforov, A., Remberg, G., Raverdino, V. 1989. Headspace-Analysis and Aroma Compounds of Austrian Hay-Blossoms (Flores Graminis, Graminis Flos) used in Aromatherapy. J. Ess. Oil Res., 2: 185-191, 1990.
Antitubercular MIC=64 ug/ml	
Antitumor	Yu, S.G., Anderson, P.J., and Elson, C.E. 1995. Efficacy of B-Ionone in the Chemoprevention of Rat Mammary Carcinogenesis. J. Agric. Food Chem. 43: 2144-2147.
Antitumor (Pancreas) IC50=265 uM	
Ascaricide	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
CNS-Stimulant	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	
Embryotoxic	
Emetic 3 x ipecac	Lawrence Review of Natural Products, Sep-97.
Expectorant	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
FLavor FEMA 1-10	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry
Fungicide IC93=2 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Herbicide IC100-2,000 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge 50 ppm	
Insectiphile	Merck 11th Edition
Mycobactericide MIC=64 ug/ml	
Nematicide IC86=100 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Nematicide MLC=1,000 ug/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Merck 11th Edition
Pesticide	
Sedative	
Trichomonicide LD100=300 ug/ml	

GERMACRENE-D	Shoot	--	1030.0	0.21	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
--------------	-------	----	--------	------	---

**Activities (2)**

Pesticide  
Pheromone

GERMACRENE-D	Shoot	--	1550.0	0.5	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
--------------	-------	----	--------	-----	---

**Activities (2)**

Pesticide  
Pheromone

GERMACRENE-D	Essential Oil	--	--	*	
--------------	---------------	----	----	---	--

Activities (2)					
Pesticide					
Pheromone					
GERMACRENE-D	Shoot	--	990.0	0.18	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
Activities (2)					
Pesticide					
Pheromone					
GERMACRENE-D	Shoot	--	670.0	0.01	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
Activities (2)					
Pesticide					
Pheromone					
GERMACRENE-D	Shoot	--	900.0	0.13	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
Activities (2)					
Pesticide					
Pheromone					
GERMACRENE-D	Shoot	--	920.0	0.15	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
Activities (2)					
Pesticide					
Pheromone					
GERMACRENE-D	Leaf	4.0	3100.0	1.98	*
Activities (2)					
Pesticide					
Pheromone					
GERMACRENE-D	Flower	10.0	200.0	0.64	*
Activities (2)					
Pesticide					
Pheromone					
GERMACRENE-D	Shoot	--	920.0	0.15	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
Activities (2)					
Pesticide					
Pheromone					
GERMACRENE-D	Shoot	--	970.0	0.17	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
Activities (2)					
Pesticide					
Pheromone					
GERMACRENE-D	Shoot	--	950.0	0.16	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities (2)					
Pesticide					
Pheromone					
GUM	Plant	--	--		*
HEDYCARYOL	Shoot	--	240.0	-1.4	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
HEDYCARYOL	Shoot	--	350.0	-0.68	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
HEDYCARYOL	Shoot	--	680.0	1.47	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
HEDYCARYOL	Shoot	--	410.0	-0.29	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
HEDYCARYOL	Leaf	8.0	1700.0		*
HEDYCARYOL	Flower	10.0	105.0		*
HEDYCARYOL	Shoot	--	530.0	0.49	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
HEDYCARYOL	Shoot	--	560.0	0.69	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
HEDYCARYOL	Shoot	--	660.0	1.34	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
HEDYCARYOL	Shoot	--	250.0	-1.33	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
HEDYCARYOL	Shoot	--	410.0	-0.29	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
HESPERIDIN	Plant	50000.0	60000.0		*

Activities (31)				
Analgesic				
Anti-LDL				
AntiDNA				
AntiRNA				
Antiallergenic	Yakugaku Zasshi, 111: 193, 1991.			
Antibradykinic	Economic & Medicinal Plant Research, 5: 366.			
Anticapillary-Fragility				
Antiflu	Economic & Medicinal Plant Research, 5: 197.			
Antihistaminic				
Antiinflammatory IC47=50 mg/kg scu	Da Silva Emim, J.A., Oliveira, A.B. and Lapa, A.J. Pharmacological Evaluation of the Anti-inflammatory Activity of a Citrus Bioflavonoid, Hesperidin, and the Isoflavonoids, Duartin and Claussequinone, in Rats and Mice. J. Pharm. Pharmacol. 46:118-122,1994			
Antiinflammatory IC63=100 mg/kg scu	Da Silva Emim, J.A., Oliveira, A.B. and Lapa, A.J. Pharmacological Evaluation of the Anti-inflammatory Activity of a Citrus Bioflavonoid, Hesperidin, and the Isoflavonoids, Duartin and Claussequinone, in Rats and Mice. J. Pharm. Pharmacol. 46:118-122,1994			
Antileukotriene				
Antioxidant IC50=8 ppm	Phytochemistry, 37: 1463.			
Antiprostaglandin				
Antistomatitic				
Antitriglyceride				
Antiulcer 100-150 mg/kg ipr				
Antivaccinia	Economic & Medicinal Plant Research, 5: 197.			
Antiviral	Vlietinck, A.J. and Dommissie, R.A. eds. 1985. Advances in Medicinal Plant Research. Wiss. Verlag. Stuttgart.			
Anxiolytic				
CNS-Depressant 100-150 mg/kg ipr				
Calcium-Antagonist IC50=1.2 uM fbt				
Capillariprotective	Martindale's 29th			
Catabolic				
Choleretic				
Cyclooxygenase- Inhibitor				
Hypolipidemic				
Lipoxygenase- Inhibitor				
Pesticide				
ProHDL				
Vasopressor				

HESPERIDIN-GLYCOSIDES	Essential Oil	--	--	Gruenwald, J. et al. 1998. PDR for Herbal Medicine. 1st ed. Medical Economics Co., Montvale, NJ. 1244 pp. (abbreviated as PHR or Physicians Herbal Reference in my mind)
HEXAN-1-OL	Leaf	1.0	15.0	Flavour and Fragrance Journal, 6: 72.
HEXAN-1-OL	Flower	1.0	10.0	Flavour and Fragrance Journal, 6: 72.
HYDROXYCINNAMIC- DERIVATIVES	Plant	--	22000.0	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
HYSSOPIN	Plant	--	--	Leung, A.Y., Encyclopedia of Common Natural Ingredients Used in Food, Drugs, and Cosmetics, John Wiley & Sons, New York, 1980.
HYSSOPUS- POLYSACCHARIDE-MAR-10	Leaf	--	112.2	*
INOSITOL	Leaf	--	433.3	*

Activities (8)				
Antialopecic				
Anticirrhotic				
Antidiabetic?	Martindale's 29th			
Antineuropathic? 2 g/day	Werbach, M. 1993. Healing with Food. Harper Collins, New York, 443 pp.			
Cholesterolytic 2,000 mg/man/day				
Lipotropic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.			
Sweetener	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.			
Ubiquiot	Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.			

IODINE	Plant	--	0.014	-0.45	*
--------	-------	----	-------	-------	---

Activities (12)					
Acneogenic					Davies, S., and Stewart, A. 1990. Nutritional Medicine. Avon Books, New York. 509pp.
Antibacterial					
Antigoiter					Davies, S., and Stewart, A. 1990. Nutritional Medicine. Avon Books, New York. 509pp.
Antiseptic					
Antithyrototoxic					Davies, S., and Stewart, A. 1990. Nutritional Medicine. Avon Books, New York. 509pp.
Antiviral					
Dermatitogenic					Davies, S., and Stewart, A. 1990. Nutritional Medicine. Avon Books, New York. 509pp.
Fungicide					
Goitrogenic					Davies, S., and Stewart, A. 1990. Nutritional Medicine. Avon Books, New York. 509pp.
Hyperthyroid >1 mm/day/diet					
Protisticide					
Thyrotropic					Davies, S., and Stewart, A. 1990. Nutritional Medicine. Avon Books, New York. 509pp.

ISOPINOCAMPHONE	Flower	5.0	55.0		*
ISOPINOCAMPHONE	Shoot	--	130.0	-1.01	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

Activities (4)					
Convulsant					
Epileptigenic					
Neurotoxic					
Pesticide					

ISOPINOCAMPHONE	Leaf	3.0	6520.0		*
-----------------	------	-----	--------	--	---

Activities (4)					
Convulsant					
Epileptigenic					
Neurotoxic					
Pesticide					

ISOPINOCAMPHONE	Shoot	--	130.0	-1.01	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-----------------	-------	----	-------	-------	---

Activities (4)					
Convulsant					
Epileptigenic					
Neurotoxic					
Pesticide					

ISOPINOCAMPHONE	Shoot	--	200.0	-0.96	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-----------------	-------	----	-------	-------	---

Activities (4)					
Convulsant					
Epileptigenic					
Neurotoxic					
Pesticide					

ISOPINOCAMPHONE	Shoot	--	110.0	-1.02	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-----------------	-------	----	-------	-------	---

Activities (4)					
Convulsant					
Epileptigenic					
Neurotoxic					
Pesticide					

ISOPINOCAMPHONE	Shoot	--	2220.0	0.39	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-----------------	-------	----	--------	------	---

Activities (4)					
Convulsant					
Epileptigenic					
Neurotoxic					
Pesticide					

ISOPINOCAMPHONE	Shoot	--	1410.0	-0.15	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-----------------	-------	----	--------	-------	---

Activities (4)					
Convulsant					
Epileptigenic					
Neurotoxic					
Pesticide					

ISOPINOCAMPHONE	Shoot	--	1380.0	-0.17	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-----------------	-------	----	--------	-------	---

Activities (4)					
Convulsant					
Epileptigenic					
Neurotoxic					
Pesticide					

ISOPINOCAMPHONE	Shoot	--	3260.0	1.09	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-----------------	-------	----	--------	------	---

Activities (4)					
Convulsant					
Epileptigenic					
Neurotoxic					
Pesticide					

ISOPINOCAMPHONE	Shoot	--	2940.0	0.87	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-----------------	-------	----	--------	------	---

Activities (4)					
Convulsant					
Epileptigenic					
Neurotoxic					
Pesticide					

ISOPINOCAMPHONE	Essential Oil	--	381000.0	*	
-----------------	---------------	----	----------	---	--

Activities (4)					
Convulsant					
Epileptigenic					
Neurotoxic					
Pesticide					

LEDOL	Shoot	--	30.0	-0.13	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------	-------	----	------	-------	---

LEDOL	Shoot	--	60.0	-0.03	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------	-------	----	------	-------	---

LEDOL	Shoot	--	40.0	-0.1	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------	-------	----	------	------	---

LEDOL	Shoot	--	40.0	-0.1	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------	-------	----	------	------	---

LEDOL	Shoot	--	30.0	-0.13	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
LEDOL	Shoot	--	60.0	-0.03	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
LEDOL	Shoot	--	50.0	-0.07	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
LEDOL	Shoot	--	30.0	-0.13	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
LEDOL	Shoot	--	30.0	-0.13	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
LEDOL	Shoot	--	40.0	-0.1	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
LIMONENE	Leaf	7.0	480.0	0.06	*

**Activities (60)**

AChE-Inhibitor	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. &amp; Physiol.</i> , 23, 1985, 383-8.
Acaricide LC100=8 uM	
Allelochemic	
Allergenic 1/20th carene	
Antiacetylcholinesterase IC22-26=1.2 mM	
Antiadenomic	
Antialzheimeran?	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. &amp; Physiol.</i> , 23, 1985, 383-8.
Antiasthmatic	
Antibacterial	Revista Itiliana Eppos, 12: 5, 1994.
Anticancer	
Antiesophagitic	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory	
Antilithic	
Antilymphomic	
Antimetastatic (Stomach)	
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antiobesity	
Antiseptic	
Antispasmodic ED50=0.197 mg/ml	Fitoterapia No.59-1984.
Antitumor	
Antitumor (Breast)	
Antitumor (Colon)	
Antitumor (Pancreas)	
Antitumor (Prostate)	
Antitumor (Stomach)	
Antiviral	
Apoptotic	
Bronchoprotectant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidistat	
Chemopreventive	
Cholesterolytic	
Detoxicant	
Enterocontractant	J. Aromatherapy 4: 22.
Expectorant	
FLavor	
Fungiphilic	J. Agric. Food Chem. 43: 2283.
Fungistat	
GST-Inducer	
Herbicide IC50=45 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Histaminic	
Immunomodulator	
Insecticide 0.37 uM/fly	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Interleukin-6-Inhibitor	
Irritant	
Lipolytic	
Myorelaxant 50 mg/kg	
NO-Genic	
Nematicide IC=100 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Ornithine-Decarboxylase-Inhibitor ~750 mg/kg (diet)	
Ozone-Scavenger	
P450-Inducer	
Peristaltic	
Pesticide	
Photosensitizer	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Sedative ED=1-32 mg/kg	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Transdermal	





**Activities (60)**

AChE-Inhibitor	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. &amp; Physiol.</i> , 23, 1985, 383-8.
Acaricide LC100=8 uM	
Allelochemic	
Allergenic 1/20th carene	
Antiacetylcholinesterase IC22-26=1.2 mM	
Antiadenomic	
Antialzheimeran?	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. &amp; Physiol.</i> , 23, 1985, 383-8.
Antiasthmatic	
Antibacterial	Revista Itiliana Eppos, 12: 5, 1994.
Anticancer	
Antiesophagitic	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory	
Antilithic	
Antilymphomic	
Antimetastatic (Stomach)	
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antiobesity	
Antiseptic	
Antispasmodic ED50=0.197 mg/ml	Fitoterapia No.59-1984.
Antitumor	
Antitumor (Breast)	
Antitumor (Colon)	
Antitumor (Pancreas)	
Antitumor (Prostate)	
Antitumor (Stomach)	
Antiviral	
Apoptotic	
Bronchoprotectant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidistat	
Chemopreventive	
Cholesterolytic	
Detoxicant	
Enterocontractant	J. Aromatherapy 4: 22.
Expectorant	
FLavor	
Fungiphilic	J. Agric. Food Chem. 43: 2283.
Fungistat	
GST-Inducer	
Herbicide IC50=45 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Histaminic	
Immunomodulator	
Insecticide 0.37 uM/fly	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Interleukin-6-Inhibitor	
Irritant	
Lipolytic	
Myorelaxant 50 mg/kg	
NO-Genic	
Nematicide IC=100 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Ornithine-Decarboxylase-Inhibitor ~750 mg/kg (diet)	
Ozone-Scavenger	
P450-Inducer	
Peristaltic	
Pesticide	
Photosensitizer	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Sedative ED=1-32 mg/kg	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Transdermal	

LINALOL	Shoot	--	10.0	-0.22	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
LINALOL	Leaf	0.2	160.0	-0.35	*
LINALOL	Flower	0.1	1.0	-0.39	Flavour and Fragrance Journal, 6: 69.
LINALOL	Shoot	--	70.0	-0.21	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
LINALOL	Shoot	--	50.0	-0.21	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
LINALOL	Shoot	--	70.0	-0.21	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
LINALOL	Shoot	--	80.0	-0.21	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
LINALOL	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
LINALOL	Shoot	--	20.0	-0.22	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
LINALOL	Shoot	--	20.0	-0.22	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
LINALOL	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
LINALOOL	Essential Oil	--	--		*

**Activities (53)**

Acaricide C90=<15 ul/l (= <15 ppm)	
Allergenic	
Analgesic	
Anesthetic 0.01-1 ug/ml	
Antiacetylcholinesterase	
Antiallergic	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antianaphylactic	
Antibacterial MIC=1,600 ug/ml	
Anticarcinogenic MIC=1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Anticolic	
Anticonvulsant 200 mg/kg ipr mus	
Antiedemic	
Antiglutamaergic	
Antihistaminic	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antiinflammatory	
Antileukemic IC50=3.5-4.2 ug/ml	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antilymphomic IC50=3.5-4.2 ug/ml	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antimange	
Antimite	
Antimutagenic	
Antiseptic 5 x phenol	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Antishock	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antispasmodic	Buchbauer, G., Jirovetz*, L., Nikiforov, A., Remberg, G., Raverdino, V. 1989. Headspace-Analysis and Aroma Compounds of Austrian Hay-Blossoms (Flores Graminis, Graminis Flos) used in Aromatherapy. J. Ess. Oil Res., 2: 185-191, 1990.
Antiviral	
Barbituate-Synergist	
Bronchorelaxant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
CNS-Depressant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidistat	
Carminative	
Culicide LC50=156-194 mg/l	
Cytotoxic	
Expectorant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
FLavor FEMA 2-40	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Acta Botanica Sinica, 32: 49.
GABA-nergic	
Hypnotic	
Hypothermic	
Insecticide LC50=156-194 mg/l	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Larvicide LC50=156-194 mg/l	
Mosquitofuge > Deet	
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Merck 11th Edition
Pesticide	
Prooxidant	Charalambous, G. (Ed.). 1994. Spices, Herbs and Edible Fungi. Elsevier Science B. V. Amsterdam. 764 pp.
Sedative ED=1-32 mg/kg	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Sedative 200 mg/kg ipr mus (1% as active as diazepam)	
Termitifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Trichomonicide LD100=600 ug/ml	
Tumor-Promoter	

LINALOOL                      Flower                      0.1                      1.0                      -0.59                      Flavour and Fragrance Journal, 6: 72.

**Activities (53)**

Acaricide C90=<15 ul/l (= <15 ppm)	
Allergenic	
Analgesic	
Anesthetic 0.01-1 ug/ml	
Antiacetylcholinesterase	
Antiallergic	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antianaphylactic	
Antibacterial MIC=1,600 ug/ml	
Anticarcinogenic MIC=1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Anticolic	
Anticonvulsant 200 mg/kg ipr mus	
Antiedemic	
Antiglutamaergic	
Antihistaminic	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antiinflammatory	
Antileukemic IC50=3.5-4.2 ug/ml	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antilymphomic IC50=3.5-4.2 ug/ml	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antimange	
Antimite	
Antimutagenic	
Antiseptic 5 x phenol	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Antishock	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antispasmodic	Buchbauer, G., Jirovetz*, L., Nikiforov, A., Remberg, G., Raverdino, V. 1989. Headspace-Analysis and Aroma Compounds of Austrian Hay-Blossoms (Flores Graminis, Graminis Flos) used in Aromatherapy. J. Ess. Oil Res., 2: 185-191, 1990.
Antiviral	
Barbituate-Synergist	
Bronchorelaxant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
CNS-Depressant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidistat	
Carminative	
Culicide LC50=156-194 mg/l	
Cytotoxic	
Expectorant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Flavor FEMA 2-40	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Acta Botanica Sinica, 32: 49.
GABA-nergic	
Hypnotic	
Hypothermic	
Insecticide LC50=156-194 mg/l	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Larvicide LC50=156-194 mg/l	
Mosquitofuge > Deet	
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Merck 11th Edition
Pesticide	
Prooxidant	Charalambous, G. (Ed.). 1994. Spices, Herbs and Edible Fungi. Elsevier Science B. V. Amsterdam. 764 pp.
Sedative ED=1-32 mg/kg	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Sedative 200 mg/kg ipr mus (1% as active as diazepam)	
Termitifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Trichomonicide LD100=600 ug/ml	
Tumor-Promoter	

LINALOOL                      Leaf                      0.2                      160.0                      -0.54                      \*

**Activities (53)**

Acaricide C90=<15 ul/l (= <15 ppm)	
Allergenic	
Analgesic	
Anesthetic 0.01-1 ug/ml	
Antiacetylcholinesterase	
Antiallergic	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antianaphylactic	
Antibacterial MIC=1,600 ug/ml	
Anticariogenic MIC=1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Anticolic	
Anticonvulsant 200 mg/kg ipr mus	
Antiedemic	
Antiglutamaergic	
Antihistaminic	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antiinflammatory	
Antileukemic IC50=3.5-4.2 ug/ml	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antilymphomic IC50=3.5-4.2 ug/ml	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antimange	
Antimite	
Antimutagenic	
Antiseptic 5 x phenol	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Antishock	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antispasmodic	Buchbauer, G., Jirovetz*, L., Nikiforov, A., Remberg, G., Raverdino, V. 1989. Headspace-Analysis and Aroma Compounds of Austrian Hay-Blossoms (Flores Graminis, Graminis Flos) used in Aromatherapy. J. Ess. Oil Res., 2: 185-191, 1990.
Antiviral	
Barbituate-Synergist	
Bronchorelaxant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
CNS-Depressant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidistat	
Carminative	
Culicide LC50=156-194 mg/l	
Cytotoxic	
Expectorant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Flavor FEMA 2-40	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Acta Botanica Sinica, 32: 49.
GABA-nergic	
Hypnotic	
Hypothermic	
Insecticide LC50=156-194 mg/l	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Larvicide LC50=156-194 mg/l	
Mosquitofuge > Deet	
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Merck 11th Edition
Pesticide	
Prooxidant	Charalambous, G. (Ed.). 1994. Spices, Herbs and Edible Fungi. Elsevier Science B. V. Amsterdam. 764 pp.
Sedative ED=1-32 mg/kg	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Sedative 200 mg/kg ipr mus (1% as active as diazepam)	
Termitifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Trichomonicide LD100=600 ug/ml	
Tumor-Promoter	

MARRUBIIN                      Plant                      --                      --                      \*

**Activities (8)**

Antiarrhythmic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Antinociceptive	
Arrhythmigenic	
Bitter (gentian)	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Cardioactive	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Choleretic	ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
Expectorant	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Secretagogue	Lawrence Review of Natural Products, Jun-88.

METHYL-CHAVICOL                      Shoot                      1.0                      960.0                      1.64                      \*

**Activities (6)**

Calcium-Antagonist IC50=258 uM	
DNA-Binder	
Hepatocarcinogenic	Bisset, N.G., ed. 1994. Herbal Drugs and Phytopharmaceuticals. CRC Press. Boca Raton, FL. 566 pp.
Hypothermic	
Insecticide	
Pesticide	

METHYL-EUGENOL                      Plant                      7.0                      100.0                      -0.56                      \*

**Activities (20)**

Anesthetic	
Antibacterial	Internat. J. Oriental Med. 15(4): 199, 1990+
Anticonvulsant	
Antidote (Strychnine)	
Antifeedant	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Antioxidant EC50=100 ul/l	
Antiradicular EC50=100 ul/l	
Antiseptic	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carcinogenic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
FLavor FEMA 5-15	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Fungistat 100 ug/ml	Laekeman, G.M., Van Hoof, L., Haemers, A., Vanden Berghe, D.A., Herman, A.G., and Vlietinck, A.J. Eugenol a Valuable Compound for In Vitro Experimental Research and Worthwhile for Further In Vivo Investigation. Phytotherapy Research 4(3): 93, 1990.
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Myorelaxant	Fitoterapia No.61: 254, 1990.
Narcotic	
Nematicide MIC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	

METHYL-EUGENOL                      Shoot                      7.0                      100.0                      -0.56                      \*

**Activities (20)**

Anesthetic	
Antibacterial	Internat. J. Oriental Med. 15(4): 199, 1990+
Anticonvulsant	
Antidote (Strychnine)	
Antifeedant	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Antioxidant EC50=100 ul/l	
Antiradicular EC50=100 ul/l	
Antiseptic	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carcinogenic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
FLavor FEMA 5-15	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Fungistat 100 ug/ml	Laekeman, G.M., Van Hoof, L., Haemers, A., Vanden Berghe, D.A., Herman, A.G., and Vlietinck, A.J. Eugenol a Valuable Compound for In Vitro Experimental Research and Worthwhile for Further In Vivo Investigation. Phytotherapy Research 4(3): 93, 1990.
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Myorelaxant	Fitoterapia No.61: 254, 1990.
Narcotic	
Nematicide MIC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	

METHYL-MYRTENATE	Shoot	--	20.0	-0.71	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
METHYL-MYRTENATE	Shoot	--	20.0	-0.71	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
METHYL-MYRTENATE	Shoot	--	30.0	1.41	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
METHYL-MYRTENATE	Shoot	--	20.0	-0.71	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
METHYL-MYRTENATE	Shoot	--	30.0	1.41	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
METHYL-MYRTENATE	Shoot	--	20.0	-0.71	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
METHYL-MYRTENATE	Shoot	--	20.0	-0.71	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
METHYL-MYRTENATE	Shoot	--	30.0	1.41	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
METHYL-MYRTENATE	Leaf	4.0	480.0	*	
METHYL-MYRTENATE	Flower	5.0	54.0	*	
MYRCENE	Shoot	27.0	400.0	0.11	*



Activities (22)	
ACE-Inhibitor 100 ug/ml	
Aldose-Reductase-Inhibitor 100 ug/ml	Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Allergenic	
Analgesic	Kauderer, B., Zamith, H., Paumgartten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. Environmental and Molecular Mutagenesis 18: 28-34, 1991.
Antibacterial	
Anticonvulsant	
Antimutagenic	Kauderer, B., Zamith, H., Paumgartten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. Environmental and Molecular Mutagenesis 18: 28-34, 1991.
Antinitrosaminic	
Antinociceptive 10-20 mg/kg ipr mus	Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. J. Pharm. Pharmacol. 42: 877-878, 1990.
Antinociceptive 20-40 mg/kg scu mus	Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. J. Pharm. Pharmacol. 42: 877-878, 1990.
Antioxidant	Jim Duke's personal files.
Antispasmodic	Jim Duke's personal files.
Chemopreventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
FLavor FEMA 0.5-9	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry
Fungicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Hypothermic	
Insectifuge	
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Myorelaxant 100-200 mg/kg	
P450-2B1-Inhibitor IC50=0.14 uM	
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide	

MYRTENAL                      Shoot                      24.0                      30.0                      -0.29                      Indian Perfumer, 35: 52.

Activities (5)	
Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.
Herbicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry
Pesticide	

MYRTENIC-ACID                      Plant                      --                      --                      Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.

MYRTENIC-ACID-METHYL-ESTER                      Shoot                      8.0                      11.0                      Indian Perfumer, 35: 52.

MYRTENIC-CIS-PINIC-ACID                      Plant                      --                      --                      \*

MYRTENIC-CIS-PINOIC-ACID                      Plant                      --                      --                      \*

MYRTENOIC-ACID-METHYL-ESTER                      Essential Oil                      --                      --                      \*

MYRTENOL                      Shoot                      --                      200.0                      0.08                      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (*Hyssopus officinalis* L.) J. Agric. Food Chem. 42: 776-781.

Activities (2)	
Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.

MYRTENOL                      Shoot                      --                      250.0                      0.17                      Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (*Hyssopus officinalis* L.) J. Agric. Food Chem. 42: 776-781.

<b>Activities (2)</b>					
Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
MYRTENOL	Shoot	--	190.0	0.07	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<b>Activities (2)</b>					
Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
MYRTENOL	Shoot	--	170.0	0.03	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<b>Activities (2)</b>					
Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
MYRTENOL	Shoot	--	260.0	0.18	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<b>Activities (2)</b>					
Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
MYRTENOL	Leaf	0.5	520.0	4.05	*
<b>Activities (2)</b>					
Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
MYRTENOL	Flower	16.0	160.0		*
<b>Activities (2)</b>					
Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
MYRTENOL	Shoot	--	260.0	0.18	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<b>Activities (2)</b>					
Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
MYRTENOL	Shoot	--	240.0	0.15	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<b>Activities (2)</b>					
Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
MYRTENOL	Essential Oil	--	--		*

Activities (2)					
Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
MYRTENOL	Shoot	--	210.0	0.1	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
Activities (2)					
Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
MYRTENOL	Shoot	--	220.0	0.12	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
Activities (2)					
Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
MYRTENOL-METHYL-ETHER	Shoot	--	130.0	1.11	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
MYRTENOL-METHYL-ETHER	Shoot	--	80.0	-0.17	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
MYRTENOL-METHYL-ETHER	Shoot	--	110.0	0.6	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
MYRTENOL-METHYL-ETHER	Shoot	--	140.0	1.37	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
MYRTENOL-METHYL-ETHER	Shoot	--	110.0	0.6	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
MYRTENOL-METHYL-ETHER	Shoot	--	100.0	0.34	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
MYRTENOL-METHYL-ETHER	Essential Oil	--	--		*
MYRTENOL-METHYL-ETHER	Shoot	--	40.0	-1.2	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
MYRTENOL-METHYL-ETHER	Shoot	--	40.0	-1.2	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
MYRTENOL-METHYL-ETHER	Shoot	--	30.0	-1.46	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
MYRTENYL-ACETATE	Plant	--	--		*
Activities (1)					
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
MYRTENYL-METHYL-ETHER	Leaf	1.0	380.0		*
MYRTENYL-METHYL-ETHER	Flower	12.0	120.0		*
N-EICOSANE	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

N-EICOSANE	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
N-EICOSANE	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
N-EICOSANE	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
N-EICOSANE	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
N-EICOSANE	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
N-EICOSANE	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
N-EICOSANE	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
N-EICOSANE	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
N-TETRADECANE	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
N-TETRADECANE	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
N-TETRADECANE	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
N-TETRADECANE	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
N-TETRADECANE	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
N-TETRADECANE	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
N-TETRADECANE	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
N-TETRADECANE	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
NEROL	Leaf	0.8	9.0	-0.27	Flavour and Fragrance Journal, 6: 72.

Activities (10)					
Antibacterial	HerbalGram No. 17.				
Antihelicobacter					
Antiseptic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.				
Antiulcer					
Estrogenic					
FLavor FEMA 1-20	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Perfumery	Merck 11th Edition				
Pesticide					
Sedative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Trichomonicide ED100=300 ug/ml					

NEROL Flower 0.8 8.0 -1.14 Flavour and Fragrance Journal, 6: 72.

Activities (10)					
Antibacterial	HerbalGram No. 17.				
Antihelicobacter					
Antiseptic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.				
Antiulcer					
Estrogenic					
FLavor FEMA 1-20	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Perfumery	Merck 11th Edition				
Pesticide					
Sedative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Trichomonicide ED100=300 ug/ml					

NONANOIC-ACID Plant -- -- \*

Activities (2)					
FLavor FEMA 1-15	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				

  

NOPINONE	Shoot	6.0	8.0		Indian Perfumer, 35: 51.
O-VANILLIN	Plant	--	--		Planta Medica, 55: 226.
O-VANILLIN	Essential Oil	--	--		*
O-VANILLIN	Leaf	0.1	21.0		Flavour and Fragrance Journal, 6: 72.
OCT-1-EN-3-OL	Leaf	0.5	48.0	1.0	Flavour and Fragrance Journal, 6: 72.
OCT-1-EN-3-OL	Flower	0.1	1.0	-1.0	Flavour and Fragrance Journal, 6: 72.
OCTAN-3-OL	Leaf	--	1.0	-0.46	Flavour and Fragrance Journal, 6: 72.
OCTAN-3-OL	Essential Oil	--	--		*
OLEANOLIC-ACID	Plant	--	--		*

Activities (64)					
Abortifacient					
AntiHIV IC50=21.8 ug/ml					
AntiHIV EC50=1.7 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.				
AntiPGE2 IC50=24 uM					
AntiTGF-beta IC50=19-24 uM					
Antiallergic					
Antiarrhythmic 40 mg/kg					
Antiatherosclerotic					
Antibacterial MIC=625-1,250 ug/ml					
Anticarcinomic	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.				
Anticariogenic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.				
Anticomplement IC40-50 0.01 mM/l gpg	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
Anticomplement IC80-90 0.05 mM/l gpg	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				

Antiedemic IC36=40 mg/kg ipr rat	
Antifertility	
Antingivitic MIC=625-1,250 ug/ml	
Antihepatotoxic	
Antihyperlipidemic	
Antiinflammatory 40 mg/kg ipr	Aquino, R., De Feo, V., De Simone, F., Pizza, C.*, and Cirino, G. Plant Metabolites. New Compounds And Anti-Inflammatory Activity Of Uncaria tomentosa. Journal of Natural Products, 54(2): 453-459, 1991.
Antiischemic 40 mg/kg	
Antileukemic	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antileukotriene IC50=17 uM	
Antimalarial IC50=70-89 ug/ml	
Antinephritic IC50=19-24 uM	
Antioxidant	Balanehru, S. and Nagarajan, B. 1992. Intervention of Adriamycin Induced Free Radical Damage. Biochemistry International 28(4): 735-744, 1992.
Antioxidant IC46=10 uM	
Antiperiodontic MIC=625-1,250 ug/ml	
Antiperoxidant IC30=200 ug/ml	
Antiplaque MIC=625-1,250 ug/ml	
Antiplasmodial IC50=70-89 ug/ml	
Antisarcomic	
Antiseptic MIC=625-1,250 ug/ml	
Antitumor	
Antitumor (Breast)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antitumor (Colon)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antitumor (Kidney)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antitumor (Lung)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antitumor (Pancreas)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antiulcer >carbenoxolone	
Antiviral EC50=1.7 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
Antiviral IC50=21.8 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
Aromatase-Inhibitor	
Beta-Blocker	
Beta-Glucuronidase-Inhibitor ~100 mg/kg	
COX-2-Inhibitor IC50=295 uM/	
COX-2-Inhibitor	Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from Plantago major, a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. J. Nat. Prod., 61(10): 1212-1215.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Cardioprotective 40 mg/kg	
Cardiotonic	
Cyclooxygenase-Inhibitor	
Diuretic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Elastase-Inhibitor IC50=~15 uM	
Hepatoprotective	Advance in Chinese Medicinal Materials Research. 1985. Eds. H. M. Chang, H. W. Yeung, W. -W. Tso and A. Koo. World Scientific Publishing Co., Philadelphia Pa., page 211.
Hypolipemic	
Hypotensive	
Immunomodulator	
Leucocytogenic	
NF-kB-Inhibitor	
Phagocytotic	
Piscicide	ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
Prostaglandin-Synthesis-Inhibitor igs mus	
Sedative	
Uterotonic	
Vasopressor	

P-CYMENE Plant 6.0 180.0 -0.37 Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.



PINOCAMPHEOL	Shoot	--	11000.0		*
PINOCAMPHEOL	Plant	--	--		Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
PINOCAMPHONE	Shoot	--	1950.0	-0.32	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

**Activities (4)**

Convulsant >0.05 mg/kg ipr rat  
Epileptigenic  
Neurotoxic  
Pesticide

PINOCAMPHONE	Shoot	--	691000.0	3.16	*
--------------	-------	----	----------	------	---

**Activities (4)**

Convulsant >0.05 mg/kg ipr rat  
Epileptigenic  
Neurotoxic  
Pesticide

PINOCAMPHONE	Essential Oil	--	440000.0		*
--------------	---------------	----	----------	--	---

**Activities (4)**

Convulsant >0.05 mg/kg ipr rat  
Epileptigenic  
Neurotoxic  
Pesticide

PINOCAMPHONE	Leaf	24.0	13820.0		*
--------------	------	------	---------	--	---

**Activities (4)**

Convulsant >0.05 mg/kg ipr rat  
Epileptigenic  
Neurotoxic  
Pesticide

PINOCAMPHONE	Flower	200.0	2060.0		*
--------------	--------	-------	--------	--	---

**Activities (4)**

Convulsant >0.05 mg/kg ipr rat  
Epileptigenic  
Neurotoxic  
Pesticide

PINOCAMPHONE	Shoot	--	4620.0	-0.3	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
--------------	-------	----	--------	------	---

**Activities (4)**

Convulsant >0.05 mg/kg ipr rat  
Epileptigenic  
Neurotoxic  
Pesticide

PINOCAMPHONE	Shoot	--	4600.0	-0.3	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
--------------	-------	----	--------	------	---

**Activities (4)**

Convulsant >0.05 mg/kg ipr rat  
Epileptigenic  
Neurotoxic  
Pesticide



PINOCAMPHONE	Shoot	--	4870.0	-0.3	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
--------------	-------	----	--------	------	---

**Activities (4)**

Convulsant >0.05 mg/kg ipr rat  
Epileptigenic  
Neurotoxic  
Pesticide

PINOCAMPHONE	Shoot	--	270.0	-0.32	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
--------------	-------	----	-------	-------	---

**Activities (4)**

Convulsant >0.05 mg/kg ipr rat  
Epileptigenic  
Neurotoxic  
Pesticide

PINOCAMPHONE	Shoot	--	140.0	-0.33	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
--------------	-------	----	-------	-------	---

**Activities (4)**

Convulsant >0.05 mg/kg ipr rat  
Epileptigenic  
Neurotoxic  
Pesticide

PINOCAMPHONE	Shoot	--	160.0	-0.32	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
--------------	-------	----	-------	-------	---

**Activities (4)**

Convulsant >0.05 mg/kg ipr rat  
Epileptigenic  
Neurotoxic  
Pesticide

PINOCAMPHONE	Shoot	--	1970.0	-0.32	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
--------------	-------	----	--------	-------	---

**Activities (4)**

Convulsant >0.05 mg/kg ipr rat  
Epileptigenic  
Neurotoxic  
Pesticide

PINOCARVEOL	Shoot	32.0	40.0	-1.0	Indian Perfumer, 35: 52.
-------------	-------	------	------	------	--------------------------

PINOCARVONE	Essential Oil	--	203000.0	*	
-------------	---------------	----	----------	---	--

**Activities (1)**

Perfumery Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

PINOCARVONE	Shoot	--	530.0	-0.06	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------	-------	----	-------	-------	---

**Activities (1)**

Perfumery Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

PINOCARVONE	Shoot	--	170.0	-0.45	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------	-------	----	-------	-------	---

<b>Activities (1)</b>					
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
PINOCARVONE	Shoot	--	170.0	-0.45	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<b>Activities (1)</b>					
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
PINOCARVONE	Shoot	--	220.0	-0.4	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<b>Activities (1)</b>					
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
PINOCARVONE	Shoot	--	120.0	-0.5	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<b>Activities (1)</b>					
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
PINOCARVONE	Shoot	--	2620.0	2.2	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<b>Activities (1)</b>					
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
PINOCARVONE	Shoot	--	2550.0	2.12	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<b>Activities (1)</b>					
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
PINOCARVONE	Shoot	--	2530.0	2.1	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<b>Activities (1)</b>					
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
PINOCARVONE	Shoot	--	570.0	-0.02	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<b>Activities (1)</b>					
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
PINOCARVONE	Shoot	--	560.0	-0.03	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<b>Activities (1)</b>					
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
RESIN	Plant	--	--		*
ROSMARINIC-ACID	Plant	--	5000.0	-1.42	Fitoterapia No.62: 166.
<b>Activities (57)</b>					
ABeta-Inhibitor					
Adenylate-Cyclase-Inhibitor					
Aldose-Reductase-Inhibitor					
AntiHIV EC50=40 ug/ml					
Antiaaggregant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.				
Antiallergic					

Antialzheimeran	
Antianaphylactic 1-100 mg/kg orl	Int. J. Immunopharmacology. Vol 10: 729, 1988.
Antianaphylactic ID50=1 mg/kg ivn rat	
Antianaphylactic ID50=10 mg/kg ims rat	
Antiatherosclerotic IC50=0.74 uM	
Antibacterial	Planta Medica, 55: 663.
Anticoagulant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Anticomplementary 1/2 aspirin	
Anticomplementary 20 mg/kg ivn	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Antidepressant	
Antiedemic 0.316-3.16 mg/kg ims	Int. J. Immunopharmacology. Vol 10: 729, 1988.
Antigonadotropic	
Antihemolytic IC70=5-10 um/l	Int. J. Immunopharmacology. Vol 10: 729, 1988.
Antihepatotoxic	
Antiherpetic 50 ug/ml	Vlietinck, A.J. and Domisse, R.A. eds. 1985. Advances in Medicinal Plant Research. Wiss. Verlag. Stuttgart.
Antiherpetic EC50=20 ug/ml	
Antihyperthyroid	
Antiinflammatory IC~58=1,000 uM	
Antiintegrase 10 ug/ml	
Antileukotriene	
Antilipoperoxidant	
Antimutagenic	
Antinephritic	
Antioxidant EC50=2.7 ug/ml	Parveen, N. 1991. Antifilarial Activity of Vitex negundo Against Setaria cervi. Fitoterapia, 62(2): 163, 1991.
Antioxidant 10 uM	
Antioxidant (LDL) IC50=0.74 uM	
Antiplateau	
Antiproliferant	
Antiprostaglandin 20 mg/kg ivn	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Antiproteolytic IC50=0.9 mol l	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Antipulmonotic	Tyler, V.E.. 1994.
Antiradicular	
Antishock	Int. J. Immunopharmacology. Vol 10: 735, 1988.
Antithyrotropic	
Antithyroid	Jim Duke's personal files.
Antiuremic	
Antiviral EC50=40 ug/ml	
Anxiolytic	
Apoptotic	
COX-1-Inhibitor IC58=1,000 uM	
COX-2-Inhibitor IC>58=1,000 uM	
Calcium-Antagonist IC50=1.2 uM fbt	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Cytotoxic TC50=100-150 ug/ml	
Deiodinase-Inhibitor	Jim Duke's personal files.
Immunomodulator	
Immunostimulant	
Lipoxygenase-Inhibitor	
Neuroprotective	
Pesticide	
Radioprotective	

ROSMARINIC-ACID      Inflorescence    --      --      \*

**Activities (57)**

- ABeta-Inhibitor
- Adenylate-Cyclase-Inhibitor

Aldose-Reductase-Inhibitor	
AntiHIV EC50=40 ug/ml	
Antiangregant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antiallergic	
Antialzheimeran	
Antianaphylactic 1-100 mg/kg orl	Int. J. Immunopharmacology. Vol 10: 729, 1988.
Antianaphylactic ID50=1 mg/kg ivn rat	
Antianaphylactic ID50=10 mg/kg ims rat	
Antiatherosclerotic IC50=0.74 uM	
Antibacterial	Planta Medica, 55: 663.
Anticoagulant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Anticomplementary 1/2 aspirin	
Anticomplementary 20 mg/kg ivn	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Antidepressant	
Antiedemic 0.316-3.16 mg/kg ims	Int. J. Immunopharmacology. Vol 10: 729, 1988.
Antigonadotropic	
Antihemolytic IC70=5-10 um/l	Int. J. Immunopharmacology. Vol 10: 729, 1988.
Antihepatotoxic	
Antiherpetic 50 ug/ml	Vlietinck, A.J. and Domisse, R.A. eds. 1985. Advances in Medicinal Plant Research. Wiss. Verlag. Stuttgart.
Antiherpetic EC50=20 ug/ml	
Antihyperthyroid	
Antiinflammatory IC~58=1,000 uM	
Antiintegrase 10 ug/ml	
Antileukotriene	
Antilipoperoxidant	
Antimutagenic	
Antinephritic	
Antioxidant EC50=2.7 ug/ml	Parveen, N. 1991. Antifilarial Activity of Vitex negundo Against Setaria cervi. Fitoterapia, 62(2): 163, 1991.
Antioxidant 10 uM	
Antioxidant (LDL) IC50=0.74 uM	
Antiplateque	
Antiproliferant	
Antiprostaglandin 20 mg/kg ivn	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Antiproteolytic IC50=0.9 mol l	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Antipulmonotic	Tyler, V.E.. 1994.
Antiradicular	
Antishock	Int. J. Immunopharmacology. Vol 10: 735, 1988.
Antithyretropic	
Antithyroid	Jim Duke's personal files.
Antiuremic	
Antiviral EC50=40 ug/ml	
Anxiolytic	
Apoptotic	
COX-1-Inhibitor IC58=1,000 uM	
COX-2-Inhibitor IC>58=1,000 uM	
Calcium-Antagonist IC50=1.2 uM fbt	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Cytotoxic TC50=100-150 ug/ml	
Deiodinase-Inhibitor	Jim Duke's personal files.
Immunomodulator	
Immunostimulant	
Lipoxygenase-Inhibitor	
Neuroprotective	
Pesticide	
Radioprotective	

SABINENE Flower 10.0 100.0 -0.43 \*

Activities (5)					
Antibacterial					
Antihelicobacter					
Antiseptic					
Antiulcer					
Perfumery					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

SABINENE	Shoot	--	90.0	-0.2	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------	-------	----	------	------	---

Activities (5)					
Antibacterial					
Antihelicobacter					
Antiseptic					
Antiulcer					
Perfumery					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

SABINENE	Shoot	--	80.0	-0.21	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------	-------	----	------	-------	---

Activities (5)					
Antibacterial					
Antihelicobacter					
Antiseptic					
Antiulcer					
Perfumery					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

SABINENE	Shoot	--	110.0	-0.18	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------	-------	----	-------	-------	---

Activities (5)					
Antibacterial					
Antihelicobacter					
Antiseptic					
Antiulcer					
Perfumery					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

SABINENE	Shoot	--	110.0	-0.18	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------	-------	----	-------	-------	---

Activities (5)					
Antibacterial					
Antihelicobacter					
Antiseptic					
Antiulcer					
Perfumery					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

SABINENE	Shoot	--	80.0	-0.21	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------	-------	----	------	-------	---

Activities (5)					
Antibacterial					
Antihelicobacter					
Antiseptic					
Antiulcer					
Perfumery					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

SABINENE	Shoot	--	150.0	-0.14	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------	-------	----	-------	-------	---

Activities (5)					
Antibacterial					
Antihelicobacter					
Antiseptic					
Antiulcer					
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				

SABINENE	Shoot	--	110.0	-0.18	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------	-------	----	-------	-------	---

Activities (5)					
Antibacterial					
Antihelicobacter					
Antiseptic					
Antiulcer					
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				

SABINENE	Shoot	--	70.0	-0.22	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------	-------	----	------	-------	---

Activities (5)					
Antibacterial					
Antihelicobacter					
Antiseptic					
Antiulcer					
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				

SABINENE	Shoot	--	90.0	-0.2	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
----------	-------	----	------	------	---

Activities (5)					
Antibacterial					
Antihelicobacter					
Antiseptic					
Antiulcer					
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				

SABINENE	Leaf	28.0	380.0	-0.02	*
----------	------	------	-------	-------	---

Activities (5)					
Antibacterial					
Antihelicobacter					
Antiseptic					
Antiulcer					
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				

SALICYLIC-ACID-METHYL-ESTER	Shoot	1.0	2.0		Indian Perfumer, 35: 52.
-----------------------------	-------	-----	-----	--	--------------------------

SPATHULENOL	Shoot	--	130.0	0.31	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------	-------	----	-------	------	---

SPATHULENOL	Shoot	--	110.0	0.19	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------	-------	----	-------	------	---

SPATHULENOL	Shoot	--	120.0	0.25	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------	-------	----	-------	------	---

SPATHULENOL	Shoot	--	90.0	0.08	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------	-------	----	------	------	---

SPATHULENOL	Shoot	--	120.0	0.25	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------	-------	----	-------	------	---

SPATHULENOL	Shoot	--	160.0	0.48	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
SPATHULENOL	Shoot	--	100.0	0.14	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
SPATHULENOL	Shoot	--	130.0	0.31	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
SPATHULENOL	Shoot	--	130.0	0.31	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
SPATHULENOL	Flower	--	--		*
SPATHULENOL	Leaf	1.0	440.0	1.55	*
T-CADINOL	Leaf	0.1	60.0	0.21	Flavour and Fragrance Journal, 6: 72.
T-CADINOL	Shoot	--	30.0	0.69	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
T-CADINOL	Shoot	--	20.0	0.11	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
T-CADINOL	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
T-CADINOL	Shoot	--	30.0	0.69	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
T-CADINOL	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
T-CADINOL	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
T-CADINOL	Shoot	--	30.0	0.69	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
T-CADINOL	Shoot	--	30.0	0.69	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
T-CADINOL	Shoot	--	20.0	0.11	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
T-CADINOL	Shoot	--	30.0	0.69	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
TANNIN	Plant	50000.0	80000.0	-0.05	Lawrence Review of Natural Products, Jan-87.

**Activities (35)**

Anthelmintic	
AntiHIV	
Antibacterial	
Anticancer	
Anticariogenic	
Antidiarrheic	
Antidysenteric	
Antihepatotoxic	
Antihypertensive	
Antilipolytic	
Antimutagenic	
Antinephritic	Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. Chem. Pharm. Bull. 38(4): 1049-1052, 1990.
Antiphidic	Economic & Medicinal Plant Research, 5: 363.
Antioxidant IC50=1.44 ug/ml	
Antioxidant 1/3 quercetin	
Antiradicular 500 mg/kg/day orl mus	Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. Chem. Pharm. Bull. 38(4): 1049-1052, 1990.
Antiradicular 1/3 quercetin	
Antirenitic	Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. Chem. Pharm. Bull. 38(4): 1049-1052, 1990.
Antitumor	
Antitumor-Promoter	
Antiulcer	
Antiviral	
Cancer-Preventive	HerbalGram No. 22 - Spring 1990, page 14.
Carcinogenic	
Chelator	
Cyclooxygenase- Inhibitor	
Glucosyl- Transférase-Inhibitor	
Hepatoprotective	
Immunosuppressant	
Lipoxygenase- Inhibitor	
MAO-Inhibitor	
Ornithine- Decarboxylase- Inhibitor	
Pesticide	
Psychotropic	Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. Chem. Pharm. Bull. 38(4): 1049-1052, 1990.
Xanthine-Oxidase- Inhibitor	

TERPENYL-ACETATE	Essential Oil	--	--		*
TERPINEN-4-OL	Leaf	1.0	790.0	0.11	Flavour and Fragrance Journal, 6: 72.



**Activities (23)**

Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antiacetylcholinesterase IC21-24=1.2 mM	
Antiacne	
Antiallergic	
Antiasthmatic	Chin. J. Tuber. Respir. Dis., 4:203, 1982.
Antibacterial	
Antioxidant	
Antiseptic	Flav. & Frag. J. 9: 129.
Antispasmodic	
Antitussive	Chin. J. Tuber. Respir. Dis.
Antiulcer	
Bacteriostatic	Chin. J. Tuber. Respir. Dis.
Diuretic 0.1 ml/rat	
Fungicide	
Herbicide IC50=200 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Herbicide IC50=22 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	
Irritant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Pesticide	
Renoirritant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Spermicide ED100=0.015	
Vulnerary	Lawrence Review of Natural Products, Jan-91.

TERPINEN-4-OL                      Flower                      2.0                      28.0                      -0.88                      Flavour and Fragrance Journal, 6: 72.

**Activities (23)**

Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antiacetylcholinesterase IC21-24=1.2 mM	
Antiacne	
Antiallergic	
Antiasthmatic	Chin. J. Tuber. Respir. Dis., 4:203, 1982.
Antibacterial	
Antioxidant	
Antiseptic	Flav. & Frag. J. 9: 129.
Antispasmodic	
Antitussive	Chin. J. Tuber. Respir. Dis.
Antiulcer	
Bacteriostatic	Chin. J. Tuber. Respir. Dis.
Diuretic 0.1 ml/rat	
Fungicide	
Herbicide IC50=200 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Herbicide IC50=22 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	
Irritant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Pesticide	
Renoirritant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Spermicide ED100=0.015	
Vulnerary	Lawrence Review of Natural Products, Jan-91.

TERPINEOL                      Essential Oil                      --                      --                      \*

**Activities (18)**

Analgesic 10-100 ug/ml	
Anesthetic 10-100 ug/ml	
Antiallergenic	
Antiasthmatic	
Antibacterial	
Anticancer	Joseph, J., Nadeau, D. and Underwood, A. 2001. The Color Code. Hyperion, NY.
Antiproliferant	Joseph, J., Nadeau, D. and Underwood, A. 2001. The Color Code. Hyperion, NY.
Antiseptic	Merck 11th Edition
Antispasmodic	
Antitussive	
Cholagogue	
Culicide LC50=156-194 mg/l	
Expectorant	
Insecticide LC50=156-194 mg/l	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Larvicide LC50=156-194 mg/l	
Perfumery	Merck 11th Edition
Pesticide	

TERPINOLENE                      Leaf                      1.0                      20.0                      -0.21                      \*

**Activities (9)**

Allelochemic	
Antifeedant	
Antinitrosaminic	
Antioxidant	
Deodorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
FLavor FEMA 15-60	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	

TERPINYL-ACETATE                      Shoot                      --                      --                      \*

**Activities (5)**

Antibacterial	Revista Itiliana Eppos, 12: 5, 1994.
FLavor FEMA 1-260	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	

TERPINYL-ACETATE                      Plant                      --                      --                      \*

**Activities (5)**

Antibacterial	Revista Itiliana Eppos, 12: 5, 1994.
FLavor FEMA 1-260	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	

THYMOL                      Shoot                      2.0                      3.0                      -0.33                      Indian Perfumer, 35: 52.

**Activities (71)**

Acaricide	
Allergenic	
Analgesic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Ancylostomicide	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Anesthetic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Ankylostomacide	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Anthelmintic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Antiacne	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.

Antiaggregant IC50=0.75	Tramil, 42: 511.
Antialzheimeran?	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antiarthritic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antiatherosclerotic IC50=4 uM	
Antibacterial MIC=50-400 ug/ml	
Antibronchitic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Anticarcinogenic MIC=200-400 ug/ml	
Anticholinesterase	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antihalitotic	American Health, 12(4): 17, 1993.
Antiherpetic	Martindale's 28th
Antiinflammatory (=indomethacin)	
Antileptic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antimelanomic IC50=120 uM/l	
Antineuritic	
Antioxidant 100 ppm	Martindale's 28th
Antioxidant (LDL) IC50=4 uM	
Antiperiodontic MIC=50-200 ug/ml	
Antiplaque MIC=39-625 ug/ml	Osawa, K., Matsumoto, T., Maruyama, T., Takiguchi, T., Okuda, K., and Takazoe, I., Studies of the antibacterial activity of plant extracts and their constituents against periodontopathic bacteria, Bull Tokyo Dent. Coll., 31 (1), 1990, 17-21
Antiradicular EC=60	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Antirheumatic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Antisalmonella	
Antiseptic 20 x phenol	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Antispasmodic	
Antistaphylococcic	
Antistreptococcic MIC=200-400 ug/ml	
Antitrichinosis 5%	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antitussive	Iwu, M.M. 1993. Handbook of African Medicinal Plants. CRC Press, Boca Raton, FL 435 pp.
Ataxigenic	Zebowitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Candidicide 100 ug/ml (>Nystatin)	
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. J. Pharm. Pharmacol. 46: 14-18, 1994.
Counterirritant	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Culicide LC50=36-49 mg/l	
Cyclooxygenase-Inhibitor (=indomethacin)	
Dentifrice	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Deodorant	Martindale's 28th
Dermatitigenic	
Enterorelaxant	J. Aromatherapy 4: 22.
Enterotoxic	Wichtl, M. 1984. Teedrogen. Ein Handbuch fur Apotheker und Arzte. Wissenschaftliche Verlagsgesellschaft. mbH Stuttgart. 393 pp.
Expectorant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Flavor FEMA 2-100	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Merck 11th Edition
Gastroirritant	Martindale's 29th
Gram(+)icide MIC=200-400 ug/ml	
Gram(-)icide MIC=50-200 ug/ml	
Insecticide LC50=36-49 mg/l	
Insecticide 0.22 uM/fly	
Insectifuge	
Irritant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Larvicide 10 ppm	Berenbaum, M. R., The natives knew, Chemtech, (May), 1990, 275-279.
Larvicide 58 ppm	
Larvicide LC50=36-49 mg/l	
Molluscicide	
Myorelaxant	J. Aromatherapy 4: 22.

Nematicide MLC=0.1 mg/ml	Shoyakugaku Zasshi, 44: 183.				
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Pesticide					
Sedative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Sprout-Inhibitor	Duke, J.A.. Personal Communication.				
Tracheorelaxant					
Trichomonicide LD100=25 ug/ml					
Urinary-Antiseptic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.				
Varroacide					
Vermicide	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.				

TRANS-BETA-OCIMENE	Leaf	1.0	140.0	-0.68	*
TRANS-BETA-OCIMENE	Flower	6.0	66.0		*
TRANS-HEXEN-1-OL	Plant	--	--		Planta Medica, 55: 226.
TRANS-NEROLIDOL	Plant	1.0	80.0	-1.0	*
TRANS-NEROLIDOL	Flower	--	--		*
TRANS-PINOCARVEOL	Shoot	--	60.0	-0.19	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.

#### Activities (2)

Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				

TRANS-PINOCARVEOL	Shoot	--	70.0	-0.18	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------------	-------	----	------	-------	---

#### Activities (2)

Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				

TRANS-PINOCARVEOL	Shoot	--	60.0	-0.19	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------------	-------	----	------	-------	---

#### Activities (2)

Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				

TRANS-PINOCARVEOL	Shoot	--	90.0	-0.17	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------------	-------	----	------	-------	---

#### Activities (2)

Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				

TRANS-PINOCARVEOL	Shoot	--	40.0	-0.19	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------------	-------	----	------	-------	---

#### Activities (2)

Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				

TRANS-PINOCARVEOL	Shoot	--	50.0	-0.19	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------------	-------	----	------	-------	---

Activities (2)					
Antimalarial IC50=5-50 ug/ml					Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.
Antiplasmodial IC50=5-50 ug/ml					Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.

TRANS-PINOCARVEOL	Shoot	--	60.0	-0.19	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------------	-------	----	------	-------	---

Activities (2)					
Antimalarial IC50=5-50 ug/ml					Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.
Antiplasmodial IC50=5-50 ug/ml					Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.

TRANS-PINOCARVEOL	Shoot	--	40.0	-0.19	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------------	-------	----	------	-------	---

Activities (2)					
Antimalarial IC50=5-50 ug/ml					Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.
Antiplasmodial IC50=5-50 ug/ml					Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.

TRANS-PINOCARVEOL	Shoot	--	40.0	-0.19	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------------	-------	----	------	-------	---

Activities (2)					
Antimalarial IC50=5-50 ug/ml					Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.
Antiplasmodial IC50=5-50 ug/ml					Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.

TRANS-PINOCARVEOL	Shoot	--	60.0	-0.19	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
-------------------	-------	----	------	-------	---

Activities (2)					
Antimalarial IC50=5-50 ug/ml					Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.
Antiplasmodial IC50=5-50 ug/ml					Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.

TRANS-SABINENE-HYDRATE	Leaf	1.0	40.0	0.93	*
------------------------	------	-----	------	------	---

TRANS-SABINENE-HYDRATE	Flower	1.0	6.0		*
------------------------	--------	-----	-----	--	---

URSOLIC-ACID	Plant	--	4900.0	-0.56	*
--------------	-------	----	--------	-------	---

Activities (89)					
Analgesic					
AntiEBV					Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
AntiHIV EC50=2.0 ug/ml					Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
AntiHIV IC50=6.5 ug/ml					Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
AntiHIV IC85=18 ug/ml					
AntiHIV 6.7 uM					
AntiTGF-beta IC50=6-7.5 uM					
Antialzheimeran					Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from Plantago major, a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. J. Nat. Prod., 61(10): 1212-1215.
Antiarrhythmic					
Antiarthritic					Planta Medica, 57: A56, 1991.
Antibacterial					
Anticancer					Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from Plantago major, a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. J. Nat. Prod., 61(10): 1212-1215.
Anticancer (Colon)					Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from Plantago major, a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. J. Nat. Prod., 61(10): 1212-1215.
Anticarcinomic					Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Anticariogenic					Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.

Anticholestatic 28-100 mg/kg orl	Shukla, B., Visen, P.K.S., Patnaik, G.K., Tripathi, S.C., Srimal, R.C., Dayal, R., and Dobhal, P.C. Hepatoprotective Activity in the Rat of Ursolic Acid Isolated from Eucalyptus Hybrid. <i>Phytotherapy Research</i> 6: 74-79, 1992.
Anticomplement IC100 0.1 mM/l gpg	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Anticomplement IC80-90 0.05 mM/l gpg	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Antidiabetic	Chemical Constituents of Oriental Herbs (3 diff. books)
Antiedemic	
Antiescherichic	
Antifibrosarcomic IC80=10 uM	
Antihepatotoxic 5-20 mg/kg ipr	Shukla, B., Visen, P.K.S., Patnaik, G.K., Tripathi, S.C., Srimal, R.C., Dayal, R., and Dobhal, P.C. Hepatoprotective Activity in the Rat of Ursolic Acid Isolated from Eucalyptus Hybrid. <i>Phytotherapy Research</i> 6: 74-79, 1992.
Antihistaminic	Tsuruga, T., Chun, Y.-T., Ebizuka, Y., and Sankawa, U. 1991. Biologically Active Constituents of <i>Melaleuca leucadendron</i> : Inhibitors of Induced Histamine Release from Rat Mast Cells. <i>Chem. Pharm. Bull.</i> 39(12): 3276-3278, 1991.
Antihyperlipidemic	
Antiinflammatory 1/3 indomethacin	
Antiinflammatory IC24=500 mg/kg	
Antileishmanic ED50=20 uM	
Antileukemic IC50=2.5-17.8 ug/ml	
Antilymphomic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. <i>Herbal Medicine - A Guide for Health-care Professionals</i> . The Pharmaceutical Press, London. 296pp.
Antimalarial IC50=28-37 ug/ml	
Antimetastatic IC80=10 uM	
Antimutagenic IC57-80=80 mg/kg	
Antinephritic IC50=6-7.5 uM	
Antiobesity?	<i>Internat. J. Oriental Med.</i> 16: 4.
Antioxidant IC50=10 uM	
Antiperoxidant IC35=200 ug/ml	
Antiplasmodial IC50=28-37 ug/ml	
Antiproliferative IC50=15-20 uM	
Antistaphylococcic	
Antithromboxane IC50=50 uM	
Antitrypanosomic	
Antitumor	<i>Cancer Research</i> , 54: 701, 1994.
Antitumor (Breast) 0.5% diet	
Antitumor (Breast) IC50=15-20 uM	
Antitumor (Cervix)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Colon)	
Antitumor (Lung)	
Antitumor (Ovary)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Stomach) IC50=15-20 uM	
Antitumor (brain)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor-Promoter	<i>Planta Medica</i> , 57: A56, 1991.
Antiulcer	Shukla, B., Visen, P.K.S., Patnaik, G.K., Tripathi, S.C., Srimal, R.C., Dayal, R., and Dobhal, P.C. Hepatoprotective Activity in the Rat of Ursolic Acid Isolated from Eucalyptus Hybrid. <i>Phytotherapy Research</i> 6: 74-79, 1992.
Antiviral IC85=18 ug/ml	
Aromatase-Inhibitor	
Beta-Blocker	
Beta-Glucuronidase-Inhibitor ~100 mg/kg	
CNS-Depressant	
COX-2-Inhibitor IC50=130 uM/	
Cancer-Preventive	Stitt, P. A. <i>Why George Should Eat Broccoli</i> . Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	
Cardioprotective	
Cardiotonic	
Choleretic 5-20 mg/kg orl	Shukla, B., Visen, P.K.S., Patnaik, G.K., Tripathi, S.C., Srimal, R.C., Dayal, R., and Dobhal, P.C. Hepatoprotective Activity in the Rat of Ursolic Acid Isolated from Eucalyptus Hybrid. <i>Phytotherapy Research</i> 6: 74-79, 1992.
Cyclooxygenase-Inhibitor	Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from <i>Plantago major</i> , a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. <i>J. Nat. Prod.</i> , 61(10): 1212-1215.
Cytotoxic 50 ppm	

Cytotoxic ED50=3.75 ug/ml

Cytotoxic 7.2 uM

Diuretic

Elastase-Inhibitor  
IC50=15 uM

Hepatoprotective 1-100 ug/ml

Hepatoprotective 10 mg/kg

Hypoglycemic Ivorra, M.D., Paya, M., and Villar, A. 1989. A Review of Natural Products and Plants as Potential Antidiabetic Drugs. Journal of Ethnopharmacology, 27: 243-275, 1989.

Hypotensive

Immunomodulator

Leucocytogenic

Lipoxygenase-Inhibitor  
IC50=0.18 mM

MMP-9-Inhibitor IC80=10 uM

Ornithine-Decarboxylase-Inhibitor

Pesticide

Piscicide

Potassium-Sparing 3 mg/rat Iwu, M.M. 1993. Handbook of African Medicinal Plants. CRC Press, Boca Raton, FL 435 pp.

Protease-Inhibitor  
IC85=18 ug/ml

Protisticide Chemical Express, 7: 285, 1992.

Quinone-Reductase-Inducer 5 ug/ml Lee, S. K., Song, Y., Mata-Greenwood, E., Kelloff, G. J., Steele, V. E., Pezzuto, J. M. 1999. Modulation of in vitro Biomarkers of the Carcinogenic Process by Chemopreventive Agents. Anticancer Res., 19: 35-44.

Sodium-Sparing 3 mg/rat Iwu, M.M. 1993. Handbook of African Medicinal Plants. CRC Press, Boca Raton, FL 435 pp.

TOPO-2-Inhibitor

Trypanocide

Vasopressor

VERBENOL	Essential Oil	--	--	*	
VERBENOL	Leaf	1.0	78.0	1.0	Flavour and Fragrance Journal, 6: 72.
XANTHOPHYLL	Plant	--	3556.0		ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.

### Activities (3)

Bruchifuge

Insectifuge Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.

Pesticide