

# List of All Chemicals

## **P** Ludwigia perennis (Onagraceae)

### Common name(s)

Perennial ludwigia

\*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Chemical	Part <input type="button" value="All"/>	Low PPM	High PPM	StdDev	*Reference
KAEMPFEROL-3-O-GLUCOSIDE	Plant	--	--		J.S. Glasby Dict.Pls Containing 2ndary Metabolite. 1991.
<b>Activities (4)</b>					
AntiHIV					
Antiviral					
Choleretic			Fitoterapia No.5-1986.		
Pesticide					
QUERCETIN	Plant	--	--		J.S. Glasby Dict.Pls Containing 2ndary Metabolite. 1991.
<b>Activities (176)</b>					
11B-HSD-Inhibitor					
5-Lipoxygenase-Inhibitor IC50 (uM)=4					
ATPase-Inhibitor					Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Aldehyde-Oxidase-Inhibitor IC70-96=10 uM					
Aldose-Reductase-Inhibitor 100 uM					
Aldose-Reductase-Inhibitor 4 ug/ml					Ichikawa, K., et al. 1991. Isolation and Structure Determination of Aldose Reductase Inhibitors from Traditional Thai Medicine, and Syntheses of Their Derivatives. Sankyo Kenkyusho Nempo, 43: 99-110.
Aldose-Reductase-Inhibitor IC50=0.84 ug/ml cow					Okada,Y,et al.1995.Search for Naturally Occurring Substances to Prevent the Complications of Diabetes.II.Inhibitory Effect of Coumarin and Flavonoid Derivatives on Bovine Lens Aldose Reductase and Rabbit Platelet Aggregation.Chem Pharm Bull43(8):1385-1387
Aldose-Reductase-Inhibitor IC50=0.344 uM					Mao, X. M., Zhang, J. Q. 1993. Inhibition of Aldose Reductase by Extracts of Chinese Herbal Medicine. Zhongguo Zhongyao Zazhi , 18(10): 623-624.
Allelochemic IC82=1 mM					Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Allergenic					Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Analgesic					
AntiCrohn's 400 mg/man/3x/day					Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).
AntiGTF ID50=120 ug/ml					
AntiHIV					
AntiPMS 500 mg/2x/day/wmn					Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).
Antiaflatoxin IC50=25 uM					
Antiaflatoxin IC50=7.5 ppm					
Antiaggregant IC50=55 uM					Economic & Medicinal Plant Research, 5: 333.
Antiaggregant 30 uM					
Antiaging					
Antiallergic IC50=14 uM					Jim Duke's personal files.
Antialzheimeran					
Antianaphylactic					Meli, R., Autore, G., Di Carlo, G., Capasso, F. Inhibitory Action of Quercetin on Intestinal Transit in Mice. Phytotherapy Research 4(5): 201, 1990.
Antiangiogenic					
Antiarthritic					
Antiasthmatic IC50=14 uM					
Antiatherosclerotic					
Antibacterial					Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Anticarcinomic (Breast) IC50=1.5 uM					Medline (post 1990 searches filed in my computer)
Anticariogenic ID50=120 ug/ml					
Anticataract					
Anticolitic 400 mg/man/3x/day					Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).

Anticomplementary	
Anticystitic 1.000 mg/day/4 weeks	
Antidepressant	
Antidermatitic	Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).
Antidiabetic	
Antielastase IC50=0.8 ug/ml	
Antiencephalitic	Economic & Medicinal Plant Research, 5: 199.
Antiescherichic	
Antiestrogenic	
Antifeedant IC52=<1,000 ppm diet	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Antifibrosarcomic	
Antiflu	Vlietinck, A.J. and Dommissie, R.A. eds. 1985. Advances in Medicinal Plant Research. Wiss. Verlag. Stuttgart.
Antigastric	Rastitel'nye Resursy, 21: 85.
Antigonadotropic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antihepatotoxic	Joyeux, M., Rolland, A., Fleurentin, J., Mörter, F., and Dorfman, P. 1989. Tert-Butyl Hydroperoxide-Induced Injury in Isolated Rat Hepatocytes: A Model for Studying Anti-Hepatotoxic Crude Drugs. <i>Planta Medica</i> 56(2): 171-173, 1990.
Antiherpetic 48-150 ug/ml	
Antihistaminic IC50=<10 uM	
Antihydrophobic	Vlietinck, A.J. and Dommissie, R.A. eds. 1985. Advances in Medicinal Plant Research. Wiss. Verlag. Stuttgart.
Antihypertensive	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antiinflammatory 20-150 mg/kg	Fitoterapia No.5-1990.
Antileishmanic IC50=64	
Antileukemic IC50=10 uM	Economic & Medicinal Plant Research, 5: 225.
Antileukemic IC50=>10 ug/ml	Life Sciences 55: 1061.
Antileukemic 5.5-60 uM	
Antileukotriene	Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).
Antilipoperoxidant IC67=50	
Antimalarial IC50=1-6.4 ug/ml	Medicinal and Poisonous Plants of the Tropics. Leeuwenberg, A.J.M., ed. Pudoc, Wageningen. 1987.
Antimelanomic	
Antimetastatic	
Antimutagenic ID50=2-5 nM	Phenolic Compounds in Food and Their Effects on Health. Antioxidants & Cancer Prevention. Huang, M.T., Ho, C.T. and Lee, C.Y. eds. 1992. ACS Symposium Series 507.ACS, Washington 402 pp.
Antimutagenic ID50=0.62 ug/ml	
Antimyocarditic	Economic & Medicinal Plant Research, 5: 199.
Antinitrosaminic	
Antinociceptive	
Antioxidant IC96=300 ppm	Phenolic Compounds in Food and Their Effects on Health. Antioxidants & Cancer Prevention. Huang, M.T., Ho, C.T. and Lee, C.Y. eds. 1992. ACS Symposium Series 507.ACS, Washington 402 pp.
Antioxidant ED50=2.3 uM	Seidel, V., Verholle, M., Malard, Y., Tilleguin, F., Fruchart, J-C., Duriez, P., Bailleul, F., Teissier, E. 2000. Phenylpropanoids from <i>Ballota nigra</i> L. Inhibit in vitro LDL Peroxidation. <i>Phytotherapy Research</i> , 14(2): 93-98.
Antioxidant 4.7 x Vit. E	
Antioxidant IC47=10 uM	
Antipancreatic	Joseph, J., Nadeau, D. and Underwood, A. 2001. The Color Code. Hyperion, NY.
Antiperiodontal	Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).
Antiperistaltic	
Antipermeability	
Antiperoxidant	<i>Planta Medica</i> , 57: A110, 1991.
Antipharyngitic	Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).
Antiplaque	Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).
Antiplasmodial IC50=13-64	
Antipodriac	
Antipolio	Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).
Antiproliferant 10 nM	
Antiprostanoid	
Antiprostatic	Joseph, J., Nadeau, D. and Underwood, A. 2001. The Color Code. Hyperion, NY.
Antipsoriac	Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).
Antiradicular IC50=4.6 uM	<i>Planta Medica</i> , 56(6): 695, 1990.
Antispasmodic	
Antistreptococcic ID50=120 ug/ml	
Antithiamin	Phenolic Compounds in Food and Their Effects on Health, 69.

**Antitumor**

Antitrypanosomic  
IC50=13

Antitumor 10 uM

Antitumor (Bladder)

Antitumor (Breast)

Antitumor (Colon)

Antitumor (Lung)

Antitumor (Ovary)

Antitumor (Skin) 20 uM

Antitumor-Promoter Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).

Antiulcer

Antiviral IC50=10 uM Economic & Medicinal Plant Research, 5: 225.

Antiviral 48-150 ug/ml Amoros, M., Simoes, C.M.O., Girre, L., et al. Synergistic Effect Of Flavones And Flavonols Against Herpes Simplex Virus Type 1 In Cell Culture. Comparison With The Antiviral Activity Of Propolis. J. of Natural Products 55(12):1732-1740, 1992.

Apoptotic 20-60 uM

Bacteristat 10 mg/ml

Bradycardiac Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.

COMT-Inhibitor

COX-2-Inhibitor <40 uM

Calmodulin-Antagonist Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).

Cancer-Preventive Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

Candidicide

Capillariprotective Merck 11th Edition

Carcinogenic 40,000 ppm (diet) mus Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.

Catabolic

Copper-Chelator

Cyclooxygenase-Inhibitor

Cytochrome-P450-1A2-Inhibitor

Cytotoxic ED50=70 ug/ml Matsukawa, Y., et al. The Effect of Quercetin and Other Flavonoids on Cell Cycle Progression and Growth of Human Gastric Cancer Cells. Planta Medica, 56(6): 677, 1990.

Cytotoxic IC82=100 ug/ml Planta Medica, 57: A113, 1991.

Deiodinase-Inhibitor Jim Duke's personal files.

Diaphoretic? Lawrence Review of Natural Products, Dec-90.

Differentiator 5.5 uM

Estrogenic 10% genistein

Fungicide

Glucosyl-Transferase-Inhibitor ID50=120 ug/ml

HIV-RT-Inhibitor IC50=<1 ug/ml Nakane, H., Fukushima, M., and Ono\*, K. Differential Inhibition Of Reverse Transcriptase And Various DNA Polymerases By Digallic Acid And Its Derivatives. Journal of Natural Products, 53(5): 1234-1240, 1990.

Hemostat Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.

Hepatomagenic 5,000 ppm (diet) rat Phenolic Compounds in Food and Their Effects on Health. Antioxidants & Cancer Prevention. Huang, M.T., Ho, C.T. and Lee, C.Y. eds. 1992. ACS Symposium Series 507.ACS, Washington 402 pp.

Hepatoprotective

Hypoglycemic 100 mg/kg orl rat Ivorra, M.D., Paya, M., and Villar, A. 1989. A Review of Natural Products and Plants as Potential Antidiabetic Drugs. Journal of Ethnopharmacology, 27: 243-275, 1989.

Inotropic

Insulinogenic Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).

Juvabional Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.

Larvostat 8,000 ppm diet Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.

Lipoxygenase-Inhibitor IC11=1.25 mM Oszmianski, J. and Lee, C.Y. 1990. Inhibitory Effect of Phenolics on Carotene Bleaching in Vegetables. J. Agric. Food Chem. 38: 688-690.

Lipoxygenase-Inhibitor IC50=0.1-5 uM

MAO-A-Inhibitor

MMP-9-Inhibitor 20 uM

Mast-Cell-Stabilizer

Metal-Chelator (Copper) Seidel, V., Verholle, M., Malard, Y., Tilleguin, F., Fruchart, J-C., Duriez, P., Bailleul, F., Teissier, E. 2000. Phenylpropanoids from Ballota nigra L. Inhibit in vitro LDL Peroxidation. Phytotherapy Research, 14(2): 93-98.

Metalloproteinase-Inhibitor IC50=>42 uM

Mutagenic

NADH-Oxidase-Inhibitor

NEP-Inhibitor IC50=>42 uM

NF-kB-Inhibitor

NO-Inhibitor IC>50=125 uM

NO-Inhibitor IC50=20 uM

NO-Synthase-Inhibitor 5-50 uM

Neuroprotective 5-25 uM	
Ornithine-Decarboxylase-Inhibitor <10 uM	
P450-Inducer 5 uM	Father Nature's Farmacy: The aggregate of all these three-letter citations.
P450-Inhibitor 50-100 uM	Father Nature's Farmacy: The aggregate of all these three-letter citations.
PGE2-Inhibitor	
PTK-Inhibitor 0.4-24 uM	
Pesticide	
Phospholipase-Inhibitor	
Plasmodicide	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.
Proliferant	
Prostaglandin-Synthesis-Inhibitor 40 ug/ml	Ibewuike, J. C., Ogungbamila, F. O., Ogundaini, A. O., Okeke, I. N., Bohlin, L. 1997. Antiinflammatory and Antibacterial Activities of C-methylflavonol from <i>Piliostigma thonningii</i> . <i>Phytotherapy Research</i> , 11(4): 281-284.
Protein-Kinase-C-Inhibitor	Naim, M., Zehavi, U., Nagy, S., and Rouseff, R.L. Hydroxycinnamic Acids as Off-Flavor Precursors in Citrus Fruits and Their Products. <i>Phenolic Compounds in Food and Their Effects on Health</i> , Ch.14.
Quinone-Reductase-Inducer 6 uM	Uda, Y., Price, K. R., Williamson, G., Rhodes, M. J. C. 1997. Induction of the Anticarcinogenic Marker Enzyme, Quinone Reductase, in Murine Hepatoma Cells In Vitro by Flavonoids. <i>Cancer Lett.</i> , 120 (2): 213-216.
Quinone-Reductase-Inducer 13 uM	
TNF-alpha-Inhibitor IC50=3.11 uM	
Teratologic	
Topoisomerase-I-Inhibitor IC50=12.8 ug/ml	
Topoisomerase-I-Inhibitor IC50=42 uM	
Topoisomerase-II-Inhibitor IC50=1-6.9 ug/ml	
Topoisomerase-II-Inhibitor IC50=23-40 uM	
Tumorigenic 0.1% diet orl rat/yr	Jim Duke's personal files.
Tyrosinase-Inhibitor ID50=70 uM	
Tyrosine-Kinase-Inhibitor	Economic & Medicinal Plant Research, 6: 170.
VEGF-Inhibitor	
Vasodilator	
Xanthine-Oxidase-Inhibitor IC50=>0.4 ug/ml	Chem. & Pharm. Bull. 38: 1772.
Xanthine-Oxidase-Inhibitor IC50=10.6 ug/ml	
Xanthine-Oxidase-Inhibitor 3.1 uM	
cAMP-Phosphodiesterase-Inhibitor	Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).
iNOS-Inhibitor IC50=20 uM	

QUERCETIN-3-O-GALACTOSIDE Plant -- -- J.S. Glasby Dict.Pls Containing 2ndary Metabolite. 1991.

#### Activities (2)

Analgesic  
 Antiinflammatory Pathak, D., Pathak, K., Singla\*, A.K. 1991. Flavonoids as medicinal agents - Recent advances. *Fitoterapia* 62(5): 62, 1991.

QUERCETIN-3-O-GLUCOSIDE Plant -- -- J.S. Glasby Dict.Pls Containing 2ndary Metabolite. 1991.