

List of All Chemicals

P Micromeria myrtifolia (Lamiaceae)

Common name(s)

Haydarotu; Dagcayi; Topukcayi

How used

Medicinal

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Chemical	Part All ▾	Low PPM	High PPM	StdDev	*Reference
(E)-BETA-OCIMENE	Shoot	--	0.3	-0.67	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of Micromeria myrtifolia Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
1,8-CINEOLE	Shoot	--	0.1	-0.14	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of Micromeria myrtifolia Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

Activities (67)

(-)-Chronotropic 87 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
(-)-Inotropic 87 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Acaricide LC100=6 uM	
Allelopathic	
Allergenic	
Anesthetic	
Anthelmintic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiacetylcholinesterase IC50=41 ug/ml	
Antiallergic	J. Food Hyg. Soc. Jap. 33(6): 569.
Antibacterial 50 ppm	
Antibronchitic	
Anticariogenic	
Anticatarrh	Martindale's 29th
Anticholinesterase IC50=50-70	
Antifatigue	
Antihalitosis	American Health, 12(4): 17, 1993.
Antiinflammatory	
Antilaryngitic	
Antinociceptive	
Antipharyngitic	
Antiplateau	
Antirheumatic	
Antirhinitic	
Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antisinusitic	
Antispasmodic	
Antistaphylococcic 50 ppm	
Antitussive	
Antiulcer	
CNS-Stimulant	
Candidicide	
Carcinogenic	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Choleretic	
Convulsant	
Counterirritant	Martindale's 29th
Cytochrome-P450-Inducer	
Decongestant	
Depressant 0.2 ul/ml	

Dentifrice	Martindale's 29th
Edemagenic inj	
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
FLavor FEMA 1-200	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Gastroprotective	
Gram(+)icide	
Gram(-)icide	
Hepatotoxic	
Herbicide IC50=78 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Hypotensive	
Inflammatory inj	
Insectifuge	
Irritant	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Myorelaxant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Neurotoxic	
P450-Inducer	
Pediculicide 2.3 x pyrethrin	
Perfume	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Rubefacient	Martindale's 29th
Secretogogue	
Sedative	
Spasmogenic	
Surfactant	
Testosterone-Hydroxylase-Inducer	
Transdermal	
Trichomonicide LD100=1,000 ug/ml	

1-OCTEN-3-OL	Shoot	--	0.1	-0.65	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
2,5-DIETHYL-TETRAHYDROFURAN	Shoot	--	--	-1.24	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
2-HEXANAL	Shoot	--	--	-1.0	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
3-OCTANOL	Shoot	--	--	-0.31	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

Activities (2)

FLavor FEMA	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

6,10,14-TRIMETHYL-2-PENTADECANOL	Shoot	--	1.0		Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
6-METHYL-3-HEPTANOL	Shoot	--	0.1	-1.15	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
ACETONE	Shoot	--	0.1	-0.58	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

Activities (3)

Allergenic	
CNS-Depressant	Martindale's 29th
Narcotic	Martindale's 29th

ALPHA-COPAENE	Shoot	--	7.0	-0.27	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
ALPHA-CUBEBENE	Shoot	--	--	-0.59	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

ALPHA-HUMULENE	Shoot	--	9.0	-0.34	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
----------------	-------	----	-----	-------	--

Activities (2)

Antitumor	Zheng, G-Q., Kenney, P.M., and Lam, L.K.T. Sesquiterpenes From Clove (<i>Eugenia caryophyllata</i>) As Potential Anticarcinogenic Agents. <i>Journal of Natural Products</i> 55(7): 999-1003, 1992.
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.

ALPHA-MUUROLENE	Shoot	--	3.0	-0.31	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
-----------------	-------	----	-----	-------	--

ALPHA-PINENE	Shoot	--	0.3	-0.15	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
--------------	-------	----	-----	-------	--

Activities (28)

Allelochemic	
Allergenic	
Antiacne	
Antibacterial	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory 500 mg/kg	
Antipneumonic	
Antiseptic	
Antispasmodic	
Antistaphylococcic	
Antiviral	Economic & Medicinal Plant Research, 5: 195.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Coleoptophile	
Expectorant	Michael Castleman 1991. <i>The Healing Herbs.</i> Rodale Press, Emmaus, PA 436 pp.
FLavor FEMA 15-150	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide IC50=30 uM	Keeler, R.F. and Tu, A.T. eds. 1991. <i>Toxicology of Plant and Fungal Compounds.</i> (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insecticide 0.82 uM/fly	
Insectifuge 50 ppm	
Insectiphile	J. Stored. Prod. Res., 22:141, 1986.
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
P450-2B1-Inhibitor IC50=0.087 uM	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	Lawrence Review of Natural Products, Jun-90.
Spasmogenic	
Tranquilizer	Lawrence Review of Natural Products, Jun-90.
Transdermal	

ALPHA-TERPINENE	Shoot	--	--	-0.48	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
-----------------	-------	----	----	-------	--

Activities (13)

ACE-Inhibitor 100 ug/ml (weak activity)	
Acaricide	
Aldose-Reductase-Inhibitor 100 ug/ml	Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. <i>Toyama-Ken Yakuji Kenkyusho Nenpo</i> , (20): 95-101.
Antiacetylcholinesterase IC50=1.0 mM	
Antinitrosaminic	
Antispasmodic	
FLavor FEMA 1-40	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insecticide 0.86 uM/fly	
Insectifuge	
P450-2B1-Inhibitor IC50=0.76 uM	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Spasmogenic	

ALPHA-TERPINEOL Shoot -- 0.1 -0.29 Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of *Micromeria myrtifolia* Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

Activities (23)

ACE-Inhibitor 100 ug/ml (weak activity)

Aldose-Reductase-Inhibitor 100 ug/ml Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.

Allelopathic Wright, C.W. (Ed) 2002. Medicinal & Aromatic Plants-Industrial Profiles. Artemisia. 344pp. Maffei, M. (Ed) 2002. Vetiveria. The Genus Vetiveria. Taylor & Francis. NY, NY. 191pp. Southwell, I., Lowe, R. (Eds) 1999. Tea Tree. The Genus Melaleuca. Harwood Acad. Pub. Amsterdam, Netherlands.

Antiacne

Antibacterial MIC=800-1,600 ug/ml Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against *Streptococcus mutans*. J. Agric. Food Chem. 41: 1102-1105.

Anticancer Joseph, J., Nadeau, D. and Underwood, A. 2001. The Color Code. Hyperion, NY.

Anticarcinogenic MIC=800-1,600 ug/ml Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against *Streptococcus mutans*. J. Agric. Food Chem. 41: 1102-1105.

Antiinflammatory

Antiproliferant

Antiseptic Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

Cicatrizant ED50=240 ug/g mus

FLavor FEMA 5-40 Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry

Insecticide 1.29 uM/fly

Interleukin-6-Inhibitor

Mosquitofuge > Deet

Motor-Depressant Buchbauer et al, e.g. Buchbauer et al, 1993. Therapeutic properties of essential oils and fragrances. Chap. 12 in Teranishi, R., Buttery, R.G. and Sugisawa, H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC

Nematicide MLC=1 mg/ml Shoyakugaku Zasshi, 44: 183.

Perfumery Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

Pesticide

Sedative Buchbauer et al, e.g. Buchbauer et al, 1993. Therapeutic properties of essential oils and fragrances. Chap. 12 in Teranishi, R., Buttery, R.G. and Sugisawa, H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC

Termiticide IC100=5 mg/g

Transdermal

Vulnerary ED50=240 ug/g mus

AR-CURCUMENE Shoot -- 2.0 -0.39 Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of *Micromeria myrtifolia* Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

Activities (3)

Antirhinoviral IC50=1,750? Denyer, C.V., Jackson, P., Loakes, D.M., Ellis, M.R., and Yound, D.A.B. Isolation of Antirhinoviral Sesquiterpenes From Ginger (*Zingiber officinale*). Journal of Natural Products, 57(5): 658-662, 1994.

Antiulcer IC45=100 mg/kg Yamahara, J., et al. Stomachic principles in ginger. II. Pungent and anti-ulcer effects of low polar constituents isolated from ginger, the dried rhizoma of... Yakugaku Zasshi 112: 645-655 (1992).

Antiviral IC50=1,750? Denyer, C.V., Jackson, P., Loakes, D.M., Ellis, M.R., and Yound, D.A.B. Isolation of Antirhinoviral Sesquiterpenes From Ginger (*Zingiber officinale*). Journal of Natural Products, 57(5): 658-662, 1994.

BETA-BOURBONENE Shoot -- 0.1 -0.44 Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of *Micromeria myrtifolia* Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

BETA-CARYOPHYLLENE Shoot -- 130.0 -0.15 Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of *Micromeria myrtifolia* Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

BETA-CUBEENE Shoot -- 3.0 -0.26 Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of *Micromeria myrtifolia* Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

BETA-PINENE Shoot -- 0.5 -0.12 Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of *Micromeria myrtifolia* Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

Activities (13)

Allergenic	
Antiinflammatory	
Antiseptic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antispasmodic	
Candidicide	
FLavor FEMA 15-600	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Spasmogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Transdermal	

CAMPHENE Shoot -- 0.1 -0.13 Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of *Micromeria myrtifolia* Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

Activities (9)

Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antilithic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antioxidant	Jim Duke's personal files.
Expectorant	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
FLavor FEMA 15-175	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Hypocholesterolemic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Pesticide	
Spasmogenic	Fitoterapia No.59-1984.

CAMPHOR Shoot -- 0.5 -0.16 Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of *Micromeria myrtifolia* Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

Activities (41)

Allelopathic	
Analgesic	
Anesthetic	
Antiacne	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Antidiarrheic 500 ug/ml	Wealth of India.
Antidysenteric 500 ug/ml	Wealth of India.
Antiemetic 100-200 mg man orl	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antifeedant IC50=5,000 ppm diet	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Antifibrositic	Martindale's 28th
Antineuralgic	Martindale's 28th
Antipruritic	Merck 11th Edition
Antiseptic	Merck 11th Edition
Antispasmodic ED50=0.075 mg/ml	Fitoterapia No.59-1984.
CNS-Stimulant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. J. Pharm. Pharmacol. 46: 14-18, 1994.
Convulsant	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That: The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. Anns. Intern. Med. 117(2):165-6; Huxtable, R.
Cosmetic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Counterirritant	Martindale's 28th
Decongestant	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Deliriant	Merck 11th Edition
Ecbolic	
Emetic	
Epileptogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Expectorant	Martindale's 29th
Fungicide IC50=2.7 mM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Herbicide IC50=3.3-180 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Insect-Repellent	
Insectifuge	
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Occuloirritant	
P450-2B1-Inhibitor IC50=7.89 uM	
Pesticide	
Respirainhibitor	Merck 11th Edition
Respirastimulant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Rubefacient	
Stimulant	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That: The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. Anns. Intern. Med. 117(2):165-6; Huxtable, R.
Transdermal	
Verrucolytic	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Vibriocide 500 ug/ml	Wealth of India.

CARVACROL	Shoot	--	2.0	-0.62	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
-----------	-------	----	-----	-------	--

Activities (37)

Allergenic	
Anesthetic	
Anthelmintic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antialzheimeran?	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antiatherosclerotic IC50=5.53 uM	
Antibacterial MIC 170-290	Chalchat, J.C. et Garry, R.P.*, Bastide, P., Fabre, F. et Malhuret, R. Correlation Composition Chimique/Activite Antimicrobienne: V - Contribution a la Comparaison de 2 Methodes de Determination Des Cml. Plantes medicinales et phytotherapie, 25: 184-193.
Antibacterial MIC=39-625	Russell, G. B., Phytochemical resources for crop protection, N. Z. J. Technol., 2, 1986, 127-134.
Anticholinesterase?	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antidiuretic	Lawrence Review of Natural Products, Mar-92.
Antiinflammatory IC50=4 uM	
Antimelanomic IC50=120 uM/l	
Antioxidant	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Antioxidant (LDL) IC50=5.53 uM	
Anti plaque MIC=39-625 ug/ml	Osawa, K., Matsumoto, T., Maruyama, T., Takiguchi, T., Okuda, K., and Takazoe, I., Studies of the antibacterial activity of plant extracts and their constituents against periodontopathic bacteria, Bull Tokyo Dent. Coll., 31 (1), 1990, 17-21
Antiprostaglandin	
Antiradicular 600 x thymol	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Antiseptic 1.5 x phenol	
Antispasmodic	
Antistaphylococcic	
Antistreptococcic	
Antitussive	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Candidicide MIC<0.1 ug/ml	
Candidicide 100- 150 ug/ml	
Carminative	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Cyclooxygenase- Inhibitor #NAME?	
Enterorelaxant	J. Aromatherapy 4: 22.
Expectorant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Flavor FEMA 10- 125	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Insectifuge	
Irritant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Nematicide MLC=1 mg/ml	
Pesticide	
Prostaglandin- Inhibitor	
Tracheorelaxant	
Trichomonicide LD100=150 ug/ml	
Vermifuge	

CARVONE	Shoot	--	0.3	-0.26	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
---------	-------	----	-----	-------	--

Activities (19)					
Allergenic					
Antiacetylcholinesterase IC50=1.4-1.8 mM					
Antiproliferative					
Antiseptic 1.5 x phenol					Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
CNS-Stimulant					
Cancer-Preventive					Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidistat					
Carminative					Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. J. Pharm. Pharmacol. 46: 14-18, 1994.
FLavor FEMA 80-3,000					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungistat					
Insecticide					Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Insectifuge					Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Motor-Depressant					Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=1 mg/ml					Shoyakugaku Zasshi, 44: 183.
Perfumery					Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide					
Sedative					Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Trichomonicide LD100=300 ug/ml					
Vermicide					

CINEROLONE	Shoot	--	--		Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
CIS-CARVEOL	Shoot	--	--	-0.41	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
CIS-GERANYL-ACETONE	Shoot	--	0.5	-1.0	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
CIS-SABINENE-HYDRATE	Shoot	--	0.1	-0.25	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
DECANAL	Shoot	--	0.8	-1.41	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
DECANE	Shoot	--	0.1	-1.41	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
DELTA-CADINENE	Shoot	--	20.0	-0.26	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

Activities (9)					
Aldose-Reductase-Inhibitor					
Antiacne					
Antibacterial MIC800 ug/ml					Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against <i>Streptococcus mutans</i> . J. Agric. Food Chem. 41: 1102-1105.
Anticariogenic MIC800 ug/ml					Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against <i>Streptococcus mutans</i> . J. Agric. Food Chem. 41: 1102-1105.
Antistreptococcic					
Cytochrome-P450-Inducer					
P450-Inducer					
Pesticide					
Testosterone-Inducer					
EO	Shoot	--	300.0	-0.93	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
EREMOPHILINE	Shoot	--	2.0		Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
ETHANOL	Shoot	--	0.1	-0.47	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

Activities (24)

Allergenic	
Anesthetic 4,000 orl cat	Borchard, R. E., Barnes, C. D., and Eltherton, L. G. 1991. Drug Dosage in Laboratory Animals: A Handbook. (3rd Ed.) The Telford Press, Inc., P. O. Box 287, Caldwell NJ 07006.
Anesthetic 6,000 orl rat	Borchard, R. E., Barnes, C. D., and Eltherton, L. G. 1991. Drug Dosage in Laboratory Animals: A Handbook. (3rd Ed.) The Telford Press, Inc., P. O. Box 287, Caldwell NJ 07006.
Anhydrotic	Martindale's 29th
Antiatherosclerotic	
Antibacterial	Martindale's 28th
Antipruritic	Martindale's 28th
Antiseptic	Merck 11th Edition
CNS-Depressant	Martindale's 28th
Expectorant	Schulz, V, Hansel, R and Tyler, VE. 1998. Rational Phytotherapy - A Physician's Guide to Herbal Medicine. 3rd ed. 1st English Edition. Translated by Terry C. Telger. Springer Verlag, Heidelberg. 306 pp.
Hepatotoxic	Martindale's 29th
Hypertensive >1 drink/day	
Hypnotic Antidote=Naloxone	Martindale's 29th
Hypocalcemic 4,000 orl rat	Borchard, R. E., Barnes, C. D., and Eltherton, L. G. 1991. Drug Dosage in Laboratory Animals: A Handbook. (3rd Ed.) The Telford Press, Inc., P. O. Box 287, Caldwell NJ 07006.
Hypotensive 1 drink/day	
Mucotropic	Schulz, V, Hansel, R and Tyler, VE. 1998. Rational Phytotherapy - A Physician's Guide to Herbal Medicine. 3rd ed. 1st English Edition. Translated by Terry C. Telger. Springer Verlag, Heidelberg. 306 pp.
Neurolytic	Merck 11th Edition
Pesticide	
Rubefacient	Martindale's 29th
Sclerosant	Martindale's 29th
Surfactant	Schulz, V, Hansel, R and Tyler, VE. 1998. Rational Phytotherapy - A Physician's Guide to Herbal Medicine. 3rd ed. 1st English Edition. Translated by Terry C. Telger. Springer Verlag, Heidelberg. 306 pp.
Teratogenic 6,000 orl dog	Borchard, R. E., Barnes, C. D., and Eltherton, L. G. 1991. Drug Dosage in Laboratory Animals: A Handbook. (3rd Ed.) The Telford Press, Inc., P. O. Box 287, Caldwell NJ 07006.
Tremorolytic	Martindale's 28th
Ulcerogenic 5 ml/kg (50%) orl rat	

EUGENOL Shoot -- -- -0.49 Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of *Micromeria myrtifolia* Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

Activities (76)

Acaricide LD50=5.47 ug/sq cm cf DEET at 37.59 ug/sq cm	
Allergenic	
Analgesic	Merck 11th Edition
Anesthetic 200-400	Phytotherapy Research, 4: 93.
AntiTNF	
Antiaggregant IC50=0.3 uM	Phytotherapy Research, 4: 93.
Antiarachidonate	
Antibacterial 500 ppm	Valnet, J, 1982. The Practice of Aromatherapy. Translated from the 1980 French Edition by Robin Campbell and Libby Houston. Destiny Books, New York. 279 pp.
Antibacterial MBC=400 ug/ml	
Anticonvulsant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiedemic 100	Phytotherapy Research, 4: 95.
Antiestrogenic	
Antifeedant	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Antigenotoxic 50-500 mg/kg orl mus	
Antiherpetic IC50=16.2-25.6 ug/ml	
Antiinflammatory (11 uM) IC~97=1,000 uM	
Antikeratotic IC50=16.2-25.6 ug/ml	
Antimitotic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antinitrosating	
Antioxidant IC65=30 ppm	
Antioxidant 10 uM	
Antiprostaglandin 11 uM	
Antiprostaglandin IC50=9.2 mM	
Antipyretic 3 ml/man/day	

Antiradicular EC50=2 u/l	
Antisalmonella MIC=400 ug/ml	
Antiseptic 3 ml/man/day	
Antiseptic 400 ug/ml	
Antispasmodic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antistaphylococcic	Wright, C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,J.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antithromboxane	Lawrence Review of Natural Products, Jul-87.
Antitumor	Zheng, G-Q., Kenney, P.M., and Lam, L.K.T. Sesquiterpenes From Clove (<i>Eugenia caryophyllata</i>) As Potential Anticarcinogenic Agents. Journal of Natural Products 55(7): 999-1003, 1992.
Antiulcer	
Antiviral IC50=16.2-25.6 ug/ml	
Apifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
CNS-Depressant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
COX-1-Inhibitor IC97=1,000 uM	
COX-2-Inhibitor IC>97=1,000 uM	
COX-2-Inhibitor IC50=129 uM	
Calcium-Antagonist IC50=224 uM	
Calcium-Antagonist IC50=200 uM gpg	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candicicide	Phytotherapy Research, 4: 93.
Carcinogenic?	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. J. Pharm. Pharmacol. 46: 14-18, 1994.
Choleretic	
Cytochrome-P450-Inhibitor	Pizzorno, J. 1998. Total Wellness. Prima Health, a division of Prima.
Cytotoxic 25 ug/ml	Phytotherapy Research, 4: 93.
Dermatitigenic	
Enterorelaxant	J. Aromatherapy 4: 22.
FLavor FEMA 10-500	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Hepatoprotective 100 ppm	
Herbicide	
Insecticide	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	
Juvabional	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Larvicide	
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=2,000 ug/ml	Shoyakugaku Zasshi, 44: 183.
Neurotoxic	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That:The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benficent Nature. The Risk of Herbal Preparations. Anns. Intern. Med. 117(2):165-6; Huxtable, R.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Prostaglandin-Synthesis-Inhibitor 1 mM rbt	Chen, S. J., Wang, M. H., Chen, I. J. 1996. Antiplatelet and Calcium Inhibitory Properties of Eugenol and Sodium Eugenol Acetate. Gen Pharmacol, 27(4): 629-633.
Prostaglandin-Synthesis-Inhibitor IC50=9.2 uM	
Sedative	
Termiticide LD100=5 mg/g	
Trichomonicide LD100=300 ug/ml	
Trichomonistat IC50=10 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Trypsin-Enhancer	Lawrence Review of Natural Products, Dec-93.
Ulcerogenic	Phytotherapy Research, 4: 93.
Varroacide	
Vasodilator	
Vermifuge	

GAMMA-ELEMENE	Shoot	--	1.0	-0.65	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
GAMMA-SELINENE	Shoot	--	7.0	-1.0	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

GAMMA-TERPINENE Shoot -- 0.2 -0.39 Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of *Micromeria myrtifolia* Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

Activities (11)

ACE-Inhibitor 100 ug/ml
(weak activity)

Acaricide

Aldose-Reductase-Inhibitor 100 ug/ml Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.

Antiacetylcholinesterase
IC23=1.2 mM

Antifeedant Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.

Antioxidant Jim Duke's personal files.

FLavor FEMA 1-40 Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry

Insectifuge Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.

Irritant Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Perfumery Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry

Pesticide

GERMACRENE-D Shoot -- 21.0 -0.36 Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of *Micromeria myrtifolia* Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

Activities (2)

Pesticide

Pheromone

ISOAMYL-ACETATE Shoot -- 0.1 -0.65 Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of *Micromeria myrtifolia* Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

Activities (2)

Irritant Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Perfumery
Fragrance Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

ISOMENTHONE Shoot -- -- -0.53 Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of *Micromeria myrtifolia* Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

Activities (3)

Antiacetylcholinesterase IC50=1.6 mM

Antioxidant

Antiradicular

ISOPIPERITENONE Shoot -- -- -1.01 Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of *Micromeria myrtifolia* Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

LIMONENE Shoot -- 0.9 -0.33 Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of *Micromeria myrtifolia* Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

Activities (60)

AChE-Inhibitor	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, Oest. Biochem. & Physiol., 23, 1985, 383-8.
Acaricide LC100=8 uM	
Allelochemic	
Allergenic 1/20th carene	
Antiacetylcholinesterase IC22-26=1.2 mM	
Antiadenomic	
Antialzheimeran?	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, Oest. Biochem. & Physiol., 23, 1985, 383-8.
Antiasthmatic	
Antibacterial	Revista Itiliana Eppos, 12: 5, 1994.
Anticancer	
Antiesophagitic	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory	
Antilithic	
Antilymphomic	
Antimetastatic (Stomach)	
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antiobesity	
Antiseptic	
Antispasmodic ED50=0.197 mg/ml	Fitoterapia No.59-1984.
Antitumor	
Antitumor (Breast)	
Antitumor (Colon)	
Antitumor (Pancreas)	
Antitumor (Prostate)	
Antitumor (Stomach)	
Antiviral	
Apoptotic	
Bronchoprotectant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidistat	
Chemopreventive	
Cholesterolytic	
Detoxicant	
Enterocontractant	J. Aromatherapy 4: 22.
Expectorant	
FLavor	
Fungiphilic	J. Agric. Food Chem. 43: 2283.
Fungistat	
GST-Inducer	
Herbicide IC50=45 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Histaminic	
Immunomodulator	
Insecticide 0.37 uM/fly	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Interleukin-6-Inhibitor	
Irritant	
Lipolytic	
Myorelaxant 50 mg/kg	
NO-Genic	
Nematicide IC=100 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Ornithine-Decarboxylase-Inhibitor ~750 mg/kg (diet)	
Ozone-Scavenger	
P450-Inducer	
Peristaltic	
Pesticide	
Photosensitizer	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Sedative ED=1-32 mg/kg	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Transdermal	

LINALOL	Shoot	--	3.0	-0.22	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
---------	-------	----	-----	-------	--

LINALYL-ACETATE	Shoot	--	0.2	-0.36	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
-----------------	-------	----	-----	-------	--

Activities (7)

Anesthetic 0.01-1 ug/ml

Antioxidant 400 ppm

Antispasmodic ED50=0.21 mg/ml Fitoterapia No.59-1984.

FLavor FEMA 2-15 Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry

Motor-Depressant Buchbauer et al, e.g. Buchbauer et al, 1993. Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi, R., Buttery, R.G and Sugisawa, H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC

Perfumery Merck 11th Edition

Sedative

MENTHONE	Shoot	--	--	-0.82	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
----------	-------	----	----	-------	--

Activities (30)

Acaricide

Allelopathic

Analgesic

Antiacetylcholinesterase IC50=1.4 mM

Antiaggregant IC50=750

Antiallergic J. Food Hyg. Soc. Jap. 33(6): 569.

Antibacillary MIC=1.25 mg/ml

Antibacterial MIC=0.625-5 mg/ml

Antiescherichic MIC=5 mg/ml

Antihistaminic J. Food Hyg. Soc. Jap. 33(6): 569.

Antilisteria MIC=1.25 mg/ml

Antisalmonella MIC=5 mg/ml

Antiseptic 2.25 x phenol Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)

Antispasmodic ED50=0.044 mg/ml Fitoterapia No.59-1984.

Antistaphylococcic MIC=0.625-2.5 mg/ml

Cancer-Preventive Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

Candidicide MIC=2.5 mg/ml

Cerebrotoxic orl man J. Aromatherapy 4: 24.

Culicide LC50=156-194 mg/l

FLavor FEMA 5-50 Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry

Fungicide

Insecticide LC50=156-194 mg/l

Larvicide LC50=156-194 mg/l

Mutagenic

Nematicide MLC=1 mg/ml Shoyakugaku Zasshi, 44: 183.

Perfumery Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

Pesticide

Psychoactive

Sedative Ortiz de Urbina, A.V., Martin*, M.L., Montero, M.J., Moran, A., and San Roman, L. 1988. Sedating and Antipyretic Activity of the Essential Oil of *Calamintha sylvatica* subsp. *Ascendens*. Journal of Ethnopharmacology, 25: 165-171, 1989.

Trichomonicide LD100=600 ug/ml

METHYL-CHAVICOL	Shoot	--	--	-1.14	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
-----------------	-------	----	----	-------	--

Activities (6)

Calcium-Antagonist IC50=258 uM

DNA-Binder

Hepatocarcinogenic

Bisset, N.G., ed. 1994. Herbal Drugs and Phytopharmaceuticals. CRC Press. Boca Raton, FL. 566 pp.

Hypothermic

Insecticide

Pesticide

MYRCENE Shoot -- 0.1 -0.34 Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of *Micromeria myrtifolia* Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

Activities (22)

ACE-Inhibitor 100 ug/ml

Aldose-Reductase-Inhibitor 100 ug/ml

Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.

Allergenic

Analgesic

Kauderer, B., Zamith, H., Paumgartten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. Environmental and Molecular Mutagenesis 18: 28-34, 1991.

Antibacterial

Anticonvulsant

Antimutagenic

Kauderer, B., Zamith, H., Paumgartten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. Environmental and Molecular Mutagenesis 18: 28-34, 1991.

Antinitrosaminic

Antinociceptive 10-20 mg/kg ipr mus

Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. J. Pharm. Pharmacol. 42: 877-878, 1990.

Antinociceptive 20-40 mg/kg scu mus

Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. J. Pharm. Pharmacol. 42: 877-878, 1990.

Antioxidant

Jim Duke's personal files.

Antispasmodic

Jim Duke's personal files.

Chemopreventive

Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

FLavor FEMA 0.5-9

Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Fungicide

Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.

Hypothermic

Insectifuge

Irritant

Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Myorelaxant 100-200 mg/kg

P450-2B1-Inhibitor IC50=0.14 uM

Perfumery

Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

Pesticide

NEROLIDOL Shoot -- 8.0 -0.39 Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of *Micromeria myrtifolia* Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

Activities (11)

Aldose-Reductase-Inhibitor

Allergenic

Antiacne

Antibacterial MIC=25-200 ug/ml

Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against *Streptococcus mutans*. J. Agric. Food Chem. 41: 1102-1105.

Anticariogenic MIC=25-200 ug/ml

Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against *Streptococcus mutans*. J. Agric. Food Chem. 41: 1102-1105.

Antifeedant 1 mM (diet)

Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.

Antistreptococcic

FLavor FEMA 1-10

Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Nematicide MLC=1 mg/ml

Shoyakugaku Zasshi, 44: 183.

Perfumery

Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Pesticide

NONANE Shoot -- 0.1 -1.41 Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of *Micromeria myrtifolia* Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

NONANOL Shoot -- 0.6 -1.0 Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of *Micromeria myrtifolia* Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

OCTYL-ACETATE Shoot -- 0.2 Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of *Micromeria myrtifolia* Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

P-CYMEN-8-OL	Shoot	--	--	-0.17	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
--------------	-------	----	----	-------	--

P-CYMENE	Shoot	--	0.1	-0.5	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
----------	-------	----	-----	------	--

Activities (16)

Analgesic Martindale's 28th

Antiacetylcholinesterase
IC40=1.2 mM

Antibacillary

Antibacterial

Antiflu

Antirheumatalgic Martindale's 28th

Antiviral

FLavor FEMA 12-250 Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Fungicide Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.

Herbicide IC50=50 uM Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.

Insectifuge Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.

Irritant Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Laxative Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Pesticide

Sedative Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Trichomonicide
LD100=50 ug/ml

PATCHOULANE	Shoot	--	26.0	-0.54	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
-------------	-------	----	------	-------	--

PIPERITENONE-OXIDE	Shoot	--	--	-0.51	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
--------------------	-------	----	----	-------	--

Activities (2)

Insecticide Shah, G.C., Bhandari, R. & Mathela, C.S. 1992. 1,2-Epoxy-p-Menthane Derivatives from some Labiatae Species. J. Ess. Oil Res. 4: 57-59.

Pesticide

PIPERITONE	Shoot	--	--	-0.23	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
------------	-------	----	----	-------	--

Activities (7)

Antiasthmatic

FLavor FEMA 1-2 Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Herbicide IC50=30 mM Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.

Herbicide IC50=75 uM Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.

Insectifuge (> DEET) Bowers, W.S., Ortego, F., You, X., and Evans, P.H. Insect Repellents From The Chinese Prickly Ash *Zanthoxylum bungeanum*. Journal of Natural Products, 56(6): 935-938, 1993.

Perfumery Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Pesticide

PIPERITONE-OXIDE-I	Shoot	--	--	-1.41	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
--------------------	-------	----	----	-------	--

PIPERITONE-OXIDE-II	Shoot	--	--		Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
---------------------	-------	----	----	--	--

PULEGONE	Shoot	--	--	-0.27	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
----------	-------	----	----	-------	--

Activities (28)

AChE-Inhibitor	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, Oest. Biochem. & Physiol., 23, 1985, 383-8.
Antiacetylcholinesterase IC50=0.9 mM	
Antiacetylcholinesterase IC50=136 ug/ml	
Antialzheimeran?	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, Oest. Biochem. & Physiol., 23, 1985, 383-8.
Antibacterial	Economou, D., and Nahrstedt, A. 1991. Chemical, Physiological, and Toxicological Aspects of the Essential Oil of Some Species of the Genus <i>Bystropogon</i> *. <i>Planta Medica</i> , 57: 347, 1991.
Anticholinesterase	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, Oest. Biochem. & Physiol., 23, 1985, 383-8.
Antihistaminic	Ortiz De Urbina, A.V., Martin, M.L., Montero, M.J., Carron, R., Sevilla, M.A., San Roman, L. 1989. Antihistaminic activity of pulegone on the guinea-pig ileum. <i>J. Pharm. Pharmacol.</i> 42: 295-296, 1990.
Antipyretic	
Avifuge	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	Economou, D., and Nahrstedt, A. 1991. Chemical, Physiological, and Toxicological Aspects of the Essential Oil of Some Species of the Genus <i>Bystropogon</i> *. <i>Planta Medica</i> , 57: 347, 1991.
Cerebrotoxic orl man	J. Aromatherapy 4: 24.
Encephalopathic 80 mg/kg orl rat	Lawrence Review of Natural Products, Jan-92.
FLavor FEMA 5-30	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Economou, D., and Nahrstedt, A. 1991. Chemical, Physiological, and Toxicological Aspects of the Essential Oil of Some Species of the Genus <i>Bystropogon</i> *. <i>Planta Medica</i> , 57: 347, 1991.
Glutathionalytic	Lawrence Review of Natural Products, Jan-92.
Hallucinogenic	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That:The Essential Pharmacology of Herbs and Spices. <i>Tips</i> 13:15-20 Huxtable, R.J. 1992b. The Myth of Benficent Nature. The Risk of Herbal Preparations. <i>Anns. Intern. Med.</i> 117(2):165-6; Huxtable, R.
Hepatotoxic	Lewis, E.J. and Friedrich, E.C. 1989. The Essential Oil of <i>Poliomintha incana</i> . <i>Planta Medica</i> 56(2): 224-226, 1990.
Herbicide IC50=1.5 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insecticide	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, Oest. Biochem. & Physiol., 23, 1985, 383-8.
Insectifuge	
Nephrotoxic	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That:The Essential Pharmacology of Herbs and Spices. <i>Tips</i> 13:15-20 Huxtable, R.J. 1992b. The Myth of Benficent Nature. The Risk of Herbal Preparations. <i>Anns. Intern. Med.</i> 117(2):165-6; Huxtable, R.
Neurotoxic	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Pulifuge	
Pulmonotoxic	
Sedative	

SABINENE	Shoot	--	0.1	-0.3	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. <i>J. Ess. Oil Res.</i> , 4: 79-80.
----------	-------	----	-----	------	--

Activities (5)

Antibacterial	
Antihelicobacter	
Antiseptic	
Antiulcer	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

SPATHULENOL	Shoot	--	0.4	-0.44	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. <i>J. Ess. Oil Res.</i> , 4: 79-80.
-------------	-------	----	-----	-------	--

TERPINEN-4-OL	Shoot	--	--	-0.17	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. <i>J. Ess. Oil Res.</i> , 4: 79-80.
---------------	-------	----	----	-------	--

Activities (23)

Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antiacholinesterase IC21-24=1.2 mM	
Antiacne	
Antiallergic	
Antiasthmatic	Chin. J. Tuber. Respir. Dis., 4:203, 1982.
Antibacterial	
Antioxidant	
Antiseptic	Flav. & Frag. J. 9: 129.
Antispasmodic	
Antitussive	Chin. J. Tuber. Respir. Dis.
Antiulcer	
Bacteriostatic	Chin. J. Tuber. Respir. Dis.
Diuretic 0.1 ml/rat	
Fungicide	
Herbicide IC50=200 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Herbicide IC50=22 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	
Irritant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Pesticide	
Renoirritant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Spermicide ED100=0.015	
Vulnerary	Lawrence Review of Natural Products, Jan-91.

TERPINOLENE Shoot -- 0.1 -0.8 Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of *Micromeria myrtifolia* Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

Activities (9)

Allelochemic	
Antifeedant	
Antinitrosaminic	
Antioxidant	
Deodorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
FLavor FEMA 15-60	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	

THYMOL Shoot -- -- -0.33 Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of *Micromeria myrtifolia* Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

Activities (71)

Acaricide	
Allergenic	
Analgesic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Ancylostomicide	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Anesthetic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Ankylostomacide	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Anthelmintic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Antiacne	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Antiaggregant IC50=0.75	Tramil, 42: 511.
Antialzheimeran?	L. Gracza (1985) as cited by Buchbauer re antiacholinesterase.
Antiarthritic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antiatherosclerotic IC50=4 uM	

Antibacterial MIC=50-400 ug/ml	
Antibronchitic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Anticariogenic MIC=200-400 ug/ml	
Anticholinesterase	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antihalitotic	American Health, 12(4): 17, 1993.
Antiherpetic	Martindale's 28th
Antiinflammatory (=indomethacin)	
Antileptic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antimelanomic IC50=120 uM/l	
Antineuritic	
Antioxidant 100 ppm	Martindale's 28th
Antioxidant (LDL) IC50=4 uM	
Antiperiodontic MIC=50-200 ug/ml	
Antiplate MIC=39-625 ug/ml	Osawa, K., Matsumoto, T., Maruyama, T., Takiguchi, T., Okuda, K., and Takazoe, J., Studies of the antibacterial activity of plant extracts and their constituents against periodontopathic bacteria, Bull Tokyo Dent. Coll., 31 (1), 1990, 17-21
Antiradicular EC=60	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Antirheumatic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Antisalmonella	
Antiseptic 20 x phenol	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Antispasmodic	
Antistaphylococcic	
Antistreptococcic MIC=200-400 ug/ml	
Antitrichinosis 5%	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antitussive	Iwu, M.M. 1993. Handbook of African Medicinal Plants. CRC Press, Boca Raton, FL 435 pp.
Ataxigenic	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Candidicide 100 ug/ml (>Nystatin)	
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. J. Pharm. Pharmacol. 46: 14-18, 1994.
Counterirritant	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Culicide LC50=36-49 mg/l	
Cyclooxygenase-Inhibitor (=indomethacin)	
Dentifrice	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Deodorant	Martindale's 28th
Dermatitigenic	
Enterorelaxant	J. Aromatherapy 4: 22.
Enterotoxic	Wichtl, M. 1984. Teedrogen. Ein Handbuch fur Apotheker und Arzte. Wissenschaftliche Verlagsgesellschaft. mbH Stuttgart. 393 pp.
Expectorant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
FLavor FEMA 2-100	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Merck 11th Edition
Gastroirritant	Martindale's 29th
Gram(+)icide MIC=200-400 ug/ml	
Gram(-)icide MIC=50-200 ug/ml	
Insecticide LC50=36-49 mg/l	
Insecticide 0.22 uM/fly	
Insectifuge	
Irritant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Larvicide 10 ppm	Berenbaum, M. R., The natives knew, Chemtech, (May), 1990, 275-279.
Larvicide 58 ppm	
Larvicide LC50=36-49 mg/l	
Molluscicide	
Myorelaxant	J. Aromatherapy 4: 22.
Nematicide MLC=0.1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Sprout-Inhibitor	Duke, J.A.. Personal Communication.

Tracheorelaxant					
Trichomonicide LD100=25 ug/ml					
Urinary-Antiseptic					Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Varroacide					
Vermicide					Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
UNDECANE	Shoot	--	0.1	-1.24	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
VERBENONE	Shoot	--	--	-0.26	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.

Activities (5)					
Allelochemic					
Coleopterifuge					
Insectifuge					
Perfumery					Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry
Pesticide					